(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 17 April 2003 (17.04.2003)

PCT

(10) International Publication Number WO 03/031622 A1

- (51) International Patent Classification⁷: C12N 15/29, 15/52, 15/53, 15/55, 15/60, 15/61, A01H 5/00
- (21) International Application Number: PCT/AU02/01345
- (22) International Filing Date: 4 October 2002 (04.10.2002)
- (25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

PR 8113

5 October 2001 (05.10.2001)

- (71) Applicants (for all designated States except US):

 AGRICULTURE VICTORIA SERVICES PTY LTD
 [AU/AU]; 475 Mickleham Road, Attwood, Victoria 3049
 (AU). AGRESEARCH LIMITED [NZ/NZ]; 5th Floor,
 Tower Block, Ruakura Reserach Centre, East Street,
 Hamilton (NZ).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): SPANGENBERG, German [UY/AU]; 56 Arthur Street, Bundoora, Victoria 3083 (AU). SAWBRIDGE, Timothy, Ivor [GB/AU]; 174 Keele Street, Collingwood, Victoria 3066 (AU). ONG, Eng, Kok [MY/AU]; 19 Overland Drive, Vermont South, Victoria 3133 (AU). EMMERLING, Michael [DE/AU]; 249 Nepean Street, Greensborough, Victoria 3088 (AU).

- (74) Agent: FREEHILLS CARTER SMITH BEADLE; Level 43, 101 Collins Street, Melbourne, Victoria 3000 (AU).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: MANIPULATION OF FLAVONOID BIOSYNTHESIS IN PLANTS

(57) Abstract: The present invention relates to nucleic acids and nucleic acid fragments encoding amino acid sequences for flavonoid biosynthetic enzymes in plants, and the use thereof for the modification of flavonoid biosynthesis in plants. More particularly, the flavonoid biosynthetic enzyme is selected from the group consisting of chalcone isomerase (CHI), chalcone synthase (CHS), chalcone reductase (CHR), dihydroflavonol 4-reductase (DFR), leucoanthocyanidin reductase (LCR), flavonoid 3', 5' hydrolase (F3'5'H), flavanone 3-hydroxylase (F3H), flavonoid 3'-hydroxylase (F3'H), phenylalanine ammonia-olyase (PAL) and vestitone reductase (VR), and functionally active fragments and variants thereof.

MANIPULATION OF FLAVONOID BIOSYNTHESIS IN PLANTS

The present invention relates to nucleic acids and nucleic acid fragments encoding amino acid sequences for flavonoid biosynthetic enzymes in plants, and the use thereof for the modification of flavonoid biosynthesis in plants.

Flavonoids constitute a relatively diverse family of aromatic molecules that are derived from phenylalanine and malonyl-coenzyme A (CoA, via the fatty acid pathway). These compounds include six major subgroups that are found in most higher plants: the chalcones, flavones, flavonols, flavandiols, anthocyanins and condensed tannins (or proanthocyanidins). A seventh group, the aurones, is widespread, but not ubiquitous.

5

10

15

20

25

Some plant species also synthesize specialised forms of flavonoids, such as the isoflavonoids that are found in legumes and a small number of non-legume plants. Similarly, sorghum, maize and gloxinia are among the few species known to synthesize 3-deoxyanthocyanins (or phlobaphenes in the polymerised form). The stilbenes which are closely related to flavonoids, are synthesised by another group of unrelated species that includes grape, peanut and pine.

Besides providing pigmentation to flowers, fruits, seeds, and leaves, flavonoids also have key roles in signalling between plants and microbes, in male fertility of some species, in defense as antimicrobial agents and feeding deterrents, and in UV protection.

Flavonoids also have significant activities when ingested by animals, and there is great interest in their potential health benefits, particularly for compounds such as isoflavonoids, which have been linked to anticancer benefits, and stilbenes that are believed to contribute to reduced heart disease.

The major branch pathways of flavonoid biosynthesis start with general phenylpropanoid metabolism and lead to the nine major subgroups: the colorless chalcones, aurones, isoflavonoids, flavones, flavonols, flavandiols, anthocyanins, condensed tannins, and phlobaphene pigments. The enzyme phenylalanine

20

25

PCT/AU02/01345

ammonia-lyase (PAL) of the general phenylpropanoid pathway will lead to the production of cinnamic acid. Cinnamate-4-hydroxylase (C4H) will produce p-coumaric acid which will be converted through the action of 4-coumaroyl:CoA-ligase (4CL) to the production of 4-coumaroyl-CoA and malonyl-CoA. The first committed step in flavonoid biosynthesis is catalyzed by chalcone synthase (CHS), which uses malonyl CoA and 4-coumaryl CoA as substrates. Chalcone reductase (CHR) balances the production of 5-hydroxy- or 5-deoxyflavonoids. The next enzyme, chalcone isomerase (CHI) catalyses ring closure to form a flavanone, but the reaction can also occur spontaneously. Other enzymes in the pathway are: flavanone 3-hydroxylase (F3H), dihydroflavonol 4-reductase (DFR), flavonoid 3'-hydroxylase (F3'H) and flavonoid 3', 5' hydroxylase (F3'5'H).

The Arabidopsis BANYULS gene encodes a DFR-like protein that may be a leucoanthocyanidin reductase (LCR) that catalyzes an early step in condensed tannin biosynthesis. Condensed tannins are plant polyphenols with protein-precipitating and antioxidant properties, synthesized by the flavonoid pathway. Their chemical properties include protein binding, metal chelation, anti-oxidation, and UV-light absorption. As a result condensed tannins inhibit viruses, microorganisms, insects, fungal pathogens, and monogastric digestion. Moderate amounts of tannins improve forage quality by disrupting protein foam and conferring protection from rumen pasture bloat. Bloat is a digestive disorder that occurs on some highly nutritious forage legumes such as alfalfa (Medicago sativa) and white clover (Trifolium repens). Moderate amounts of tannin can also reduce digestion rates in the rumen and can reduce parasitic load sufficiently to increase the titre of amino acids and small peptides in the small intestine without compromising total digestion.

Vestitone reductase (VR) is the penultimate enzyme in medicarpin biosynthesis. Medicarpin, a phytoalexin, has been associated with plant resistance to fungal pathogens.

While nucleic acid sequences encoding some flavonoid biosynthetic 30 enzymes CHI, CHS, CHR, DFR, LCR, F3'5'H, F3H, F3'H, PAL and VR have been isolated for certain species of plants, there remains a need for materials useful in

modifying flavonoid biosynthesis; in modifying protein binding, metal chelation, anti-oxidation, and UV-light absorption; in modifying plant pigment production; in modifying plant defense to biotic stresses such as viruses, micro-organisms, insects or fungal pathogens; in modifying forage quality, for example by disrupting protein foam and/or conferring protection from rumen pasture bloat, particularly in forage legumes and grasses, including alfalfa, medics, clovers, ryegrasses and fescues, and for methods for their use.

5

15

20

25

It is an object of the present invention to overcome, or at least alleviate, one or more of the difficulties or deficiencies associated with the prior art.

In one aspect, the present invention provides substantially purified or isolated nucleic acids or nucleic acid fragments encoding the flavonoid biosynthetic enzymes CHI, CHS, CHR, DFR, LCR, F3'5'H, F3H, F3'H, PAL and VR from a clover (*Trifolium*), medic (*Medicago*), ryegrass (*Lolium*) or fescue (*Festuca*) species and functionally active fragments and variants thereof.

The present invention also provides substantially purified or isolated nucleic acids or nucleic acid fragments encoding amino acid sequences for a class of proteins which are related to CHI, CHS, CHR, DFR, LCR, F3'5'H, F3H, F3'H, PAL and VR and functionally active fragments and variants thereof. Such proteins are referred to herein as CHI-like, CHS-like, CHR-like, DFR-like, LCR-like, F3'5'H-like, F3H-like, PAL-like and VR-like, respectively.

The individual or simultaneous enhancement or otherwise manipulation of CHI, CHS, CHR, DFR, LCR, F3'5'H, F3H, F3'H, PAL and/or VR or like gene activities in plants may enhance or otherwise alter flavonoid biosynthesis; may enhance or otherwise alter the plant capacity for protein binding, metal chelation, anti-oxidation or UV-light absorption; may enhance or reduce or otherwise alter plant pigment production; may modify plant defense to biotic stresses such as viruses, micro-organisms, insects or fungal pathogens; and/or may modify forage quality, for example by disrupting protein foam and/or conferring protection from rumen pasture bloat.

The individual or simultaneous enhancement or otherwise manipulation of CHI, CHS, CHR, DFR, LCR, F3'5'H, F3H, F3'H, PAL and/or VR or like gene activities in plants has significant consequences for a range of applications in, for example, plant production and plant protection. For example, it has applications in increasing plant tolerance and plant defense to biotic stresses such as viruses, micro-organisms, insects and fungal pathogens; in improving plant forage quality, for example by disrupting protein foam and in conferring protection from rumen pasture bloat; in reducing digestion rates in the rumen and reducing parasitic load; in the production of plant compounds leading to health benefits, such as isoflavonoids, which have been linked to anticancer benefits, and stilbenes that are believed to contribute to reduced heart disease.

Methods for the manipulation of CHI, CHS, CHR, DFR, LCR, F3'5'H, F3H, F3'H, PAL and/or VR or like gene activities in plants, including legumes such as clovers (*Trifolium* species), lucerne (*Medicago sativa*) and grass species such as ryegrasses (*Lolium* species) and fescues (*Festuca* species) may facilitate the production of, for example, forage legumes and forage grasses and other crops with enhanced tolerance to biotic stresses such as viruses, micro-organisms, insects and fungal pathogens; altered pigmentation in flowers; forage legumes with enhanced herbage quality and bloat-safety; crops with enhanced isoflavonoid content leading to health benefits.

15

20

25

30

The clover (*Trifolium*), medic (*Medicago*), ryegrass (*Lolium*) or fescue (*Festuca*) species may be of any suitable type, including white clover (*Trifolium repens*), red clover (*Trifolium pratense*), subterranean clover (*Trifolium subterraneum*), alfalfa (*Medicago sativa*), Italian or annual ryegrass (*Lolium multiflorum*), perennial ryegrass (*Lolium perenne*), tall fescue (*Festuca arundinacea*), meadow fescue (*Festuca pratensis*) and red fescue (*Festuca rubra*). Preferably the species is a clover or a ryegrass, more preferably white clover (*T. repens*) or perennial ryegrass (*L. perenne*). White clover (*Trifolium repens* L.) and perennial ryegrass (*Lolium perenne* L.) are key pasture legumes and grasses, respectively, in temperate climates throughout the world. Perennial ryegrass is also an important turf grass.

10

15

20

25

5

The nucleic acid or nucleic acid fragment may be of any suitable type and includes DNA (such as cDNA or genomic DNA) and RNA (such as mRNA) that is single- or double-stranded, optionally containing synthetic, non-natural or altered nucleotide bases, and combinations thereof.

The term "isolated" means that the material is removed from its original environment (eg. the natural environment if it is naturally occurring). For example, a naturally occurring nucleic acid present in a living plant is not isolated, but the same nucleic acid separated from some or all of the coexisting materials in the natural system, is isolated. Such nucleic acids could be part of a vector and/or such nucleic acids could be part of a composition, and still be isolated in that such a vector or composition is not part of its natural environment.

Such nucleic acids or nucleic acid fragments could be assembled to form a consensus contig. As used herein, the term "consensus contig" refers to a nucleotide sequence that is assembled from two or more constituent nucleotide sequences that share common or overlapping regions of sequence homology. For example, the nucleotide sequence of two or more nucleic acids or nucleic acid fragments can be compared and aligned in order to identify common or overlapping sequences. Where common or overlapping sequences exist between two or more nucleic acids or nucleic acid fragments, the sequences (and thus their corresponding nucleic acids or nucleic acid fragments) can be assembled into a single contiguous nucleotide sequence.

In a preferred embodiment of this aspect of the invention, the substantially purified or isolated nucleic acid or nucleic acid fragment encoding a CHI or CHI-like protein includes a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 1, 3, 4, 6, 7, 9, 10, 12, 122 and 127 hereto (Sequence ID Nos: 1, 3 to 7, 8, 10 to 12, 13, 15 and 16, 17, 19 to 22, 307, and 309, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).

15

20

25

30

6

PCT/AU02/01345

In a further preferred embodiment of this aspect of the invention, the substantially purified or isolated nucleic acid or nucleic acid fragment encoding a CHS or CHS-like protein includes a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 13, 15, 16, 18, 19, 21, 22, 24, 25, 27, 28, 30, 31, 33, 34, 137, 142, 147, 152, 157 and 162 hereto (Sequence ID Nos: 23, 25 to 63, 64, 66 to 68, 69, 71 to 77, 78, 80 to 90, 91, 93 and 94, 95, 97 to 100, 101, 103 to 105, 106, 313, 315, 317, 319, 321, and 323, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).

In a further preferred embodiment of this aspect of the invention, the substantially purified or isolated nucleic acid or nucleic acid fragment encoding a CHR or CHR-like protein includes a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 36, 38, 40, 41, 43 and 132 hereto (Sequence ID Nos: 108, 110, 112 to 116, 117, 119 to 134, and 311, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).

In a further preferred embodiment of this aspect of the invention, the substantially purified or isolated nucleic acid or nucleic acid fragment encoding a DFR or DFR-like protein includes a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 44, 46, 47, 49, 50, 52, 54, 55, 57, 59, 61, 62, 64, 101, 103, 104, 106, 117 and 167 hereto (Sequence ID Nos: 135, 137 to 146, 147, 149 to 152, 153, 155, 157 and 158, 159, 161, 163, 165 to 167, 168, 170 to 184, 286, 288 to 292, 293, 295 to 297, 305, and 325, respectively); (b) complements of the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).

In a further preferred embodiment of this aspect of the invention, the substantially purified or isolated nucleic acid or nucleic acid fragment encoding an LCR or LCR-like protein includes a nucleotide sequence selected from the group

10

15

20

25

consisting of (a) sequences shown in Figures 65 and 67 hereto (Sequence ID Nos: 185 and 187 to 193, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).

In a still further preferred embodiment of this aspect of the invention, the substantially purified or isolated nucleic acid or nucleic acid fragment encoding an F3'5'H or F3'5'H-like protein includes a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 68, 70 and 72 hereto (Sequence ID Nos: 194, 196, and 198 to 201, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).

In a further preferred embodiment of this aspect of the invention, the substantially purified or isolated nucleic acid or nucleic acid fragment encoding an F3H or F3H-like protein includes a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 73, 75, 76, 78, 107, 109, 111 and 172 hereto (Sequence ID Nos: 202, 204 to 244, 245, 247, 298, 300 to 302, 303, and 327, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).

In a still further preferred embodiment of this aspect of the invention, the substantially purified or isolated nucleic acid or nucleic acid fragment encoding an F3'H or F3'H-like protein includes a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 80 and 82 hereto (Sequence ID Nos: 249, and 251 and 252, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).

10

15

20

25

30

In a further preferred embodiment of this aspect of the invention, the substantially purified or isolated nucleic acid or nucleic acid fragment encoding an PAL or PAL-like protein includes a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 83, 85, 86, 88, 89, 91, 93, 95, 97, 177, 182 and 187 hereto (Sequence ID Nos: 253, 255 to 257, 258, 260 to 267, 268, 270, 272, 274, 276 and 277, 329, 331, and 333, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).

In a still further preferred embodiment of this aspect of the invention, the substantially purified or isolated nucleic acid or nucleic acid fragment encoding an VR or VR-like protein includes a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 98, 100 and 192 hereto (Sequence ID Nos: 278, 280 to 285, and 335, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).

By "functionally active" in relation to nucleic acids it is meant that the fragment or variant (such as an analogue, derivative or mutant) encodes a polypeptide which is capable of modifying flavonoid biosynthesis in a plant. Such variants include naturally occurring allelic variants and non-naturally occurring variants. Additions, deletions, substitutions and derivatizations of one or more of the nucleotides are contemplated so long as the modifications do not result in loss of functional activity of the fragment or variant. Preferably the functionally active fragment or variant has at least approximately 80% identity to the relevant part of the above mentioned nucleotide sequence, more preferably at least approximately 90% identity, even more preferably at least approximately 95% identity, most preferably at least approximately 98% homology. Such functionally active variants and fragments include, for example, those having nucleic acid changes which result in conservative amino acid substitutions of one or more residues in the corresponding amino acid sequence. Preferably the fragment has a size of at least

10 nucleotides, more preferably at least 15 nucleotides, most preferably at least 20 nucleotides.

Nucleic acids or nucleic acid fragments encoding at least a portion of several CHI, CHS, CHR, DFR, LCR, F3'5'H, F3H, F3'H, PAL and VR have been isolated and identified. The nucleic acids or nucleic acid fragments of the present invention may be used to isolate cDNAs and genes encoding homologous proteins from the same or other plant species. Isolation of homologous genes using sequence-dependent protocols, such as methods of nucleic acid hybridisation, and methods of DNA and RNA amplification as exemplified by various uses of nucleic acid amplification technologies (e.g. polymerase chain reaction, ligase chain reaction), is well known in the art.

10

15

20

25

For example, genes encoding other CHI or CHI-like, CHS or CHS-like, CHR or CHR-like, DFR or DFR-like, LCR or LCR-like, F3'5'H or F3'5'H-like, F3H or F3H-like, F3'H or F3'H-like, PAL or PAL-like and VR or VR-like proteins, either as cDNAs or genomic DNAs, may be isolated directly by using all or a portion of the nucleic acids or nucleic acid fragments of the present invention as hybridisation probes to screen libraries from the desired plant employing the methodology well known to those skilled in the art. Specific oligonucleotide probes based upon the nucleic acid sequences of the present invention may be designed and synthesized by methods known in the art. Moreover, the entire sequences may be used directly to synthesize DNA probes by methods known to the skilled artisan such as random primer DNA labelling, nick translation, or end-labelling techniques, or RNA probes using available in vitro transcription systems. In addition, specific primers may be designed and used to amplify a part or all of the sequences of the present invention. The resulting amplification products may be labelled directly during amplification reactions or labelled after amplification reactions, and used as probes to isolate full-length cDNA or genomic fragments under conditions of appropriate stringency.

In addition, short segments of the nucleic acids or nucleic acid fragments of the present invention may be used in amplification protocols to amplify longer nucleic acids or nucleic acid fragments encoding homologous genes from DNA or

WO 03/031622 PCT/AU02/01345

10

15

20

25

30

RNA. For example, polymerase chain reaction may be performed on a library of cloned nucleic acid fragments wherein the sequence of one primer is derived from the nucleic acid sequences of the present invention, and the sequence of the other primer takes advantage of the presence of the polyadenylic acid tracts to the 3' end of the mRNA precursor encoding plant genes. Alternatively, the second primer sequence may be based upon sequences derived from the cloning vector. For example, those skilled in the art can follow the RACE protocol [Frohman et al. (1988) Proc. Natl. Acad Sci. USA 85:8998, the entire disclosure of which is incorporated herein by reference] to generate cDNAs by using PCR to amplify copies of the region between a single point in the transcript and the 3' or 5' end. Using commercially available 3' RACE and 5' RACE systems (BRL), specific 3' or 5' cDNA fragments may be isolated [Ohara et al. (1989) Proc. Natl. Acad Sci USA 86:5673; Loh et al. (1989) Science 243:217, the entire disclosures of which are incorporated herein by reference]. Products generated by the 3' and 5' RACE procedures may be combined to generate full-length cDNAs.

In a second aspect of the present invention there is provided a substantially purified or isolated polypeptide from a clover (*Trifolium*), medic (*Medicago*), ryegrass (*Lolium*) or fescue (*Festuca*) species, selected from the group consisting of CHI and CHI-like, CHS and CHS-like, CHR and CHR-like, DFR and DFR-like, LCR and LCR-like, F3'5'H and F3'5'H-like, F3H and F3H-like, F3'H and F3'H-like, PAL and PAL-like, VR and VR-like; and functionally active fragments and variants thereof.

The clover (*Trifolium*), medic (*Medicago*), ryegrass (*Lolium*) or fescue (*Festuca*) species may be of any suitable type, including white clover (*Trifolium repens*), red clover (*Trifolium pratense*), subterranean clover (*Trifolium subterraneum*), alfalfa (*Medicago sativa*), Italian or annual ryegrass (*Lolium multiflorum*), perennial ryegrass (*Lolium perenne*), tall fescue (*Festuca arundinacea*), meadow fescue (*Festuca pratensis*) and red fescue (*Festuca rubra*). Preferably the species is a clover or a ryegrass, more preferably white clover (*T. repens*) or perennial ryegrass (*L. perenne*).

10

15

20

25

11

In a preferred embodiment of this aspect of the invention, the substantially purified or isolated CHI or CHI-like polypeptide includes an amino acid sequence selected from the group consisting of the sequences shown in Figures 2, 5, 8, 11, 123 and 128 hereto (Sequence ID Nos: 2, 9, 14, 18, 308, and 310, respectively), and functionally active fragments and variants thereof.

In a further preferred embodiment of this aspect of the invention, the substantially purified or isolated CHS or CHS-like polypeptide includes an amino acid sequence selected from the group consisting of the sequences shown in Figures 14, 17, 20, 23, 26, 29, 32, 35, 138, 143, 148, 153, 158 and 163 hereto (Sequence ID Nos: 24, 65, 70, 79, 92, 96, 102, 107, 314, 316, 318, 320, 322, and 324, respectively), and functionally active fragments and variants thereof.

In a further preferred embodiment of this aspect of the invention, the substantially purified or isolated CHR or CHR-like polypeptide includes an amino acid sequence selected from the group consisting of the sequences shown in Figures 37, 39, 42 and 133 hereto (Sequence ID Nos: 109, 111, 118, and 312, respectively), and functionally active fragments and variants thereof.

In a still further preferred embodiment of this aspect of the invention, the substantially purified or isolated DFR or DFR-like polypeptide includes an amino acid sequence selected from the group consisting of the sequences shown in Figures 45, 48, 51, 53, 56, 58, 60, 63, 102, 105, 118 and 168 hereto (Sequence ID Nos: 136, 148, 54, 156, 160, 162, 164, 169, 287, 294, 306, and 326, respectively), and functionally active fragments and variants thereof.

In a still further preferred embodiment of this aspect of the invention, the substantially purified or isolated LCR or LCR-like polypeptide includes an amino acid sequence shown in Figure 66 hereto (Sequence ID No: 186), and functionally active fragments and variants thereof.

In a still further preferred embodiment of this aspect of the invention, the substantially purified or isolated F3'5'H or F3'5'H-like polypeptide includes an amino acid sequence selected from the group consisting of the sequences shown

in Figures 69 and 71 hereto (Sequence ID Nos: 195 and 197, respectively), and functionally active fragments and variants thereof.

In a still further preferred embodiment of this aspect of the invention, the substantially purified or isolated F3H or F3H-like polypeptide includes an amino acid sequence selected from the group consisting of the sequences shown in Figures 74, 77, 79, 108, 112 and 173 hereto (Sequence ID Nos: 203, 246, 248, 299, 304, and 328, respectively), and functionally active fragments and variants thereof.

5

10

15

20

25

In a still further preferred embodiment of this aspect of the invention, the substantially purified or isolated F3'H or F3'H-like polypeptide includes an amino acid sequence shown in Figure 81 hereto (Sequence ID No: 250), and functionally active fragments and variants thereof.

In a still further preferred embodiment of this aspect of the invention, the substantially purified or isolated PAL or PAL-like polypeptide includes an amino acid sequence selected from the group consisting of the sequences shown in Figures 84, 87, 90, 92, 94, 96, 178, 183 and 188 hereto (Sequence ID Nos: 254, 259, 269, 271, 273, 275, 330, 332, and 334, respectively), and functionally active fragments and variants thereof.

In a still further preferred embodiment of this aspect of the invention, the substantially purified or isolated VR or VR-like polypeptide includes an amino acid sequence shown in Figures 99 and 193 hereto (Sequence ID Nos: 279 and 336, respectively), and functionally active fragments and variants thereof.

By "functionally active" in relation to polypeptides it is meant that the fragment or variant has one or more of the biological properties of the proteins CHI, CHI-like, CHS, CHS-like, CHR, CHR-like, DFR, DFR-like, LCR, LCR-like, F3'5'H, F3'5'H-like, F3H, F3H-like, F3'H, F3'H-like, PAL, PAL-like, VR and VR-like, respectively. Additions, deletions, substitutions and derivatizations of one or more of the amino acids are contemplated so long as the modifications do not result in loss of functional activity of the fragment or variant. Preferably the functionally

WO 03/031622 PCT/AU02/01345

active fragment or variant has at least approximately 60% identity to the relevant part of the above mentioned amino acid sequence, more preferably at least approximately 80% identity, even more preferably at least approximately 90% identity most preferably at least approximately 95% homology. Such functionally active variants and fragments include, for example, those having conservative amino acid substitutions of one or more residues in the corresponding amino acid sequence. Preferably the fragment has a size of at least 10 amino acids, more preferably at least 15 amino acids, most preferably at least 20 amino acids.

13

In a further embodiment of this aspect of the invention, there is provided a polypeptide recombinantly produced from a nucleic acid or nucleic acid fragment according to the present invention. Techniques for recombinantly producing polypeptides are well known to those skilled in the art.

10

15

20

25

30

Availability of the nucleotide sequences of the present invention and deduced amino acid sequences facilitates immunological screening of cDNA expression libraries. Synthetic peptides representing portions of the instant amino acid sequences may be synthesized. These peptides may be used to immunise animals to produce polyclonal or monoclonal antibodies with specificity for peptides and/or proteins including the amino acid sequences. These antibodies may be then used to screen cDNA expression libraries to isolate full-length cDNA clones of interest.

A genotype is the genetic constitution of an individual or group. Variations in genotype are important in commercial breeding programs, in determining parentage, in diagnostics and fingerprinting, and the like. Genotypes can be readily described in terms of genetic markers. A genetic marker identifies a specific region or locus in the genome. The more genetic markers, the finer defined is the genotype. A genetic marker becomes particularly useful when it is allelic between organisms because it then may serve to unambiguously identify an individual. Furthermore, a genetic marker becomes particularly useful when it is based on nucleic acid sequence information that can unambiguously establish a genotype of an individual and when the function encoded by such nucleic acid is known and is associated with a specific trait. Such nucleic acids and/or nucleotide

10

PCT/AU02/01345

sequence information including single nucleotide polymorphisms (SNPs), variations in single nucleotides between allelic forms of such nucleotide sequence, may be used as perfect markers or candidate genes for the given trait.

Applicants have identified a number of SNPs of the nucleic acids or nucleic acid fragments of the present invention. These are indicated (marked with grey on the black background) in the figures that show multiple alignments of nucleotide sequences of nucleic acid fragments contributing to consensus contig sequences. See for example, Figures 3, 6, 9, 12, 15, 18, 21, 24, 27, 30, 33, 40, 43, 46, 49, 54, 61, 64, 67, 72, 75, 82, 85, 88, 97, 100, 103, 106 and 109 hereto (Sequence ID Nos: 3 to 7, 10 to 12, 15 and 16, 19 to 22, 25 to 63, 66 to 68, 71 to 77, 80 to 90, 93 and 94, 97 to 100, 103 to 105, 112 to 116, 119 to 134, 137 to 146, 149 to 152, 157 and 158, 165 to 167, 170 to 184, 187 to 193, 198 to 201, 204 to 244, 251 and 252, 255 to 257, 260 to 267, 276 and 277, 280 to 285, 288 to 292, 295 to 297, and 300 to 302, respectively).

Accordingly, in a further aspect of the present invention, there is provided a substantially purified or isolated nucleic acid or nucleic acid fragment including a single nucleotide polymorphism (SNP) from a nucleic acid or nucleic acid fragment according to the present invention or complements or sequences antisense thereto, and functionally active fragments and variants thereof.

In a still further aspect of the present invention there is provided a method of isolating a nucleic acid or nucleic acid fragment of the present invention including a SNP, said method including sequencing nucleic acid fragments from a nucleic acid library.

The nucleic acid library may be of any suitable type and is preferably a 25 cDNA library.

The nucleic acid or nucleic acid fragments may be isolated from a recombinant plasmid or may be amplified, for example using polymerase chain reaction.

The sequencing may be performed by techniques known to those skilled in the art.

In a still further aspect of the present invention, there is provided use of the nucleic acids or nucleic acid fragments of the present invention including SNPs, and/or nucleotide sequence information thereof, as molecular genetic markers.

5

10

15

20

25

In a still further aspect of the present invention there is provided use of a nucleic acid or nucleic acid fragment of the present invention, and/or nucleotide sequence information thereof, as a molecular genetic marker.

More particularly, nucleic acids or nucleic acid fragments according to the present invention and/or nucleotide sequence information thereof may be used as a molecular genetic marker for quantitative trait loci (QTL) tagging, QTL mapping, DNA fingerprinting and in marker assisted selection, particularly in clovers, alfalfa, ryegrasses and fescues. Even more particularly, nucleic acids or nucleic acid fragments according to the present invention and/or nucleotide sequence information thereof may be used as molecular genetic markers in plant improvement in relation to plant tolerance to biotic stresses such as viruses, microorganisms, insects, fungal pathogens; in relation to forage quality; in relation to bloat safety; in relation to condensed tannin content; in relation to plant pigmentation. Even more particularly, sequence information revealing SNPs in allelic variants of the nucleic acids or nucleic acid fragments of the present invention and/or nucleotide sequence information thereof may be used as molecular genetic markers for QTL tagging and mapping and in marker assisted selection, particularly in clovers, alfalfa, ryegrasses and fescues.

In a still further aspect of the present invention there is provided a construct including a nucleic acid or nucleic acid fragment according to the present invention.

The term "construct" as used herein refers to an artificially assembled or isolated nucleic acid molecule which includes the gene of interest. In general a construct may include the gene or genes of interest, a marker gene which in some

WO 03/031622 PCT/AU02/01345

cases can also be the gene of interest and appropriate regulatory sequences. It should be appreciated that the inclusion of regulatory sequences in a construct is optional, for example, such sequences may not be required in situations where the regulatory sequences of a host cell are to be used. The term construct includes vectors but should not be seen as being limited thereto.

In a still further aspect of the present invention there is provided a vector including a nucleic acid or nucleic acid fragment according to the present invention.

The term "vector" as used herein encompasses both cloning and expression vectors. Vectors are often recombinant molecules containing nucleic acid molecules from several sources.

In a preferred embodiment of this aspect of the invention, the vector may include a regulatory element such as a promoter, a nucleic acid or nucleic acid fragment according to the present invention and a terminator; said regulatory element, nucleic acid or nucleic acid fragment and terminator being operatively linked.

15

20

25

By "operatively linked" is meant that said regulatory element is capable of causing expression of said nucleic acid or nucleic acid fragment in a plant cell and said terminator is capable of terminating expression of said nucleic acid or nucleic acid fragment in a plant cell. Preferably, said regulatory element is upstream of said nucleic acid or nucleic acid fragment and said terminator is downstream of said nucleic acid or nucleic acid fragment.

The vector may be of any suitable type and may be viral or non-viral. The vector may be an expression vector. Such vectors include chromosomal, non-chromosomal and synthetic nucleic acid sequences, eg. derivatives of plant viruses; bacterial plasmids; derivatives of the Ti plasmid from *Agrobacterium tumefaciens*, derivatives of the Ri plasmid from *Agrobacterium rhizogenes*; phage DNA; yeast artificial chromosomes; bacterial artificial chromosomes; binary bacterial artificial chromosomes; vectors derived from combinations of plasmids

WO 03/031622 PCT/AU02/01345

17

and phage DNA. However, any other vector may be used as long as it is replicable, integrative or viable in the plant cell.

The regulatory element and terminator may be of any suitable type and may be endogenous to the target plant cell or may be exogenous, provided that they are functional in the target plant cell.

5

10

15

20

25

Preferably the regulatory element is a promoter. A variety of promoters which may be employed in the vectors of the present invention are well known to those skilled in the art. Factors influencing the choice of promoter include the desired tissue specificity of the vector, and whether constitutive or inducible expression is desired and the nature of the plant cell to be transformed (eg. monocotyledon or dicotyledon). Particularly suitable constitutive promoters include the Cauliflower Mosaic Virus 35S (CaMV 35S) promoter and derivatives thereof, the maize Ubiquitin promoter, and the rice Actin promoter.

A variety of terminators which may be employed in the vectors of the present invention are also well known to those skilled in the art. The terminator may be from the same gene as the promoter sequence or a different gene. Particularly suitable terminators are polyadenylation signals, such as the CaMV 35S polyA and other terminators from the nopaline synthase (*nos*), the octopine synthase (*ocs*) and the rbcS genes.

The vector, in addition to the regulatory element, the nucleic acid or nucleic acid fragment of the present invention and the terminator, may include further elements necessary for expression of the nucleic acid or nucleic acid fragment, in different combinations, for example vector backbone, origin of replication (ori), multiple cloning sites, spacer sequences, enhancers, introns (such as the maize Ubiquitin *Ubi* intron), antibiotic resistance genes and other selectable marker genes [such as the neomycin phosphotransferase (*npt2*) gene, the hygromycin phosphotransferase (*hph*) gene, the phosphinothricin acetyltransferase (*bar* or *pat*) gene and the gentamycin acetyl transferase (*aacC1*) gene], and reporter genes [such as beta-glucuronidase (GUS) gene (*gusA*) and green fluorescent protein

(gfp)]. The vector may also contain a ribosome binding site for translation initiation. The vector may also include appropriate sequences for amplifying expression.

As an alternative to use of a selectable marker gene to provide a phenotypic trait for selection of transformed host cells, the presence of the vector in transformed cells may be determined by other techniques well known in the art, such as PCR (polymerase chain reaction), Southern blot hybridisation analysis, histochemical GUS assays, northern and Western blot hybridisation analyses.

5

10

15

20

25

Those skilled in the art will appreciate that the various components of the vector are operatively linked, so as to result in expression of said nucleic acid or nucleic acid fragment. Techniques for operatively linking the components of the vector of the present invention are well known to those skilled in the art. Such techniques include the use of linkers, such as synthetic linkers, for example including one or more restriction enzyme sites.

The constructs and vectors of the present invention may be incorporated into a variety of plants, including monocotyledons (such as grasses from the genera Lolium, Festuca, Paspalum, Pennisetum, Panicum and other forage and turfgrasses, corn, oat, sugarcane, wheat and barley), dicotyledons (such as Arabidopsis, tobacco, clovers, medics, eucalyptus, potato, sugarbeet, canola, soybean, chickpea) and gymnosperms. In a preferred embodiment, the constructs and vectors may be used to transform monocotyledons, preferably grass species such as ryegrasses (Lolium species) and fescues (Festuca species), more preferably perennial ryegrass, including forage- and turf-type cultivars. In an alternate preferred embodiment, the constructs and vectors may be used to transform dicotyledons, preferably forage legume species such as clovers (Trifolium species) and medics (Medicago species), more preferably white clover (Trifolium repens), red clover (Trifolium pratense), subterranean clover (Trifolium subterraneum) and alfalfa (Medicago sativa). Clovers, alfalfa and medics are key pasture legumes in temperate climates throughout the world.

Techniques for incorporating the constructs and vectors of the present 30 invention into plant cells (for example by transduction, transfection or

10

15

20

25

transformation) are well known to those skilled in the art. Such techniques include *Agrobacterium* mediated introduction, electroporation to tissues, cells and protoplasts, protoplast fusion, injection into reproductive organs, injection into immature embryos and high velocity projectile introduction to cells, tissues, calli, immature and mature embryos. The choice of technique will depend largely on the type of plant to be transformed.

Cells incorporating the constructs and vectors of the present invention may be selected, as described above, and then cultured in an appropriate medium to regenerate transformed plants, using techniques well known in the art. The culture conditions, such as temperature, pH and the like, will be apparent to the person skilled in the art. The resulting plants may be reproduced, either sexually or asexually, using methods well known in the art, to produce successive generations of transformed plants.

In a further aspect of the present invention there is provided a plant cell, plant, plant seed or other plant part, including, e.g. transformed with, a construct, vector, nucleic acid or nucleic acid fragment of the present invention.

The plant cell, plant, plant seed or other plant part may be from any suitable species, including monocotyledons, dicotyledons and gymnosperms. In a preferred embodiment the plant cell, plant, plant seed or other plant part may be from a monocotyledon, preferably a grass species, more preferably a ryegrass (*Lolium* species) or fescue (*Festuca* species), even more preferably perennial ryegrass, including both forage- and turf-type cultivars. In an alternate preferred embodiment the plant cell, plant, plant seed or other plant part may be from a dicotyledon, preferably forage legume species such as clovers (*Trifolium* species) and medics (*Medicago* species), more preferably white clover (*Trifolium repens*), red clover (*Trifolium pratense*), subterranean clover (*Trifolium subterraneum*) and alfalfa (*Medicago sativa*).

The present invention also provides a plant, plant seed or other plant part, or a plant extract derived from a plant cell of the present invention.

WO 03/031622 PCT/AU02/01345

20

The present invention also provides a plant, plant seed or other plant part, or a plant extract derived from a plant of the present invention.

In a further aspect of the present invention there is provided a method of modifying flavonoid biosynthesis in a plant; said method including introducing into said plant an effective amount of a nucleic acid or nucleic acid fragment, construct and/or a vector according to the present invention.

5

10

15

20

25

In a further aspect of the present invention there is provided a method of modifying protein binding, metal chelation, anti-oxidation, and/or UV-light absorption in a plant, said method including introducing into said plant an effective amount of a nucleic acid or nucleic acid fragment, construct and/or a vector according to the present invention.

In a further aspect of the present invention there is provided a method of modifying pigment production in a plant, said method including introducing into said plant an effective amount of a nucleic acid or nucleic acid fragment, construct and/or a vector according to the present invention.

In a further aspect of the present invention there is provided a method of modifying plant defense to biotic stresses such as viruses, micro-organisms, insects and fungal pathogens, said method including introducing into said plant an effective amount of a nucleic acid or nucleic acid fragment, construct and/or a vector according to the present invention.

In a further aspect of the present invention there is provided a method of modifying forage quality of a plant by disrupting protein foam and/or conferring protection from rumen pasture bloat, said method including introducing into said plant an effective amount of a nucleic acid or nucleic acid fragment, construct and/or a vector according to the present invention.

By "an effective amount" it is meant an amount sufficient to result in an identifiable phenotypic trait in said plant, or a plant, plant seed or other plant part derived therefrom. Such amounts can be readily determined by an appropriately

skilled person, taking into account the type of plant, the route of administration and other relevant factors. Such a person will readily be able to determine a suitable amount and method of administration. See, for example, Maniatis et al, Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Laboratory, Cold Spring Harbor, the entire disclosure of which is incorporated herein by reference.

Using the methods and materials of the present invention, flavonoid biosynthesis, protein binding, metal chelation, anti-oxidation, UV-light absorption, tolerance to biotic stresses such as viruses, micro-organisms, insects and fungal pathogens; pigmentation in for example flowers and leaves; herbage quality and bloat-safety; and/or isoflavonoid content leading to health benefits, may be increased or otherwise modified, for example by incorporating additional copies of a sense nucleic acid or nucleic acid fragment of the present invention. They may be decreased or otherwise modified, for example by incorporating an antisense nucleic acid or nucleic acid fragment of the present invention.

The present invention will now be more fully described with reference to the accompanying Examples and drawings. It should be understood, however, that the description following is illustrative only and should not be taken in any way as a restriction on the generality of the invention described above.

In the Figures

5

10

20 Figure 1 shows the consensus contig nucleotide sequence of TrCHIa (Sequence ID No: 1).

Figure 2 shows the deduced amino acid sequence of TrCHIa (Sequence ID No: 2).

Figure 3 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrCHIa (Sequence ID Nos: 3 to 7).

25 Figure 4 shows the consensus contig nucleotide sequence of TrCHIb (Sequence ID No: 8).

Figure 5 shows the deduced amino acid sequence of TrCHIb (Sequence ID No: 9).

Figure 6 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrCHIb (Sequence ID Nos: 10 to 12).

Figure 7 shows the consensus contig nucleotide sequence of TrCHIc (Sequence 5 ID No: 13).

Figure 8 shows the deduced amino acid sequence of TrCHIc (Sequence ID No: 14).

Figure 9 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrCHIc (Sequence ID Nos: 15 and 10 16).

Figure 10 shows the consensus contig nucleotide sequence of TrCHId (Sequence ID No: 17).

Figure 11 shows the deduced amino acid sequence of TrCHId (Sequence ID No: 18).

15 Figure 12 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrCHId (Sequence ID Nos: 19 to 22).

Figure 13 shows the consensus contig nucleotide sequence of TrCHSa (Sequence ID No: 23).

Figure 14 shows the deduced amino acid sequence of TrCHSa (Sequence ID No: 24).

Figure 15 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrCHSa (Sequence ID Nos: 25 to 63).

Figure 16 shows the consensus contig nucleotide sequence of TrCHSb (Sequence ID No: 64).

Figure 17 shows the deduced amino acid sequence of TrCHSb (Sequence ID No: 65).

5 Figure 18 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrCHSb (Sequence ID Nos: 66 to 68).

Figure 19 shows the consensus contig nucleotide sequence of TrCHSc (Sequence ID No: 69).

10 Figure 20 shows the deduced amino acid sequence of TrCHSc (Sequence ID No: 70).

Figure 21 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrCHSc (Sequence ID Nos: 71 to 77).

15 Figure 22 shows the consensus contig nucleotide sequence of TrCHSd (Sequence ID No: 78).

Figure 23 shows the deduced amino acid sequence of TrCHSd (Sequence ID No: 79).

Figure 24 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrCHSd (Sequence ID Nos: 80 to 90).

Figure 25 shows the consensus contig nucleotide sequence of TrCHSe (Sequence ID No: 91).

Figure 26 shows the deduced amino acid sequence of TrCHSe (Sequence ID No: 92).

Figure 27 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrCHSe (Sequence ID Nos: 93 and 94).

Figure 28 shows the consensus contig nucleotide sequence of TrCHSf (Sequence 5 ID No: 95).

Figure 29 shows the deduced amino acid sequence of TrCHSf (Sequence ID No: 96).

Figure 30 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrCHSf (Sequence ID Nos: 97 to 100).

Figure 31 shows the consensus contig nucleotide sequence of TrCHSg (Sequence ID No: 101).

Figure 32 shows the deduced amino acid sequence of TrCHSg (Sequence ID No: 102).

15 Figure 33 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrCHSg (Sequence ID Nos: 103 to 105).

Figure 34 shows the consensus contig nucleotide sequence of TrCHSh (Sequence ID No: 106).

Figure 35 shows the deduced amino acid sequence of TrCHSh (Sequence ID No: 107).

Figure 36 shows the nucleotide sequence of TrCHRa (Sequence ID No: 108).

Figure 37 shows the deduced amino acid sequence of TrCHRa (Sequence ID No: 109).

Figure 38 shows the consensus contig nucleotide sequence of TrCHRb (Sequence ID No: 110).

Figure 39 shows the deduced amino acid sequence of TrCHRb (Sequence ID No: 111).

5 Figure 40 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrCHRb (Sequence ID Nos: 112 to 116).

Figure 41 shows the consensus contig nucleotide sequence of TrCHRc (Sequence ID No: 117).

10 Figure 42 shows the deduced amino acid sequence of TrCHRc (Sequence ID No: 118).

Figure 43 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrCHRc (Sequence ID Nos: 119 to 134).

15 Figure 44 shows the consensus contig nucleotide sequence of TrDFRa (Sequence ID No: 135).

Figure 45 shows the deduced amino acid sequence of TrDFRa (Sequence ID No: 136).

Figure 46 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrDFRa (Sequence ID Nos: 137 to 146).

Figure 47 shows the consensus contig nucleotide sequence of TrDFRb (Sequence ID No: 147).

Figure 48 shows the deduced amino acid sequence of TrDFRb (Sequence ID No: 148).

Figure 49 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrDFRb (Sequence ID Nos: 149 to 152).

Figure 50 shows the nucleotide sequence of TrDFRc (Sequence ID No: 153).

5 Figure 51 shows the deduced amino acid sequence of TrDFRc (Sequence ID No: 154).

Figure 52 shows the consensus contig nucleotide sequence of TrDFRd (Sequence ID No: 155).

Figure 53 shows the deduced amino acid sequence of TrDFRd (Sequence ID No: 156).

Figure 54 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrDFRd (Sequence ID Nos: 157 and 158).

Figure 55 shows the nucleotide sequence of TrDFRe (Sequence ID No: 159).

15 Figure 56 shows the deduced amino acid sequence of TrDFRe (Sequence ID No: 160).

Figure 57 shows the nucleotide sequence of TrDFRf (Sequence ID No: 161).

Figure 58 shows the deduced amino acid sequence of TrDFRf (Sequence ID No: 162).

20 Figure 59 shows the consensus contig nucleotide sequence of TrDFRg (Sequence ID No: 163).

Figure 60 shows the deduced amino acid sequence of TrDFRg (Sequence ID No: 164).

Figure 61 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrDFRg (Sequence ID Nos: 165 to 167).

Figure 62 shows the consensus contig nucleotide sequence of TrDFRh (Sequence 5 ID No: 168).

Figure 63 shows the deduced amino acid sequence of TrDFRh (Sequence ID No: 169).

Figure 64 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrDFRh (Sequence ID Nos: 170 to 184).

Figure 65 shows the consensus contig nucleotide sequence of TrLCRa (Sequence ID No: 185).

Figure 66 shows the deduced amino acid sequence of TrLCRa (Sequence ID No: 186).

15 Figure 67 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrLCRa (Sequence ID Nos: 187 to 193).

Figure 68 shows the nucleotide sequence of TrF3'5'Ha (Sequence ID No: 194).

Figure 69 shows the deduced amino acid sequence of TrF3'5'Ha (Sequence ID 20 No: 195).

Figure 70 shows the consensus contig nucleotide sequence of TrF3'5'Hb (Sequence ID No: 196).

Figure 71 shows the deduced amino acid sequence of TrF3'5'Hb (Sequence ID No: 197).

Figure 72 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrF3'5'Hb (Sequence ID Nos: 198 to 201).

PCT/AU02/01345

Figure 73 shows the consensus contig nucleotide sequence of TrF3Ha (Sequence 5 ID No: 202).

Figure 74 shows the deduced amino acid sequence of TrF3Ha (Sequence ID No: 203).

Figure 75 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrF3Ha (Sequence ID Nos: 204 to 10 244).

Figure 76 shows the nucleotide sequence of TrF3Hb (Sequence ID No: 245).

Figure 77 shows the deduced amino acid sequence of TrF3Hb (Sequence ID No: 246).

Figure 78 shows the nucleotide sequence of TrF3Hc (Sequence ID No: 247).

Figure 79 shows the deduced amino acid sequence of TrF3Hc (Sequence ID No: 248).

Figure 80 shows the consensus contig nucleotide sequence of TrF3'Ha (Sequence ID No: 249).

Figure 81 shows the deduced amino acid sequence of TrF3'Ha (Sequence ID No: 250).

Figure 82 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrF3'Ha (Sequence ID Nos: 251 and 252).

WO 03/031622

PCT/AU02/01345

Figure 83 shows the consensus contig nucleotide sequence of TrPALa (Sequence ID No: 253).

Figure 84 shows the deduced amino acid sequence of TrPALa (Sequence ID No: 254).

5 Figure 85 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrPALa (Sequence ID Nos: 255 to 257).

Figure 86 shows the consensus contig nucleotide sequence of TrPALb (Sequence ID No: 258).

10 Figure 87 shows the deduced amino acid sequence of TrPALb (Sequence ID No: 259).

Figure 88 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrPALb (Sequence ID Nos: 260 to 267).

15 Figure 89 shows the nucleotide sequence of TrPALc (Sequence ID No: 268).

Figure 90 shows the deduced amino acid sequence of TrPALc (Sequence ID No: 269).

Figure 91 shows the nucleotide sequence of TrPALd (Sequence ID No: 270).

Figure 92 shows the deduced amino acid sequence of TrPALd (Sequence ID No: 271).

Figure 93 shows the nucleotide sequence of TrPALe (Sequence ID No: 272).

Figure 94 shows the deduced amino acid sequence of TrPALe (Sequence ID No: 273).

Figure 95 shows the consensus contig nucleotide sequence of TrPALf (Sequence ID No: 274).

Figure 96 shows the deduced amino acid sequence of TrPALf (Sequence ID No: 275).

5 Figure 97 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrPALf (Sequence ID Nos: 276 and 277).

Figure 98 shows the consensus contig nucleotide sequence of TrVRa (Sequence ID No: 278).

10 Figure 99 shows the deduced amino acid sequence of TrVRa (Sequence ID No: 279).

Figure 100 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrVRa (Sequence ID Nos: 280 to 285).

15 Figure 101 shows the consensus contig nucleotide sequence of LpDFRa (Sequence ID No: 286).

Figure 102 shows the deduced amino acid sequence of LpDFRa (Sequence ID No: 287).

Figure 103 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence LpDFRa (Sequence ID Nos: 288 to 292).

Figure 104 shows the consensus contig nucleotide sequence of LpDFRb (Sequence ID No: 293).

Figure 105 shows the deduced amino acid sequence of LpDFRb (Sequence ID No: 294).

Figure 106 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence LpDFRb (Sequence ID Nos: 295 to 297).

Figure 107 shows the consensus contig nucleotide sequence of LpF3Ha 5 (Sequence ID No: 298).

Figure 108 shows the deduced amino acid sequence of LpF3Ha (Sequence ID No: 299).

Figure 109 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence LpF3Ha (Sequence ID Nos: 300 to 302).

Figure 110 shows a plasmid map of the cDNA encoding perennial ryegrass F3OH.

Figure 111 shows the full nucleotide sequence of perennial ryegrass F3OH cDNA (Sequence ID No: 303).

Figure 112 shows the deduced amino acid sequence of perennial ryegrass F3OH cDNA (Sequence ID No: 304).

Figure 113 shows plasmid maps of sense and antisense constructs of LpF3OH in pDH51 transformation vector.

Figure 114 shows plasmid maps of sense and antisense constructs of LpF3OH in pPZP221:35S² binary transformation vector.

20 Figure 115 shows screening by Southern hybridisation for RFLPs using LpF3OH as a probe.

Figure 116 shows a plasmid map of the cDNA encoding white clover BANa.

Figure 117 shows the full nucleotide sequence of white clover BANa cDNA (Sequence ID No: 305).

WO 03/031622

Figure 118 shows the deduced amino acid sequence of white clover BANa cDNA (Sequence ID No: 306).

Figure 119 shows plasmid maps of sense and antisense constructs of TrBANa in pDH51 transformation vector.

5 Figure 120 shows plasmid maps of sense and antisense constructs of TrBANa in pPZP221:35S² binary transformation vector.

Figure 121 shows a plasmid map of the cDNA encoding white clover CHIa.

Figure 122 shows the full nucleotide sequence of white clover CHIa cDNA (Sequence ID No: 307).

10 Figure 123 shows the deduced amino acid sequence of white clover CHIa cDNA (Sequence ID No: 308).

Figure 124 shows plasmid maps of sense and antisense constructs of TrCHIa in pDH51 transformation vector.

Figure 125 shows plasmid maps of sense and antisense constructs of TrCHIa in pPZP221:35S² binary transformation vector.

Figure 126 shows a plasmid map of the cDNA encoding white clover CHId.

Figure 127 shows the full nucleotide sequence of white clover CHId cDNA (Sequence ID No: 309).

Figure 128 shows the deduced amino acid sequence of white clover CHId cDNA (Sequence ID No: 310).

Figure 129 shows plasmid maps of sense and antisense constructs of TrCHId in pDH51 transformation vector.

Figure 130 shows plasmid maps of sense and antisense constructs of TrCHId in pPZP221:35S² binary transformation vector.

PCT/AU02/01345

Figure 131 shows a plasmid map of the cDNA encoding white clover CHRc.

Figure 132 shows the full nucleotide sequence of white clover CHRc cDNA 5 (Sequence ID No: 311).

Figure 133 shows the deduced amino acid sequence of white clover CHRc cDNA (Sequence ID No: 312).

Figure 134 shows plasmid maps of sense and antisense constructs of TrCHRc in pDH51 transformation vector.

10 Figure 135 shows plasmid maps of sense and antisense constructs of TrCHRc in pPZP221:35S² binary transformation vector.

Figure 136 shows a plasmid map of the cDNA encoding white clover CHSa1.

Figure 137 shows the full nucleotide sequence of white clover CHSa1 cDNA (Sequence ID No: 313).

15 Figure 138 shows the deduced amino acid sequence of white clover CHSa1 cDNA (Sequence ID No: 314).

Figure 139 shows plasmid maps of sense and antisense constructs of TrCHSa1 in pDH51 transformation vector.

Figure 140 shows plasmid maps of sense and antisense constructs of TrCHSa1 in pPZP221:35S² binary transformation vector.

Figure 141 shows a plasmid map of the cDNA encoding white clover CHSa3.

Figure 142 shows the full nucleotide sequence of white clover CHSa3 cDNA (Sequence ID No: 315).

Figure 143 shows the deduced amino acid sequence of white clover CHSa3 cDNA (Sequence ID No: 316).

Figure 144 shows plasmid maps of sense and antisense constructs of TrCHSa3 in pDH51 transformation vector.

5 Figure 145 shows plasmid maps of sense and antisense constructs of TrCHSa3 in pPZP221:35S² binary transformation vector.

Figure 146 shows a plasmid map of the cDNA encoding white clover CHSc.

Figure 147 shows the full nucleotide sequence of white clover CHSc cDNA (Sequence ID No: 317).

10 Figure 148 shows the deduced amino acid sequence of white clover CHSc cDNA (Sequence ID No: 318).

Figure 149 shows plasmid maps of sense and antisense constructs of TrCHSc in pDH51 transformation vector.

Figure 150 shows plasmid maps of sense and antisense constructs of TrCHSc in pPZP221:35S² binary transformation vector.

Figure 151 shows a plasmid map of the cDNA encoding white clover CHSd2.

Figure 152 shows the full nucleotide sequence of white clover CHSd2 cDNA (Sequence ID No: 319).

Figure 153 shows the deduced amino acid sequence of white clover CHSd2 cDNA (Sequence ID No: 320).

Figure 154 shows plasmid maps of sense and antisense constructs of TrCHSd2 in pDH51 transformation vector.

Figure 155 shows plasmid maps of sense and antisense constructs of TrCHSd2 in pPZP221:35S² binary transformation vector.

Figure 156 shows a plasmid map of the cDNA encoding white clover CHSf.

Figure 157 shows the full nucleotide sequence of white clover CHSf cDNA 5 (Sequence ID No: 321).

Figure 158 shows the deduced amino acid sequence of white clover CHSf cDNA (Sequence ID No: 322).

Figure 159 shows plasmid maps of sense and antisense constructs of TrCHSf in pDH51 transformation vector.

10 Figure 160 shows plasmid maps of sense and antisense constructs of TrCHSf in pPZP221:35S² binary transformation vector.

Figure 161 shows a plasmid map of the cDNA encoding white clover CHSh.

Figure 162 shows the full nucleotide sequence of white clover CHSh cDNA (Sequence ID No: 323).

15 Figure 163 shows the deduced amino acid sequence of white clover CHSh cDNA (Sequence ID No: 324).

Figure 164 shows plasmid maps of sense and antisense constructs of TrCHSh in pDH51 transformation vector.

Figure 165 shows plasmid maps of sense and antisense constructs of TrCHSh in pPZP221:35S² binary transformation vector.

Figure 166 shows a plasmid map of the cDNA encoding white clover DFRd.

Figure 167 shows the full nucleotide sequence of white clover DFRd cDNA (Sequence ID No: 325).

PCT/AU02/01345

Figure 168 shows the deduced amino acid sequence of white clover DFRd cDNA (Sequence ID No: 326).

Figure 169 shows plasmid maps of sense and antisense constructs of TrDFRd in pDH51 transformation vector.

5 Figure 170 shows plasmid maps of sense and antisense constructs of TrDFRd in pPZP221:35S² binary transformation vector.

Figure 171 shows a plasmid map of the cDNA encoding white clover F3Ha.

Figure 172 shows the full nucleotide sequence of white clover F3Ha cDNA (Sequence ID No: 327).

10 Figure 173 shows the deduced amino acid sequence of white clover F3Ha cDNA (Sequence ID No: 328).

Figure 174 shows plasmid maps of sense and antisense constructs of TrF3Ha in pDH51 transformation vector.

Figure 175 shows plasmid maps of sense and antisense constructs of TrF3Ha in pPZP221:35S² binary transformation vector.

Figure 176 shows a plasmid map of the cDNA encoding white clover PALa.

Figure 177 shows the full nucleotide sequence of white clover PALa cDNA (Sequence ID No: 329).

Figure 178 shows the deduced amino acid sequence of white clover PALa cDNA (Sequence ID No: 330).

Figure 179 shows plasmid maps of sense and antisense constructs of TrPALa in pDH51 transformation vector.

PCT/AU02/01345

Figure 180 shows plasmid maps of sense and antisense constructs of TrPALa in pPZP221:35S² binary transformation vector.

Figure 181 shows a plasmid map of the cDNA encoding white clover PALb.

Figure 182 shows the full nucleotide sequence of white clover PALb cDNA 5 (Sequence ID No: 331).

Figure 183 shows the deduced amino acid sequence of white clover PALb cDNA (Sequence ID No: 332).

Figure 184 shows plasmid maps of sense and antisense constructs of TrPALb in pDH51 transformation vector.

10 Figure 185 shows plasmid maps of sense and antisense constructs of TrPALb in pPZP221:35S² binary transformation vector.

Figure 186 shows a plasmid map of the cDNA encoding white clover PALf.

Figure 187 shows the full nucleotide sequence of white clover PALf cDNA (Sequence ID No: 333).

15 Figure 188 shows the deduced amino acid sequence of white clover PALf cDNA (Sequence ID No: 334).

Figure 189 shows plasmid maps of sense and antisense constructs of TrPALf in pDH51 transformation vector.

Figure 190 shows plasmid maps of sense and antisense constructs of TrPALf in pPZP221:35S² binary transformation vector.

Figure 191 shows a plasmid map of the cDNA encoding white clover VRa.

Figure 192 shows the full nucleotide sequence of white clover VRa cDNA (Sequence ID No: 335).

38

Figure 193 shows the deduced amino acid sequence of white clover VRa cDNA (Sequence ID No: 336).

Figure 194 shows plasmid maps of sense and antisense constructs of TrVRa in pDH51 transformation vector.

5 Figure 195 shows plasmid maps of sense and antisense constructs of TrVRa in pPZP221:35S² binary transformation vector.

Figure 196 shows A, infiltration of Arabidopsis plants; B, selection of transgenic Arabidopsis plants on medium containing 75 μ g/ml gentamycin; C, young transgenic Arabidopsis plants; D, E, two representative results of real-time PCR analysis of Arabidopsis transformed with chimeric genes involved in flavonoid biosynthesis.

Figure 197 shows the genetic map detailing the relation of perennial ryegrass genes involved in flavonoid biosynthesis.

EXAMPLE 1

Preparation of cDNA libraries, isolation and sequencing of cDNAs coding for CHI, CHI-like, CHS, CHS-like, CHR, CHR-like, DFR, DFR-like, LCR, LCR-like, F3'5'H, F3'5'H-like, F3H, F3H-like, F3'H, F3'H-like, PAL, PAL-like, VR and VR-like proteins from white clover (*Trifolium repens*) and perennial ryegrass (*Lolium perenne*)

20

10

cDNA libraries representing mRNAs from various organs and tissues of white clover (*Trifolium repens*) and perennial ryegrass (*Lolium perenne*) were prepared. The characteristics of the white clover and perennial ryegrass libraries, respectively, are described below (Tables 1 and 2).

TABLE 1

cDNA libraries from white clover (Trifolium repens)

Library	Organ/Tissue
01wc	Whole seedling, light grown
02wc	Nodulated root 3, 5, 10, 14, 21 &28 day old seedling
03wc	Nodules pinched off roots of 42 day old rhizobium inoculated plants
04wc	Cut leaf and stem collected after 0, 1, 4, 6 &14 h after cutting
05wc	Inflorescences: <50% open, not fully open and fully open
06wc	Dark grown etiolated
07wc	Inflorescence - very early stages, stem elongation, < 15 petals, 15-20
ļ	petals
08wc	seed frozen at -80°C, imbibed in dark overnight at 10°C
09wc	Drought stressed plants
10wc	AMV infected leaf
11wc	WCMV infected leaf
12wc	Phosphorus starved plants
13wc	Vegetative stolon tip
14wc	stolon root initials
15wc	Senescing stolon
16wc	Senescing leaf

TABLE 2

cDNA libraries from perennial ryegrass (Lolium perenne)

Library	Organ/Tissue
01rg	Roots from 3-4 day old light-grown seedlings
02rg	Leaves from 3-4 day old light-grown seedlings
03rg	Etiolated 3-4 day old dark-grown seedlings
04rg	Whole etiolated seedlings (1-5 day old and 17 days old)
05rg	Senescing leaves from mature plants

Library	Organ/Tissue
06rg	Whole etiolated seedlings (1-5 day old and 17 days old)
07rg	Roots from mature plants grown in hydroponic culture
08rg	Senescent leaf tissue
09rg	Whole tillers and sliced leaves (0, 1, 3, 6, 12 and 24 h after
	harvesting)
10rg	Embryogenic suspension-cultured cells
11rg	Non-embryogenic suspension-cultured cells
12rg	Whole tillers and sliced leaves (0, 1, 3, 6, 12 and 24 h after
	harvesting)
13rg	Shoot apices including vegetative apical meristems
14rg	Immature inflorescences including different stages of inflorescence
	meristem and inflorescence development
15rg	Defatted pollen
16rg	Leaf blades and leaf sheaths (rbcL, rbcS, cab, wir2A subtracted)
17rg	Senescing leaves and tillers
18rg	Drought-stressed tillers (pseudostems from plants subjected to PEG-
Ì	simulated drought stress)
19rg	Non-embryogenic suspension-cultured cells subjected to osmotic
	stress (grown in media with half-strength salts)
	(1, 2, 3, 4, 5, 6, 24 and 48 h after transfer)
20rg	Non-embryogenic suspension-cultured cells subjected to osmotic
	stress (grown in media with double-strength salts)
	(1, 2, 3, 4, 5, 6, 24 and 48 h after transfer)
21rg	Drought-stressed tillers (pseudostems from plants subjected to PEG-
	simulated drought stress)
22rg	Spikelets with open and maturing florets
23rg	Mature roots (specific subtraction with leaf tissue)

The cDNA libraries may be prepared by any of many methods available. For example, total RNA may be isolated using the Trizol method (Gibco-BRL, USA) or the RNeasy Plant Mini kit (Qiagen, Germany), following the manufacturers' instructions. cDNAs may be generated using the SMART PCR

cDNA synthesis kit (Clontech, USA), cDNAs may be amplified by long distance polymerase chain reaction using the Advantage 2 PCR Enzyme system (Clontech, USA), cDNAs may be cleaned using the GeneClean spin column (Bio 101, USA), tailed and size fractionated, according to the protocol provided by Clontech. The cDNAs may be introduced into the pGEM-T Easy Vector system 1 (Promega, USA) according to the protocol provided by Promega. The cDNAs in the pGEM-T Easy plasmid vector are transfected into *Escherichia coli* Epicurian coli XL10-Gold ultra competent cells (Stratagene, USA) according to the protocol provided by Stratagene.

5

10

15

20

25

Alternatively, the cDNAs may be introduced into plasmid vectors for first preparing the cDNA libraries in Uni-ZAP XR vectors according to the manufacturer's protocol (Stratagene Cloning Systems, La Jolla, CA, USA). The Uni-ZAP XR libraries are converted into plasmid libraries according to the protocol provided by Stratagene. Upon conversion, cDNA inserts will be contained in the plasmid vector pBluescript. In addition, the cDNAs may be introduced directly into precut pBluescript II SK(+) vectors (Stratagene) using T4 DNA ligase (New England Biolabs), followed by transfection into *E. coli* DH10B cells according to the manufacturer's protocol (GIBCO BRL Products).

Once the cDNA inserts are in plasmid vectors, plasmid DNAs are prepared from randomly picked bacterial colonies containing recombinant plasmids, or the insert cDNA sequences are amplified via polymerase chain reaction using primers specific for vector sequences flanking the inserted cDNA sequences. Plasmid DNA preparation may be performed robotically using the Qiagen QiaPrep Turbo kit (Qiagen, Germany) according to the protocol provided by Qiagen. Amplified insert DNAs are sequenced in dye-terminator sequencing reactions to generate partial cDNA sequences (expressed sequence tags or "ESTs"). The resulting ESTs are analyzed using an Applied Biosystems ABI 3700 sequence analyser.

20

25

42

PCT/AU02/01345

EXAMPLE 2

DNA sequence analyses

The cDNA clones encoding CHI, CHI-like, CHS, CHS-like, CHR, CHR-like, DFR, DFR-like, LCR, LCR-like, F3'5'H, F3'5'H-like, F3H, F3H-like, F3'H, F3'H-like, PAL, PAL-like, VR and VR-like proteins were identified by conducting BLAST (Basic Local Alignment Search Tool; Altschul *et al.* (1993) *J. Mol. Biol.* 215:403-410) searches. The cDNA sequences obtained were analysed for similarity to all publicly available DNA sequences contained in the *e*Bioinformatics nucleotide database using the BLASTN algorithm provided by the National Center for Biotechnology Information (NCBI). The DNA sequences were translated in all reading frames and compared for similarity to all publicly available protein sequences contained in the SWISS-PROT protein sequence database using BLASTx algorithm (v 2.0.1) (Gish and States (1993) *Nature Genetics* 3:266-272) provided by the NCBI.

The cDNA sequences obtained and identified were then used to identify additional identical and/or overlapping cDNA sequences generated using the BLASTN algorithm. The identical and/or overlapping sequences were subjected to a multiple alignment using the CLUSTALw algorithm, and to generate a consensus contig sequence derived from this multiple sequence alignment. The consensus contig sequence was then used as a query for a search against the SWISS-PROT protein sequence database using the BLASTx algorithm to confirm the initial identification.

EXAMPLE 3

Identification and full-length sequencing of cDNAs encoding perennial ryegrass F3OH and white clover BANa, CHIa, CHId, CHRc, CHSa1, CHSa3, CHSc, CHSd2, CHSf, CHSh, DFRd, F3Ha, PALa, PALb, PALf and VRa proteins

To fully characterise for the purposes of the generation of probes for hybridisation experiments and the generation of transformation vectors, a set of WO 03/031622

10

15

20

43

PCT/AU02/01345

cDNAs encoding perennial ryegrass F3OH and white clover BANa, CHIa, CHId, CHRc, CHSa1, CHSa3, CHSc, CHSd2, CHSf, CHSh, DFRd, F3Ha, PALa, PALb, PALf and VRa proteins was identified and fully sequenced.

Full-length cDNAs were identified from our EST sequence database using relevant published sequences (NCBI databank) as queries for BLAST searches. Full-length cDNAs were identified by alignment of the query and hit sequences using Sequencher (Gene Codes Corp., Ann Arbor, MI 48108, USA). The original plasmid was then used to transform chemically competent XL-1 cells (prepared inhouse, CaCl₂ protocol). After colony PCR (using HotStarTaq, Qiagen) a minimum of three PCR-positive colonies per transformation were picked for initial sequencing with M13F and M13R primers. The resulting sequences were aligned with the original EST sequence using Sequencher to confirm identity and one of the three clones was picked for full-length sequencing, usually the one with the best initial sequencing result.

Sequencing was completed by primer walking, i.e. oligonucleotide primers were designed to the initial sequence and used for further sequencing. In most cases the sequencing could be done from both 5' and 3' end. The sequences of the oligonucleotide primers are shown in Table 2. In some instances, however, an extended poly-A tail necessitated the sequencing of the cDNA to be completed from the 5' end.

Contigs were then assembled in Sequencher. The contigs include the sequences of the SMART primers used to generate the initial cDNA library as well as pGEM-T Easy vector sequence up to the EcoRI cut site both at the 5' and 3' end.

Plasmid maps and the full cDNA sequences of perennial ryegrass F3OH and white clover BANa, CHIa, CHId, CHRc, CHSa1, CHSa3, CHSc, CHSd2, CHSf, CHSh, DFRd, F3Ha, PALa, PALb, PALf and VRa proteins were obtained (Figures 110, 116, 121, 126, 131, 136, 141, 146, 151, 156, 161, 166, 171, 176, 181, 186 and 191).

TABLE 2
List of primers used for sequencing of the full-length cDNAs

gene name	clone ID	sequencing primer	primer sequence (5'>3')
LpF3OH	08rg1YsF07	08rg1YsF07.f1	TTGAGAGCTTCGTCGACC
		08rg1YsF07.r1	AACTCCTCGTAGTACTCC
TrCHRc	11wc1lsD03	11wc1lsD03.f1	TTCAATTGGAGTACTTGG
 	 	11wc1lsD03.r1	ACTCCTTGTTCATATAACC
TrCHSa1	02wc2FsD07	02wc2FsD07.f1	ACATGGTGGTGGTTGAGG
	<u> </u>	02wc2FsD07.f2	TGCTGCACTCATTGTTGG
<u> </u>		02wc2FsD07.f3	ACATTGATAAGGCATTGG
TrCHSa3	05wc1RsB06	05wc1RsB06.f1	AGGAGGCTGCAGTCAAGG
	<u> </u>	05wc1RsB06.f2	TGCCTGAAATTGAGAAACC
		05wc1RsB06.f3	AAAGCTAGCCTTGAAGCC
TrCHSc	07wc1TsE12	07wc1TsE12.f1	TCGGACATAACTCATGTGG
		07wc1TsE12.f2	TTGGGTTGGAGAATAAGG
	 	07wc1TsE12.r1	TGGACATTTATTGGTTGC
		07wc1TsE12.r2	TATCATGTCTGGAAATGC
TrCHSd2	07wc1XsD03	07wc1XsD03.f1	TTTATGTGAGTACATGGC
		07wc1XsD03.f2	AGCAGCTGTGATTGTAGG
		07wc1XsD03.f3	TGAGAAAGCTCTTGTTGAGG
TrCHSf	07wc1UsD07	07wc1UsD07.f1	AGATTGCATCAAAGAATGG
		07wc1UsD07.r1	GGTCCAAAAGCCAATCC
TrCHSh	13wc2lsG04	13wc2lsG04.f1	TAAGACGAGACATAGTGG
		13wc2lsG04.r1	TATTCACTAAGCACATGC
TrDFRd	12wc1CsE09	12wc1CsE09.f1	TTACCTCGTCTGTCTCG
		12wc1CsE09.r1	AACACACACATGTCTACC
TrF3Ha	07wc1LsG03	07wc1LsG03.f1	TGAAGGATTGGAGAGAC
		07wc1LsG03.r1	TACACAGTTGCATCTGG
TrPALa	04wc1UsB03	04wc1UsB03.f1	ATCGGAATCTGCTAGAGC
		04wc1UsB03.f2	TGTTGGTTCTGGTTTAGC
		04wc1UsB03.r1	TTCATATGCAATCCTTGC
		04wc1UsB03.r2	TCTTGGTTGTGTTCC

TrPALb	05wc1PsH02	05wc1PsH02.f1	TGGGACTGATAGTTATGG
		05wc1PsH02.f2	TCTTGCTCTTGTTAATGG
		05wc1PsH02.r1	AGCACCATTCCACTCTCC
<u> </u>		05wc1PsH02.r2	TTCTCTTCGCTACTTGGC
TrPALf	13wc2AsD12	13wc2AsD12.f1	ATAGTGGTGTGAGGGTGG
		13wc2AsD12.f2	TCTTGTTAATGGTACTGC
		13wc2AsD12.r1	ATTTATCGCACTCTTCGC
		13wc2AsD12.r2	AAAGTGGAAGACATGAGC
TrVRa	11wc1NsA07	11wc1NsA07.f1	AAGAACAGTGGATGGAGC
		11wc1NsA07.r1	TCAACTCATCTACTGATAG

EXAMPLE 4

Development of transformation vectors containing chimeric genes with cDNA sequences from perennial ryegrass F3OH and white clover BANa, CHIa, CHId, CHRc, CHSa1, CHSa3, CHSc, CHSd2, CHSf, CHSh, DFRd, F3Ha, PALa, PALb, PALf and VRa

To alter the expression of the proteins involved in flavonoid biosynthesis, protein binding, metal chelation, anti-oxidation, UV-light absorption, tolerance to biotic stresses such as viruses, micro-organisms, insects and fungal pathogens; pigmentation in for example flowers and leaves; herbage quality and bloat-safety and isoflavonoid content leading to health benefits, perennial ryegrass F3OH and white clover BANa, CHIa, CHId, CHRc, CHSa1, CHSa3, CHSc, CHSd2, CHSf, CHSh, DFRd, F3Ha, PALa, PALb, PALf and VRa, through antisense and/or sense suppression technology and for over-expression of these key enzymes in transgenic plants, a set of sense and antisense transformation vectors was produced.

10

15

20

cDNA fragments were generated by high fidelity PCR using the original pGEM-T Easy plasmid cDNA as a template. The primers used (Table 3) contained recognition sites for appropriate restriction enzymes, for example EcoRI and XbaI, for directional and non-directional cloning into the target vector. After PCR amplification and restriction digest with the appropriate restriction enzyme (usually

46

Xbal), the cDNA fragments were cloned into the corresponding site in pDH51, a pUC18-based transformation vector containing a CaMV 35S expression cassette. The orientation of the constructs (sense or antisense) was checked by DNA sequencing through the multi-cloning site of the vector. Transformation vectors containing chimeric genes using full-length open reading frame cDNAs encoding perennial ryegrass F3OH and white clover BANa, CHIa, CHId, CHRc, CHSa1, CHSa3, CHSc, CHSd2, CHSf, CHSh, DFRd, F3Ha, PALa, PALb, PALf and VRa proteins in sense and antisense orientations under the control of the CaMV 35S promoter were generated (Figures 113, 119, 124, 129, 134, 139, 144, 149, 154, 159, 164, 169, 174, 179, 184, 189 and 194).

5

TABLE 3

List of primers used to PCR-amplify the open reading frames

gene name	clone ID	primer	primer sequence (5'->3')
LpF3OH	08rg1YsF07	08rg1YsF07f	GAATTCTAGAAGCAGAAAGTACGGACATCAGC
		08rg1YsF07r	GAATTCTAGAACCATATGGCGACACATCG
TrBANa	05wc2XsG02	05wc2XsG02f	GGATCCTCTAGAGCACTAGTGTGTATAAGTTTCTT
	İ	ļ	GG
		05wc2XsG02r	GGATCCTCTAGACCCCCTTAGTCTTAAAATACTCG
TrCHIa	06wc2AsF12	06wc2AsF12f	GAATTCTAGAGATCTGAAACAACATAGTCACC
		06wc2AsF12r	GAATTCTAGATCAATCTTGTGCTGCAATGC
TrCHId	12wc1FsG04	12wc1FsG04f	GAATTCTAGAAAGTTCAACGAGATCAATGG
		12wc1FsG04r	GAATTCTAGATTCCGCTTGGTCTTTATTGC
TrCHRc	11wc1lsD03	11wc1lsD03f	GAATTCTAGAACATGGGTAGTGTTGAAATTCC
		11wc1lsD03r	GAATTCTAGAAGATATTGAGTGAGCTTAAGG
TrCHSa1	02wc2FsD07	02wc2FsD07f	GACGTCGACATTACATACATAGCAGGAAC
		02wc2FsD07r	GACGTCGACAGTCTCTCATTCTCATATAGC
TrCHSa3	05wc1RsB06	05wc1RsB06f	GAATTCTAGAAGATATGGTGAGTGTAGCTG
		05wc1RsB06r	GAATTCTAGAATCACACATCTTATATAGCC
TrCHSc	07wc1TsE12	07wc1TsE12f	GAATTCTAGAAGAAGAAATATGGGAGACGAAGG
		07wc1TsE12r	GAATTCTAGAAAGACTTCATGCACACAAGTTCC
TrCHSd2	07wc1XsD03	07wc1XsD03f	GAATTCTAGAATAACCTATCAGTACTCACC
		07wc1XsD03r	GAATTCTAGAATCTAGGCAATTTAAGTGGC

PCT/AU02/01345

TrCHSf	07wc1UsD07	07wc1UsD07f	GAATTCTAGATGATTCATTGTTTGTTTCCATAAC
1101101	07W0103D07	07 WC103D071	
Ĭ		07wc1UsD07r	GAATTCTAGAACATATTCATCTTCCTATCAC
TrCHSh	13wc2lsG04	13wc2lsG04f	GAATTCTAGATCCAAATTCTCGTACCTCACC
		13wc2lsG04r	GAATTCTAGATAGTTCACATCTCTCGGCAGG
TrDFRd	12wc1CsE09	12wc1CsE09f	GACGTCGACACAACAGTCTTCCACTTGAGC
		12wc1CsE09r	GACGTCGACTCTATACTCTGGTAACTATAGG
TrF3Ha	07wc1LsG03	07wc1LsG03f	GAATTCTAGAACCACACACACACACACCC
		07wc1LsG03r	GAATTCTAGAACCAAGCAGCTTAATACACG
TrPALa	04wc1UsB03	04wc1UsB03f	AGTACTGCAGAGATATGGAAGTAGTAGCAGCAGC
		04wc1UsB03r	AGTACTGCAGTAGCAAACCAGTTCCCAACTCC
TrPALb	05wc1PsH02	05wc1PsH02f	AGTACTGCAGATAATGGAGGGAATTACCAATGG
		05wc1PsH02r	AGTACTGCAGTGCTAATTAACATATTGGTAGAGG
TrPALf	13wc2AsD12	13wc2AsD12f	AGTACTGCAGATAATGGAGGGAATTACCAATGG
		13wc2AsD12r	AGTACTGCAGTGCTAATTAACATATTGGTAGAGG
TrVRa	11wc1NsA07	11wc1NsA07f	AGTACTGCAGATAAAGAGAGTCAAAAATGGC
		11wc1NsA07r	AGTACTGCAGAACACATACTTAGAGATAGCC

EXAMPLE 5

Development of binary transformation vectors containing chimeric genes with cDNA sequences from perennial ryegrass F3OH and white clover BANa, CHIa, CHId, CHRc, CHSa1, CHSa3, CHSc, CHSd2, CHSf, CHSh, DFRd, F3Ha, PALa, PALb, PALf and VRa

To alter the expression of the proteins involved in flavonoid biosynthesis, protein binding, metal chelation, anti-oxidation, UV-light absorption, tolerance to biotic stresses such as viruses, micro-organisms, insects and fungal pathogens; pigmentation in for example flowers and leaves; herbage quality and bloat-safety and isoflavonoid content leading to health benefits, perennial ryegrass F3OH and white clover BANa, CHIa, CHId, CHRc, CHSa1, CHSa3, CHSc, CHSd2, CHSf, CHSh, DFRd, F3Ha, PALa, PALb, PALf and VRa, through antisense and/or sense suppression technology and for over-expression of these key proteins in transgenic plants, a set of sense and antisense binary transformation vectors was produced.

10

10

15

48

cDNA fragments were generated by high fidelity PCR using the original pGEM-T Easy plasmid cDNA as a template. The primers used (Table 3) contained recognition sites for appropriate restriction enzymes, for example EcoRI and Xbal, for directional and non-directional cloning into the target vector. After PCR amplification and restriction digest with the appropriate restriction enzyme (usually Xbal), the cDNA fragments were cloned into the corresponding site in a modified pPZP binary vector (Hajdukiewicz et al., 1994). The pPZP221 vector was modified to contain the 35S2 cassette from pKYLX71:35S2 as follows. pKYLX71:35S2 was cut with Clal. The 5' overhang was filled in using Klenow and the blunt end was Atailed with Tag polymerase. After cutting with EcoRI, the 2kb fragment with an EcoRI-compatible and a 3'-A tail was gel-purified, pPZP221 was cut with HindIII and the resulting 5' overhang filled in and T-tailed with Tag polymerase. The remainder of the original pPZP221 multi-cloning site was removed by digestion with EcoRI, and the expression cassette cloned into the EcoRI site and the 3' T overhang restoring the HindIII site. This binary vector contains between the left and right border the plant selectable marker gene aaaC1 under the control of the 35S promoter and 35S terminator and the pKYLX71:35S²-derived expression cassette with a CaMV 35S promoter with a duplicated enhancer region and an rbcS terminator.

The orientation of the constructs (sense or antisense) was checked by restriction enzyme digest. Transformation vectors containing chimeric genes using full-length open reading frame cDNAs encoding perennial ryegrass F3OH and white clover BANa, CHIa, CHId, CHRc, CHSa1, CHSa3, CHSc, CHSd2, CHSf, CHSh, DFRd, F3Ha, PALa, PALb, PALf and VRa proteins in sense and antisense orientations under the control of the CaMV 35S² promoter were generated (Figures 114, 120, 125, 130, 135, 140, 145, 150, 155, 160, 165, 170, 175, 180, 185, 190 and 195).

EXAMPLE 6

Production and analysis of transgenic Arabidopsis plants carrying chimeric perennial ryegrass F3OH and white clover BANa, CHIa, CHId, CHRc, CHSa1, CHSa3, CHSc, CHSd2, CHSf, CHSh, DFRd, F3Ha, PALa, PALb, PALf and VRa genes involved in flavonoid biosynthesis

A set of transgenic Arabidopsis plants carrying chimeric perennial ryegrass and white clover genes involved in flavonoid biosynthesis, protein binding, metal chelation, anti-oxidation, UV-light absorption, tolerance to biotic stresses such as viruses, micro-organisms, insects and fungal pathogens; pigmentation in for example flowers and leaves; herbage quality and bloat-safety and isoflavonoid content leading to health benefits, were produced.

pPZP221-based transformation vectors with *Lp*F3OH and *Tr*BANa, *Tr*CHla, *Tr*CHld, *Tr*CHRc, *Tr*CHSa1, *Tr*CHSa3, *Tr*CHSc, *Tr*CHSd2, *Tr*CHSf, *Tr*CHSh, *Tr*DFRd, *Tr*F3Ha, *Tr*PALa, *Tr*PALb, *Tr*PALf and *Tr*VRa cDNAs comprising the full open reading frame sequences in sense and antisense orientations under the control of the CaMV 35S promoter with duplicated enhancer region (35S²) were generated as detailed in Example 6.

Agrobacterium-mediated gene transfer experiments were performed using these transformation vectors.

The production of transgenic Arabidopsis plants carrying the perennial ryegrass F3OH and white clover BANa, CHIa, CHId, CHRc, CHSa1, CHSa3, CHSc, CHSd2, CHSf, CHSh, DFRd, F3Ha, PALa, PALb, PALf and VRa cDNAs under the control of the CaMV 35S promoter with duplicated enhancer region (35S²) is described here in detail.

25 Preparation of Arabidopsis plants

5

15

Seedling punnets were filled with Debco seed raising mixture (Debco Pty. Ltd.) to form a mound. The mound was covered with two layers of anti-bird netting secured with rubber bands on each side. The soil was saturated with water and

enough seeds (*Arabidopsis thaliana* ecotype Columbia, Lehle Seeds #WT-02) sown to obtain approximately 15 plants per punnet. The seeds were then vernalised by placing the punnets at 4 $^{\circ}$ C. After 48 hours the punnets were transferred to a growth room at 22 $^{\circ}$ C under fluorescent light (constant illumination, 55 μ molm⁻²s⁻¹) and fed with Miracle-Gro (Scotts Australia Pty. Ltd.) once a week. Primary bolts were removed as soon as they appeared. After 4 – 6 days the secondary bolts were approximately 6 cm tall, and the plants were ready for vacuum infiltration.

50

Preparation of Agrobacterium

5

10

15

20

25

Agrobacterium tumefaciens strain AGL-1 were streaked on LB medium containing 50 μ g/ml rifampicin and 50 μ g/ml kanamycin and grown at 27 $^{\circ}$ C for 48 hours. A single colony was used to inoculate 5 ml of LB medium containing 50 μ g/ml rifampicin and 50 μ g/ml kanamycin and grown over night at 27 $^{\circ}$ C and 250 rpm on an orbital shaker. The overnight culture was used as an inoculum for 500 ml of LB medium containing 50 μ g/ml kanamycin only. Incubation was over night at 27 $^{\circ}$ C and 250 rpm on an orbital shaker in a 2 l Erlenmeyer flask.

The overnight cultures were centrifuged for 15 min at 5500 xg and the supernatant discarded. The cells were resuspended in 1 I of infiltration medium [5% (w/v) sucrose, 0.03% (v/v) Silwet-L77 (Vac-In-Stuff, Lehle Seeds #VIS-01)] and immediately used for infiltration.

Vacuum infiltration

The Agrobacterium suspension was poured into a container (Décor Tellfresh storer, #024) and the container placed inside the vacuum desiccator (Bel Art, #42020-0000). A punnet with Arabidopsis plants was inverted and dipped into the Agrobacterium suspension and a gentle vacuum (250 mm Hg) was applied for 2 min. After infiltration, the plants were returned to the growth room where they were kept away from direct light overnight. The next day the plants were returned to full direct light and allowed to grow until the siliques were fully developed. The plants were then allowed to dry out, the seed collected from the siliques and either

stored at room temperature in a dry container or used for selection of transformants.

Selection of transformants

5

10

15

Prior to plating the seeds were sterilised as follows. Sufficient seeds for one 150 mm petri dish (approximately 40 mg or 2000 seeds) were placed in a 1.5 ml microfuge tube. 500 μ l 70% ethanol were added for 2 min and replaced by 500 μ l sterilisation solution (H₂O:4% chlorine:5% SDS, 15:8:1). After vigorous shaking, the tube was left for 10 min after which time the sterilisation solution was replaced with 500 μ l sterile water. The tube was shaken and spun for 5 sec to sediment the seeds. The washing step was repeated 3 times and the seeds were left covered with approximately 200 μ l sterile water.

The seeds were then evenly spread on 150 mm petri dishes containing germination medium (4.61 g Murashige & Skoog salts, 10 g sucrose, 1 ml 1 M KOH, 2 g Phytagel, 0.5 g MES and 1 ml 1000x Gamborg's B-5 vitamins per litre) supplemented with 250 μ g/ml timetin and 75 μ g/ml gentamycin. After vernalisation for 48 hours at 4 $^{\circ}$ C the plants were grown under continuous fluorescent light (55 μ mol m-2s-1) at 22 $^{\circ}$ C to the 6 – 8 leaf stage and transferred to soil.

Preparation of genomic DNA

3 – 4 leaves of Arabidopsis plants regenerated on selective medium were harvested and freeze-dried. The tissue was homogenised on a Retsch MM300 mixer mill, then centrifuged for 10 min at 1700xg to collect cell debris. Genomic DNA was isolated from the supernatant using Wizard Magnetic 96 DNA Plant System kits (Promega) on a Biomek FX (Beckman Coulter). 5 μl of the sample (50 μl) were then analysed on an agarose gel to check the yield and the quality of the genomic DNA.

Analysis of DNA using real-time PCR

Genomic DNA was analysed for the presence of the transgene by real-time PCR using SYBR Green chemistry. PCR primer pairs (Table 4) were designed

10

15

52

using MacVector (Accelrys). The forward primer was located within the $35S^2$ promoter region and the reverse primer within the transgene to amplify products of approximately 150 - 250 bp as recommended. The positioning of the forward primer within the $35S^2$ promoter region guaranteed that homologous genes in Arabidopsis were not detected.

 $5~\mu l$ of each genomic DNA sample was run in a $50~\mu l$ PCR reaction including SYBR Green on an ABI (Applied Biosystems) together with samples containing DNA isolated from wild type Arabidopsis plants (negative control), samples containing buffer instead of DNA (buffer control) and samples containing the plasmid used for transformation (positive plasmid control).

Plants were obtained after transformation with all chimeric constructs and selection on medium containing gentamycin. The selection process and two representative real-time PCR analyses are shown in Figure xx.

TABLE 4

List of primers used for Real-time PCR analysis of Arabidopsis plants transformed with chimeric perennial ryegrass genes involved in flavonoid biosynthesis

construct	primer 1 (forward)	primer 2 (reverse)
pPZP221LpF3OHsense	TTGGAGAGGACACGCTGAAATC	AGGAGAGGGTTGGACATCGC
pPZP221LpF3OHanti	CATTTCATTTGGAGAGGACACGC	ACGAGGAGTTCTGGAAGATGGG
pPZP221TrBANasense	TTGGAGAGGACACGCTGAAATC	GCAACAAAACCAGTGCCACC
pPZP221TrBANaanti	TCATTTGGAGAGGACACGCTG	GATGATTGCCCCAGCAAGG
pPZP221TrCHlasense	CATTTCATTTGGAGAGGACACGC	CAAGGTTCTCGACTTGGATTGC
pPZP221TrCHlaanti	TCATTTGGAGAGGACACGCTG	AGATTACCTGCCTTGTTGAACGAG
pPZP221TrCHIdsense	TCATTTGGAGAGGACACGCTG	GACGGTAGGAGGGAATAGATTGTTC
pPZP221TrCHldanti	TCATTTGGAGAGGACACGCTG	CCAGGTTATCCGAGTTATTCAACG
pPZP221TrCHRcsense	CCACTATCCTTCGCAAGACCC	TCCCATTCCAACCACAGGC
pPZP221TrCHRcanti	TCATTTGGAGAGGACACGCTG	CAAGCCAGGACTCAGTGACCTATG
pPZP221TrCHSa1sense	TCATTTGGAGAGGACACGCTG	CTGGTCAACACGATTTGCTGG
pPZP221TrCHSa1anti	TCATTTGGAGAGGACACGCTG	AACCACAGGAGAAGGACTTGACTG

pPZP221TrCHSa3sense	CATTTCATTTGGAGAGGACACGC	AACACGGTTTGGTGGATTTGC
pPZP221TrCHSa3anti	TCATTTGGAGAGGACACGCTG	ACAACTGGAGAAGGACTTGATTGG
pPZP221TrCHScsense	TTGGAGAGGACACGCTGAAATC	ACAAGTTGGTGAGGGAATGCC
pPZP221TrCHScanti	TCATTTGGAGAGGACACGCTG	GGGATTGATACTTGCTTTTGGACC
pPZP221TrCHSd2sense	CCCACTATCCTTCGCAAGACC	AGTTGCAGTGCCGATTGCC
pPZP221TrCHSd2anti	CATTTCATTTGGAGAGGACACGC	AAGATGGACTTGCCACAACAGG
pPZP221TrCHSfsense	CATTTCATTTGGAGAGGACACGC	TCGTTGCCTTTCCCTGAGTAGG
pPZP221TrCHSfanti	TCATTTGGAGAGGACACGCTG	GATTGGCTTTTGGACCAGGG
pPZP221TrCHShsense	TCATTTGGAGAGGACACGCTG	CGGTCACCATTTTTTTGTTGGAGG
pPZP221TrCHShanti	TCATTTGGAGAGGACACGCTG	TGTTGTTTGGGTTTGGACCG
pPZP221TrDFRdsense	CATTTCATTTGGAGAGGACACGC	ATTGAGATTTTGGACGGTGGC
pPZP221TrDFRdanti	CATTTCATTTGGAGAGGACACGC	CGCAACCTGGATTGTTGAGAGC
pPZP221TrF3Hasense	TCATTTGGAGAGGACACGCTG	TCTTCCCTAACGAAACTTGACTCG
pPZP221TrF3Haanti	TCATTTGGAGAGGACACGCTG	GAACAACAACTTAGGGACTTGGAGG
pPZP221TrPALasense	ATGACGCACAATCCCACTATCC	TTGCCTCAGCAGCCACACC
pPZP221TrPALaanti	GGAGAGGACACGCTGAAATCAC	TGCCAAAAGAGGTTGAAAGTGC
pPZP221TrPALbsense	ATCCCACTATCCTTCGCAAGACCC	AATGACTCCCCATCAACGACTCCG
pPZP221TrPALbanti	TTGGAGAGGACACGCTGAAATC	GACAAATTGTTCACAGCTATGTGCC
pPZP221TrPALfsense	ATCCCACTATCCTTCGCAAGACCC	CACCATACGCTTCACCTCATCC
pPZP221TrPALfanti	TCATTTGGAGAGGACACGCTG	TTGTTAGAGAGGAGTTAGGAACCGC
pPZP221TrVRasense	CCACTATCCTTCGCAAGACCC	GCTTACATCCCTCTTACGTTCTGG
pPZP221TrVRaanti	CCACTATCCTTCGCAAGACCC	AAAAGCTCGTGGACGCTGG
L	<u> </u>	

EXAMPLE 7

Genetic mapping of perennial ryegrass genes involved in flavonoid biosynthesis, protein binding, metal chelation, anti-oxidation, UV-light absorption, tolerance to biotic stresses such as viruses, micro-organisms, insects and fungal pathogens; pigmentation in for example flowers and leaves; herbage quality and bloat-safety and isoflavonoid content leading to health benefits

The cDNAs representing genes involved in flavonoid biosynthesis, protein binding, metal chelation, anti-oxidation, UV-light absorption, tolerance to biotic stresses such as viruses, micro-organisms, insects and fungal pathogens;

54

pigmentation in for example flowers and leaves; herbage quality and bloat-safety and isoflavonoid content leading to health benefits, were amplified by PCR from their respective plasmids, gel-purified and radio-labelled for use as probes to detect restriction fragment length polymorphisms (RFLPs). RFLPs were mapped in the F₁ (first generation) population, NA₆ x AU₆. This population was made by crossing an individual (NA₆) from a North African ecotype with an individual (AU₆) from the cultivar Aurora, which is derived from a Swiss ecotype. Genomic DNA of the 2 parents and 114 progeny was extracted using the 1 x CTAB method of Fulton et al. (1995).

10 Probes were screened for their ability to detect polymorphism using the DNA (10 µg) of both parents and 5 F₁ progeny restricted with the enzymes Dral, EcoRI, EcoRV or HindIII. Hybridisations were carried out using the method of Sharp et al. (1988). Polymorphic probes were screened on a progeny set of 114 individuals restricted with the appropriate enzyme (Figure 115).

15 RFLP bands segregating within the population were scored and the data was entered into an Excel spreadsheet. Alleles showing the expected 1:1 ratio were mapped using MAPMAKER 3.0 (Lander et al. 1987). Alleles segregating from, and unique to, each parent, were mapped separately to give two different linkage maps. Markers were grouped into linkage groups at a LOD of 5.0 and ordered within each linkage group using a LOD threshold of 2.0.

20

25

Loci representing genes involved in flavonoid biosynthesis mapped to the linkage groups as indicated in Table 5 and in Figure 197. These gene locations can now be used as candidate genes for quantitative trait loci associated with flavonoid biosynthesis, protein binding, metal chelation, anti-oxidation, UV-light absorption, tolerance to biotic stresses such as viruses, micro-organisms, insects and fungal pathogens; pigmentation in for example flowers and leaves; herbage quality and bloat-safety and isoflavonoid content leading to health benefits.

55 **TABLE 5**

Map locations of ryegrass genes involved in flavonoid biosynthesis across two genetic linkage maps of perennial ryegrass

Probe	Polymorphic	Mapped with	Locus	Linkage group		
				NA ₆ AU ₆		
<i>Lp</i> DFRb	Υ	Hind III	<i>Lp</i> DFRb	6 6		

REFERENCES

- An, G., Watson, B.D., Stachel, S., Gordon, M.P., Nester, E.W. (1985) New cloning vehicles for transformation of higher plants. The EMBO Journal **4**, 227-284
- Feinberg, A.P., Vogelstein, B. (1984). A technique for radiolabelling DNA restriction endonuclease fragments to high specific activity. Anal. Biochem. 10 132: 6-13.
 - Frohman *et al.* (1988) Rapid production of full-length cDNAs from rare transcripts: amplification using a single gene-specific oligonucleotide primer. *Proc. Natl. Acad Sci. USA* **85**:8998
- Gish and States (1993) Identification of protein coding regions by database similarity search. *Nature Genetics* **3**:266-272
 - Lander, E.S., Green P., Abrahamson, J., Barlow, A., Daly, M.J., Lincoln, S.E., Newburg, L. (1987). MAPMAKER: an interactive computer package for constructing primary linkage maps of experimental and natural populations. Genomics 1: 174-181.
- 20 Loh, E.Y., Elliott, J.F., Cwirla, S., Lanier, L.L., Davis, M.M. (1989). Polymerase chain reaction with single-sided specificity: Analysis of T-cell receptor delta

chain. Science **243**:217-220

- Ohara, O., Dorit, R.L., Gilbert, W. (1989). One-sided polymerase chain reaction: The amplification of cDNA. *Proc. Natl. Acad Sci USA* **86**:5673-5677
- Sambrook, J., Fritsch, E.F., Maniatis, T. (1989). Molecular Cloning. A Laboratory

 Manual. Cold Spring Harbour Laboratory Press
 - Schardl, C.L., Byrd, A.D., Benzion, G., Altschuler, M.A., Hildebrand, D.F., Hunt, A.G. (1987) Design and construction of a versatile system for the expression of foreign genes in plants. Gene **61**, 1-11
- Sharp, P.J., Kreis, M., Shewry, P.R., Gale, M.D. (1988). Location of α amylase sequences in wheat and its relatives. Theor. Appl. Genet. **75**:286-290.

Finally, it is to be understood that various alterations, modifications and/or additions may be made without departing from the spirit of the present invention as outlined herein.

It will also be understood that the term "comprises" (or its grammatical variants) as used in this specification is equivalent to the term "includes" and should not be taken as excluding the presence of other elements or features.

Documents cited in this specification are for reference purposes only and their inclusion is not acknowledgment that they form part of the common general knowledge in the relevant art.

CLAIMS

5

10

25

- 1. A substantially purified or isolated nucleic acid or nucleic acid fragment encoding a flavonoid biosynthetic enzyme selected from the group consisting of chalcone isomerase (CHI), chalcone synthase (CHS), chalcone reductase (CHR), dihydroflavonol 4-reductase (DFR), leucoanthocyanidin reductase (LCR), flavonoid 3', 5' hydrolase (F3'5'H), flavanone 3-hydroxylase (F3H), flavonoid 3'-hydroxylase (F3'H), phenylalanine ammonia-olyase (PAL) and vestitone reductase (VR) from a clover (*Trifolium*), medic (*Medicago*), ryegrass (*Lolium*) or fescue (*Festuca*) species, or a functionally active fragment or variant thereof.
- 2. A nucleic acid or nucleic acid fragment according to Claim 1, wherein said clover species is white clover (*Trifolium repens*) and said ryegrass species is perennial ryegrass (*Lolium perenne*).
- 3. A nucleic acid or nucleic acid fragment according to Claim 1, encoding a CHI or CHI-like protein and including a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 1, 3, 4, 6, 7, 9, 10, 12, 122 and 127 hereto (Sequence ID Nos: 1, 3 to 7, 8, 10 to 12, 13, 15 and 16, 17, 19 to 22, 307, and 309, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).
 - 4. A nucleic acid or nucleic acid fragment according to Claim 1, encoding a CHS or CHS-like protein and including a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 13, 15, 16, 18, 19, 21, 22, 24, 25, 27, 28, 30, 31, 33, 34, 137, 142, 147, 152, 157 and 162 hereto (Sequence ID Nos: 23, 25 to 63, 64, 66 to 68, 69, 71 to 77, 78, 80 to 90, 91, 93 and 94, 95, 97 to 100, 101, 103 to 105, 106, 313, 315, 317, 319, 321, and 323, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).

WO 03/031622 PCT/AU02/01345 58

- 5. A nucleic acid or nucleic acid fragment according to Claim 1, encoding a CHR or CHR-like protein and including nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 36, 38, 40, 41, 43 and 132 hereto (Sequence ID Nos: 108, 110, 112 to 116, 117, 119 to 134, and 311, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).
- 6. A nucleic acid or nucleic acid fragment according to Claim 1, encoding a DFR or DFR-like protein and including a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 44, 46, 47, 49, 50, 52, 54, 55, 57, 59, 61, 62, 64, 101, 103, 104, 106, 117 and 167 hereto (Sequence ID Nos: 135, 137 to 146, 147, 149 to 152, 153, 155, 157 and 158, 159, 161, 163, 165 to 167, 168, 170 to 184, 286, 288 to 292, 293, 295 to 297, 305, and 325, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).

10

15

- 7. A nucleic acid or nucleic acid fragment according to Claim 1, encoding an LCR or LCR-like protein and including a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 65 and 67 hereto (Sequence ID Nos: 185 and 187 to 193, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).
- 8. A nucleic acid or nucleic acid fragment according to Claim 1, encoding a F3'5'H or F3'5'H-like protein and including a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 68, 70 and 72 hereto (Sequence ID Nos: 194, 196, and 198 to 201, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).

- 9. A nucleic acid or nucleic acid fragment according to Claim 1, encoding a F3H or F3H-like protein and including a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 73, 75, 76, 78, 107, 109, 111 and 172 hereto (Sequence ID Nos: 202, 204 to 244, 245, 247, 298, 300 to 302, 303, and 327, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).
- 10. A nucleic acid or nucleic acid fragment according to Claim 1, encoding a F3'H or F3'H-like protein and including a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 80 and 82 hereto (Sequence ID Nos: 249, and 251 and 252, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a). (b) and (c).
 - 11. A nucleic acid or nucleic acid fragment according to Claim 1, encoding a PAL or PAL-like protein and including a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 83, 85, 86, 88, 89, 91, 93, 95, 97, 177, 182 and 187 hereto (Sequence ID Nos: 253, 255 to 257, 258, 260 to 267, 268, 270, 272, 274, 276 and 277, 329, 331, and 333, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).

20

12. A nucleic acid or nucleic acid fragment according to Claim 1, encoding a VR or VR-like protein and including a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 98, 100 and 192 hereto (Sequence ID Nos: 278, 280 to 285, and 335, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).

PCT/AU02/01345

- 13. A construct including a nucleic acid or nucleic acid fragment according to Claim 1.
- 14. A vector including a nucleic acid or nucleic acid fragment according to Claim 1.
- 5 15. A vector according to Claim 14, further including a promoter and a terminator, said promoter, nucleic acid or nucleic acid fragment and terminator being operatively linked.
 - 16. A plant cell, plant, plant seed or other plant part, including a construct according to claim 13 or a vector according to Claim 14.
- 10 17. A plant, plant seed or other plant part derived from a plant cell or plant according to Claim 16.
 - 18. A method of modifying flavonoid biosynthesis in a plant, said method including introducing into said plant an effective amount of a nucleic acid or nucleic acid fragment according to Claim 1, a construct according to claim 13 and/or a vector according to Claim 14.

15

- 19. A method of modifying protein binding, metal chelation, anti-oxidation, and/or UV-light absorption in a plant, said method including introducing into said plant an effective amount of a nucleic acid or nucleic acid fragment according to Claim 1, a construct according to claim 13 and/or a vector according to Claim 14.
- 20. A method of modifying pigment production in a plant, said method including introducing into said plant an effective amount of a nucleic acid or nucleic acid fragment according to Claim 1, a construct according to claim 13 and/or a vector according to Claim 14.
- 25 21. A method of modifying plant defense to a biotic stress, said method including introducing into said plant an effective amount of a nucleic acid or nucleic

acid fragment according to Claim 1, a construct according to claim 13 and/or a vector according to Claim 14.

- 22. A method according to claim 21 wherein said biotic stress is selected from the group consisting of viruses, microorganisms, insects and fungal pathogens.
 - 23. A method of modifying forage quality of a plant by disrupting protein foam and/or conferring protection from rumen pasture bloat, said method including introducing into said plant an effective amount of a nucleic acid or nucleic acid fragment according to Claim 1, a construct according to claim 13 and/or a vector according to Claim 14.

10

- 24. Use of a nucleic acid or nucleic acid fragment according to Claim 1, and/or nucleotide sequence information thereof, and/or single nucleotide polymorphisms thereof as a molecular genetic marker.
- 25. A substantially purified or isolated polypeptide from a clover (*Trifolium*), medic (*Medicago*), ryegrass (*Lolium*) or fescue (*Festuca*) species, selected from the group consisting of ASR and ASR-like, A22 and A22-like, CYS and CYS-like, LEA and LEA-like, DHN and DHN-like and PKABA and PKABA-like; and functionally active fragments and variants thereof.
- 26. A polypeptide according to Claim 25, wherein said clover species is white clover (*Trifolium repens*) and said ryegrass species is perennial ryegrass (*Lolium perenne*).
 - 27. A polypeptide according to Claim 25, wherein said polypeptide is CHI or CHI-like and includes an amino acid sequence selected from the group consisting of sequences shown in Figures 2, 5, 8, 11, 123 and 128 hereto (Sequence ID Nos: 2, 9, 14, 18, 308, and 310, respectively); and functionally active fragments and variants thereof.
 - 28. A polypeptide according to Claim 25, wherein said polypeptide is CHS or CHS-like and includes an amino acid sequence selected from the group

consisting of sequences shown in Figures 14, 17, 20, 23, 26, 29, 32, 35, 138, 143, 148, 153, 158 and 163 hereto (Sequence ID Nos: 24, 65, 70, 79, 92, 96, 102, 107, 314, 316, 318, 320, 322, and 324, respectively); and functionally active fragments and variants thereof.

- 29. A polypeptide according to Claim 25, wherein said polypeptide is CHR or CHR-like and includes an amino acid sequence selected from the group consisting of sequences shown in Figures 37, 39, 42 and 133 hereto (Sequence ID Nos: 109, 111, 118, and 312, respectively); and functionally active fragments and variants thereof.
- 30. A polypeptide according to Claim 25, wherein said polypeptide is DFR or DFR-like and includes an amino acid sequence selected from the group consisting of sequences shown in Figures 45, 48, 51, 53, 56, 58, 60, 63, 102, 105, 118 and 168 hereto (Sequence ID Nos: 136, 148, 54, 156, 160, 162, 164, 169, 287, 294, 306, and 326, respectively); and functionally active fragments and variants thereof.
 - 31. A polypeptide according to Claim 25, wherein said polypeptide is LCR or LCR-like and includes an amino acid sequence shown in Figure 66 hereto (Sequence ID No: 186); and functionally active fragments and variants thereof.
- 32. A polypeptide according to Claim 25, wherein said polypeptide is F3'5'H or F3'5'H-like and includes an amino acid sequence selected from the group consisting of sequences shown in Figures 69 and 71 hereto (Sequence ID Nos: 195 and 197, respectively); and functionally active fragments and variants thereof.
- 33. A polypeptide according to Claim 25, wherein said polypeptide is F3H or F3H-like and includes an amino acid sequence selected from the group consisting of sequences shown in Figures 74, 77, 79, 108, 112 and 173 hereto (Sequence ID Nos: 203, 246, 248, 299, 304, and 328, respectively); and functionally active fragments and variants thereof.

PCT/AU02/01345

- 34. A polypeptide according to Claim 25, wherein said polypeptide is F3'H or F3'H-like and includes an amino acid sequence selected from the group consisting of sequences shown in Figure 81 hereto (Sequence ID No: 250); and functionally active fragments and variants thereof.
- 35. A polypeptide according to Claim 25, wherein said polypeptide is PAL or PAL-like and includes an amino acid sequence selected from the group consisting of sequences shown in Figures 84, 87, 90, 92, 94, 96, 178, 183 and 188 hereto (Sequence ID Nos: 254, 259, 269, 271, 273, 275, 330, 332, and 334, respectively); and functionally active fragments and variants thereof.
- or VR-like and includes an amino acid sequence selected from the group consisting of sequences shown in Figures 99 and 193 hereto (Sequence ID Nos: 279 and 336, respectively); and functionally active fragments and variants thereof.

1/271

TrCHIa	:	* GCATTAAACANTGAA	20 ANTTGACCAG	* TCCCAACAA	40 AGATCTGAAA	.CACATAGCTCC	60 CCATT	:	60
TrCHIa	:	* TTTTAACATTAAACI	80 TAAAAATATGT	* CGGCCATCA	100 CCGCAATCCA	* .AGTCGAGAACC	120 TTGAA	:	120
TrCHIa	:	* TTTCCGGCTGTGATT	140 FACTTCTCCGG	* GCCACCGGTA	160 AGTCATATTI	* TCTTGGTGGTG	180 CAGGG	:	180
TrCHIa	:	* GAGAGAGGTTTGACT	200 FATTGAAGGA	* \ACTTCATCA	220 AGTTCACTGO	* CATAGGAGTAT	240 ATTTG	:	240
TrCHIa	:	* GAAGATGTAGCAGT(260 GGCTTCACTTO	* GCCACTAAAT	280 GGAAGGGCAA	* ATCCTCTGAAG	300 SAGTTG	:	300
TrCHIa	:	* CTTGAGACCCTTGAG	320 CTTCTACAGAO	* GATATCATTT	340 CAGGACCATI	* CTGAGAAGTTGA	360 ATTCGA	:	360
TrCHIa	:	* GGATCGAAGATTAG	380 GGAATTGAGT(* GGTCCTGAGT	400 ACTCAAGGA	* AGGTTAATGAA	420 ACTGT	:	420
TrCHIa	:	* GTGGCACACTTAAA	440 ATCTGTTGGG	* ACTTATGGAG	460 ATGCAGAAGT	* TTGAAGCTATGO	480 CAAAAA	:	480
TrCHIa	:	* TTTGTTGAAGCCTT	500 CAAGCCTATT	* AATTTTCCAC	520 CTGGTGCCT	* CTGTTTTTAC#	540 AGGCAA	:	540
TrCHIa	:	* TCACCTGATGGAAT	560 ATTAGGGCTTA	* AGTTTCTCTC	580 AAGATGCAAG	* GTATACCAGAA	600 AAGGAA	:	600
TrCHIa	:	* GCTGCAGTAATAGA	620 GAACAAGGGA	* GCTTCATCGG	CG : 636				

2/271

TrCHIa	:	* MSAITAIQVENLEF	20 PAVITSPATGK	* SYFLGGAGE	40 RGLTIEGNFIK	* FTAIGVYLEI	60 OVAVAS	:	60
TrCHIa	:	* LATKWKGKSSEELL	80 ETLDFYRDIIS	* GPFEKLIRG	100 SKIRELSGPEY	* SRKVNENCV#	120 HLKSV	:	120
TrCHIa	:	* GTYGDAEVEAMQKF	140 VEAFKPINFPP	* GASVFYRQS	160 PDGILGLSFSÇ	* DASIPEKEA!	180 AVIENK	:	180
TrCHIa	:	GASSA : 185							

3/271

		*	20	*	40	*	60		
TrCHIa1:	CCATTAAA	$\neg \lambda hi \neg C \lambda hi \Delta$	-NAGIT-CCNAAT	$-\Delta\Delta\Delta\Delta\Delta\Delta\Delta\Delta$	ATCTGAAACACA	ATAGTNICCCC	CATT	:	57
	CCHIIAM	27.00	NTTCCCCGGTCC		A TOTO A A A CA CA	ATTA COOCOCO	7 A 4D4D		45
TrCHIa2:			MILECOCAGICO	CAACAAAG	AICIGAAACACA	TAGCGCCC		•	
TrCHIa3:					ATCTGAAACAC			:	23
TrCHIa4:				ENC	ATCTGAAAAACI	VTAG-TACC	CA	:	24
TrCHIa5:		ב ב בתייותים	NTTGACCAGTCC	MAACAAAC	ATCTGAAACAC	ATAGCCCCC	TTAT	:	51
IICHIAS:		(3)	MIIGACCAGICC	TATATOTA TO	HICI OILLICIO	111100.00000		•	-
		*	80	*	100	*	<u> 120</u>		
TrCHIa1:	TTTTAACA	ТТАААСТА	AAAATATGTCGG	CCATCACC	CGCAATCCAAGT	CGAGAACCT'	Γ GAA	:	117
TrCHIa2:	α	מתיא א א כיתיא	AAAATATGTCTG	CCATCACC	CCAATCCAACT	CACAACCT	TGAA		105
	TITIMACA		AAAATATGTCGG	CCMICMC			TCAA	:	83
TrCHIa3:	'I''I"I''I'AACA'	T'TAAACTA	MAAATATGTCGG	CCATCACC	GCAAICCAAGI		IGAA	•	
TrCHIa4:	${f TTTTAANA'}$	${f TTAAACTA}$	AAAATATGTCGG	CNATCACC	GCAATCCAAGT	_GAGAACC1"	TGAA	:	84
TrCHIa5:	TTTTAACA'	TTAAACTA	AAAATATGTCTG	CCATCACC	CGCAATCCAAGT	CGAGAACC <u>T'</u>	Γ GAC	:	111
		4	140	*	160	*	180		
		*		agaamaaa		raamaamaa			177
TrCHIa1:	TTTCCGGC	TGTG@TTA	CTTCTCCGGCCA	CCGGTAAG	TCATATTTTCT	reereere.	AGGG	:	177
TrCHIa2:	TTCCCGGC	GTGATTA	ACTTCTCCGG CA	CGGTAAC	TCATATTTTCT'	TGGTGGTGC.	AGGG	:	165
TrCHIa3:	TTTCCKGC	TGTGATT	ACTTCTCCGGCCA	CCGGTAAC	TCATATTTTCT'	TGGTGGTGC.	$\mathbf{A}\mathbf{G}\mathbf{G}\mathbf{G}$:	143
TrCHIa4:	TTTCC	$TCTC\Delta TTZ$	ACTTCTCCGGCCA	ССССТАВО	゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚゚	rggTggTgC	AGGG	:	144
		MODOVIDA	ACTTCTCCGG CA	MCCCUTA AC		TCCTCCTCC	ACCC	:	171
TrCHIa5:	TT酸CCGGC	GTGATT	ACTITOTOCGG CA	MCGGTAAG	FICATATITICE	16616616 <u>6</u> .	AGGG	•	1/1
		*	200	*	220	*	240		
TrCHIa1:	CACACACC	T	ATTGAAGGAAACT	TATRITC A AN	IGGCCCTCENAT	ACCACCOTA	T'TNC	•	237
			ATTGAAGGAAACT						225
TrCHIa2:	GAGAGAGG	TTTGACTA	ATTGAAGGAAACT	TCATCAAG	STICACIGCCAL	AGGAGIAIA		•	
TrCHIa3:	GAGAGAGG	TTTGACTP	ATTGAAGGAAACT	"TCATCAAG	FITCACTGCCAT.	AGGAGTATA	THE	:	203
TrCHIa4:	GAGAGAGG	TTTGACTF	ATTGAAGGAAACT	TCATCAA	STTCACTGCCAT.	AGGAGTATA	$\mathbf{T}'\mathbf{T}'\mathbf{T}\mathbf{C}$:	204
TrCHIa5:	GAGAGAGG	TTTGACTA	ATTGAAGGAAACT	TCATCAAC	TTCACTGCCAT.	AGGAGTATA	${f TTTG}$:	231
	0.10.10.								
		.4.	260	*	280	*	300		
	70 T T T T T T T T T T T T T T T T T T T	*	260	^	280		300		011
TrCHIa1:								:	244
TrCHIa2:	GAAGATGT	AGCAGTGO	GCTTCACTTGCCA	CTAAATG(GAAGGGCAAATC	CTCTGAAGA	GTTG	:	285
TrCHIa3:	GAAGATGT	AGCAGTGC	GCTTCACTTGCCA	CTAAATGO	GAAGGGTAAATC	CTCTGAĞGA	GTTG	:	263
TrCHIa4:			NTNCKNTW					•	228
	GAAGAIG		SCTTCACTTGCCA	CHANAMCC	TA ACCCCA A ATIC	CTCTCAACA	CTTC	:	291
TrCHIa5:	GAAGATGT	AGCAG1G0	GCTTCACTTGCCA	CIAAAIG	3AAGGGCAAA1C	CICIGAAGA	GILG	•	271
		*	320	*	340	*	360		
TrCHIa1:								:	_
TrCHIa2:	CHITCACAC	ССФФСХС	TTCTACAGAGATA	ጥሮልጥጥሞር፣	AGGACCATTTGA	GAAGTTGAT	тсса	:	345
	CTIGAGAC		TTCTATAGAGAGA			NA A CTTCAT	TCCA		323
TrCHIa3:	CTTGAGAC	趣CTTGAC'.	ILLO TAMAGAGA	LICATITUE	TOGACC GITTER	WATE OF TRANS		•	223
TrCHIa4:								:	-
TrCHIa5:	CTTCAGAC	CCTTGAC	TTCTACAGAGATA	ΔT CATTTC I	AGGACCATTTGA	GAAGTTGAT	TCGA	:	351
		*	380	*	400	*	420		
mCITT - 1			300						_
TrCHIa1:		G2	~~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	action of the		лалпота а а	CITICITE	•	405
TrCHIa2:	GGATCGAA	GA'I''I'AGG	GAATTGAGTGGTC	.CTGAGTA	JTCAAGGAAGGT	TAATGAAAA	CIGI	:	405
TrCHIa3:	GGATCGAA	GATTAGG	GAATTGAGTGGTC	CTGAGTA	CTCAAGGAAGGT	TAATGAAAA	CTGC	:	383
TrCHIa4:								:	-
TrCHIa5:	GGATCCAA	GATTAGG	GAATTGAGTGGTC	CTGAGTA	CTCAAGGAAGGT	TAATGAAAA	CTGT	:	411
								-	

4/271

		*	440	^	460	^	480	
TrCHIa1: TrCHIa2: TrCHIa3: TrCHIa4:	GTGGCAC GTGGCCC	ACTTAAAA' ACTTAAAA'	PCTGTTGGGACT PCTGTTGGGACT	TACGGAGA TATGGAGA	TGCAGAAGTTGA TGC¶GAAGÖTGA	AGCTATGC AGCTATGC	AAAAA AAAAA	465 443
TrCHIa5:	GTGGCAC	ACTTAAAA'	PCTGTTGGGACT	TATGGAGA	TGCAGAAGTTGA	AGCTATGC	AAAA	471
Escure 1		*	500	*	520	*	540	_
TrCHIa1: TrCHIa2: TrCHIa3:			AAGCCTATTAAT AAGCCTATTAAT					525 503
TrCHIa4: TrCHIa5:	TTTGTTG.	AAGCCTTC	AAGCCTATTAAT	TTTCCACC	TGGTGCCTCTGT	TTTTTACA	GGCAA :	531
TrCHIa1:		*	560	*	580	*	600	
TrCHIa2: TrCHIa3:	TCACCTG TCACCTG	ATGGAATA' ATGGAATA'	TTAGGGCTTAGT TTAGGGCTTAGT	TTCTCTCA TTCTCTCA	AGATGCAAGTAT AGATGCAAGTAT	'ACCAGAAA 'ACCAGAAA	AGGAA AGGAĞ	585 563
TrCHIa4: TrCHIa5:	TCACCTG	ATGGAATA'	TTAGGGCTTAGT	TTCTCTCA	AGATGCAAGTAT	'ACCAGAAA	AGN	589
		*	620	*				
TrCHIa1: TrCHIa2: TrCHIa3: TrCHIa4:		TAATAGAG. TAATAGAG	AACANN AACAAGGGAGCT	TCATCGGC	- : - - : 606 G : 599 - : -			
TrCHIa5:					-: -			

FIGURE 3 (cont)

5/271

		*	20	*	40	*	60		
TrCHIb	:	TTAAAATTGACACAG	TCCCAACCT	PAAANTTGAC	CNGGTCCCAA	ACAAAGATCTG	SAAACA	:	60
TrCHIb	:	* ACATAGCCCCCCATT	80 TTTTAACAT	* FAAACTAAAA	100 ATATGTCTGC	* CATCACCGCAA	120 TCCAA	:	120
rrCHIb	:	* GTCGAGAACCTTGAA	140 TTCCCGGCG	* GTGATTACTT	160 CTCCGGTCAA	* CGGTAAGTCAT	180 CATTTT	:	180
TrCHIb	:	* CTTGGTGGTGCAGGG	200 GAGAGAGGT	* FNGACTATTG	220 AAGGAAACTT	* CATCAAGTTCA	240 CTGCC	:	240
TrCHIb	:	* ATAGGAGTATATTTG	260 GAAGATGTA	* GCAGGGGCTT	280 CACTTGCCAC	* TAAATGGAAGG	300 GCAGA	:	300
TrCHIb	:	* TCCTCTGAAGAGNGC	320 TTGAGACCC'	* TNGACTNC :	332				

6/271

* 20 * 40 * 60

TrCHIb: MSAITAIQVENLEFPAVITSPVNGKSYFLGGAGERGXTIEGNFIKFTAIGVYLEDVAGAS: 60

TrCHIb : LATKWKGRSSEEXLRPXT : 78

7/271

		*	20	*	40	^	60		
TrCHIb1: TrCHIb2:	TTAAAATT	GACCNAGTO	CCNAACCTTAAA	ANTTGACCN ANTTGACCN	GGTCCCAAACAA GGT <u>C</u> CCAAACAA	AGATCTGA AGATCTGA	AACA AACA	:	60 59
TrCHIb3:			GCGTTAAZ	AATTGACCC	agt <mark>-</mark> ccnaacaa	AGATCTGA	AAC-	:	38
		*	80	*	100	*	120		
TrCHIb1:	ACATAGCC	CCCCATTT	TTTAACATTAA!	ACTAAAAAT	ATGTCTGCCATC ATGTCTGCCATC	ACCGCAAT	CCAA	:	120 119
TrCHIb2: TrCHIb3:	ACATAGCC ACATAGCC	CCCCATTT CCCCATTT	TTTAACATTAAA TTTAACATTAAA	ACTAAAAAT ACTAAAAAT	ATGTCTGCCATC	ACCGCAAT	CCAA	:	98
iiciiib3.	richilioco	000011111							
		*	140	*	160	*	180		
TrCHIb1:	GTCGAGAA	CCTTGAAT	TCCCGGCGGTG	ATTACTTCT	'CCGGTCAACGGT	AAGTCATA	TOTAL	:	180
TrCHIb2: TrCHIb3:	GTCGAGAA	CCTTGAAT	TCCCGGCGGTG <i>I</i>	$\mathbf{ATTACTTCT}$	CCGGTCAACGG1 NCGGGGAANGG	'AAGTCATA AAGTCATA	小小猴小 :TTTT.	:	179 158
Trchibs:	GTCGAGAA	CCTTGA	1CCCGGCGGgGI	ATTACTICE	MCGGGGWWMGGC			•	150
		*	200	*	220	*	240		
TrCHIb1:	CTTGGTGG	TGCAGGGG		ACTATTGAA	GGAAACTTCATC	CAAGTTCAC	TGCC	:	240
TrCHIb2:	CTTGGTGG	TGCAGGGG	AGAGAGGTTNG	ACTATTGAA	AGGAAACTTCAT(CAAGTTCAC	TGCC	:	239
TrCHIb3:	CTTGGTGG	MGMAGGNIN	aganngnn tng	<u> </u>				:	186
					0.00	al.	200		
TrCHIb1:	A MACCA CIT	*	260	* ~~~~~~~~	280 ACTTGCCACTAA	TCCAACCC	300		300
TrCHIb1:	ATAGGAGT	ATATTTGG	AAGATGTAGCA	GGGGCTTC <i>F</i>	CTTGCCACTAAZ	ATGGAAGGG	CANA	:	299
TrCHIb3:								:	
		*	320	*					
TrCHIb1: TrCHIb2:			TGANACCNTNG. TGAGACCCTIG		332 331				
Truniba:			I GAGACCC I AG		_				

8/271

		*	20	*	40	*	60		
TrCHIc	:	GTTAGNAGNAGN	ATNTCNGGCACCCI	TTGAAAA	STTGATTCGAGG	ATCGAAGATT	'AGGGA	:	60
		*	80	*	100	*	120		
TrCHIc	•	ATTGAGTGGTCC	rgagtactcaagg <i>a</i>	AAGGTTAA		GGCACACTTA		:	120
11010	•								
							400		
		*	140	*	160	*	180		100
TrCHIc	:	TGTTGGGACTTA	rggagatgcagaac	3C'I'GAAGC'.	L'A'I'GCAAAAA'I"I	TGTTGAAGCC	TTCAA	:	180
		*	200	*	220	*	240		
TrCHIc	:	GCCTATTAATTT	TCCACCTGGTGCCT	CTGTTTT	TTACAGGCAATC	ACCTGATGGA	TTATA	:	240
		*	260	*					
					n . 074				
TrCHIC	:	AGGGG'I"I'AG'I'A'I'	TGCCAATTCATTT	L'I'I'I'I'I'AAC'	г: 274				

9/271

* 20 * 40 * 60

TrCHIC: APFEKLIRGSKIRELSGPEYSRKVNENCVAHLKSVGTYGDAEAEAMQKFVEAFKPINFPP: 60

* 80 *

TrCHIc : GASVFYRQSPDGILGVSIANSFFLTILIRVRFDC : 94

10/271

		*	20	*	40	*	<u>60</u>	
TrCHIc1:	GTTAGNAGI	VATNNTTTC GNATNTT	NGGCACCCTTT	GAAAAGTT(GAAAAGTT(GATTCGAGGATCG GATTCGAGGATCG	SAAGATTA(SAAGATTA(GGGA :	60 50
110111101		<u></u>	:					
		*	80	*	100	*	120	
TrCHIc1:	ATTGAGTG	STCCTGAGT	ACTCAAGGAAG	GTTAATGA	AAACTGCGTGGC	ACACTTAAA	AATC :	120
TrCHIc2:	ATTGAGTG	FTCCTGAGT	ACTCAAGGAAG	GTTAATGA	AAACTGCGTGGC <i>I</i>	ACACTTAAA	AATC:	110
		*	140	*	160	*	180	
TrCHIc1:	TGTTGGGA	CTTATGGAG	ATGCAGAAGCT	GAAGCTAT	GCAAAAATTTGTT	rgaagcct:	CAA :	180
TrCHIc2:	TGTTGGGA	CTTATGGAG	ATGCAGAAGCT	GAAGCTAT	GCAAAAATTTGTT	rgaagcct:	rcaa :	170
		*	200	*	220	*	240	
TrCHIc1:	GCCTATTA	ATTTTCCAC	CTGGTGCCTCT	GTTTTTTA	CAGGCAATCACCT	rgatggaa:	PATT :	240
TrCHIc2:	GCCTATTA	ATTTTCCAC	CTGGTGCCTCT	GTTTTTTA	CAGGCAATCACCT	rgatggaa'	PATT :	230
		*	260	*				
TrCHIc1:	AGGGGTTA	GTATTGCCA	ATTCATTTTTT	TTAACT:	274			
TrCHIc2:	AGGGGTTA	GTATTGCCA	ATTCATTTTT	TTAACT :	264			

11/271

TrCHIđ	:	* NUTTNNNUTUANTUT	20 CGGGCAATTAC	* CAACTACACA	40 ACACCTTCTC	* CATTACCATC	60 PATCTT	:	60
TrCHId	:	* CTACTAAGTTCAAC	80 GAGATCAATGO	* GCACTTCCTT	100 CTGTCACCGC	* TTTGAATATC	120 GAGAAC	:	120
TrCHId	:	* AATCTATTCCCTCC	140 FACCGTCACAC	* CCACCGGGAT	160 CCACCAACAA'	* FTTCTTCCTC	180 GGCGGT	:	180
TrCHId	:	* GCAGGAGAGCGGGG	200 PCTTCAAATT(* CAAGACAAAT	220 TTGTCAAATT(* CACCGCTATT	240 GGTGTT	:	240
TrCHId	:	* TATCTACAGGACAT	260 rgctgttcct	* FACCTCGCCA	280 CTAAATGGAA	* GGTAAGACT	300 GCTCAA	:	300
TrCHId	:	* GAGCTAACGGAAAC	320 TGTTCCTTTC	* TTCAGGGACA	340 TCGTTACAGG	* TCCATTTGAG	360 AAATTT	:	360
TrCHId	:	* ATGCAGGTGACAAT	380 GATCTTGCCA'	* PTGACTGGGC	400 AACAATACTC	* AGAGAAAGTG	420 TCAGAA	:	420
TrCHId	:	* AATTGTGTAGCTAT	440 TTGGAAGTCT	* CTTGGGATTT	460 ATACCGACGA	* AGAAGCCAAA	480 GCAATT	:	480
TrCHId	:	* GAGAAGNNTGTTTC	500 TGTCTTCAAA	* GANGAAACAT	520 TCCCACCAGG	* CTCCTCTATC	540 CTTTTC	:	540
TrCHId	:	* ACAGNATTACCCAA	560 AGGATTAGGA	* TCACTAACGA	580 TAAGNTTCTC	* TAAAGATGGA	600 TCCATT	:	600
TrCHId	:	* CCAGAGACCGAGTC	620 TGCAGTTATA	* GAGAATAAGO	640 TACTCTCACA	* AGCTGTGCTN	660 GAGTCG	:	660
TrCHId	:	* ATGATAGGGGCACA	680 .CGGTGTCTCC	* CCTGCAGCAA	700 AACAGAGTTT	* TGGCCACCAG	720 GNTANC	:	720
TrCHId	:	* CGAGNTATTCAACG	740 AGGNTGGCTG	* ATGCCTAGC <i>I</i>	760 ACTTGATNAT	* ATCAACAAAA	780 CGAAAA	:	780
TrCHId	:	* TGAAAGNCCTTTTC	800 TGCAATAAAG	* AACAAGCGGF	820 AATTTTATTT	т: 825			

12/271

rrCHId	:	* MALPSVTALNIENNL	20 FPPTVTPPGS	* STNNFFLGGAG	40 SERGLQIQDK	* KFVKFTAIGVYL	60 QDIAV	:	60
TrCHId	:	* PYLATKWKGKTAQEL	80 TETVPFFRDI	* :VTGPFEKFMQ	100 OVTMILPLTO	* GQQYSEKVSENC	120 VAIWK	:	120
TrCHId	:	* SLGIYTDEEAKAIER	140 KVSVFKETFPE	* PGSSILFTLPF	160 KGLGSLTIXE	* FSKDGSIPETES	180 SAVIEN	:	180
TrCHId		* KLLSOAVXESMIGAF	200 IGVSPAAKOSF	* FGHOXXRXIQF	220 RXWLMPSNLY	* KISTKRK : 23	÷0		

13/271

		*	20	*	40	*	<u>60</u>		
TrCHId1:	TTNANTN	NNNTTNNC	CGGTTTNTNAL	İAACTACACA	ACACCTTCT-	TTTTCCATT	TATCTT	:	59
TrCHId2:			GCAATTAC	CAACCTNNCA	ACACCTTCTC	C-TTA-CNTC	TATCTT	:	41
TrCHId3:			TTAC	C-ACT-CACA	ACACCTTCTCC	CATTACCATC	TATCTT	:	37
TrCHId4:				<u>-</u>	ACATTATTAC	AATTACAACT	TAACAT	:	28
				a.	4.0.0	.1.	100		
		*	80	*	100	×	120		110
TrCHId1:	CTACTAA	GTTCAACC	JAGATCAATGO		CTGTCNCCGC'	DTTGAATATC	CACAAC		119 101
TrCHId2:	CTACTAA	GTTIMAACC	AGATCAATGC	CACTICCII	CTGTCACCGC'	LTIGAATAIC POOLANTAO	CACAAC	•	97
TrCHId3:	CTACTAA	CUNNANA	DDTA A MTADAS	$\frac{1}{2}$ CACTTCCTT	CTGTCACCGC	PTTGGATATC	GAGAAC	:	87
iichiu4.	ERVACE.	CT KWW Trust	JEIGHT LEE HILL CO	30110110011	.c.c.rc.ncccc		<u> </u>	•	•
		*	140	*	160	*	180		
TrCHId1:	AATCTAT	TCCCTCCT	PACCGTCACAC	CCANCGGGAT	'CCACCAACAA'	TTTCTTCCTC	GGCGGT		179
TrCHId2:	AATCTAT	TCCCTCCT	PACCGTCACA	CCACCGGGAT	CCACCAACAA	TTTCTTCCTC	GCCGT		161
TrCHId3:	AATCTAT	TCCCTCC	PACCGTCACA	CCACCGGGAT	CCACCAACAA	TTTCTTCCTC	GGCGGT		157
TrCHId4:	AATCTAT	TCCCTCC	ACCGTCACA	CCACCGGGAT	CCACTGACAA	<u>PTTCTTCCTC</u>	GGCGGT	:	147
		4	200	*	220	*	240		
m~CIITA1.	CCACCAC	ACCCCCC		יא א כיאר א א איז	TTTGTCAAATT	САСССОТАТТ		. •	239
TrCHId1: TrCHId2:					TTGTNAAATT				$\frac{2}{2}$
TrCHId3:	GCAGGAG	AGCGGGG'	rCTTCAAATT(CAAGACAAAT	TTGTCAAATT	CACCGCTATI	GGTGTT	-	$\frac{1}{2}$
TrCHId4:					TEGTCAAATT			: 2	207
				,			_		
						,			
		*	260	*	280	*	300		
TrCHId1:					CTAAATGGAA				299
TrCHId2:	TATETAC	NGGAC T	re remainder.	TWOCITEGEN	ATERCTGGA		CCECAA	-	266 277
TrCHId3: TrCHId4:	TATCTAC	CAGGACAT.	TGCTGTTCCT	TACCTCGCCA	CTAAATGGAA CTAAATGGAA	GGGTAAGACT CCCTDDCDCT	CCTCAA		277 267
Trchia4:	TAICI	AGGACAI	IGCIGIICCI.	IACCICGCA	CIMMIGOM	GGG IAMGAC I	GCICHI	• '	20,
		*	320	*	340	*	360		
TrCHId1:	GAGCTAA	ACGGAAAC	rgNCCTTTC'	TTCAGGGAC	ATNGNNACAGG'	TCCATTTGAG	TTTAAA	: :	359
TrCHId2:							·	:	
TrCHId3:					ATCGTTACAGG				337
TrCHId4:	GAGCTA	ACEGIAAAC'	rgttcctttc	I'TCAGGGAC	ATCGTTACAGG	TCCATTTTGAG	AAA'I"I"I'	:	327
		*	380	*	400	*	420		
TrCHId1:	ATCCACC	TGACAAT		ТТСАСТССС	CAACAATACTC	AGAGAAAGTO		:	419
TrCHId2:								:	_
TrCHId3:	ATGCAGO	TGACAAT	GATCTTGCCA'	TTGACTGGG	CAACAATACTC	AGAGAAAGTO	TCAGAA	: 3	397
TrCHId4:	ATGCAGC	GTGACAAT	GATCTTGCCA	TTGACTGGG	CAACAATACTC	AGAGAAAGTO	STCAGAA	:	387
			4.4.2		4.60	.1.	400		
m arr - 22	7 7 FFFCFF	x ama@amaæ		TOTAL CONTRACTOR	460 FATACCGACCA	^ ^ ^ ^ ^ ^ ^ ^ ^ ^ 	480		479
TrCHId1:	AAT"I'G'I'	STAN CHAT	MIGMAAGICI	GGAIN	I A I ACCGACGA	AGAAGCCAAA	CCAALL	•	+ / J -
TrCHId2:	AATTGTG	тасстат:	TTGGAAGTCT	СТТСССАТТ	TATACCGACGA	AGAAGCCAA	GCAATT	:	457
TrCHId3:	AATTGT(GTAGCTAT	TTGGAAGTCT	CTTGGGATA	ratac G GACGA	ACAANCCAA	NCAATT		447

14/271

		*	500	*	520	*	540	
TrCHId1:	GAGAAGN	NTGTTTC	CTGTCTTCAAA	GANGAAACA	TTCCCACCAGG	CTCCTCTAT	CTTTTC	: 539
TrCHId2: TrCHId3: TrCHId4:			CTGTCTTCAAA CTGNTTNN	GATGAAACA	TTCCCACCAGG	CTCCTCTAT	CCTTTTC	: 517 : 468
TrCHId1:	ACAGNAT	* 'TACCCAA	560 AGGATTANGA	* CACTAACG	580 ATAAGNTTCTC	* TÄAAGATGGA	600 ATCCATT	: 599
TrCHId2: TrCHId3: TrCHId4:	ACAGMAT	TACCCAA	AGGATTAGGA'	rcactaacg.	ATAAGTTTCTC	TAAAGATGGA	TCCATT	: - : 577 : -
TrCHId1: TrCHId2:	CCAGAGA	* CCGAGTO	620 TGCAGTTATA	* GNGAATAAG	640 CTACTCTCACA	* AGCTGTGCTN	660 IGAGTCG	: 659
	CCGAGTO	TGCAGTTATA	GAGAATAAG	CTACTCTCACA	AGCTGTGCT	GAGTCG	: 637	
TrCHId1: TrCHId2:	ATGATAG	* GGGCAÑÑ	680 CGGTGTCTNN	* CNTGCANCA	700 AANCARAGTTT	* TGNNCACCAC	720 GNTANC	: 719
TrCHId3: TrCHId4:	ATGATAC	GGGC <u>G</u> CA	ACGGTGTCTCC	CCTGCAGCA	AAACAGAG-TT	TGGCCACCAC	GUTATIC	: 696 : -
TrCHId1: TrCHId2:	CNAGNTA	* ATTCAACO	740 SAGGNTGGCTG	* ATGCCTAGC	760 ANCTTGATNNT	* NTNAACAAA	780 ACNAAAA	: 779
TrCHId2: TrCHId3: TrCHId4:	CGAG	ATTCAACO	CAGGTTGG-TG	ATG-CTAGC.	AAC TGATTAT	ATCAACAAA	ACGAAAA	: 753 : -
TrCHId1: TrCHId2: TrCHId3:			800 CTGCAÜTAAAG CTGCAATAAAG		820 	- : 807 - : - T : 797		
TrCHId4:						-: -		

15/271

	*	20	*	40	*	60		
TrCHSa:	TATTNTNNGAAACCAC	TTGTGTTGAAG	SNCGTGAA	CTTNGCTACCO	CTCCATATNAT	'ACTAT	:	60
	*	80	*	100	*	120		
TrCHSa:	NACCTCTTCTGAGACC						:	120
	*	140	*	160	*	180		1.00
TrCHSa:	ACAACAACCTATAACT	ANACATATTAT	ATATTITT	TAT'I'I'AGTATA	A'I'AA'I"I'GAAA'I	'AAAC'1'	:	180
	*	200	*	220	*	240		
TrCHSa:	GCTAAAGATANTTATT		GAGTGTAG		CAAGGCTCAGA		:	240
m - aira -	*	260	* "''''	280	* * * * ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	300	_	300
Trunsa:	GAAGGCCCTGCAACCA	I"I"I"I'GGCCAT"I	TURUDU	CAAATCCAGCA	MACCGIGIIG	DAJDA	:	300
	*	320	*	340	*	360		
TrCHSa:	AGCACATATCCTGATT	TCTACTTCAAA	AATCACAA	ACAGTGAGCA	CAAGACTGAGC	TCAAA	:	360
	J.	200	*	400	*	420		
ттСНСэ.	* GAGAAATTCCAGCGCA	380 TGTGTGACAA						420
iichsa.	GAGAAAI I CCAGCGCA	IGIGIGACAAA	ALCIMION.	11 (22 302 30 (23 02	11110111 01111 0	.11111011	•	420
	*	440	*	460	*	480		
TrCHSa:	GAAGAGATTTTGAAAG	AAAATCCTAGT	rctttgtc	BAATACATGGC	ACCTTCATTGG	ATGCT	:	480
	*	500	*	520	*	540		
TrCHSa:	AGGCAAGACATGGTGG						:	540
	*	560	*	580	*	600		500
TrCHSa:	ATTAAAGAATGGGGTC	AACCAAAGTCA	AAAGAT"I'A	CTCACTTAATC	J'I"I"I"IGCACCA	CAAGT	:	600
	*	620	*	640	*	660		
TrCHSa:	GGTGTAGACATGCCTG		CCAACTCA		AGGTCTTCGCC	CATAT	:	660
				700				
macuca.	* GTGAAGAGGTACATGA	680	* ^ ~~~~~~~	700	╸ ╸╸ ╸╸	720		720
TICHSa:	GIGAAGAGGIACAIGA	IGIACCAACAA	400010C1	TIGCAGGIGG	SACGGIGCIIC	GIIIG	•	720
	*	740	*	760	*	780		
TrCHSa:	GCAAAAGATTTGGCCG	AGAACAACAA	AGGTGCTC	GTGTGTTGGT	rGTTTGTTCTG	SAAGTA	:	780
	*	800	*	820	*	840		
TrCHSa:	ACCGCAGTCACATTCC		TGACACTO		CTTGTTGGAC		:	840
LL CIIDA.	1100001101101111100							
	*	860	*	880	*	900		
TrCHSa:	CTATTTGGAGATGGAG	CTGCTGCACT	CATTGTTG	GCTCAGACCC	AG'I'ACCAGAAA	'I'I'GAG	:	900
	*	920	*	940	* 	960		060
TrCHSa:	AAACCAATATTTGAGA	TGGTATGGAC	JGCACAGA	CAATTGCTCC	AGACAGTGAAG	GIGCC	:	960
	*	980	*	1000	*	1020		
TrCHSa:	ATTGATGGTCACCTTC	GTGAAGCTGG	ACTAACAT	TTCATCTTCT	FAAAGATGTTC	CTGGG	:	1020
	J.	1040	4	1000	4	1000		
тγСНС≥•	ATTGTATCAAAGAACA	1040 TTAATAAAGC	ልጥጥርርጥር	1060 AGGCTTTCCA	ACCATTAGGA A	1080 יייברייייייייייייייייייייייייייייייייי		1080
rrompa:	MIIGIAICAAAGAACA		.11 100100		.com. incom.		•	
		1100	*	1120	*			
Traction.	$C \land T T T \land C \land A \land T T T T \land A T T T T T T T T T T T$	ጥጥጥርር እ ጥጥርር የ	$\Delta C \Delta C C C C C C$	CTCC A CCTCC Y	ልውጥሮጥ • 11	3.0		

16/271

		*	20	*	40	*	60		60
TrCHSa	:	MVSVAEIRKAQRAEG	PATILAIGT	ANPANRVEQS'I	, A BDE A E.KT.T.	NSEHKTELKEKE	'QRMC	:	60
		*	80	*	100	*	120		100
TrCHSa	:	DKSMIKSRYMYLTEE	ILKENPSLCI	EYMAPSLDARÇ)DMVVVEVPR	LGKEAAVKAIKE	SWGQP	:	140
		*	140	*	160	*	180		
TrCHSa	:	KSKITHLIFCTTSGV	'DMPGADYQL'	rkllglrpyvi	KRYMMYQQGC	FAGGTVLRLAKI	OLAEN	:	180
		*	200	*	220	*	240		240
TrCHSa	:	NKGARVLVVCSEVTA	VTFRGPSDTI	HLDSLVGQALI	'GDGAAALIV	GSDPVPETEKPI	LFEMV	:	240
		*	260	*	280	*	300		200
TrCHSa	:	WTAQTIAPDSEGAII	GHLREAGLT	FHLLKDVPGIV	/SKNINKALV	EAFQPLGISDYI	NSTF.M	:	300
TrCHSa	:	IAHPGGPAI : 309)						


17/271

			*	20	*	40	*	60		
TrCHSa1 :	T^{p}	MTTNTN	GAAACCACT	TGTGTTGAAGN	CGTGAACTT	NGCTACCCTCC	ATATNATAC	TAT		60
TrCHSa2 :									•	-
TrCHSa3 :									:	_
TrCHSa4:									:	
TrCHSa5 :									:	_
TrCHSa6 :									:	_
TrCHSa7:									:	_
TrCHSa8:									:	_
TrCHSa9:									:	_
TrCHSa10:									:	_
TrCHSa11:									•	_
TrCHSa12:									:	
TrCHSa13:									:	_
TrCHSa14:									:	_
TrCHSa15:									:	_
TrCHSa16:					-~				:	Ξ
TrCHSa17:									•	
TrCHSa18:									:	_
TrCHSa19:									:	_
TrCHSa20:									:	_
TrCHSa21:									:	_
TrCHSa22:									:	_
TrCHSa23:									:	_
TrCHSa24:										_
TrCHSa25:									:	
TrCHSa26:									:	_
TrCHSa27:									:	_
FrCHSa28:									:	_
TrCHSa29:										_
FrCHSa30:									:	
TrCHSa31:									:	Ξ
rrCHSa32:						·			:	
TrCHSa33:									:	Ξ
rrCHSa34:									:	_
rrCHSa35:									:	_
PrCHSa36:									:	_
rrCHSa37:									:	_
rrCHSa38:									:	_
rrCHSa39.									•	


18/271

	*	80	*	100	*	120	
TrCHSa1 :	NACCTCTTCTGA	AGACCCTTCATCA	ATATATAT	ACNCATOTCAC	CTCATACAT	ATTTCC	:120
TrCHSa2 :			GNANNACA	ACACACTTCNA	C-CHUTGCT	-тттст	: 32
TrCHSa3 :					CNCTTTGCT		: 23
TrCHSa4 :					C-CTTTGCT		: 21
TrCHSa5 :					1,000	NACACT	: 9
TrCHSa6:						ACN	: 3
TrCHSa7 :							: 2
TrCHSa8 :						N	: 2
TrCHSa9 :							: 2
TrCHSa10:						~	: -
TrCHSal1:							: -
TrCHSa12:							: -
TrCHSa13:							: -
TrCHSa14:							: -
TrCHSa15:							: -
TrCHSa16:							: -
TrCHSa17:							: -
TrCHSa18:							: -
TrCHSa19:				. – – – – – – – .			: -
TrCHSa20:							: -
TrCHSa21:							: -
TrCHSa22:							: -
TrCHSa23:							: -
TrCHSa24:							: -
TrCHSa25:							:
TrCHSa26:							: -
TrCHSa27:							: -
TrCHSa28:							: -
TrCHSa29:							: -
TrCHSa30:							: -
TrCHSa31:							: -
TrCHSa32:							: -
TrCHSa33:							: -
TrCHSa34:							: -
TrCHSa35:							: -
TrCHSa36:							: -
TrCHSa37:							: -
TrCHSa38:							: -
$m_{\infty}CHC-30$.							


19/271



20/271




21/271



22/271




23/271




24/271

	*	440	*	460	*	480	
TrCHSa1 :	GAAGAGATTTTGA	AAGAAAATCCTA	GTCTTTGTGA	ATACATGGC.	ACCTTCATTG	GATGCT	:480
TrCHSa2 :	GAAGAGATTTTGA	AAGAAAATCCTA	GTCTTTGTGA	ATACATGGC.	ACCTTCATTC	GATGCT	:377
TrCHSa3 :	GAAGAGATTTTGA	AAGAAAATCCTA	GTCTTTGTGA	GCACATGGC	ACCTTCATTO	GATGCT	:383
TrCHSa4 :	GAAGAGATTTTGA	AAGAAAATCCTA	GTCTTTGTG	GCACATGGC.	ACCTTCATTO	GATGCT	:368
TrCHSa5 :	GAAGAGATTTTGA						:369
TrCHSa6 :	GAAGAGATTTTGA						:356
TrCHSa7 :	GAAGAGATTTTGA						:362
TrCHSa8 :	GAAGAGATTTTGA	AAGAAAATCCTA	GTCTTTGTG	ATACATGGC.	ACCTTCATTC	GATGCT	:356
TrCHSa9 :	GAAGAGATTTTGA						:362
TrCHSa10:	GAAGAGATTTTGA						:360
TrCHSall:	GAAGAGATTTTGA						:351
TrCHSa12:	GAAGAGATTTTGA						:350
TrCHSa13:	GAAGAGATTTTGA						:359
TrCHSa14:	GAAGAGATTTTGA	AAGAAAATCCTA	GTCTTTGTG	ATACATGG <u>C</u>	ACCTTCATTG	GATGCT	:357
TrCHSa15:	GAAGAGATTTTGA	AAGAAAATCCTA	GTCTTTGTG4	ATACATGG	ACCTTCATTG	MATGNT	:350
TrCHSa16:	GAAGAGATTTTGA						:358
TrCHSa17:	GAAGAGATTTTGA						:357
TrCHSa18:	GAAGAGATTTTGA						:356
TrCHSal9:	GAAGAGATTTTGA						:355
TrCHSa20:	GAAGAGATTTTGA						:353
TrCHSa21:	GAAGAGATTTTGA						:352
TrCHSa22:	GAAGAGATTTTGA						:349
TrCHSa23:	GAAGAGATTTTGA						:343
TrCHSa24:	GAAGAGATTTTGA						:347
TrCHSa25:	GAAGAGATTTTGA						:347
TrCHSa26:	GAAGAGATTTTGA						:338
TrCHSa27:	GAAGAGATTTTGA						:335
TrCHSa28:	GAAGAGATTTTGA						:342
TrCHSa29:	GAAGAGATTTTGA						:317
TrCHSa30:	GAAGAGATTTTGA						:301
TrCHSa31:	GAAGAGATTTTGA						:298
TrCHSa32:	GAAGAGATTTTGA						:298
TrCHSa33:	GAAGAGATTTTGA						:298
TrCHSa34:	GAAGAGATTTTGA						:251
TrCHSa35:	GAAGAGATTTTGA						:239
TrCHSa36:	GAAGAGATTTTGA						:237
TrCHSa37:	GAAGAGATTTTGA						:137
TrCHSa38:	GAAGAGATTTTGA	AAGAAAATCCTA	AGTCTGTGTGI	AGTACATGGC	ACCTTCATTC	GATGCT	: 87
TrCHSa39:							:


25/271



26/271



27/271



28/271

	*	680	*	700	*	720
TrCHSa1:	GTG					:663
TrCHSa2 :	GTGAAGAGGTACA					:575
TrCHSa3:	GTGAAGAGGTAC <i>I</i>	ATGATGTACCAAC	AAGGGTGCT	TTGCAGGTGG		:607
TrCHSa4:	GTGAAGAGGT <u>A</u> C <i>I</i>	ATGATGTACCAAC	AAGGGTGCT	TTGCAGGTGG	GACGGTTCTTC	GTT :606
TrCHSa5 :	GTGAAGAGGTTCA	ATGATGTACCAAC	'AAGGTTGTT	TTGCAGGÄGG	~	59/
TrCHSa6:	GTGAAAAGGTAT	ATGATGTACCAAC	AAGGTTGTT	TTGCAGGAGG	CACGGTGCTTC	GTTTG : 596
TrCHSa7 :						
TrCHSa8:						: -
TrCHSa9 :	GTGAAGAGGTACA	ATGATGTACCAAC	AAGGGTGCT	TTGCAGGTGG		:586
TrCHSa10:	GTGAAGAGGTACA	ATGATGTACCAAC	AAGGGTGCT			•574
TrCHSa11:	GTGAAAAGGTAII	ATGATGTACCAAC	AAGGTTGTT	TTGCAGGAGG	CACGGTGCTTC	GTTTG:591
TrCHSa12:	GTGAAGAGGTAC	ATGATGTACCAAC	AAGGGTGCT	TTGCAG		:570
TrCHSa13:	GTGAAGAGGTACA	ATGATGTACCAAC	AAGGGTGCT	TTGCAGGTGG	GACGGTTCTTC	GTTT - :598
TrCHSa14:	GTGAAAAGGTATA	ATGATGTACCAAC	AAGGTTGTT	TTGCAGGAGG	CACGGTGCTTC	GTTTG :597
TrCHSa15:						: -
TrCHSa16:	GTGANGAGGCGC	TGNTGNNCCN				:561
TrCHSa17:	GTGAAG					:543
TrCHSa18:						: -
TrCHSa19:	GTGAAAAGGTATA	ATGATGTACCAAC	AAGGTTGTT	TTGCAGGAGG	CACGGTGCTTC	GTTTG:595
TrCHSa20:	GTGAAAAGGTATA	ATGATGTACCAAC	AAGGTTGTT	TTGCAGGAGG	QACG	:581
TrCHSa21:	GTGAAGAGATUCA	ATGATGTACCAAC	AAGG©TGCT'	TTGCAGGTGG	CACCCTTTCTTC	G:588
TrCHSa22:	GTGAAAAGGTATA	ATGATGTAC <u>CAAC</u>	AAGGTTGTT	<u> TTGCAGGA</u> GG	JACGGTGCTTC	GTTTG :589
TrCHSa23:	G'I'GAAGAGGTA¶A	VICAVICIVAVI — — — —		-		:544
TrCHSa24:	GTGAAGAGGGACA	TGATGTACCAAC	AAG			:555
TrCHSa25:	GTGAAAAGGTAJA	TGATGTACCAAC	AAGGTTGTT'	I'TGCAGGAG-		:570
TrCHSa26:	GTGAAGAGGTACA					:546
TrCHSa27:	GTGAAAAGGTAJA	TGATGTACCAAC	AAGGGTGCT'	TTGCAGGTGG	GACGGTGCTTC	GTTTG : 575
TrCHSa28:	GTGAAAAGGCATA	TGATGTACCAAC	AAGGGTGCT'	TTGCAGGTGG	GACCGTGCTTC	TTTG:582
TrCHSa29:	GTGAAAAGGTAHA	TGATGTACCAA				:521
TrCHSa30:	GTNAAAAGG <mark>N</mark> AAA	TGATGCCCMAN				:506
TrCHSa31:	GTGAAAAGGT <mark>C</mark> HA	TGATGOACCAAC	<u> </u>			<u></u> :504
TrCHSa32:	GTGAAAAGGTATA	TGATGTACCAAC.	AAGGTTGTT'	rtgcaggagg(ACGGTGCTTC	GTTTG:538
TrCHSa33:	GTGAAGAGGTACA	TGATGTACCAAC	AAGGGTGCT"	rtgcaggtgg(GCCGCTTCTTC	# """" : 538
TrCHSa34:	GTGAAGAGGTACA	TGATGTACCAAC.	AAGGGTGCT'	PTGCAGGTGG(GACGGTTCTTC	GTTTG : 491
TrCHSa35:	GTGAAGAGGTACA	TGATGTACCAAC.	AAGGGTGCT'	TTGCAGGT GG	GACGGTICTTC	ETTTC :479
TrCHSa36:	GTGAAGAGGTACA	TGATGTACCAAC	AAGGGTGCT'	TTGCAGGTGG	GACGGTTCTTC	STITE :477
TrCHSa37:	GTGAAGAGGTACA	TGATGTACCAAC	AAGGGTGCT'	PTGCAGGTGG(GACGGT#CTTC(TTTG: 377
TrCHSa38:	GTGAAGAGGTACA	TGATGTACCAAC	AAGGGTGCT'	PTGCAGGTGG	GACGGTGCTTC(STITE :327
TrCHSa39:	GTGAAGAGGTA J A	TGATGTATCAAC	AAGGTTGCT:	rtgcaggaggi	ACGGTGCTTC(FITTG : 181

29/271

		*	740	*	760	*	780
TrCHSa1 :			-		760		:
TrCHSa2 :							: -
TrCHSa3 :							: .
TrCHSa4 :							: -
TrCHSa5 :							: -
TrCHSa6 :	GCAAAAG	SATTTGGCCG	AGAACAACAAAG	GTGCTCGTG	TGCTAGTTGTT	TGTTCTGAZ	GTC : 656
TrCHSa7 :							
TrCHSa8 :							: -
TrCHSa9 :							
TrCHSa10:							: -
TrCHSa11:	GCAAAAC	ATTTGG					:604
TrCHSa12:							: -
TrCHSa13:		<u></u>					: -
TrCHSa14:	GCAAAAC	AUTURE					·600
TrCHSa15:							: -
TrCHSa16:							: -
TrCHSa17:							: -
TrCHSa18:		<u></u>					· : -
TrCHSa19:	GCAAAAG	ATTTG					:607
TrCHSa20:							: -
TrCHSa21:							: -
TrCHSa22:	GCAAAAG	ATTTGGCCG					
TrCHSa23:							·
TrCHSa24:							: -
TrCHSa25:							: -
TrCHSa26:							: -
TrCHSa27:	GCGAAGG						:582
TrCHSa28:	GCCAANC	<u>AT</u> TTGGCC@	ANAACAACAAANG	HIGCTCGNG	NGTTGGNTGGTT	'GGTCTNAA	·642
TrCHSa29:							: -
TrCHSa30:							: -
TrCHSa31:					<u></u>		: -
TrCHSa32:	GCAAAAG	ATTTGGCCG.	AGAACAACAAAGG	FIGCTCGTG	TGTTGGTTGTTI	'GTTCTGAA	GTC :598
TrCHSa33:	GCTAAAG	ATTTGGCCG.	AGAACAACAAAGG	TGCTCGTG	$\mathtt{TGTTGGTTGTTT}$	GTTCTGAA	GT - :597
TrCHSa34:	GCHAAAG	ATTTGGCCG.	AGAACAACAAAGG	TGCTCGTG	TGTTGGTTGTTT	'GTTCTGAA	GTA :551
TrCHSa35:	GCCAAGC	ATTTGGCCG.	AGAACAACAAAGG	TGCTCGTG	TGTTGGTTGTTT	'GOTCTGAA	GTA :539
TrCHSa36:	GCCAAGG	ATTTGGCCG.	AGAACAACAAAGG	TGCTCGTG	TGTTGGTTGTTT	'GCTCTGAA	GTA:537
TrCHSa37:	GCG AAGC	ATTTGGCCG:	AGAACAACAAAGG	TGCTCGTG	$\mathbf{TGTTGGTTGTTT}$	ʹĠⅆͲϹͲĠϼϼ	CTA • 437
TrCHSa38:	GCGAAGG	ATTTGGCCG:	AGAACAACAAAGG	TGCTCGTG	$\mathbf{T}\mathbf{G}\mathbf{T}\mathbf{T}\mathbf{G}\mathbf{G}\mathbf{T}\mathbf{T}\mathbf{G}\mathbf{T}\mathbf{T}\mathbf{T}$	GTTCTGAA	СТ • 387
TrCHSa39:	GCTAAAG	ATTTGGCCG	AGAACAACAAAGG	TGCTCGTG	$\mathbf{TGCTAGTTGTTT}$	GTTCTGAA	GTA :241

30/271

TrCHSa7:	
TrCHSa3:	-
TrCHSa4:	-
TrCHSa5:	_
TrCHSa6: ACCGCAGTCACATTCCGCGGCCCCAGTGATACTCACTTGGACAGTCTTGNTG	-
Trchsa7:	-
TrCHSa7 :	708
TrCHSa9 :	
	_
Troud 10.	_
TrcHsa10:;	_
TrCHSa11:	_
TrCHSa12:	_
TrCHSa13:	_
TrCHSa14:::	_
TrCHSa15::::	_
TrCHSa16:::	_
TrCHSa17::	_
TrCHSa18::	_
TrCHSa19:::	_
TrCHSa20:::	_
TrCHSa21::	_
TrCHSa22:::	_
TrCHSa23::	_
TrCHSa24:::	_
TrCHSa25::	_
TrCHSa26::	_
TrCHSa27:::	
TrCHSa28: ACCGCAN	549
TrCHSa29:	/ = _
TrCHSa30:	_
TrCHSa31:	_
TrCHSa32: ACTGCAGTMACATTCCGTGGCCCGAGTGACACTCACTTGGACAGTCTTGTTGGACAAGCA : 6.	558
TrCHSa33:	, 50
TrCHSa34: ACTGCAGTCACATTCCGTGGCCCCAGTGACACTCACTTG5	. a n
TrCHSa35: ACCGCAGTCACATTCCGCGGCCCCAGTGACACTCATTTGGACAGCCTTGTTGGACAGCA :5	
TrCHSa36: ACCGCAGTCACATTCCGCGGCCCCAGTGACACTCATTTGGACAGCCTTGTTGGACAAGCA :5	
TrCHSa37: ACCGCAGTCACATTCCGCGGCCCCAGTGACACTCATTTGGACAGTCTTGTTGGACAAGCA :4	-
TrCHSa38: ACCGCAGTCACATTCCGTGGCCCTAGTGACACTCATTTGGACAGTCTTGTTGGACAAGCA : 4	
	01

31/271

		*	860	*	880	*	900
TrCHSa1 :							:
TrCHSa2 :							:
TrCHSa3:							:
TrCHSa4:							:
TrCHSa5 :							:
TrCHSa6:							:
TrCHSa7:					~		:
TrCHSa8:							:
TrCHSa9:							:
TrCHSa10:							
TrCHSa11:							:
TrCHSa12:							:
TrCHSa13:							:
TrCHSa14:							:
TrCHSa15:							
TrCHSa16:							:
TrCHSa17:							
TrCHSa18:							:
TrCHSa19:							:
TrCHSa20:							:
TrCHSa21:							:
TrCHSa22:							:
TrCHSa23:							
TrCHSa24:							:
TrCHSa25:							
TrCHSa26:							:
TrCHSa27:							:
TrCHSa28:							
TrCHSa29:							:
TrCHSa30:							:
TrCHSa31:							:
TrCHSa32:	TOTTTGG	AGATGGAG	CAGCTGCACTTA	TCGTTGGT	CTGATCCAGTE	CCAGAAATT	GAG :71
TrCHSa33:							:
TrCHSa34:					- 		:
TrCHSa35:	CTATTTGG	AGATGGAG	CTG				:61
TrCHSa36:	CTATTTGG	AGATGGAG	CTGCTG				:61
TrCHSa37:			CTGCTGCACTCA	TTGTTGGCT	CAGACCCAGTAC	CAGAAATT	GAG :55
TrCHSa38:	CTATTTGG	AGATGGAG	CTGCTGCTCA	TTGTTGGTT	CTGATCCAGTAC	CAGAAATT	GAG:50
TrCHSa39:	CTATTEGG	AGATGGAG	$^{\prime\prime}$ $^{\prime\prime}$ $^{\prime\prime}$ $^{\prime\prime}$ $^{\prime\prime}$ $^{\prime\prime}$ $^{\prime\prime}$ $^{\prime\prime}$ $^{\prime\prime}$ $^{\prime\prime}$ $^{\prime\prime}$ $^{\prime\prime}$ $^{\prime\prime}$	TTGTTGGC7	CACACCCTICTAC	מת מ מ א א יי	CAC :36

32/271

		*	920	*	940	*	960
TrCHSa1:							: .
TrCHSa2 :							: .
TrCHSa3 :							: .
TrCHSa4 :							: .
TrCHSa5 :							: .
TrCHSa6:							: .
TrCHSa7 :							: .
TrCHSa8 :							: -
TrCHSa9:							: -
TrCHSa10:							: -
TrCHSall:							: -
TrCHSa12:							: -
TrCHSa13:							: -
TrCHSa14:							· : -
TrCHSa15:							: -
TrCHSa16:							: -
TrCHSa17:							: -
TrCHSa18:							: -
TrCHSa19:							: -
TrCHSa20:							: _
TrCHSa21:							: -
TrCHSa22:							: _
TrCHSa23:							: -
TrCHSa24:							: -
TrCHSa25:							; -
TrCHSa26:							· : -
TrCHSa27:							: -
TrCHSa28:							: -
TrCHSa29:							: _
TrCHSa30:							: -
TrCHSa31:							: -
TrCHSa32:	AAACCAAT	'ATTTGAGA'	rggtittggactig	CACAAACAA	TTGCTCCAGACA	AGTGAAGGT	'GCC :778
TrCHSa33:							:
TrCHSa34:							: -
TrCHSa35:							
TrCHSa36:							: -
TrCHSa37:	AN						:559
TrCHSa38:	AAGCCAAT	'ATTTGAGA'	IGGTATGGACCG(CACAGACAA	TTGCTCCAG		:553
TrCHSa39.	ТАЙООККА	Απππαλαλί	TECTATECACCC	77.77.77.77	TO COMO COMO A CA	CMC A A CCM	000 401

33/271

		*	980	*	1000	*	1020
TrCHSa1 :							:
TrCHSa2 :							:
TrCHSa3 :							:
TrCHSa4:							:
TrCHSa5 :							:
TrCHSa6 :							:
TrCHSa7 :							:
TrCHSa8 :							:
TrCHSa9:							:
TrCHSa10:							:
TrCHSa11:							:
TrCHSa12:							:
TrCHSa13:							:
TrCHSa14:							:
TrCHSa15:							:
TrCHSa16:							:
TrCHSa17:							:
TrCHSa18:							:
TrCHSa19:							:
TrCHSa20:							:
TrCHSa21:							:
TrCHSa22:							:
TrCHSa23:							:
TrCHSa24:							:
TrCHSa25:							:
TrCHSa26:					-~		:
TrCHSa27:							:
TrCHSa28:							:
TrCHSa29:							:
TrCHSa30:							:
TrCHSa31:							:
TrCHSa32:	ATTG						:78
TrCHSa33:							:
TrCHSa34:							
TrCHSa35:							:
TrCHSa36:							:
TrCHSa37:							;
TrCHSa38:							:
TrCHCalq	ATTCATC	מחיר א פפיחייים פ	THE A ACCRECA CO	1 A A C A CHOCO	03000000000333	13 mommoo	

34/271

		**	1040	*	1060	*	1080	
TrCHSa1:								:
TrCHSa2:								:
TrCHSa3:								:
TrCHSa4 :								:
TrCHSa5:								:
TrCHSa6 :								:
TrCHSa7:								:
TrCHSa8 :								:
TrCHSa9 :						,		:
TrCHSa10:								:
TrCHSa11:						,		:
TrCHSa12:								:
TrCHSa13:								:
TrCHSa14:								:
TrCHSa15:								:
TrCHSa16:								:
TrCHSa17:								:
TrCHSa18:								:
TrCHSa19:								:
TrCHSa20:								:
TrCHSa21:								:
TrCHSa22:								:
TrCHSa23:								:
TrCHSa24:								:
TrCHSa25:								:
TrCHSa26:								:
TrCHSa27:						~		:
TrCHSa28:								:
TrCHSa29:								:
TrCHSa30:								:
TrCHSa31:								:
TrCHSa32:								;
TrCHSa33:								•
TrCHSa34:								•
TrCHSa35:								:
TrCHSa36:								:
TrCHSa37:								:
TrCHSa38:								
TrCUC=30.	A mmCim A m	~~~~~~~~	A COMPANIA A COMPO	OG CO	COMPERCE & COL	2002 CC2 2 PM		٠

35/271

		* 1100 * 1120	*		
TrCHSa1	:			:	-
TrCHSa2	:			:	_
TrCHSa3	:			:	_
TrCHSa4	:			:	_
TrCHSa5	:	~		:	_
TrCHSa6	:			:	_
TrCHSa7	:			•	_
TrCHSa8	:			:	_
TrCHSa9	:			:	_
TrCHSa10	:			:	_
TrCHSa11	:			:	_
TrCHSa12	:			:	_
TrCHSa13	:			:	_
TrCHSa14	:			:	_
TrCHSa15	:			:	_
TrCHSa16	:			:	_
TrCHSa17	:			:	
TrCHSa18	:			:	_
TrCHSa19	:			:	_
TrCHSa20	:			:	_
TrCHSa21	:			:	_
TrCHSa22	:			:	_
TrCHSa23	:			:	
TrCHSa24	:			:	_
TrCHSa25	:			:	
TrCHSa26	:			:	_
TrCHSa27	:			:	_
TrCHSa28	:			:	~-
TrCHSa29	:		. – – – –	:	_
TrCHSa30	:			:	
TrCHSa31	:			:	_
TrCHSa32	:			:	
TrCHSa33	:			:	_
TrCHSa34	:			:	
TrCHSa35	:			:	_
TrCHSa36	:			:	_
TrCHSa37	:			:	_
TrCHSa38	:			:	_
TrCHSa39		CATTACA ACTCA ATCTTTTCCA TTCCA CACCCCCTCCA COTTCCA	mm cum		E 0.1

36/271

TrCHSb	:	* TCTTCGNCNAGCTG	20 GACNAACATTT	* PNTGCTTCTT	40 AAAGATGTTC	* CTGAGATTGTC	60 CTCAAA	:	60
TrCHSb	:	* GAACATTGATAAGG	80 CATTGGTTGAC	* GCATTCCAA	100 .CCATTAAACA	* FCTCTGATTAC	120 CAATTC	:	120
TrCHSb	:	* AATCTTTTGGATTG	140 CTCATCCAGGT	* rggtcctgca	160 ATTCTAGACC	* AAGTTGAGAT!	180 AAAGTT	:	180
TrCHSb	:	* GGGCTTAAAACCTG	200 AAAAAATGAA(* GGCCACCAGA	220 GATGTACTTA	* GTGAATATGG	240 FAACAT	:	240
TrCHSb	:	* GTCAAGTGCATGTG	260 TATTGTTCAT(* CTTAGATGAG	280 SATGCAAAAGA	* AATCGGCTGA	300 AAATGG	:	300
TrCHSb	:	* ACTGAAAACCACAG	320 GAGAAGGACT	* rgactggggi	340 CGTGTTGTTTG	* GATTTGGACC	360 AGGACT	:	360
TrCHSb	:	* TACCATTGAAACTG	380 TTGTTCTACA	* FAGTGTGGC1	400 TATATGAGAAT	* GCGAGACTTG	420 ATTGTT	:	420
TrCHSb	:	* TTGTATTGTATTGT	440 ATTGTATTGT	* ATTACTTTT?	460 AATCTTGCTTG	* AATTTCCATT	480 TAACAA	:	480
TrCHSb	:	* TAAATATGGAGTTC	500 AATAAGTACC	* ATCAGTGTT!	520 AAAATAATATA	* TCGTTAATAG	540 CTATTA	:	540
TrCHSb	:	* TTTTAGTGTCTGTT	560 TCTTTTTACT	* AAACTATAT:	580 TTTATTTTAGT	* ATTTGCTATT	600 GATTTG	:	600
TrCHSb	:	* AAATAAATATTGTO	620 CTCTTAACTG	* AAAAAAAAA	A : 634				

37/271

* 20 * 40 * 60 TrCHSb : LRXAGXTFXLLKDVPEIVSKNIDKALVEAFQPLNISDYNSIFWIAHPGGPAILDQVEIKL : 60

TrCHSb : GLKPEKMKATRDVLSEYGNMSSACVLFILDEMQKKSAENGLKTTGEGLDWGVLFGFGPGL : 120

TrCHSb : TIETVVLHSVAI : 132

38/271

		*	20	*	40	*	60	
TrCHSb1:	TCTTCGI	NCNAGCTO	GACNAACATT	'TNTGCTTCT'	TAAAGATGTTC	CTGAGATTGT	CTCAAA	: 60
TrCHSb2:								: -
TrCHSb3:								: -
		*	80	*	100	*	120	
TrCHSb1:	GAACATT	rgataag(GGCATTCCA	ACCATTAAACA		CAATTC	: 120
TrCHSb2:								: -
TrCHSb3:								: -
		*	140	*	160		100	
TrCHSb1:	AATCTTT	TGGATT		тестсстес	AATTCTAGACC	A A CTTC A CAT	180	: 180
TrCHSb2:								: -
TrCHSb3:								: -
		*	200	*	220	4	0.40	
TrCHSb1:	GGGCTTA	AAACCTO			AGATGTACTTA	GTGAATATGC	240 TAACAT	: 240
TrCHSb2:								: 240
TrCHSb3:								: -
		*	260	*	280	4	200	
TrCHSb1:	GTCAAGT	GCATGTO		CTTAGATGA	GATGAÇAAAGA	AATCGGCTGA	300	: 300
TrCHSb2:				GA(GATGCA <mark>C</mark> AAGA	AATCGGCTNA	AAATGG :	: 29
TrCHSb3:				GA	GATGC <mark>C</mark> AAGA	AATCGGCT <mark>C</mark> A	AAATGG	: 29
		*	320	*	340	4	2.00	
TrCHSb1:	ACTHAAA	ACCACAC	GAGAAGGACT		IGTGTTGTTTG	GATTTGGGCC	360 GCACT -	: 360
TrCHSb2:	ACTGAAA	ACCACAG	GAGAAGGACT	TGACTGGGG'	PGTGTTGTTTG	GATTTGGACC	AGGACT	: 89
TrCHSb3:	ACTGAAA	ACCACAC	GAGAAGGACT	TGACTGGGG	rgtgttgttg	GATTTGGACC	AGGACT	89
		*	380	*	400	4	400	
TrCHSb1:	TACCATI	GAAACTO		ТАСТСТССС	TATATGAGAAT	CAGAGACTTG	420 Ammazin .	: 420
TrCHSb2:	$ ext{TACCATT}$	GAAACTO	TTGTTCTACA	TAGTGTGGC	PATATGAGAAT	GCGAGACTTG	ATTCTT	: 149
TrCHSb3:	TACCATI	GAAACTO	STTGTTCTACA	TAGTGTGGC	PATATGAGAAT	GCGAGACTTG	ATTGTT:	: 149
		*	440	*	460	4	480	
TrCHSb1:	000			ATTACTTT	AATCTTGGNTG	AAOTTCCATT	TAANAA .	470
TrCHSb2:	TTGTATT	'GTATTGI	'ATTGTATTGT	ATTACTTTT	ATCTTGCTTG	AATTTCCATT	TAACAA :	209
TrCHSb3:	$\underline{\text{TTGTATT}}$	GTATTGT	ATTGTATTGT	ATTACTTTT	AATCTTGCTTG	AATTTCCATT	TAACAA	209
		*	500	*	520	*	540	
TrCHSb1:	TAAGTAT	GGNGNTC	AMMEGI				540 	491
TrCHSb2:	Γ ATAAAT	GGAGTTC	'AATAAGTACC	ATCAGTGTT	ATATAATA	TCGTTAATAG	CTATTA :	269
TrCHSb3:	$\underline{\text{TAAAT}}$	GGAGTTC	<u>'AAT</u> AAGTACC	ATCAGTGTT	ATATAATAAA	TCGTTAATAG	CTATTA:	269
m		*	560	*	580	*	600	
TrCHSb1: TrCHSb2:	TOTAL A COL	CDCCCC		~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	TTATTTTAGT	7 mmm com 2 mm	;	
TrCHSb2:	TTTTAGT	GTCTGTT	TCTTTTTACT	AAACTATAT' AAACTATAT'	TTATTTAGT TTATTTAGT	ATTTGCTATT	CATTURE:	329 329
						-12 : 100 ::/11 10		247
m - Gradla		*	620	*				
TrCHSb1 :	<u> </u>	ልጥል <u>ጥጥር</u> መ	CCTCTTAACT	CAAAAAA	: - M : 363			
TrCHSb2			CCTCTTAACT					


39/271

		*	20	*	40	*	60		
TrCHSc	:	GNTTCAATCTGTTG:	rgcataaaatt	NCTTTGCNA	TAGAAAACCA	TACACATTTGA	TCTTG	:	60
		*	80	*	100	*	120		
TrCHSc	:	CAAAGAAGAAATAT	GGAGACGAAG	GTATAGTGA	GAGGTGTCAC	AAAGCAGACAA	CCCCT	:	120
		*	140	*	160	*	180		
TrCHSc	:	GGGAAGGCTACTATA	ATTGGCTCTTG	GCAAGGCAT	TCCCTCACCA	ACTTGTGATGC	AAGAG	:	180
		*	200	*	220	*	240		
TrCHSc	:	TATTTAGTTGATGG		SACACTAATT		TGAACTTAAGC	'AGAAA	:	240
		*	260	*	280	*	300		
TrCHSc	:	CTTGCTAGACTTTGT					AGGAG	:	300
		*	320	*	340	*	2.50		
TrCHSc	:	ATACTAAAGAAATAT					360 GTTTA	:	360
		*		JL.					
TrCHSc	:	GAGATATGTAATGAG	380 GCAGTAACAC	* !AAATGGCAA	400 TTGAAGCTTC	* CCAAGTTTGCC	420		420
								•	120
TrCHSc	:	* AATTGGGGTAGATCO	440 TTATCGGACA	* .TAACTCATG	460 ™CCTTTATCT	* ኮጥሮ ኔ ጥርጥ ኔ ርጥር	480		480
01100	·	1211100001110111000		112110101110		LICALCIAGIG	MAGC I	•	400
TrCHSc		* AGATTACCCGGTGGT	500	*	520	*	540		E 4.0
11.0119.0	•	AGATTACCCGGTGGT	GACCIAIACI	1G1CAAAAG	GACTAGGACT	AAACCCTAAAA	.1"I'CAA	:	540
D0110-		*	560	*	580	*	600		
TICHSC	:	AGAACCATGCTCTAT	"TTCTCTGGAT	GCTCGGGAG	GCGTAGCCGG	CCTTCGCGTTG	CGAAA	:	600
- aa		*	620	*	640	*	660		
TrCHSc	:	GACATAGCTGAGAAC	:AACCCTGGAA	.GTAGAGTTT	TGCTTGCTAC	TTCTGAAACTA	CAATT	:	660
		*	680	*	700	*	720		
TrCHSc	:	ATTGGATTCAAGCCA	ACCAAGTGTTG	ATAGACCTT	ATGATCTTGT	IGGTGTGGCAC	TCTTT	:	720
		*	740	*	760	*	780		
TrCHSc	:	GGAGATGGTGCTGGT	GCTATGATAA	TTGGCTCAG	ACCCAATACT	rgaaactgaga	CTCCA	:	780
		*	800	*	820	*	840		
TrCHSc	:	TTGTTTGAGCTTCAT	ACTTCAGCTC	AGGAGTTTA	TACCAGACAC	AGAGAAGAAAA		:	840
		*	860	*	880	*			
TrCHSc	:	GGGCGGCTGACGGAG		GTTTCACGC		ACTCCCCCACA	ጥኔ • ደ	97	,

40/271

TrCHSc		* MGDEGIVRGVTKQTTPG	_20 Დă���� .	* OLIOT TAMOES	40	*	60		<i>-</i>
	•	11000011110	MITHANGIAF	HIQD VHQE	IDADGIEVDIUCE	WEDVÕVI	JAKLI	:	60
		*	80	*	100	*	120		
TrCHSc	:	CKTTTVKTRYVVMNEEI	LKKYPELVVEGA	ASTVKQRLI	EICNEAVTQMAIE	CASQVCLKN	WGR	:	120
			140	*	160	*	180		
TrCHSc	:	SLSDITHVVYVSSSEAR	LPGGDLYLSKGI	JGLNPKIQE	RTMLYFSGCSGGV	'AGLRVAKI	DIAE	:	180
			200	*	220	*	240		
TrCHSc	:	NNPGSRVLLATSETTII	GFKPPSVDRPYD	LVGVALFO	EDGAGAMIIGSDF	PILETETPL	FEL	: :	240
			260	*					
TrCHSc	:	HTSAQEFIPDTEKKIDG:	RLTEEGISFTLA	RELPQI :	: 275				

41/271



42/271

		*	380	*	400	*	420	
TrCHSc1:	GAGATATGT	AATGAGG	CAGTAACACAAA	TGGCAATT	GAAGCTTCCCA	AGTTTGCCT	AAAG .	420
TrCHSc2:	GAGATATGT	AATGAGG	CAGTAACACAAA	TGGCAATT	GAAGCTTCCCA	CTTTCCCT	AAAC	417
TrCHSc3:	GAGATATGT	AATGAGG	CAGTAACACAAA	TGGCAATT	GAAGCTTCCCA	GTTTGCCT	AAAC	413
TrCHSc4:	GAGATATGT	AATGAGG	CAGTAACACAAA	TGGCAATT	GAACCTTCCCA	101110001 1011110001	$\Delta \Delta \Delta C$.	413
TrCHSc5:	CACATATCT	AATCACC	CAGTAACACAAA	ፐርርርር ል አጥጥ	CAACCTTCCCAA		AAAC	400
TrCHSc6:	CACATATCT	DODADIAA ATCACC	CAGTAACACAAA	TGGCMAII	CAAGCIICCCAA		AAAG :	390
TrCHSc7:			CAGTAACACAAA					
TICIDE /.	GMGMIMIGI	AAI GAGG	CAGIAACACAAA	IGGCAAII	GMAGCI ICCCAP	MGTTTGCCT	AVAVAG :	107
		*	440	*	460	*	400	
TrCHSc1:	AATTCCCCT	ACATCCT	PATCGGACATAA	CTCATCTC		• •	480	400
TrCHSc2:	AATIGGGGI		PATCGGACATAA PATCGGACATAA	CICAIGIG	GITIAIGITICE	ATCTAGTGA	AGCI :	480
TrCHSc3:			PATCGGACATAA PATCGGACATAA					477
TrCHSc4:			PATCGGACATAA PATCGGACATAA					473
TrCHSc5:	AATIGGGGI	AGAICCI	PATCAGACATAA PATCAGACATAA	CTCATGIG	GTTTATGTTTCA	ATCTAGTGA.	AGCT :	473
TrCHSc6:	AATIGGGGI	AGAUCCH.	PATCGGACATAA PATCGGACATAA		GTTTATGTTTCA	ATCTAGTGA	ALGICAL :	460
TrCHSc7:	AATIGGGGI	AGATUUT.	PATCAGACATAA PATCAGACATAA	CTCATGTG	GTTTPATGTTTCE	VICTAGIGA	AGCT :	450
IICHSC/:	AAT TGGGGT	AGA@CC1"	LATCMGACATAA	CTCATGTG	GT-T-TATGT-T-TC	TCTAGTGA.	AGCII :	167
		*	500	*	520	+	540	
TrCHSc1:	ΔCΔΨͲΔCCC	ССТССТС	ACCTATACTTGT	CAAAACCA		CCMAAAAM	100AA	E 40
TrCHSc2:	AGATTACCC	CCTCCTC	ACCTATACTTGT ACCTATACTTGT	CAAAAGGA	CIAGGACIAAAC		TCAA :	540 537
TrCHSc3:	ACATTACCC	CCTCCTC	ACCTATACTTGT ACCTATACTTGT	CAAAAGGA	CIAGGACIAAAC		ICAA :	533
TrCHSc4:	ACATTACCC	CCTCCTC	ACCTATACTIGT ACCTATACTTGT	CAAAAGGA	CIAGGACIAAAC		ICAA :	
TrCHSc5:			ACCTATACTTGT ACCTATACTTGT					533
TrCHSc6:			ACCTATACTIGT ACCTATACTTGT					520
TrCHSc7:	AGATTACCC	CCMCCMC	ACCTATALTTGT ACCTATALTTGT			CCTAAAAT"	ICAA :	510
IICHSC/:	AGALLACCC	GGTGGTG	ACCIATAMITICT	CAAAAGGA	CTAGGACTAAA/I	CCTAAAAT"	ICAA :	227
		*	560	*	580	*	600	
TrCHSc1:	ACAACCATC		CTCTGGATGCT			••	600	577
TrCHSc2:	ACAACCATC	CTCTAII.	PCTCTGGATGCT	CCCACCC	CMA CCCCCCCC	CCCCTTCC	7222	
TrCHSc3:			CTCTGGATGCT CTCTGGATGCT				SAAA :	597
TrCHSc4:			CTCTGGATGCT				:	581
TrCHSc5:							:	588
TrCHSc5:	AGAACCAIG		CTC GGATGCT		GTAGCCG	aggggmag	:	563
TrCHSc7:	AGAACCAIG		CTCTGGATGCT CTCTGGATGCT	DDDADDDD	GTAGCCGGCCTT	CGCGTTGC	5AAA :	570
il Clipe / .	MOMMCCAIG	CICIAII.	CICIGGAIGCI	CAGGAGGC	3 I AGCCGGCC I"I	CGCGTTGC	SAVAVA	287
		*	620	*	640	*	660	
TrCHSc1:							:	_
TrCHSc2:	GA						:	599
TrCHSc3:							:	_
TrCHSc4:							:	_
TrCHSc5:							;	-
TrCHSc6:	GACATAGCT	GAGAACA	ACCCTGGAAGTA	GAGTT			:	603
TrCHSc7:	GACATAGCT	<u>GAGAACA</u>	ACCCTGGAAGTA	GAGTTTTG(CTTGCTACTTCT	GAAACTAC	$\Lambda ATT :$	347
		*	680	*	700	*	720	
TrCHSc1:							:	-
TrCHSc2:							:	_
TrCHSc3:							:	_
TrCHSc4:							:	_
TrCHSc5:							:	_
TrCHSc6:							:	
TrCHSc7:	ATTGGATTC	AAGCCACC	AAGTGTTGATA	JACCTTATO	;ATCTTGTTGGT	GTGGCACTC	יוויקייווי .	407

43/271

TrCHSc1:		*	740	*	760	*	780	
TrCHSc1:								-
TrCHSc3:								_
TrCHSc4:								_
TrCHSc5:							•	-
TrCHSc6: TrCHSc7:			WOOD TO THE TOTAL TO THE					
IICHSC/:	GGAGATG	GIGCIGC	TGCTATGATA	ATTIGGCTCAG	ACCCAATACT	I'GAAAC'I'GAC	ACTICCA:	467
		*	0.00	,				
TrCHSc1:			800	*	820	*	840	
TrCHSc1:								-
TrCHSc3:								_
TrCHSc4:								_
TrCHSc5:							:	-
TrCHSc6: TrCHSc7:	TTCTTT	'A CCTTCA	TACTTCAGCTC	TACCACMONA	TA COA CA CA CA	G 2 G 2 G 2 2 2	2 772 62 77	- 0 =
rrember.	1101110	AGCIICA	IIAC I ICAGC IC	AGGAGTTTA	TACCAGACACA	AGAGAAGAAA	AATAGAT :	527
		*	860	*	880	*		
TrCHSc1:								
TrCHSc2: TrCHSc3:								
TrCHSc3:								
TrCHSc5:								
TrCHSc6:								
TrCHSc7:	GGGCGGC	TGACGGA	GGAGGGCATAA	GTTTCACGC'	TAGCGAGGGAA	CTGCCGCAG	ATA : 584	

44/271

TrCHSd	:	* GTAGCAACACACACT	20 TTGATTTCTT	* TTTGAGTCC	40 TTGCTACGTG	* GCNTTACCAAAA	60 AACG	:	60
TrCHSd	:	* TTGCTAAGTCATCAA	80 CCATTCCAAT	* TCCTTAATA'	100 FAACCTATCA	* GTACTCACCATC	120 TTTT	:	120
TrCHSd	:	* CTTCCTCCCTGCTAA	140 CTTTATACTT	* PAGAGAAGAT	160 GGTGAAAGTT	* AATGAGATCCGC	180 CAGG	:	180
TrCHSd	:	* CACAGAGAGCTGAAG	200 GCCCTGCCAC	* CTGTGTTGGC.	220 AATCGGCACT	* GCAACTCCTCCA	240 AACT	:	240
TrCHSd	:	* GTGTTGATCAGAGTA	260 .CATACCCCG	* ACTACTACTT	280 CCGCATCACA	* AACAGTGAGCAC	300 AAGA	:	300
TrCHSd	:	* CAGAGCTCAAAGAAA	320 AATTCCAGCO	* GCATGTGTGA	340 CAAATCTATG	* ATTAAGAAGAGA	360 TACA	:	360
TrCHSd	:	* TGCATTTGACAGAAG	380 GAGATTTTGA	* AGGAGAATCC	400 AAGTTTATGT	* GAGTACATGGCA	420 CCTT	:	420
TrCHSd	:	* CATTGGATGCAAGAC	440 CAAGACATGG	* IGGTTGTGGA	460 AGTACCAAGG	* CTAGGAAAAGAG	480 GCAG	:	480
TrCHSd	:	* CAACAAAGGCAATCA	500 AGGAATGGG	* GTCAACCTAA	520 GTCCAAGATT	* ACCCACCTCATO	540 TTTT	:	540
TrCHSd	:	* GCACCACAAGTGGTG	560 STGGACATGC	* CCGGTGCCGA	580 CTATCAGCTT	* 'ACAAAGCTTTT?	600 AGGCC	:	600
TrCHSd	:	* TTCGTCCGCATGTGA	620 \AGCGTTACA	* IGATGTACCA	640 ACAAGGTTGT	* TTTGCTGGTGG(660 CACGG	:	660
TrCHSd	:	* TGCTTCGTTTGGCT	680 AAAGACTTGG	* CTGAAAACAA	700 CAAAGGTGCC	* CGTGTATTGGTC	720 GTTT	:	720

TrCHSd : GTTCAGAGATAACTG : 735

45/271

TrCHSd	:	* MVKVNEIRQAQRAEGPA	20 ATVLAIGTATPP	* NCVDQSTYI	40 PDYYFRITNSEH	* KTELKEKFQI	60 RMC	:	60
TrCHSd	:	* DKSMIKKRYMHLTEEII	80 LKENPSLCEYMA	* PSLDARQDI	100 MVVVEVPRLGKE		120 GQP	:	120
TrCHSd	:	* KSKITHLIFCTTSGVD	140 1PGADYQLTKLL	* GLRPHVKR	160 YMMYQQGCFAGG	· ·	180 AEN	:	180
TrCHSd	:	* NKGARVLVVCSEIT :	194						

46/271

	*	20	*	40	*	60	
TrCHSd1:	GTAGCAACACACAC	արդարգ»Մարդարան	PTTTCACTCC	TOTOCOTACCOTO	CCNITTENACCA	AAAACC	: 60
TrCHSd2 :	GTAGCAACACACAC				COMMENS	AAAAACG	
TrCHSd3 :	CUL CCA A CA CA CA	TITIGATITOT.	IIIIGAGICC	TIGCIACGIG	GCTTTACCA	AAAAACG	: 60
	GTAGCAACACACAC	TTTGATTTCT"	I"I"I"I'GAG'I'CC	"I"TGCTACGTG	GCTTTACCA	AAAAACG	: 60
TrCHSd4:		ACNCACACTT'	${f TTTTGNATCC}$	CTGCTACGTG	GCNTTACCA	AAAAACG	: 50
TrCHSd5:							
TrCHSd6:							•
TrCHSd7:							•
TrCHSd8:							: -
TrCHSd9:							: -
							: -
TrCHSd10:							: -
TrCHSd11:							: -
	*	80	*	100	*	120	
TrCHSd1:	TTGCTTAGTCATCA	ACCATTCCAAT	г т ССттаата	ТААССТАТСА	CTACTIBACCA	MCD DO	:120
TrCHSd2:	TTGCTAAGTCATCA	ACCAPTCCAA		TANCOTATOA		VIICIDIDE	
TrCHSd3:	mmccma a cmata mca	ACCALICCAA.	TCCTTAATA	TAACCTATCA	GTACTCACCA	Alton mann	:120
	TTGCTAAGTNATCA	ACCATTCCAAT	ITCCTTAATA	TAACCTATCA	GTACTCACC	ALCHARIA :	:120
TrCHSd4:	TTGCTAAGTCATCA					ATCTTTT:	:110
TrCHSd5:						ATCOOCT :	: 10
TrCHSd6:						ALYCCINE :	: 10
TrCHSd7:						TCANAT	6
TrCHSd8:							. 0
TrCHSd9:						;	: -
TrCHSd10:							:
						;	: -
TrCHSd11:						;	: -
	*	140	*	160	*	180	
TrCHSd1:	CTTCCTCCCTGCTA		AGAGAAGAT	GGTGAAIGTT.	AATGAGATCC	GCCAGG:	:180
TrCHSd2:	CTTCCTCCCTGCTA	ACTTTAGACT	AGAGAAGAT	GGTGAATGTT	AATGAGATCC	CCCAGC .	:180
TrCHSd3:	CTTCCTCCCTGCTA	ACTTTAAACT	AGAGAAGAT	GGTGAATGTT.	AATCACATCC	CCCACC	180
TrCHSd4 :	CTTCCTCCCTGCTA	ΔC Γ Γ Γ Δ Δ Γ Γ	AGAGAAGAT	GGTGAALGTT	A A TO A C A TO C		:170
TrCHSd5 :	AATNIACHITHCTI						
TrCHSd6 :			ANAGAANAT	GGTTA AGTT	AATGAGATCC	GCCAGG :	: 70
	纳· 提供主题 的医医神经腺素的 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)		ANAGAANAT	GGTTAL AGTT.	AATGAGATCC	GCCAGG:	: 70
TrCHSd7:		TACTI	NNAGAADAT	GGT A AGTT	AATGAGATCC	: GCCAGG	: 66
TrCHSd8 :	GCNNILA		NGANAAGAT	GGTGAAAGTT	AATGAGATCC	GCCAGG:	53
TrCHSd9:	T N	NNTTTANAATN	MGAGAAGAT	GGTGAAAGTN	AATGAGATCC	GCCAGG :	48
TrCHSd10:		- NATED TO	CNAGAADAT	GGTTAGAGTT	AATGAGATCC	CCCNCC	45
TrCHSd11:							. = =
						•	. –
	*	200	*	220	*	240	
TrCHSd1:	CACAGAGAGCTGAA	GGCCCTGCCAC	тстсттссс	AATCCCCACT	CA A CTCCTC	CAAACT .	240
TrCHSd2 :			Marammaaa	A REGEGGA GE		CAAACI .	
TrCHSd3 :	CACAGAGAGCTCAA	e e e e e e e e e e e e e e e e e e e				4	240
	CACAGAGAGCTGAA	GGCCCTGCCAC	GGTGTTTGGC.	AATCGGCACT	CAACTCCTC	GRADICE .	0 1 -
m~Cuca1	CACAGAGAGCTGAA CACAGAGAGCTGAA	GGCCCTGCCAC	CGTGTTGGC	AATCGGCACT	CAACTCCTC	CAAACT .	240
TrCHSd4:	CACAGAGAGCTGAA CACAGAGAGCTGAA CACAGAGAGCTGAA	GGCCCTGCCAC GGCCCTGCCAC	CGTGTTGGC.	AATCGGCACT(GCAACTCCTC	CAAACT :	230
TrCHSd5:	CACAGAGAGCTGAA CACAGAGAGCTGAA CACAGAGAGCTGAA	GGCCCTGCCAC GGCCCTGCCAC	CGTGTTGGC.	AATCGGCACT(GCAACTCCTC	CAAACT :	
TrCHSd5: TrCHSd6:	CACAGAGAGCTGAA CACAGAGAGCTGAA CACAGAGAGCTGAA CACAGAGAGCTGAA CACAGAGAGCTGAA	GGCCCTGCCAC GGCCCTGCCAC GGCCCTGCAAC GGCCCTGCAAC	GGTGTTGGC CGTGTTGGC TGTGTTTGC	AATCGGCACT(AATCGGCACT(AATCGGCACT(AATCGGCACT(OTOOTOAAOE OTOOTOAAOE ÄTOOTOAAOE	CAAACT : CAAACT : AAAACT :	230
TrCHSd5:	CACAGAGAGCTGAA CACAGAGAGCTGAA CACAGAGAGCTGAA CACAGAGAGCTGAA CACAGAGAGCTGAA	GGCCCTGCCAC GGCCCTGCCAC GGCCCTGCAAC GGCCCTGCAAC	GGTGTTGGC CGTGTTGGC TGTGTTTGC	AATCGGCACT(AATCGGCACT(AATCGGCACT(AATCGGCACT(OTOOTOAAOE OTOOTOAAOE ÄTOOTOAAOE	CAAACT : CAAACT : AAAACT :	230 130 130
TrCHSd5: TrCHSd6:	CACAGAGAGCTGAA CACAGAGAGCTGAA CACAGAGAGCTGAA CACAGAGAGCTGAA CACAGAGAGCTGAA CACAGAGAGCTGAA CACAGAGAGCTGAA	GGCCTGCCAC GGCCCTGCAAC GGCCCTGCAAC GGCCCTGCAAC GGCCCTGCAAC	GGTGTTGGC CGTGTTTGGC TGTGTTTGC TGTGTTTGC TGTGTTTTGC	AATCGGCACT(AATCGGCACT(AATCGGCACT(AATCGGCACT(AATCGGCACT(CAACTCCTC CAACTCCTC ACTCCAACTCCAACTCCAACTCCAACTCCAACTCCAACTCAACTCAACTCAACTCCAACTCCTAACTCAACTCCTAACTCAACTCCTAACTCCTAACTCCTAACTCCTAACTCCTAACTCCTAACTCCTAACTCCTAACTCCTAACTCCTAACTCCTAACTCCTAACTCCTAACTCCTAACTCCTAACTCCTAACTAACTCTAACTCTAACTCTAACTCTAACTCTAACTCTAACTCTAACTCTAACTCTAACTCTAACTAACTCTAACTCTAACTCTAACTCTAACTCTAACTCTAACTAACTCTAACTCTAACTCTAACTCTAACTCTAACTCTAACTCTAACTCTAACTCTAACTCTAACTCTAACTCTAACTCTAACTCTAACTCAACTCTAACTCTAACTCTAACTCTAACTCTAACTCTAACTCTAACTCTAACTCTAACTCTAACT	CAAACT : CAAACT : AAAACT : AAAACT :	230 130 130 126
TrCHSd5: TrCHSd6: TrCHSd7: TrCHSd8:	CACAGAGAGCTGAA CACAGAGAGCTGAA CACAGAGAGCTGAA CACAGAGAGCTGAA CACAGAGAGCTGAA CACAGAGAGCTGAA CACAGAGAGCTGAA CACAGAÑAGCTGAA	GGCCTGCAC GGCCTGCAAC GGCCTGCAAC GGCCTGCAAC GGCCTGCAAC	GGTGTTGGC GGTGTTTGGC TGTGTTTGC TGTGTTTGC TGTGTTTGCN	AATCGGCACT AATCGGCACT AATCGGCACT AATCGGCACT AATCGGCACT AÑTMGGCACT	OTOOTOAGOE OTOOTOAGOE ÄTOOTOAGOE ÄTOOTOAGOE ÄTOOTOAGOE	CAAACT : CAAACT : AAAACT : AAAACT : AAAACT :	230 130 130 126 113
TrCHSd5: TrCHSd6: TrCHSd7: TrCHSd8: TrCHSd9:	CACAGAGAGCTGAA CACAGAGAGCTGAA CACAGAGAGCTGAA CACAGAGAGCTGAA CACAGAGAGCTGAA CACAGAGAGCTGAA CACAGAMAGCTGAA CACAGAMAGCTGAA CACAGAGAGCTGAA	GGCCTGCAC GGCCCTGCAAC GGCCCTGCAAC GGCCCTGCAAC GGCCCTGCAAC GGCCCTGCAAC GGCCCTGCAC	GGTGTTGGC GGTGTTTGC TGTGTTTGC TGTGTTTGC TGTGTTGG TGTGTTGGC	AATCGGCACT AATCGGCACT AATCGGCACT AATCGGCACT AATCGGCACT ANTNGGCACT AATCGGCACT	OTOTOAGOE ATOTOAGOE ATOTOAGOE ATOTOAGOE ATOTOAGOE ATOTOAGOE ATOTOAGOE	CAAACT CAAACT AAAACT AAAACT CAAACT	230 130 130 126 113 108
TrCHSd5: TrCHSd6: TrCHSd7: TrCHSd8:	CACAGAGAGCTGAA CACAGAGAGCTGAA CACAGAGAGCTGAA CACAGAGAGCTGAA CACAGAGAGCTGAA CACAGAGAGCTGAA CACAGAGAGCTGAA CACAGAÑAGCTGAA	GGCCTGCAC GGCCCTGCAAC GGCCCTGCAAC GGCCCTGCAAC GGCCCTGCAAC GGCCCTGCAAC GGCCCTGCAC	GGTGTTGGC GGTGTTTGC TGTGTTTGC TGTGTTTGC TGTGTTGG TGTGTTGGC	AATCGGCACT AATCGGCACT AATCGGCACT AATCGGCACT AATCGGCACT ANTNGGCACT AATCGGCACT	TOPTOTAGE ATOPTOMA ATOPT	CAAACT CAAACT AAAACT AAAACT CAAACT	230 130 130 126 113

47/271

	*	260	*	280	*	300	
TrCHSd1: TrCHSd2: TrCHSd3: TrCHSd4: TrCHSd5: TrCHSd6: TrCHSd7: TrCHSd8: TrCHSd9: TrCHSd10: TrCHSd11:	* GTGTCGATCAGAG GTGTCGATCAGAG GTGTCGATCAGAG GTGTTGATCAGAG	TACATACCCAGA TACATACCCAGA TACATACCCGAA TACATACCCCGA TACATACCCCGA TACATACCCCGA TACATACCCCGA TACATACCCGGA TACATACCCGGA	CTACTACTT CTACTACTT CTACTACTT CTACTATTT CTACTATTT CTACTATTT CTACTATTT CTACTATTT CTACTATTT CTACTATTT CTACTATTT CTACTATTT	CCGCATCACA CCGCATCACA CCGAATCACA CCGAATCACA CCGAATCACA CCGCATCACA CCGCATCACA CCGCATCACA CCGCATCACA	AACAGTGAGC AACAGTGAGC AACAGCGAAC AACAGCGAAC AACAGCGAAC AACAGCGAAC AACAGTGAGC AACAGTGAGC	ACAAGA ACAAGA ACAAGA ACAAGA ACAAGA ACAAGA ACAAGA ACAAGA	:300 :300 :300 :290 :190 :186 :173 :168 :165 : 67
TrCHSd1 :	CAGAGCTCAAAGA	AAAATTCCAGCG	CATGTGTGA	CAAATCTATG	ATTAAGAAGA	GATACA	:360
TrCHSd2: TrCHSd3:	CAGAGCTCAAAGA CAGAGCTCAAAGA	AAAATTCCAGCG AAAATTCCAGCG	CATGTGTGA	CAAATCTATG Caaatctaa	ATTAAGAAGA	GATACA	:360
TrCHSd4:	CAGAGCTCAAAGA	AAAATTCCAGCG	CATGTGTGA	CAAATCTATG.	ATTAAGAAGA	GATACA	:350
TrCHSd5:	CGGASCTCAAAGA	AAAATTCCAGCG	САТСТСТСА	CAAATCTATG	ATTAACAACAC	באתאכא	:250
TrCHSd6 : TrCHSd7 :	CAGASCTCAAAGA CAGASCTCAAAGA CAGAGCTCAAAGA	AAAATTCCAGCG AAAATTCCAGCG	CATGTGTGA CATGTGTGA	CAAATCTATG CAAATCTATG	ATTAAGAAGA(ATTAAGAAGA(GATACA CATACA	:250
TrCHSd8 :	CAGAGCTCAAAGA	AAAATTCCAGCG	CATGTGTGA	CAAATCTATG.	ATTAAGAAGA	GATACA	:233
TrCHSd9: TrCHSd10:	CAGAGCTCAAAGA	AAAATTCCAGCG	CATGTGTGA	CAAATCTATG.	ATTAAGAAGA	GATACA	:228
TrCHSd10:	CLGAGCTCAAAGA CLGAGCTCAAAGA	AAAATTCCAGCG AAAATTCCAGCG	CATGTGTGA	CAAATCTATG CAAATCTATG	ATTAAGAAGA(ATTAAGAAGA(GATACA	:225 :127
TrCHSd1 :	* TGCATTTGACAGA	380 AGAGATTTTGAA	* GGAGATCC	400 AAGTTTATGT	* %	420	:420
TrCHSd2 :	TGCATTTGACAGA.	AGAGATTTTGAA	GGAGAATCC.	AAGTTTATGT	GAGTACATGG(CACCTT	:420
TrCHSd3: TrCHSd4:	TGCATTTGACAGA TGCATTT <mark>A</mark> ACAGA	AGAGATTTTGAA AGAGATTTTGAA	GGAGAATCC.	AAGTTTATGT	GAGTACATGG(CACCTT	:420
TrCHSd5:	TGCATTTGACAGA	AGAGATTTTGAA	GGAGAATIC.	AAGTTTATGT	GAGTACATGG(CACCTT	:410 :310
TrCHSd6:	TGCATTTGACAGA	AGAGATTTTGAA	GGAGAATIIC	AAGTTTATGT	GAGTACATGG	CACCTT	:310
TrCHSd7: TrCHSd8:	TGCATTTGACAGA TGCATTTGACAGA	AGAGATTTTGAA NGAGATTTTGAA	GGAGAAT U C. GGAGAATCC:	AAGTTTATGT6	JAGTACATGG(JAGTACATGG(CACCTT	:306
TrCHSd9:	TGCATTTGACAGA	AGAGATTTTGAA	GGAGAATCC.	AAGTTTATGT	GAGTACATGG	CACCTT	:288
TrCHSd10: TrCHSd11:	TGCATTTGACAGA TGCATTTGACAGA	AGAGATTTTGAA AGAGATTTTGA A	GGAGAATCC:	AAGTTTATGT(AAGKTTTATGT(GAGTACATGG(CACCTT	:285 :187
wa omaca .	1601111101101101	1021021111110221	OGNOMITOC	MONTIATOR	3AG IACA I GGC	ACCII	:10/
TrCHSd1 :	* CATTGGATGCAAG	440	*	460	*	480	400
TrCHSd1:	CATTGGATGCAAG	ACAAGACATGGT ACAAGA <u>CATGGT</u>	GGTTGTGGA GGTTGTGGA	AGTACCAA GG(AGTACCAAGG(TAGGAAAAGA CTAGGAAAAGA	AGGCAG	:480 :480
TrCHSd3:	CATTGGATGCAAG	ACAAGACATGGT	GGTTGTGGA	AGTACCAAGG	CTAGGAAAAGA	AGGCTG	:480
TrCHSd4 : TrCHSd5 :	CATTGGATGCAAG CATTGGATGCAAG	ACAAGACATGGT ACAAGACATGGT	GGTTGTGGA GGTTGTGGA	AGTACCNAGG(AGTACCAAGG	CTAGGAAAAGA CTACCAAAACA	AGGCAG	:470 :370
TrCHSd6:	CATTGGATGCAAG	ACAAGACATGGT	GGTTGTGGA	AGTACCAAGG	CTAGGAAAAGA	AGGCIG	:370
TrCHSd7 : TrCHSd8 :	CATTGGATGCAAG	ACAAGACATGGT	GGTTGTGGA	AGTACCAAGG	CTAGGAAAAGA	\GGC ∭ G	:366
TrCHSd8:	CATTGGATGCAAG CATTGGATGCAAG	ACAAGACATGGT ACAAGACATGGT	GGTTGTGGA GGTTGTGCA	AGTACCAAGG(AGTACCAAGG	TAGGAAAAGA TAGGAAAAGA	AGGCAG	:353 :348
TrCHSd10:	CATTGGATGCAAG	ACAAGACATGGT	GGTÄGTGGA	AGTACCAAGG	CTAGGAAAAGA	AGGCAG	:345
TrCHSd11:	NATTGGATGCAAG	ACAAGACATGGN	GGCCGCCCA	CONCENTECT	ICCNCACCNCA	ACCON	:247

FIGURE 24 (cont)

48/271

		*	500	*	520	*	540	
TrCHSd1:	CAACAAA	GCAATTA	AGGAATGGGGT	CAACCTAAG	TCCAAGATTA	CCCACCTC	Auchaha	:540
TrCHSd2 :	CAACAAA(GCTATCA	AGGAATGGGGT	CAACCTAAC	TCCAAGATTA	CITIC ACCTC 2	Σ ሲነር ሲከሲነር Τ	:540
TrCHSd3:	CAACAAA	GCTATCA	AGGAATGGGGT	CAACCTAAG	TCCAAGATTA	CTCACCTC	ላጥርጥጥጥ	:540
TrCHSd4:	TAACAAA(GCAATTA	GGGAATGGGGT(CAACCTAAG	TNCAAGATTA	CCCACCTCZ	ላ ጥር ጥጥጥጥ	:530
TrCHSd5 :	CAACAAA	GCTATCA	AGGAATGGGGT(CAACCTAAG	TCCAAGATTA	CTCACCTCA	ATCTTTT	:430
TrCHSd6:	CAACAAA	GCTATCA	AGGAATGGGGT	CAACCTAAG	TCCAAGATTA	CTCACCTC	$\Delta TCTTTT$:430
TrCHSd7:	CAACAAA	GCTATCA	AGGAATGGGGT	CAACCTAAG	TCCAAGATTA	CTCACCTC	ATCTTTT	:426
TrCHSd9:	CAACAAAC		AGGAATGGGGG	CAACC'I'AAG	TCCAAGATTA(CCCACCTC	ATCTTTT	:413
TrCHSd10:		CCAAT PA	AGGAATGGGGC(AAGAATGGGGT(LAACUTAAG	TCCAAGATTA	CCACCTCA	ATCITTIT	:408
TrCHSd11:	CCN			AACCIAAG	ICCAAGATTA	CCACCTCA	ATC L.L.L.L	:405
	The standard							:250
		*	560	*	580	*	600	
TrCHSd1 :	GCACCAC	AGTGGTG'	I GACATGCCC	GTGCCGG-				:574
TrCHSd2:	GCACCACA	AGTGGTG	TGGACATGCCT(GCCCGAC	TATCAGCTTAC	CAAAGCTTT	'TAG	:597
TrCHSd3:	GCACCACA	\AGTGGTG'	PGGACATGCCIIC	GGGCCGAC	TATCAGCTTAC	TAAAGCTTT	TTAGGCC	:600
TrCHSd4:	GCACCAC	AGTGGTG'	TGGACATGCCC	GTGCCGAC	TATCAGCT	CAAAGCT	<u> </u>	:585
TrCHSd5:	GCACCACA	AGTGGTG'	rggacatgcc <mark>r</mark> (GTGCCGAC	TATCAGCTTA(CAAAGCTTI	TAGGCC	:490
TrCHSdo:	GCACCACA	AGTGGTG:	TGGACATGCCTC	GTGCCGAC	TATCAGCTTA(CAAAGCTTI	TAGGCC	:490
TrCHSd8:	CCACCACA	AGTGGTG	TGGACATGCCTC	GTGCCGAC	TATCAGCTTA(TAGGCC	:486
TrCHSd9 :	GCACCAC	AGTGGTG	TEGACATGCCCC	GTGCCGAC	TATCAGCTGA("I'AGGCC	:473
TrCHSd10:	GCACCAC	AGTGGTG'	TGGACATGCCCC	CADOOD TO	TATCAGCTOAC		TAGGCC	:468
TrCHSd11:					TATCAGC IGA		IAGGCC	. 405
								•
m arta 11		*	620	*	640	*	660	
TrCHSd1:								: -
TrCHSd2:	TTCGTCCG	CARCECA						:
TrCHSd4:	TICGICCG	CAIGIGAL	V	· -				:616
TrCHSd5:	TTCGTCCG	CATGTGAZ	AGCGTTATATGA	тстассаа	CAACCTTCTT	TCCTCCTC	CCACCC	: - :550
TrCHSd6:	${ m TTCGTCCG}$	CATGTGA	AGCGTTATATGA	TGTACCAA	CAAGGTTGTTT	ᡎᢗᢗᡎᢗᢗᡎᢗ	CCACCC	:550
TrCHSd7:	TTCGTCCG	CATGTGA	AGCGTTATATGA	TGTACCAA	$C \times V \subset C \oplus C \oplus C \oplus C$	TCCTCCTC	CCACCC	:546
TrCHSd8:	TO COMO CA				CHAGGIIGIII			
	TRICGICCE	MATGTGA	AGCGTTACATGA	TGTATICAA	CAACCTTCTT	ካዋርርጥርርጥር	CCACCC	:533
TrCHSd9:	TOCGTCCA	TATGTGAZ	AGCGTTACATGA	TGTATCAA TGTATCAA	CAAGGTTGTTI CAAGGTTGTTI	TGCTGGTG	GCACGG	
TrCHSd10:	TOCGTCCA	TATGTGAZ	AGCGTTACATGA AGCGTTACATGA AGCGTTACATGA	TGTATCAA TGTATCAA	CAAGGTTGTTI CAAGGTTGTTI	TGCTGGTG	GCACGG GCACGG	:533
	TOCGTCCA	TATGTGAZ	AGCGTTACATGA	TGTATCAA TGTATCAA	CAAGGTTGTTI CAAGGTTGTTI	TGCTGGTG	GCACGG GCACGG	:533 :528
TrCHSd10:	TOCGTCCA	TATGTGAZ	AGCGTTACATGA	TGTATCAA TGTATCAA	CAAGGTTGTTI CAAGGTTGTTI	TGCTGGTG	GCACGG GCACGG	:533 :528
TrCHSd10:	TOCGTCCA	TATGTGAZ	AGCGTTACATGA AGCGTTACATGA	TGTATCAA TGTATCAA	CAAGGTTGTTT CAAGGTTGTTT CAAGGTTGTTT	TGCTGGTG	GCACGG GCACGG	:533 :528
TrCHSd10:	TOCGTCCA	TATGTGAZ	AGCGTTACATGA	TGTATCAA TGTATCAA	CAAGGTTGTTI CAAGGTTGTTI	TGCTGGTG	GCACGG GCACGG	:533 :528
TrCHSd10: TrCHSd11: TrCHSd1 : TrCHSd2 :	TOCGTCCA	TATGTGAZ	AGCGTTACATGA AGCGTTACATGA	TGTATCAA TGTATCAA	CAAGGTTGTTT CAAGGTTGTTT CAAGGTTGTTT	TGCTGGTG	GCACGG GCACGG	:533 :528
TrCHSd10: TrCHSd11: TrCHSd1 : TrCHSd2 : TrCHSd3 :	TOCGTCCA	TATGTGAZ	AGCGTTACATGA AGCGTTACATGA	TGTATCAA TGTATCAA	CAAGGTTGTTT CAAGGTTGTTT CAAGGTTGTTT	TGCTGGTG	GCACGG GCACGG	:533 :528
TrCHSd10: TrCHSd11: TrCHSd1 : TrCHSd2 : TrCHSd3 : TrCHSd4 :	TGCGTCCA	TATGTGAA	AGCGTTACATGA AGCGTTACATGA 680	TGTATCAA TGTATCAA TGTATCAA	CAAGGTTGTTT CAAGGTTGTTT CAAGGTTGTTT 700	TGCTGGTG TGCTGGTG TGCTGGTG	GCACGG GCACGG	:533 :528
TrCHSd10: TrCHSd11: TrCHSd1: TrCHSd2: TrCHSd3: TrCHSd4: TrCHSd5:	TGCGTCCA	TATGTGAA * TTGGCTAA	AGCGTTACATGA AGCGTTACATGA 680	TGTATCAA TGTATCAA TGTATCAA *	CAAGGTTGTTT CAAGGTTGTTT CAAGGTTGTTT 700	TGCTGGTG TGCTGGTG TGCTGGTG	GCACGG GCACGG GCACGG 	:533 :528 :525 : -
TrCHSd10: TrCHSd11: TrCHSd1: TrCHSd2: TrCHSd3: TrCHSd4: TrCHSd5: TrCHSd6:	TGCGTCCA TGCGTCCA TGCTTCGT TGCTTCGT	TATGTGAA * TTGGCTAA TTGGCTAA	AGCGTTACATGA AGCGTTACATGA 680 AGGCTTGGCTG	TGTAÏCAA TGTAICAA TGTAICAA * * AAAACAAC	CAAGGTTGTTT CAAGGTTGTTT CAAGGTTGTTT 700 AAAGGTGCCCG	TGCTGGTG TGCTGGTG *	GCACGG GCACGG GCACGG 	:533 :528 :525 :525 : -
TrCHSd10: TrCHSd11: TrCHSd1 : TrCHSd2 : TrCHSd3 : TrCHSd4 : TrCHSd5 : TrCHSd6 : TrCHSd6 :	TGCGTCCA TGCGTCCA TGCTTCGT TGCTTCGT TGCTTCGT	TATGTGAA * TTGGCTAA TTGGCTAA TTGGCTAA	AGCGTTACATGA AGCGTTACATGA 680 AAGACTTGGCTG AAGACTTGGCTG	TGTATCAA TGTATCAA TGTATCAA * * AAAACAAC AAAACAAC	CAAGGTTGTTT CAAGGTTGTTT CAAGGTTGTTT 700 AAAGGTGCCCG AAAGGTGCCCG	TGCTGGTG TGCTGGTG *	GCACGG GCACGG GCACGG 720 720 TGGTTT TGGTTT	:533 :528 :525 :
TrCHSd10: TrCHSd11: TrCHSd1: TrCHSd2: TrCHSd3: TrCHSd4: TrCHSd5: TrCHSd6: TrCHSd6: TrCHSd7: TrCHSd8:	TGCGTCCA TGCGTCCA TGCTTCGT TGCTTCGT TGCTTCGT TGCTTCGT	TATGTGAA * TTGGCTAA TTGGCTAA TTGGCTAA TTGGCTAA	AGCGTTACATGA AGCGTTACATGA 680 AAGACTTGGCTG AAGACTTGGCTG AAGACTTGGCTG	TGTATCAA TGTATCAA * AAAACAAC AAAACAAC AAAACAAC	CAAGGTTGTTT CAAGGTTGTTT 700 AAAGGTGCCCG AAAGGTGCCCG	TGCTGGTG TGCTGGTG * TGCTGGTG TGCTGGTG TGTATTGG	GCACGG GCACGG GCACGG 720 720 TGGTTT	:533 :528 :525 :525 : -
TrCHSd10: TrCHSd11: TrCHSd1 : TrCHSd2 : TrCHSd3 : TrCHSd4 : TrCHSd5 : TrCHSd6 : TrCHSd6 :	TGCGTCCA TGCGTCCA TGCTTCGT TGCTTCGT TGCTTCGT TGCTTCGT TGCTTCGT	TATGTGAA * TTGGCTAA TTGGCTAA TTGGCTAA TTGGCTAA TTGGCTAA	AGCGTTACATGA AGCGTTACATGA 680 AAGACTTGGCTG AAGACTTGGCTG AAGACTTGGCTG AAGACTTGGCTG	TGTATCAA TGTATCAA * AAAACAAC AAAACAAC AAAACAAC AAAACAAC	CAAGGTTGTTT CAAGGTTGTTT 700 AAAGGTGCCCG AAAGGTGCCCG AAAGGTGCCCG	TGCTGGTG TGCTGGTG * TGTATTGG TGTGTTGGT	GCACGG GCACGG GCACGG 720 720 TGGTTT TGGTTT	:533 :528 :525 :525 : -
TrCHSd10: TrCHSd11: TrCHSd1: TrCHSd2: TrCHSd3: TrCHSd4: TrCHSd5: TrCHSd6: TrCHSd6: TrCHSd7: TrCHSd8: TrCHSd9:	TGCGTCCA TGCGTCCA TGCTTCGT TGCTTCGT TGCTTCGT TGCTTCGT TGCTTCGT	TATGTGAA * TTGGCTAA TTGGCTAA TTGGCTAA TTGGCTAA TTGGCTAA	AGCGTTACATGA AGCGTTACATGA 680 AAGACTTGGCTG AAGACTTGGCTG AAGACTTGGCTG	TGTATCAA TGTATCAA * AAAACAAC AAAACAAC AAAACAAC AAAACAAC	CAAGGTTGTTT CAAGGTTGTTT 700 AAAGGTGCCCG AAAGGTGCCCG AAAGGTGCCCG	TGCTGGTG TGCTGGTG * TGTATTGG TGTGTTGGT	GCACGG GCACGG GCACGG 720 720 TGGTTT TGGTTT	:533 :528 :525 :525 : -

FIGURE 24 (cont)

49/271

TrCHSd1	:		:	_
TrCHSd2	:		:	_
TrCHSd3	:		:	_
TrCHSd4	:		:	_
TrCHSd5	:		:	_
TrCHSd6	:	GTTCAGAG	:	618
TrCHSd7	:	GTT	:	609
TrCHSd8	:		:	_
TrCHSd9	:	GTTCANAGATAACTG	:	603
TrCHSd10	:	GTT	:	588
ጥዮሮዘያፈ11				

FIGURE 24 (cont)

50/271

macrica-		CN17 CC7 7 C7 C7 C7 C7	Z U		40	~	60		
тисные	:	GNAGCAACACACT	"1"I'GA'1"1"I'C'1	"1"1"1"I'GAATCC(CTGCTACGTO	FGCNCACCAAAA	ACGT	:	60
TrCHSe	:	* TGCTAAGTCATCAAC	80 CATTCCAAT	* TCCTTAATAT	100 AACCTATCAG	* GTACTCACCATC1	120 TTTTC	:	120
TrCHSe	:	* TTCCTCCCTGCTAAC	140 TTTAGACTC	* AGTAGAAGAT(160 GGTGAATGTT	* TAATGAGATCCGC	180 CAGG	:	180
TrCHSe	:	* CACAGAGAGCTGAAG	200 GCCCTGCCA	* CCGTGTTGGC2	220 AATCGGCACT	* CGCAACTCCTCCA	240 AACT	:	240
TrCHSe	:	* GTGTTGATCAGAGTA	260 CATACCCGG	* ACTACTACTT(280 CCGCATCACA	* AACAGTGAGCAC	300 AAGA	:	300
TrCHSe	:	* CAGAGCTCAAAGAAA	320 AATTCCAGC	* GCACGTGTAA(340 GATATTTATC	* TTATACTCCATG	360 CATG	:	360
TrCHSe	:	* TCTTTTTCTGCTGAC	380 TGCCGTGTT	* TATATATTGT:	400 FTTGTTTTGT	* TCCTTAAATTTG	420 TTAT	:	420
TrCHSe	:	* GTCACTCTCACATGT.	440 ACAAAACAC	* TTAAGACTAA	460 ACTGCATATC	* ATTTTTTTCAGG	480 GACA	:	480
TrCHSe	:	* AATCTATGATTAAGA		* TGCATTTGAC <i>i</i>		* TTGAAGGAGAAT	540 CCAA	:	540
TrCHSe	;	* GTTTATGTGAGNACA		* CTTGGGATGC		. 583			

51/271

* 20 * 40 * 60
TrCHSe: MVNVNEIRQAQRAEGPATVLAIGTATPPNCVDQSTYPDYYFRITNSEHKTELKEKFQRTR: 60

* 80 *

TrCHSe : DKSMIKKRYMHLTEEILKENPSLCEXMAPSWDARQ : 95

52/271

		*	20	*	40	*	60	
TrCHSe1: TrCHSe2:	GNAGCAAC	ACACACTT	rgattrettre	GAATCCCT GTCCCT	'GCTACGTGGCT' 'GCTGCGTGGCNC	PACCAAAA PACC <mark>-</mark> AAAA	ACGT	: 60 : 29
TrCHSe1: TrCHSe2:	TGCTAAGT TGCTNAGT	* CATCAACC -MTGAACC	80 ATTCCAATTCCT TTCC-ATTCCT	* 'TAATATAA 'TAATATAA	100 CCTATCAGTACT CCTATCAGTACT	* CACCATUT CACCATCT	120 TTTC:	: 120 : 86
TrCHSe1: TrCHSe2:	TTCCTCCC	* TGCTAACT TGCTAACT	140 TTAGACTCAG-A TTAGACTCAGTA	* .GAAGATGG .GAAGATGG	160 TGAATGTTAATG TGAATGTTAATG	* SAGATCCGC	180 CAGG : CAGG :	: 179 : 146
TrCHSe1: TrCHSe2:	CACAGAGA CACAGAGA	* GCTGAAGG(GCTGAAGG(200 CCTGCCACCGT CCTG	* GTTGGCAA	220 TCGGCACTGCAA	* ACTCCTCCA	240 AACT :	239 167
TrCHSe1: TrCHSe2:	GTGTTGAT	* CAGAGTAC	260 ATACCCGGACTA	* CTACTTCC	280 GCATCACAAACA	* \GTGAGCAC	300 AAGA :	299
TrCHSe1: TrCHSe2:	CAGAGCTC	* AAAGAAAA 	320 ATTCCAGCGCAC	* GTGTAAGA	340 TATTTATCTTAT	* PACTCCATG	360 CATG :	359 -
TrCHSe1: TrCHSe2:	TCTTTTTC	* TGCTGACT(380 CCCTCTTATA	* TATTGTTT 	400 TGTTTTGTTCCT	* 'TAAATTTG	420 TTAT :	419 -
TrCHSe1: TrCHSe2:	GTCACTCT	* CACATGTA(440 CAAACACTTAA	* GACTAAAC	460 TGCATATCATTT	* TTTTCAGG	480 GACA :	479
TrCHSe1: TrCHSe2:	AATCTATG	* ATTAAGAAC	500 SAGATACATGCA	* TTTGACAG	520 AAGAGATTTTGA	* AGGAGAAT	540 CCAA :	539 -
TrCHSe1 : TrCHSe2 :	GTTTATG	* IGAGNACAT	560 GGCACCTTCTT	* GGGATGCA	580 AGACAAGT : 5	82		

53/271

aa-		* 20 * GCNTAAGCCTTGATTNTTGTTTGTTTCCTAA(40 * 60		60
TrCHST	:	GCNTAAGCCTTGATTNTTGTTTGTTTCCTAA	CACAAGAACIAGIGIIIGCIIGAAICIIA	•	00
TrCHSf	:	* 80 * : AGAAAAATGCCTCAAGGTGATTTGAATGGA	100 * 120 AGTTCCTCGGTGAATGGAGCACGTGCTAG	:	120
TrCHSf	:	* 140 * ACGTGCTCCTACTCAGGGAAAGGCAACGATA	160 * 180 CTTGCATTAGGAAAGGCTTTCCCCGCCCA	:	180
TrCHSf	:	* 200 * AGTCCTCCCTCAAGAGTGCTTGGTGGAAGGA	220 * 240 FTCATTCGCGACACTAAGTGTGACGATAC	:	240
TrCHSf	:	* 260 * TTATATTAAGGAGAAATTGGAGCGTCTTTGC	280 * 300 AAAAACACAACTGTAAAAACAAGATACAC	:	300
TrCHSf	:	* 320 * : AGTAATGTCAAAGGAGATCTTAGACAACTAT	340 * 360 CCAGAGCTAGCCATAGATGGAACACCAAC	:	360
TrCHSf	:	* 380 *: AATAAGGCAAAAGCTTGAAATAGCAAATCCA	400 * 420 GCAGTAGTTGAAATGGCAACAAGAGCAAG	:	420
TrCHSf	:	* * 440 *: CAAAGATTGCATCAAAGAATGGGGAAGGTCA	460 * 480 CCTCAAGATATCACACACATAGTCTATGT	:	480
TrCHSf	:	* 500 *: TTCCTCGAGCGAAATTCGTCTACCCGGTGGT	520 * 540 GACCTTTATCTTGCAAATGAACTCGGCTT	:	540
TrCHSf	:	* 560 *: AAACAGCGATGTTAATCGCGTAATGCTCTAT	580 * 600 TTCCTCGGTTGCTACGGCGGTGTCACTGG	:	600
TrCHSf	:	* : CTTACGTGTCGCC : 613			

54/271

TrCHSf	:	* MPQGDLNGSSSVNGAR	20 ARRAPTQGKATI	* LALGKAFP	40 AQVLPQECLVEG	* FIRDTKCDD	60 TYI	:	60
TrCHSf	:	* KEKLERLCKNTTVKTR	80 YTVMSKEILDNY	* PELAIDGT	100 PTIRQKLEIANP		120 SKD	:	120
TrCHSf	:	* CIKEWGRSPQDITHIV	140 YVSSSEIRLPGG	* DLYLANEL	160 GLNSDVNRVMLY		180 GLR	:	180

TrCHSf : VA : 182

55/271

	*	20	~	40		0		
TrCHSf1:	GCNTAAGCCTTGAT'	гиттстттсти	TCCTAACAC	CAAGAACTAGT	'GTTTGCTTG	AATCTTA	:	60
	TAAGCCTTGAT			יא א פא א פיייא פייי		Λ Λ Π Ω Π Π Λ		57
TrCHSf2:	TAAGCCTTGAT	IMTIGITIETI	ICCIAACAC	AAGAACIAGI	GIIIGCIIG	AAICIIA	•	
TrCHSf3:	TTGAT	Γ Γ Γ Γ Γ Γ Γ Γ Γ Γ	TCCTAACAC	CAAGAACTNGI	'GTTTGCTTG	AATCTTA	:	51
TrCHSf4:		- Churchi	יידירירידים מרומני	CAAGAACTAGI	ᢗᢋᠬᡎ᠇ᢗᢗ᠇᠇᠇ᢗ	AATCTTA	:	42
TTCHOTA.		OIIICII	10011110110	711101111011101	011100110		•	
	*	80	*	100	*	120		
m 0110.51	AGAAAAATGCCTC		1 A M C C A A C C		A TO CA COA CO			120
TrCHSf1:								
TrCHSf2:	AGAAAAAATGCCTC	AAGGTGATTTG	BAATGGAAGT	${ m PTCCTCGGTG}{ m P}$	ATGGAGCAC	GTGCTAG		117
TrCHSf3:	AGAAAAAATGCCTC	AAGGTGATTTC	AATGGAAGT	PTCCTCGGTGA	ATGGAGCAC	GTGCTAG	:	111
TrCHSf4:	AGAAAAAATGCCTC						:	102
IICHOI4.	AGAAAAAAAIGCCICA	ANGGIONI IIC	MALCOLATO.	1001000101	ni i donocne	01001110	•	102
	*	140	*	160	*	180		
marra.e.1	ACGTGCTCCTACTC		A C C A M A C M C		A CCCMMMCC			180
TrCHSf1:								
TrCHSf2:	ACGTGCTCCTACTC							177
TrCHSf3:	ACGTGCTCCTACTC	AGGGAAAGGC	ACGATACT	rgcattagga <i>a</i>	AGGCTTTCC	CCGCCCA	:	171
TrCHSf4:	ACGTGCTCCTACTC	ACCCAAACCC	$\Delta CC\Delta TACTC$	РССАТТАССА Z	ACCCTTTCC	CCGCCCA		162
TICHOL4.	ACGIGCICCIACIC	1000111110001	HICOHITICI.	COCILI IIIOCIL	#100011100		•	
	*	200	*	220	*	240		
TrCHSf1:	AGTCCTCCCTCAAG	Δ CTCCTTCCTC	CAACCATT	TATTCCCCACA	СТАВСТСТС	ACGATAC		240
								237
TrCHSf2:	GTCCTCCCTCAAG							
TrCHSf3:	GTCCTCCCTCAAG	AGTGCTTGGTC	GAAGGATT(CATTCGCGAC	CTAAGTGTG	ACGATAC	:	231
TrCHSf4:	AGTCCTCCCTCAAG	AGTGCTTGGT G	GAAGGATTO	CATTCGCGACA	CTAAGTGTG	ACGATAC	:	222
11011011								
	*	260	*	280	*	300		
TrCHSf1:	TTATATTAAGGAGA	AATTGGAGCGT	CTTTGCAA	AAACACAACTO	TAAAAACAA	GATACAC	:	300
TrCHSf2:	TTATATTAAGGAGA	א אייוייכיבא כירכיו	יריייייתיתית א א ז	Δ Σ Σ Σ Σ Σ Σ Σ Σ Σ Σ Σ Σ Σ Σ Σ Σ Σ Σ Σ	מ מיח מ מ מ מ מיחי	СВТВСВС		297
							-	291
TrCHSf3:	TTATATTAAGGAGA							
TrCHSf4:	TTATATTAAGGAGA	AAT'TGGAGCG'I	CTTTGCAA	AAACACAACTG	TAAAAACAA	GATACAC	:	282
	4	220		340	*	360		
		320						
TrCHSf1:	AGTAATGTCAAAGG.	AGATCTTAGAC	CAACTATCC	AGAGCTAGCC#	ATAGATGGAA	CACCAAC	-	360
TrCHSf2:	AGTAATGTCAAAGG.	AGATCTTAGAC	CAACTATCC	AGAGCTAGCC	TAGATGGAA	CACCAAC	:	357
TrCHSf3:	AGTAATGTCAAAGG							351
TrCHSf4:	AGTAATGTCAAAGG.	AGATCTTAGAC	CAACTATCC	AGAGCTAGCCA	TAGATGGAA	CACCAAC	:	342
	*	380	*	400	*	420		
m - 0110 C1	AATAAGGCAAAAGC'		* * * * * * * * * * * * * * * * * * *		magan a a a a			420
TrCHSf1:							:	
TrCHSf2:	AATAAGGCAAAAGC'						:	417
TrCHSf3:	AATAAGGCAAAAGC	TTGAAATAGC	AAATCCAGC	AGTAGTTGAAZ	TGGCAACAA	GAGCAAG	:	411
	AATAAGGCAAAAGC							402
TrCHSf4:	AA I AAGGCAAAAGC	I I GAMAI AGCE	MAI CCAGC	AG INGIIGAM			•	- U Z
		440	*	460	*	480		
	*	440		-100				
TrCHSf1.	* CAAACATTCCATCA		AGGTCACC		CACACATAG		•	480
TrCHSf1:	* CAAAGATTGCATCA	AAGAATGGGG		TCAAGATATC <i>I</i>		TCTATGT	:	480
TrCHSf2:	CAAAGATTGCATCA	AAGAATGGGGA AAGAATGGGGA	AAGGTCACC'	rcaagatate <i>i</i> rcaagatate <i>i</i>	ACACACATAG	TCTATGT TCTATGT	:	477
		AAGAATGGGGA AAGAATGGGGA	AAGGTCACC'	rcaagatate <i>i</i> rcaagatate <i>i</i>	ACACACATAG	TCTATGT TCTATGT	:	

56/271

	*	500	*	520	*	540	
TrCHSf1:	TTCCTCGAGCGAA	ATTCGTCTACC	CGGTGGTGAC	CTTTATCTTG	CAAATGAACT	CGGCTT :	540
TrCHSf2:	TTCCTCGAGCGAA	ATTCGTCTACC	CGGTGGTGAC	CTTTATCTTG	CAAATGAACT	CGGCTT :	537
TrCHSf3:	TTCCTCGAGCGAA						531
TrCHSf4:	TTCCTCGAGCGAA	ATTCGTCTACC	CGGTGGTGAC	CTTTATCTTG	CAAATGAACT	CGGCTT :	522
	*	560	*	580	*	600	
TrCHSf1:	AAACAGCGATGTT		CCTCTATTTCC				600
TrCHSf2:	AAACAGCGATGTT			JICGGI IGCI	ACGGCGGIGI	CACIGG:	570
TrCHSf3:	AAACAGCGATGTT			TTCCCTTCCT			575
TrCHSf4:	AAACAGCGATGTT				ACCCCCC		573
0		MILCOCOTIETI	GCICIALICO	21000110011	100000	:	5/3
	*						
TrCHSf1	CTTACGTGTCGC	6 : 613					
TrCHSf2		-:					
TrCHSf3		- : -					
TrCHSfA	•						

FIGURE 30 (cont)

57/271

		* 20 * 40 *	60		
TrCHSg	:	: GTATACCAAGGTTGTTTTGCTGGTGGCACGGTACTTCGTTTGGCTAAAGACTT	PGGCTGAA	:	60
TrCHSg	:	* 80 * 100 * : AACAACAAAGGTGCCCGTGTGTTGGTGGTTGTTCAGAGATAACTGCAGTTAC	120 CTTTCCGT	:	120
TrCHSg	:	* 140 * 160 * : GGACCCAGTGACACTCACCTTGATAGCCTTGTGGGGCAAGCATTGTTTGGAGA	180 ATGGTGCA	:	180
TrCHSg	:	* 200 * 220 * : GCAGCTGTGATTGTTGGTTCAGACCCTTTGCCAGAAGTTGAGAAGCCTTTGTT	240 TGAATTG	:	240
TrCHSg	:	* 260 * 280 * GTATGGACCGCACAAACAATCGCTCCAGATAGTGAAGGAGCCATTGATGGTCA	300 CCTTCGC	:	300
TrCHSg	:	* 320 * 340 * 340 * GAAGCAGGCCTTGTCTCAAA	360 TAACATT	:	360
		* 380 * 400 *			
TrCHSg	:	* 380 * 400 * : GAGAAAGCGCTTGATGATGCCTTTCAACCTTTGAATATTTCTGACTACAATTC	420 CATCTTT	:	420
TrCHSa		* 440 * 460 * : TGGATTGCACACCCAGGCGGACCAGCAATTCTTGACCAAGTTGAAGCTAAGTT	480		400
11009	•	. ISSUITESTICATE CONSTRUCTION TO THE TOTAL CARGITGAAGC TAAGIT	AGGCTTA	:	480
TrCHSg	:	* 500 * 520 * : AAGCCAGAGAAAATGCAAGCCACTCGACATGTACTTAGCGAATATGGTAACAT	540 GTCAAGT	:	540
		* 560 * 580 *	600		
TrCHSg	:	* 560 * 580 *: GCGTGTGTTATTTATCTTGGATGAGATGAGGAGGAAGTCAAAAGAAGACGG	600 ACTTGCC	:	600

TrCHSg : ACAACAG : 607

58/271

TrCHSg	:	* VYQGCFAGGTVLRLAK	20 DLAENNKGARVL	* VVCSEITA	40 VTFRGPSDTHLD	* SLVGQALFG	60 DGA	:	60
TrCHSg	:	* AAVIVGSDPLPEVEKP	80 LFELVWTAQTIA	* PDSEGAIDO	100 GHLREAGLTFHL		120 NNI	:	120
TrCHSg	:	* EKALVDAFQPLNISDY	140 NSIFWIAHPGGP	* AILDQVEAI	160 KLGLKPEKMQAT		180 MSS	:	180
TrCHSg	:	* ACVLFILDEMRRKSKE	200 DGLATT : 202						

59/271

	*	20	*	40	*	60	
TrCHSg1: TrCHSg2:	GTATACCAAGGTTC	TTTTGCTGGT(GCACGGTAC	CTTCGTTTGGC'	PAAAGACTTG	GCTGAA	: 60 : 55 : 51
TrCHSg3:		<u>FITTINGC</u> TGGT(3GCACGGTAC	CTTCGTTTGGC'	TAAAGAC 1 TG	GCIGAA	. 51
	*	80	*	100	*	120	
TrCHSg1:	AACAACAAAGGTGC AACAACAAAGGTGC	CCGTGTGTTG	GTGGTTTGT:	CAGAGATAAC'	TGCAGTTACT	TTCCGT	: 120 : 115
TrCHSg2: TrCHSg3:	AACAACAAAGGTGC AACAACAAAGGTGC	CCGTGTGTTG	GTGGTTTGT:	CAGAGATAAC'	rgcagttaci	TTCCGT	: 111
11011090							
	*	140	*	160	*	180	100
TrCHSg1:	GGACCCAGTGACAC GGACCCAGTGACAC	CTCAMCTTGAT	AGCCTTGTG(GGCAAGCA'I''I' CCCCAACCATTI	GTTTGGAGAT	GGTGCA	: 180 : 175
TrCHSg2: TrCHSg3:	GGACCCAGTGACA(CTCACCTTGAT	AGCCTTGTG	GGCAAGCATT	GTTTGGAGAT	GGTGCA	: 171
-							
	*	200	*	220	*	240	
TrCHSg1:	GCAGCTGTGATTG	TTGGTTCAGAC	CCTTTGCCA	GAAGTTGAGAA	GCCTTTGTTT	CAATTG	: 240 : 235
TrCHSg2: TrCHSg3:	GCAGCTGTGATTGT GCAGCTGTGATTGT	L'TGGTTCAGAC PTGGTTCAGAC	CCTTTGCCA	GAAGTTGAGAA GAAGTTGAGAA	GCCTTTGTTT	GAATTG	: 231
iicingg.	0011001010111110						
	*	260	*	280	*	300	
TrCHSg1:	GTATGGACCGCAC	AAACAATCGCT	CCAGATAGT	GAAGGAGCCAT	TGATGGTCAC	CTTCGC	: 300 : 295
TrCHSg2: TrCHSg3:	GTATGGACCGCACA GTATGGACCGCACA	AAACAATCGCT AAACAATCGCT	CCAGATAGT CCAGATAGT	GAAGGAGCCAT GAAGGAGCCAT	TGATGGTCA(TGATGGTCA(CTTCGC	: 293
ircings.	01711007100007107	nniornii 0001	001101111101				
	*	320	*	340	*	360	
TrCHSg1:	GAAGCAGGGCTGA	CATTCCATCTC	CTCAAGGAT	GTTCCTAGCCT	TGTCTCAAA	CAACATT	: 360
TrCHSg2: TrCHSg3:	GAAGCAGGGCTGA(GAAGCAGGGCTGA(CATTCCATCTC CATTCCATCTC	CTCAAGGAT' CTCAAGGAT	GTTCCTAGCCT GTTCCTAGCCT	TGTCTCAAA: TGTCTCAAA:	PAACATT	: 355 : 351
Trembgo.	0.4100.10000101.	3711 1 6 6 7 1 1 6 1 6	01011100111				
	*	380	*	400	*	420	
TrCHSg1:	GAGAAAGC¶CTTG	TTGATGCCTTT	CAACCTTTG	AATAT TCGA	TACAATTC(CATCTTT	: 420 : 415
TrCHSg2: TrCHSg3:	GAGAAAGCGCTTG' GAGAAAGCGCTTG	I"I'GA'I'GCC'I"I"I' TTGATGCC'ITIT	CAACCTTTG. CAACCTTTG.	AATATTTCTGA AATATTTCTGA	CTACAATTC(CTACAATTC(CATCTTT	: 411
iicinogo.	011011111100001110						
	*	440	*	460	*	480	
TrCHSg1:	TGGATTGCACACC	CAGGCGGACCA	GCAATTCTT	GACCAAGTTGA	AGCTAAGTT	AGGCTTA	: 480 : 475
TrCHSg2: TrCHSg3:	TGGATTGCACACC TGGATTGCACACC	CAGGCGGACCA CAGGCGGACCA	GCAATTCTT GCAATTCTT	GACCAAGTTGA GACCAAGTTGA	AGCTAAGTT? AGCTAAGTT?	AGGCTTA	: 471
11011090.	reemireemence	oo.o.o.o					
	*	500	*	520	*	540	
TrCHSg1:	AAGCCAGAGAAAA	TGCAAIICCACT	CGACATGTA	CTTAGCGAATA	TGGTAACAT(GTCQAGT	: 540 : 535
TrCHSg2:	X	TGCAAGCCAC'I TGCAAGCCACT	CGACATGTA CGACATGTA	CTTAGCGAATA CTTAGCGAATA	TGGTAACAT(GTCAAGT	: 531

60/271

		*	560	*	580	*	600		
TrCHSg1:	GCGTGTGT	TATT	TTATCTTGGAT	GAGATGAGGA	GGAAGTCAAA	AGAAGACGGAC'	TTGCC	:	600
TrCHSg2:	GCGTGTGT	TATT	TTATCTTGGAT	GANATGAGGA	GGAAGTCAAA	AGAACACNGNC'	<u> </u>	•	591
TrCHSg3:	GCGTGTGT	TATTE	TTATCTTGGAT	GAGATGAGGA	GGAAGTCAAA	AGAAGACGGAC'	l'TGC –	:	590
TrCHSg1	: ACAACAG	: 60	7						
-	: ACAACAG	: 00	/						
TrCHSg2	:	:	-						
TrCHSg3	:	:	-						

FIGURE 33 (cont)

61/271

TrCHSh	:	AATNACACCNTNANACCTTCCAATTCTCGTACCTCACCAATCTCATTTTTATTATATATC:	60
TrCHSh	:	* 80 * 100 * 120 TTGGTACATCTTTTGTTACCTCCAACAAAAAATGGTGACCGTAGAAGAGATTCGTAACG:	120
TrCHSh	:	* 140 * 160 * 180 CCCAACGTTCAAATGGCCCTGCCACTATCTTAGCTTTTGGCACAGCCACTCCTTCTAACT:	180
TrCHSh	:	* 200 * 220 * 240 GTGTCACTCAAGCTGATTACCTGATTACTACTTTCGTATCACCAACAGCGAACATATGA:	240
TrCHSh	:	* 260 * 280 * 300 CTGATCTTAAGGAAAAATTCAAGCGGATGTGTGATAGATCAATGATAAAGAAACGTTACA :	300
TrCHSh	:	* 320 * 340 * 360 TGCACCTAACAGAAGACTTTCTGAAGGAGAATCCAAATATGTGTGAATACATGGCACCAT:	360
TrCHSh	:	* 380 * 400 * 420 CACTAGATGTAAGACGAGACATAGTGGTTGTTGAAGNACCAAAGCTAGGTAAAGAANCAC:	420
TrCHSh	:	* 440 * 460 * 480 CAAAAAAAGCCATATGNGAATGGGGGACAACCAAAATCNAAAATCACACATGCTTGGTTTC:	480
TrCHSh	:	* 500 * TGACCACTTCCGGTGNTGACATGCCCGGGG : 510	

62/271

20 40 TrCHSh : MVTVEEIRNAQRSNGPATILAFGTATPSNCVTQADYPDYYFRITNSEHMTDLKEKFKRMC : 60

TrCHSh : DRSMIKKRYMHLTEDFLKENPNMCEYMAPSLDVRRDIVVVEXPKLGKEPKKAIXEWGQPK : 120

TrCHSh : XKITHAWFLTTSGDMPG : 137

63/271

TrCHRa	:	* GACAAATGCNTGTGGT1	20 GGAATGGGATC	* CGCACCTGA	40 ATTTTACATGTAA	* AGAAAGACA	60 CAA	:	60
TrCHRa	:	* AAGATGCAATCGTTGAA	80 AGCCATCAAACAA	* AGGTTATAG	100 GACACTTTGATAC	* CTGCTGCTG	120 CTT	:	120
TrCHRa	:	* ATGGCTCANAACAAGCT	140 CCTTGGTGAAGG	* I'TTGAAAG <i>I</i>	160 AGCANTTGAACT	* CTGGTCTTG	180 TCA	:	180
Ͳ ∽ ሮ⊌Da		* CT2 N2 G2 2 G2 GCTNTTT	200 PGTTACTTCTAA	* ^CጥጥጥGGGN	220 JNACTGAAAATCA	* ATNCTAACC	240 TTG	:	240

64/271

* 20 * 40 * 60
TrCHRa : QMXVVGMGSAPDFTCKKDTKDAIVEAIKQGYRHFDTAAAYGSXQALGEGLKEAXELGLVT : 60

TrCHRa : XEEXFVTSKLWXTENHXNL : 79

65/271

		* 20 * 40 * 60	
TrCHRb	:	GTGTAGCAGAGTNAGAAAAAGAGAGAAAAAAAAAAACATGGCAGGAAAGAAAATCCCAGAAG:	60
TrCHRb	:	* 80 * 100 * 120 TGTTATTGAATTCAGGACACAAAATGCCAGTCATAGGAATGGGAACATCAGTAGACAATC:	120
TrCHRb	:	* 140 * 160 * 180 GTCCATCAAATGATGTTGCTTCAATCTTTGTTGATGCAATTGAAGTTGGTTATCGCC :	180
TrCHRb	:	* 200 * 220 * 240 ATTTCGATTCTGCTTCTGTGTATGGAACAGAGGAAGCCATAGGAATTGCTTTAGCAAAAG :	240
TrCHRb	:	* 260 * 280 * 300 CTTTAGAAAAAGGGCTTATTAAGAGTAGAGATGAAGTTTTCATCACTTCAAAGCCATGGA :	300
TrCHRb	:	* 320 * 340 * 360 ATACTGATGCAGATTATGAACTTATTGTTCCAGCTCTCAAGACCACATTGAAAAAGCTGG:	360
TrCHRb	:	* 380 * 400 * 420 GGACGGAGTATGTGGATCTTTATCTGATCCATTGGCCAGTGAGACTTAGACATGATCTTG :	420
TrCHRb	:	* 440 * 460 * 480 AAAACCCTGTTGTTTTCACCAAAGAAGATTTACTTCCCTTTGATATAGAAGGGACATGGA:	480
TrCHRb	:	* 500 * 520 * 540 AAGCTATGGAAGAATGTTATAAGTTAGGCAAAGTCTATTGGTATATGCAATTATG :	540
TrCHRb	:	* 560 * 580 * 600 GTACCAAAAACTCACCAAACTCTTGGAAACAGCCACCATTACCCCTGCAGTCAATCAGG:	600

FIGURE 38

TrCHRb : TGGA : 604

66/271

TrCHRb	:	* MAGKKIPEVLLNSGH	20 KMPVIGMGTS	* VDNRPSNDVI	40 JASIFVDAIE	* VGYRHFDSASV	60 YGTEE	:	60
TrCHRb	:	* AIGIALAKALEKGLI	80 KSRDEVFITS	* KPWNTDADYE	100 ELIVPALKTT	* LKKLGTEYVDL	120 YLIHW	:	120
TrCHRb	:	* PVRLRHDLENPVVFT	140 KEDLLPFDIE	* GTWKAMEECY	160 KLGLAKSIG	* ICNYGTKKLTK	180 LLETA	:	180
TrCHRb	:	TITPAVNOV : 189							

67/271

		*	20	*	40	*	60		
TrCHRb1:	GTGTAGCA	GNATTAGA	NAANATATAA	AAAAAAACA	TGGCAGGAAAG	AAAATCCCA	GAAG	:	60
TrCHRb2:	GTAGCA	GNGTTAGN	ANAAGNGNGAA	AAAAAAACA	TGGCAGGAAAG	AAAATCCCA	GAAG	:	58
TrCHRb3:		-AGTNNGA	AAAAGAGAGAA.	AAAAAAACÑ	TGGCAGGAAAG	AAAATCCCA	GAAG	:	51
TrCHRb4:		-AGTNNGA	AAAAGAGAGAA	AAAAAAACN	TGGCAGGAAAG	AAAATCCCA	GAAG	÷	51
TrCHRb5:					TGGCAGGAAAG			:	27
				2102	1100011001111101	HHHII CCCF		•	2,
		*	80	*	100	*	120		
TrCHRb1:	ТСТТАТТС	AATTCAGG		[~] АСТСАТАС	GAATGGGAACA'	TC A CTT A CTA C	AATC		120
TrCHRb2:	TGTTATTG	ATTCACC	ACACAAAATCC	CACTC ATTAC	GAATGGGAACA'	TCACTACAC	אאזכ.	:	118
TrCHRb3:	TCTTATTC	AATTCACC	$A \cap A \cap A \cap A \cap A \cap C \cap A$	CACTCATAC	GAATGGGAACA'		AAIC	•	
TrCHRb4:	TOTIMITO		ACACAAAAIGC	CAGICAIAG	GAATGGGAACA:	ICAGTAGAC	AATC	:	111
TrCHRb5:	TOTIATION	ANTICAGG:	ACACAAAAIGU		GAATGGGAACA' GAATGGGAACA'	ICAGTAGAC	AATC	:	111
II CIINDS.	IGITATIGE	AMIICAGG	ACACAAAATGC	CAGICATAG	GAATGGGAACA:	I CAG TAGAC	:AATC	:	87
		*	140		1.00	a.	400		
TrCHRb1:	OTTO CA TO A T	, , , , , , , , , , , , , , , , , , ,		^	160	×	180		
	GTCCATCAA	AATGATGT	TCTTGCTTCAA'	TCTTTGTTG	ATGCAATTGAA	3TTGGTTAT	CGCC	:	180
TrCHRb2:					ATGCAATTGAA			:	178
TrCHRb3:	GTCCATCAA	AATGATGT"	I'C'I'I'GC'I'TCAA'	ICTTTGTTG	ATGCAATTGAA(STTGGTTAT	CGCC	:	171
TrCHRb4:	GTCCATCAZ	AATGATGT"	PCTTGCTTCAA'	FCTTTGTTG	ATGCAATTGAA	FTTGGTTAT	CGCC	:	171
TrCHRb5:	GTCCATCA	ATGATGT"	rcttgcttcaa:	PCTTTGTTG	ATGCAATTGAA(GTTGGTTAT	CGIC	:	147
		*	200	*	220	*	240		
TrCHRb1:	ATTTCGATT	CTGCTTC'	TGTGTATGGAA(CAGAGGAAG	CCATAGGAATTO	GCTTTAGCA	AAAG	:	240
TrCHRb2:	ATTTCGATT	CTGCTTC:	TGTGTATGGAA(CAGAGGAAG	CCATAGGAATT(CTTTAGCA	AAAG	:	238
TrCHRb3:	ATTTCGATT	CTGCTTC'	IGTGTATGGAA(CAGAGGAAG	CCATAGGAATT(GCTTTAGCA	AAAG	:	231
TrCHRb4:	ATTTCGATT	CTGCTTC'	TGTGTATGGAA(CAGAGGAAG	CCATAGGAATT	CTTTAGCA	AAAG	:	231
TrCHRb5:	ATTTCGATT	CTGCTTC'	rgt#Tatggaa(CAGAGGAAG	CATAGGAATTO	CTTTAGCA	AAAG	•	207
								-	
		*	260	*	280	*	300		
TrCHRb1:	CTTTAKAAA	AAAGGGCT	PATTAAGAGTA	AGATGAAG	NTTTNATCACTI	GCAACNCA	TGGA		300
TrCHRb2:	CTTTAGAAA	AAAGGGCT	PATTAAGAGTA	AGATGAAG	TTTTCATCACTT	CAAACCCA	TGGA	:	298
TrCHRb3:	CTTTAGAAA	AAGGGCT	ГАТТААСАСТАС	TAGATGAAG	TTTTCATCACTT	CAAACCCA	тсса	:	291
TrCHRb4:	CTTTAGAAA	AAGGGCT	ГАТТААСАСТАС	CACATCAAC	TTTTCATCACTT		TCCA	:	291
TrCHRb5:	CTTTAGAAA	AAGGGCT	ГАТТААСАСТАС	CACATCAAC	TTTTCATCACTI		TCCA	:	267
,				3110111 01110	I I I I CHI CHC I I	CHIMOCCH	ICCA	•	207
		*	320	*	340	*	360		
TrCHRb1:	ΑΨΑСΨΩΑΨΩ		rgaacttattgi	TON CANNILL			300	_	334
TrCHRb2:	ATACTCATC				TCAAGACCACAT		CERCO	:	
TrCHRb3:	ATACTGATC	CAGAIIA.	CAACIIAIIG:	I ICCAGCIC	TCAAGACCACAT TCAAGACCACAT	DAAAAADI.	CIGG	:	358
TrCHRb4:								:	351
TrCHRb5:	ATACIGATO	CAGALIA.	I GAACTTATIGI	TUCAGCIC	TCAAGACCACA1 TCAAGACCACA1	."I'GAAAAAG	CTGG	:	351
TICHKD5:	ATACTGATE	CAGATTA.	rgagettattgi	TCCAGCTC	TCAAGACCACAT	"I'GAAAAAG	CTGG	:	327
		+	200	ш.	100	at.	46.5		
CIDb 1			380	ň	400	*	420		
TrCHRb1:	002000							:	
TrCHRb2:	GGACGGAG'I	ATGTGGAT	CTTTATCTGAT	CCATTGGC	CAGTGAGACTTA	GACATGAT	\mathtt{CTTG}	:	418
TrCHRb3:	GGACGGAGT	'ATGTGGAT	CTTTATCTGAT	'CCATTGGC	CAGTGAGACTTA	GACATGAT	\mathtt{CTTG}	:	411
TrCHRb4:		ATGTGGAT	CTTTATCTGAT	'CCATTGGC	CAGTGAGACTTA	GACATGAT	\mathbf{CTTG}	:	411
TrCHRb5:	GGACAGA							:	334

68/271

TrCHRb1: TrCHRb2: TrCHRb3: TrCHRb4: TrCHRb5:	AAAACCC	CTGTTGTT	ITCACCAAAG.	AAGATTTACT	460 TTCCCTTTGATA TCCCTTTGATA	ATAGAAGGGA	CATGGA	: - : 478 : 471 : 471
TrCHRb1: TrCHRb2: TrCHRb3: TrCHRb4: TrCHRb5:	AAGCTAT	'GGAAGAA'	Γ GTTATAAGT	PAGGCTTAGC	520 AAAGTCTATTO AAAGTCTATTO	GTATATGCA	ATTATG :	: - : 538 : 531 : 531
TrCHRb1: TrCHRb2: TrCHRb3: TrCHRb4: TrCHRb5:	GTACCAA	* AAAACTCA AAAACTCA	ACCAAACTCTT	* IGGAAACAGO IGGAAACAGO	580 CACCATTACCO	* CTGCAGTCA	600 ATCAGG:	: - : 598 : 584 : 547 : -
TrCHRb1 : TrCHRb2 : TrCHRb3 : TrCHRb4 : TrCHRb5 :	TGGA :	602 - - -						

FIGURE 40 (cont)

69/271

		*	20	*	40	*	60		
TrCHRc	:	TAAGAATGAANCAAT	TTTATCTNAN	IAAAAGGNNCA	NGCAAGTNAC	GTTNNATTCAA	ACATA	:	60
			0.0	ı	100	*	120		
_ ~		*	80	*	100			:	120
TrCHRC	:	GNCTTAAAGTGTGTA	ACATATTCTT	'AAC'I'IAAANI	M.I.I.I.IMACCC	MACAAAAAA	AACAA	•	120
		*	140	*	160	*	180		
ттСНВС		AGACAATAACATGGG				CTAACACTTCT		:	180
TICINC	•	AGACAMIAACAIGGC	,111010111011			, , , , , , , , , , , , , , , , , , , ,			
		*	200	*	220	*	240		
TrCHRc	:	AGTGAAAATGCCTGT	GGTTGGAATO	GGATCAGCT	CTGATTTCAC	CATGTAAGAAA	GATAC	:	240
		*	260	*	280	*	300		
TrCHRc	:	AAAAGATGCAATCAT	TGAAGCCATO	CAAACAAGGT	TATAGACACT	TTGATACTGCT	GCTGC	:	300
		*	320	*	340	*	360		
TrCHRc	:	TTATGGCTCAGAACA	AGCTCTTGGT	rgaaggtttg	AAAGAAGCAA'	TTGAACTTGGC	CTTGT	:	360
		*	380	*	400	*	420		
TrCHRc	:	CACTAGAGAAGAGCT	TTTTTGTTACT	TTCTAAACTT	rgggtcactg:	AAAATCATCCI	CACCT	:	420
		*	440	*	460	*	480		
TrCHRc	:	TGTTGTTCCTGCTCT	TCAAAAATC	rctcaagact(CTTCAATTGG	AGTACTTGGAC	TTGTA	:	480
		*	500	*	520	*	540		
TrCHRc	:	TTTGATCCATTGGC	CACTTAGTTC	rcagcctgga:	AAGTTTTCAT	rtccaattgat	GTGGC	:	540
		*	560	*	580	*	600		
TrCHRc	:	AGATCTCTTGCCAT	rtgatgtgaa(GGTGTTTGG	GAATCCATGG.	AAGAAGGCTTG	SAAACT	:	600
		*	620	*	640	*	660		
TrCHRc	:	TGGACTCACTAAAG	CTATTGGTGT	PAGTAACTTC	TCTGTCAAGA	AACTTCAAAAT	CTTGT	:	660
		*	680	*					
TrCHRc	:	CTCAGTTGCCACCG'	TTCTTCCTGC(GGTCAATCAG	: 694				

70/271

* 20 * 40 * 60
TrCHRc: MGSVEIPTKVLTNTSSQVKMPVVGMGSAPDFTCKKDTKDAIIEAIKQGYRHFDTAAAYGS: 60

* 80 * 100 * 120


TrCHRc: EQALGEGLKEAIELGLVTREELFVTSKLWVTENHPHLVVPALQKSLKTLQLEYLDLYLIH: 120

* 140 * 160 * 180

TrCHRc : WPLSSQPGKFSFPIDVADLLPFDVKGVWESMEEGLKLGLTKAIGVSNFSVKKLQNLVSVA : 180

TrCHRc : TVLPAVNQ : 188

71/271



72/271

```
240
                                              220
         :240
TrCHRc1:
         :221
TrCHRc2:
         oxed{\mathsf{AGTGAAAATGCCTGTGGTTGGAATGGGATCAGC}} oxed{\mathsf{TCCTGA}\mathsf{TTTCACATGTAA}} oxed{\mathsf{GAAAGATAC}}
                                                                      :193
TrCHRc3
         :191
TrCHRc4
         :190
TrCHRc5
         :190
TrCHRc6
                                                                      :186
TrCHRc7:
         :183
TrCHRc8
         AGTGAAAATGCCTGTGGTTGGAATGGGATCAGC<mark>S</mark>CCTGATTTCACATGTAAGAAAGAGAC
                                                                      :182
TrCHRc9:
         :182
TrCHRc10:
                                                                      :182
TrCHRc11:
                                                                      :182
TrCHRc12:
         :172
TrCHRc13:
         :172
TrCHRc14:
                                                                      :172
TrCHRc15:
                                                                      :158
TrCHRc16:
                           260
                                              280
          AAAAGATGCAATCATTGAAGCCATCAAACAAGGTTATAGACACTTTGATACTGCTGCTGC
                                                                      :300
TrCHRc1:
          AAAAGATGCAATCATTGAAGCCATCAAACAAGGTTATAGACACTTTGATACTGCTGCTGC
                                                                      :281
TrCHRc2
          AAAAGATGCAATCATTGAAGCCATCAAACAAGGTTATAGACACTTTGATAGTGCTGCTGC
AAAAGATGCAATCATTGAAGCCATCAAACAAGGTTATAGACACTTTGATAGTGCTGCTGC
AAAAGATGCAATCATTGAAGCCATCAAACAAGGNTATAGACACTTTGAAACTGCTGCTGN
                                                                      :253
TrCHRc3
                                                                      :251
TrCHRc4:
                                                                      :250
TrCHRc5:
          AAAAGATGCAATCATTGAAGCCATCAAACAAGGTTATAGACACTTTGATACTGNTGCTGC
                                                                      :250
TrCHRc6
          AAAAGATGCAATCATTGAAGCCATCAAACAAGGTTATAGACACTTTGATACTGCTGCTGC
                                                                      :246
TrCHRc7
          AAAAGATGCAATCATTGAAGCCATCAAACAAGGTTATAGACACTTTGATACTGCTGCTGC
                                                                      :243
TrCHRc8
          \mathtt{AAAAGATGCAATCATTGAAGCCATCAAACAAGGTTATAGACACTTTGATACTGCTGCTGC}
                                                                      :242
TrCHRc9:
          \mathtt{AAAAGATGCAATCATTGAAGCCATCAAACAAGGTTATAGACACTTTGATACTGCTGoldsymbol{ar{M}}	ext{TGC}
                                                                      :242
TrCHRc10:
          AAAAGATGCAATCATTGAAGCCATCAAACAGGGTTATAGACACTTTGATACTGCTGCTGC
                                                                      :242
TrCHRc11:
          AAAAGATGCAATCATTGAAGCCATCAAACAAGGTTATAGACACTTTGATACTGCTGCTGC
                                                                      :242
TrCHRc12:
          :232
TrCHRc13:
                                                                      :232
          \mathtt{AAAAGATGCAATCATTGAAGCC} ATCAAACAAGGTTATAGACACTTTGATACTGCTGCTGC
TrCHRc14:
          AAAAGATGCAATCATTGAAGCCATCAAACAAGGTTATAGACACTTTGATACTGCTGCTGC
                                                                      :232
TrCHRc15:
          AAAAGATGCAATCATTGAAGCCATCAAACAAGGTTATAGACACTTTGATACTGCTGCTGC
                                                                      :218
TrCHRc16:
                                               340
          TTATGGCTCAGAACAAGCTCTTGGTGAAGGTTTGAAAGAAGCAATTGAACTTGGTCTTGT
                                                                      :360
TrCHRc1:
          TTATGGCTCAGAACAAGCTCTTGGTGAAGGTTTGAAAGAAGCAATTGAACTTGGTCTTGT
TTATGGCTCAGAACAAGCTCTTGGTGAAGGTTTGAAAGAAGCAATTGAACTTGGTCTTGT
                                                                      :341
TrCHRc2:
                                                                      :313
TrCHRc3:
          TTATGGCTCAGAACAAGCTCTTGGTGAAGGTTTGAAAGAAGCAATTGAACTTGGTCTTGT
TTATGTNTCA<mark>C</mark>AACAAGCTCTTG<u>NANNANNGTTCNA</u>NGGCCCN
TTATGGCTCANAACAAGCTCTTGGTGAAGGTTTGAAAGAAGCAATTGAACTTGGCCTTGT
                                                                      :311
TrCHRc4:
                                                                       :293
TrCHRc5:
                                                                      :310
TrCHRc6:
          {	t TTATGGCTCAGAACAAGCTCTTGGTG}{	t GAGGTTTGAAAGAAGCAATTGAACTTGGCCTTGT
                                                                      :306
TrCHRc7:
          {	t TTATGGCTCAGAACAAGCTCTTGGTGAAGGTTTGAAAGAAGCAATTGAACTTGGCCTTGT}
                                                                       :303
TrCHRc8:
          {	t TTATGGCTCAGAACAAGCTCTTGGTGAAGGTTTGAAAGAAGCAATTGAACTTGGCCTTGT}
                                                                      :302
TrCHRc9:
          {	t TTATGGCTCAGAACAAGCTCTTGGTGAAGGTTTGAAAGAAGCAATTGAACTTGGCCTTGT}
                                                                       :302
TrCHRc10:
          {	t TTATGGCTCAGAACAAGCTCTTGGTGAAGGTTTGAAAGAAGCAATTGAACTTGGT{	t CTTGTT}
                                                                      :302
TrCHRc11:
          {	t TTATGGCTCAGAACAAGCTCTTGGTGCAGGTTTGAAAGAAGCAATTGAACTTGGCCTTGT
                                                                      :302
TrCHRc12:
                                                                       :292
          \overline{	ext{TTATGGCTCAGAACAAGCTCTTGGTGAAGGTTTGAAAGAAGCAATTGAACTTGGCCTTGT}}
TrCHRc13:
          {	t TTATGGCTCAGAACAAGCTCTTGGTGAAGGTTTGAAAGAAGCAATTGAACTTGGCCTTGT
                                                                       :292
TrCHRc14:
          {	t TTATGGCTCAGAACAAGCTCTTGGTGAAGGTTTGAAAGAAGCAATTGAACTTGGCCTTGT}
                                                                       :292
TrCHRc15:
          {	t TTATGGCTCAGAACAAGCTCTTGGTGAAGGTTTGAAAGAAGCAATTGAACTTGGCCTTGT
                                                                      :278
TrCHRc16:
```

FIGURE 43 (cont)

73/271




FIGURE 43 (cont)

74/271

		*	560	*	580	*	600
TrCHRc1:	AGATCT	CTTGCCA	TTTGATGTGAAC	GGTGTTTGG	GG		· :57
TrCHRc2:	AGN						:52
TrCHRc3:	AGATCT	CTTGCCA	TTTGATGTGA G (GGTGTTTGG	CAATCCATGG	AGAAGGCTT	GAAACT :55
TrCHRc4:	AGATCT	CTTGCCA	TTTGATGTGAG	GGTGTTTGG	CAATCCATGG	AGAAGGCTT	GAAACT :55
TrCHRc5:							: ·
TrCHRc6:	AAATCT	CTTGCCA	TTT N ATGTGAAN	GGTGTTTGG	GAATCCATGG	AAAANGCTT	NAAACT :55
TrCHRc7:	AĞATCT	CTTGCCA	TTTGATGTGAAC	GGTGTTTGG	CAATCCATGG	AAGAAGGCT1	GAAACT :540
TrCHRc8:	AGATCT	CTTGCCA	TTTGATGTGAAC	GGTGTTTGG	GAATCCATGG	AAGAAGGCTT	GAAACT :543
TrCHRc9:			TTTGATGTGAA				
TrCHRc10:			TTTGATGTGAA(
TrCHRc11:			TTTGATGTGAA(
TrCHRc12:			TTTGATGTGAA(
TrCHRc13:	AGATCT	CTTGCCA	TTTGATGTGAA(GGTGTTTGG	GAATCCATGG	AANAAGGCTT	GAAACT :53
TrCHRc14:	AGATCT	PCTTGCCA'	TTTGATGTGAA(ЗССТСТТТСС	GAATCCATGG	AAGAAGGCTT	GAAACT :53
TrCHRc15:	AGATCT	CTTCCCA	TTTGATGTGAA	GGTGTTTGG	GAATCCATGG	AGAAGGCTT	GAAACT :53
TrCHRc16:	AGATCT	CTTGCCA'	TTTGATGTGAA(3GGTGTTTGGG	GAATCCATGG	AAGAAGGCTT	GAAACT :51
ircinicro.	210211.0.			3001011100			
		*	620	*	640	*	660
TrCHRc1 :							
TrCHRc2:							
TrCHRc3 :	TGGACT	CACTAAA	GCTATTGGTGT-				: 57'
TrCHRc4:	TGGACT	CACTAAA	GCTATTGGTGT	AGTAACTTC	TCTGTCAAGA	<u> </u>	:59
TrCHRc5:							:
TrCHRc6:	TGGACT	CACTAAA	GCTATTGGTGN	ANNAACTTC	CTCTNTCAANA	AACTTCAAA	VICTINI :61
TrCHRc7:	TGGACT	CACTAAA	GCTATTGGTGT GCTATTGGTGT				<u></u> :57
TrCHRc8:	TGGACT	CACTAAA	GCTATTGGTGT:	PAGTAACTTC	TCTGTCAAGA	AACTTCAAA	ATCTTGT : 60
TrCHRc9:	TICCACE	ומ מ מידים מים	ĊĊŦ₽ŦŦĊĊŦĊŦ ſ	ГАСТААÑ!			:57
TrCHRc10:	TGGAC'	CACTAAA	GCTATTGGTGT	TAGTAACTTC	TCTGTC		<u></u> :58
TrCHRc11:	TGGAC	rcactaaa(GCTATTGGTGT	TAGTAACTTC	TCTGTCAAGA	AACTTCAAA	M :59
TrCHRc12:	TGGACT	rCACTAAA!	GCTATTGGTGT'	TAGTAACTTC	TCTGTCAAGA	AACTTCAAA	M :59
TrCHRc13:	TCCAC	י ע ע ע דיי אויי	രവം¤പ്പെടുന്നു വേഷം	Γ	$-1/2\Delta M1/2\Delta M$:57:
TrCHRc14:	TGGAC'	rcactaaa.	${ t GCTATTGGTGT'}$	TAGTAACTTC	CTCTGTCAAGA	33	:57
TrCHRc15:	TGGAC	rcactaaa,	GCTATTGGTGT	AGTAACTTC	${ m TCTGTCAAGA}$	AACTTCAAA	MCTTGT : 59
TrCHRc16:	TGGAC	CACTAAA	GCTATTGGTGT	TAGTAACTTC	CTCTGTCAAGA	AACTTCAAA	ATCTTGT : 57
m - GIID - 1		*	680 	*	_		
	:				: -		
	:				: -		
	:				: -		
TrCHRc5	:		acmmommWcmc	200	. 626		
TrCHRc6	CICAZ	#ITGCCAC	CGTTCTTNCTG	<u> </u>	: 050		
TrCHRc7	:		commen		. 621		
TrCHRc8	: CICA	3TTGCCAC	CGTTCT		: 021		
TrCHRc9	•						
TrCHRc10	:				: -		
Trunkell	:	-			: -		
					:		
TrCHRc13	•				•		
TrCHRc14							
TrCHRc15	: CTCA	CAMPIG			: 600		
TrCHRc16	: CTCA	GILL GCCAC	CGTTCTTCCTG	CGGTCAATCA	AG : 612		

FIGURE 43 (cont)


75/271

		~	20	*	40	*	60		
TrDFRa	:	GCACACNTTCT	rgacttaccaa	TTGTAATNC	TUTTAATAAT	AAACATGTCAAA	GACAGT	:	60
		*	80		100		400		
でとしたら っ		TTGTGTNACCG		* ~~~~~~~~~	100	*	120		100
IIDIIKa	•	TIGIGINACCG	ADDODAOOA	GCCAICGGI	CHIGGIGGI	100001001001	CGAACG	:	120
		*	140	*	160	*	180		
TrDFRa	:	CGGCTACATTG	CCACGCCACC.	ATCCAAGATO	CTCGAGGATGA	GAACGAGACAAA	ACATTT	:	180
		,t.	0.00						
æ~DED o	_	*	200	*	220	*	240		
TIDERA	:	GGAAGCAATGG	AAGGAGCAAAG	GGTCATCTCA	AAA1"1"1"1"1"CGA	AATGGATCTTCT	TAACAG	:	240
		*	260	*	280	*	300		
TrDFRa	:	CGACTCTATTG		AAAGGTTGTG		ACATCTTGCATG		:	300
								Ť	
		*	320		340	*	360		
TrdFRa	:	CATCATTGGTG	AAGTCAAAGAC	CCCGAGAAGC	CAAATTTTGGA	ACCGGCAATTCA	AGGAAC	:	360
		*	380	*	400	*	420		
TrDFRa	:	GGTTAATGTGTT				™ ™G™GG™GGCG∆C	₽₽₽ ₽₩₽₽₩₽		420
			. 0 0 . 0 . 0		,0001001000	101001000010	MICGIC	•	420
		*	440	*		*	480		
TrDFRa	:	GATCTCCGCCAT	CATACCGAGT	CCTAATTGGC	CAGCTGATAA	GATTAAGGGAGA	AGATTG	:	480
		*	500	+	520	4	E 4.0		
TrDFRa	•	TTGGACAGACCT				ברכים אישים בים א א.	540		540
112110	•	110011011001	. 10111 1111 100	'H'OOHHHIOF	MOTINIACIA	CCCALIGCAAA	GACACI	•	340
		*	560	*	580	*	600		
TrDFRa	:	AGCAGAAAAAGC	TGGTTGGGAA'	TTTGCTAAAG	SAGACCGGTTT'	rgatgttgttat	GATTAA	:	600
		.							
TrDFRa		CCCTGGTACT :	610						
			- -						

76/271

TrDFRa	:	* MSKTVCXTGASGAIGS	20 WVVRLLLERGYI	* VHATIQDLI	40 EDENETKHLEAM	* EGAKGHLKF	60 FEM	:	60
TrDFRa	:	* DLLNSDSIAAAVKGCA	80 GVIHLACPNIIG	* EVKDPEKQI	100 ILEPAIQGTVNV	* LKVAKEAGV	120 ERV	:	120
TrDFRa	:	* VATSSISAIIPSPNWP	140 ADKIKGEDCWTD	* LDYCKEKKI	160 LYYPIAKTLAEK	* AGWEFAKET	180 GFD	:	180
TrDFRa	:	VVMINPGT : 188							

77/271



78/271

TrDFRa1: TrDFRa2: TrDFRa3: TrDFRa4: TrDFRa6: TrDFRa6: TrDFRa7: TrDFRa8: TrDFRa9: TrDFRa10:	* CGACTCTATTGCGGNCG TGACTCTATTGCGGCCG CGACTCTATTGCGGCCG CGACTCTATTGCGGCCG CGACTCTATTGCGGCCG CGACTCTATTGCGGCCG CGACTCTATTGCGGCCG CGACTCTATTGCGGCCG CGACTCTATTGCGGCCG TGACTCTATTGCGGCCG CGACTCTATTGCGGCCG TGACTCTATTGCGGCCG	CCGTGAAAGGTT CCGTGAAAGGTT CCGTGAAAGGTT CCGTGAAAGGTT CCGTGAAAGGTT CCGTGAAAGGTT CCGTGAAAGGTT CCGTGAAAGGTT	OTGCCGAPOSTON TOTGCCGAPOSTON TOTGCCGAPOSTON TOTGCCGAPOSTON TOTGCCGAPOSTON TOTGCCGAPOSTON TOTGCCGAPOSTON TOTGCCGAPOSTON TOTGCCGAPOSTON TOTGCCGAPOSTON	AGTTATACATÑT AGTTATACATCT AGTTATACATCT AGTTATACATCT AGTTATACATCT AGTTATACATCT AGTTATACATCT AGTTATACATCT	TGCATGTĞC TGCATGTCC TGCATGTCC TGCATGTCC TGCATGTCC TGCATGTCC TGCATGTCC	TAA :300 TAA :300 TAG :300 TAA :298 TAG :298 TAA :295
TrDFRa1: TrDFRa2: TrDFRa3: TrDFRa4: TrDFRa5: TrDFRa6: TrDFRa7: TrDFRa8: TrDFRa9: TrDFRa10:	* COCCITTEGEGANGAGN CATCATTEGTGAAGTCA CATCATTEGTGAAGTCA CATCATTEGTGAAGTCA CATCATTEGTGAAGTCA CATCATTEGTGAAGTCA CATCATTEGTGAAGTCA CATCATTEGTGAAGTCA CATCATTEGTGAAGTCA CATCATTEGTGAAGTCA CATCATTEGTGAAGTCA CATCATTEGTGAAGCCNA CATCATTEGGGAAGCNA	AANACC <mark>N</mark> CGANA AAGACCCCGAGA AAGACCCCGAGA AAGACCCCGAGA AAGACCCCGAGA AAGACCCCGAGA AAGACCCCGAGA	AGCAAATT AGCAAATT AGCAAATT AGCAAATT AGCAAATT AGCAAATT	TTGGAACCGGC TTGGAACCGGC TTGGAACCGGC TTGGAACCGGC TTGGAACCGGC	AATTCAAGG AATTCAAGG AATTCAAGG AATTCAAGG AATTCAAGG	AAC :360 AAC :358 AAC :358
TrDFRa1: TrDFRa2: TrDFRa3: TrDFRa4: TrDFRa5: TrDFRa6: TrDFRa7: TrDFRa8: TrDFRa9: TrDFRa10:	* GGTTAATGTGTTGAAGGT GGTTAATGTGTTGAAGGT GGTTAATGTGTTGAAGGT GGTTAATGTGTTGAAGGT GGTTAATGTGTTGAAGGT GGTTAATGTGTTGAAGGT	TGGCAAAGGAAG TGGCAAAGGAAG TGGCAAAGGAAG TGGCAAAGGAAG	CAGGGGTG CAGGGGTG CAGGGGTG CAGGGGTG	GAGCGTGTGGT GAGCGTGTGGT GAGCGTGTGGT GAGCGTGTGGT	GGCGACATC GGCGACATC GGCGACATC GGCGACATC	GTC: 420 GTC: 418 GTC: 418
TrDFRa1: TrDFRa2: TrDFRa3: TrDFRa4: TrDFRa5: TrDFRa6: TrDFRa7: TrDFRa8: TrDFRa9: TrDFRa10:	* GATCTCCGCCATCATACO GATCTCCGCCATCATACO GATCTCIJGCCATCATACO GATCTCCGCCATCATACO GATCTCCGCCATCATACO GATCTCCGCCATCATACO	CGAGTCCTAATT CGAGTCCTAATT CGAGTCCTAATT CGAGTCCTAATT	GGCCAGCT GGCCAGCT GGCCAGCT GGCCAGCT	GATAAGATTAA(GATAAGATTAA(GATAAGATTAA(GATAAGATTAA(GGAGAAGA GGGAGAAGA GGAGAAGA GGGAGAAGA	TTG:480 TTG:478 TTG:478

FIGURE 46 (cont)

79/271

			*	500	*	520	*	540
TrDFRa1	:							:
TrDFRa2	:							<u></u> :
TrDFRa3	:			TTATTGCAANGAA				
TrDFRa4	:			PTATTGCAAGGAA				
TrDFRa5	:			TTATTGCAAGGAA				
TrDFRa6	:			TATTGCAAGGAA				
TrDFRa7	:	TTGGACA	GACCTTGAT	TTATTGCAAGGAA	AAGAAGTT	'ATACTACCCCA1	rtgcaaagac	ATT :53
TrDFRa8	:	TTGGACG	GACCTTGA1	TATTGCAAGGAA	AAGAAGTT	'ACACTACCCCA'	ICGCAAAGAC	CACT :53.
TrDFRa9	:							:
TrDFRa10	:							: -
			*	560	*	580	*	600
TrDFRa1	•				_			
TrDFRa2	:							
TrDFRa3	:	ANCAGAA	AAAGCTGGT	TTGGGAATTTGCT	AAAGAGAC	CGCTTTTGATGT	victor	:592
TrDFRa4				TGGGAATTTGCT				· :594
TrDFRa5	:	AGCAGAA	AAAGCTGGT	TGGGAATTTGCT	ABAGAGAC	CCCTTTTCT		:583
TrDFRa6	:			TGGGAATTTGCT			гтсттатсат	
TrDFRa7	:			TGGGAATTTGCT				:57
TrDFRa8				TGGGAATTTGCT			MG11	:586
TrDFRa9	:							:
TrDFRa10	:							: -
								•
			*					
TrDFRa1	:		:	_				
TrDFRa2	:		:	-				
TrDFRa3	:		;	_				
TrDFRa4	:		:	-				
TrDFRa5	:		<u></u> :	_				
TrDFRa6	:	CCCTGG	TACT : 60	8				
TrDFRa7	:		:	_				
TrDFRa8	:		:	-				
TrDFRa9	:		:	_				
TrDFRa10	:		:	_				

FIGURE 46 (cont)

80/271

TrDFRb	:	* 20 * 40 * 60 ATAAAACCAANCTNCAAAACTGATTGGAACTCAGAAAAATAGAAGAAAAGAGATGCCTGA : 60
		* 80 * 100 * 120
TrDFRb	:	GTTTTGTGTTACAGGGGGCACTGGCTTCATAGCAGCCTACCTA
TrDFRb	:	* 140 * 160 * 180 AAAGGGTCACACAGTAAGGACTACTGTAAGAAACCCAGATGATTTGGAGAAGGTTGGTT
m~DEDb		* 200 * 220 * 240
TIDERD	•	TCTAACTGAACTAAGTGAAGACAAAGAGAGATTTTAAAAGCAGATCTATTGGT : 240
TrDFRb	;	* 260 * 280 * 300 GGAAGGGAGTTTTGATGAGGCAGTGAGTGTTTGATGGTGTTTCATACAGCTTCCCC : 300
TrDFRb	:	* 320 * 340 * 360 TGTTCTTGTTCCACATGATGACAACATTCAGGTTACTTTGATTGA
		* 380 * 400 * 420
TrDFRb	:	AACACAAAATGTGCTTAACTCATGCATCAAAGCAAAGGTGAAACGTGTGGTGTTAACATC : 420
TrDFRb	:	* 440 * 460 * 480 TTCATGCTCTTCCATAAGATACCGTGACGATGTGCAACAAATTTCTCCTCTTAATGAATC : 480
		* 500 * 520 * 540
TrDFRb	:	TCATTGGAGTGATTCTGAATACTGCAAACGCTATAACCTGTGGTATGCAAAGAC : 540
TrDFRb	:	* 560 * 580 * 600 TTTAGGAGAAAAGAAGCATGGAGTTGCAAAGGAAAGTGGAATTGATCTAGTTGTAGT : 600
mwnent-		* 620
τ TDL V O	•	TAACCCCTCTTTTGTTGGTGGTC : 623

81/271

TrDFRb	:	* MPEFCVTGGTGFIAA	20 YLVKALLEKG	* HTVRTTVRNP	40 DDLEKVGYL	* TELSEDKERLK	60 ILKAD	:	60
TrDFRb	:	* LLVEGSFDEAVSGVD	80 GVFHTASPVL	* VPHDDNIQVT	100 LIDPCIKGT	* QNVLNSCIKAK	120 VKRVV	:	120
TrDFRb	:	* LTSSCSSIRYRDDVQ	140 QISPLNESHW	* SDSEYCKRYN	160 LWYAYAKTL	* GEKEAWRIAKE	180 SGIDL	:	180
TrDFRb	:	* VVVNPSFVGG : 19	0						

82/271

		*	20	*	40	*	60		
TrDFRb1:	ATAAAAC	CAANCTN				AGAAAAGAGAT		:	60
TrDFRb2:				GNACCTCN		\GAAAAGAGAT(:	35
TrDFRb3:						-GGAAAGAGAT(:	16
TrDFRb4:						<u>GAGAII</u>	GCCTGA	:	11
		*	80	*	100	*	120		
TrDFRb1:	GTTTTGT	'GTTACAG	GGGGCACTG	GOTTCATAGC	AGCCTACCTA(STGAAAGCCTT	ATTAGA	:	120
TrDFRb2:	GTTTTGT	'GTTACAG	GGGGCACTG	GGTTCATAGC	AGCCTACCTAC	TGAAAGCCCT	ATTAGA	:	95
TrDFRb3:	GTTTTGT	'GTTACAG	GGGGCACTG	GCTTCATAGC	AGCTTACCTAC	TGAAAGCCTT	ATTAGA	:	76 71
TrDFRb4:	GTTTTTGT	'G'I"T'ACAG	GGGGCACTG	GCTTCMTAGC	AGCTTACCTAC	STGAAAGCCTT	ALIAGA	•	/ 1
1 1	2.2.2.GGG	*	140	*	160	* ITGGAGAAGGT'	180		180
TrDFRb1: TrDFRb2:	AAAGGGT	CACACAG	TAAGGACTA	CTGTAAGAAA	CCCAGATGAT. CCCAGATGAT	TTGGAGAAGGT TTGGAGAAGGT'	TGGTIA	•	155
TrDFRb3:	AAAGGGI	CACACAG	TAAGGACIA	CTGTAAGAAA	CCCAGATGAT. CCCAGATGAT	TTGGAGAAGGT'	тсстта	•	136
TrDFRb4:	AAAGGGT	'CACACAG	TAAGGACTA TAAGGACTA	CTGTAAGAAA	CCCAGATG T	TTGGAGAAGGT'	TGGTTA	:	131
		*	200	*	220	*	240		
TrDFRb1:	тста аст			AAGAGAGATT		AAAGCAGATCT		:	240
TrDFRb1:	TCTAACT	'GAACTAA	GTGAAGACA	AAGAGAGATT	GAAGATTTTA	AAAGCAGATCT	ATTGGT	:	215
TrDFRb3:	TCTAACT	GAACT	GTGAAGACA	AAGAGAGATT	GAAGATTTTA	AAAGCAGATCT	\mathbf{ATTGGT}	:	196
TrDFRb4:	TCTAACT	GAACTIA	GTGAAGACA	AAGAGAGATT	'GAAGATTTTA	AAAGCAGATCT	ATTGGT	:	191
		*	260	*	280	*	300		
TrDFRb1:	GGAAGGG	AGTTTTG	ATGAGGCAG	TGAGTGGTGT	TGATGGTGTG	TTTCATACAGC'	TTCCCC	:	300
TrDFRb2:	GGAAGGG	SAGTTTTG	ATGAGGCAG	TGAGTGGTGT	TGATGGTGTG	PTTCATACAGC'	TTCCCC	:	275
TrDFRb3:	GGAAGGG	AGTTTTG	ATGAGGCAG	TGAGTGGTGT	TGATGGTGTG'	TTTCATACAGC'	TTCCCC	:	256
TrDFRb4:	GGAAGGG	SAGTTTTG	ATGAGGCAG	TGAGTGGTGT	'TGATGGTGTG	TTTCATACAGC'	I-LCCCC	:	251
		*	320	*	340	*	360		
TrDFRb1:	TGTTCTT	TGTTCCAC	ATGATGACA	ALATTCAGGI	'TACTTTGATT	GATCCATGTAT.	AAAAGG	:	360
TrDFRb2:	TGTTCTT	TGTTCCAC	ATGATGACA	AMATTCAGGT	TACTTTGATT	GATCCATGTAT.	AAAAGG	:	335 316
TrDFRb3:	TGTTCTT	rG'r'r'CCAC	'ATGATGACA	ACATTCAGGT	TACTTTGATT	GATCCATGTAT. GATCCATGTAT.	AAAAGG	:	311
TrDFRb4:	TGTTCTT	'GTTCCAC	ATGATGACA	ACATICAGGI	IACIIIGAII	GAICCAIGIAI.	21-1-V-V-C/C	•	JII
					400		100		
14		*	380	*	400	*	420		420
TrDFRb1: TrDFRb2:						CGTGTGGTGTT. CGTGTGGTGTT.		•	395
TrDFRb2:	AACACAG	MANIGIGC A A TCTCC	יחים אכיוכאיו	CCATCAAAGC	'AAAGGIGAAA'	CGTGTGGTGTT	AACATC	:	376
TrDFRb4:	AACACAA	ODTOTAGE AAATGTGC	TTAACTCAT	GCATCATAGO	AAAGGTGAAA	CGTGTGGTGTT	AACATC	:	371
LLDIIW4.				Name of the second					
		*	440	*	460	*	480		
TrDFRb1:	<u> </u>	ттсттсса				TCACCACTTAA		:	480
TrDFRb1:						TCTCCTCTTAA		:	455
TrDFRb3:	TTCATGO	CTCTTCCA	TAAGATACC	GTGACGATGT	GCAACAAATT	TCTCCTCTTAA	TGAATC	:	436
TrDFRb4:	TTCATGO	CTCTTCCA	TAAGATACC	GTGACGATGT	GCAACAAATT	TCTCCTCTTAA	TGAATC	:	431

83/271

TrDFRb1: TrDFRb2: TrDFRb3: TrDFRb4:	TCATTGGAG TCATTGGAG	TGATTCTC TGATTCTC	ATTACTGCAAA AATACTGCAAA	CGCTATAA(CGCTATAA(520 CCTGTGGTATGC CCTGTGGTATGC CCTGTGGTATGC CCTGTGGTATGC	ATATGCAA ATATGCAA	AGAC AGAC	540 515 496 491
TrDFRb1: TrDFRb2: TrDFRb3: TrDFRb4:	TTTAGGAGA TTTAGGAGA	AAAAGAAG AAAAGAAG	CATGGAGGATT	GCAAAGGAZ GCAAAGGAZ	580 AGTGGGATTAA AGTGGAATTGA AGTGGAATTGA	CTAGTTG:	TAGT :	570 572 556 551
TrDFRb1 TrDFRb2 TrDFRb3 TrDFRb4		* CTTTTGTT		- - 72 74				

84/271

TrDFRc	:	* GNGAAGANCTAGTTT	20 GCGTAACCCG	* GANCAACGG'	40 PTTCATCGGA	* ACATGGCTAG	60 TAAAA	:	60
TrDFRc	:	* CCCTACTCCAAAAAC	80 ACTACAAAAT	* TCACGCCAC	100 AATCTTCCCC	* AATTCCAACG(120 CATCTC	:	120
TrDFRc	:	* ATCTCTTCACACTCC	140 ACCCGGAAGC	* TCAATCCCG	160 GATCACAATT	* TTCCCTGTCG	180 ATATCC	:	180
TrDFRc	:	* TCGACTCCACCGCCG	200 TCTTCTCCGC	* TATCAATAA	220 CTGCTCAGGT	* GTCTTTCATGO	240 CCGCTT	:	240
TrDFRc	:	* CTCCATGTACCCTCG	260 AAGATCCAAC	* TGATCCGCA	280 AAAAGAGCTT	* CTAGAACCTG(300 CTGTAC	:	300
TrDFRc	:	* AAGGAACCCTAAATG	320 TTCTAGAAGC	* ATCCAGCGC	340 GCAGGTACCA	* \AACCCTAATT(360 GGCCGG	:	360
TrDFRc	:	* AGAAAAAGGCGATCG	380 ATGAGGCGTC	* GTGGACGGA	400 TGTTGAGTAC	* TGTAAATTGA	420 GAGGGA	:	420
TrDFRc	:	* AGTGGTATCTGGTGT	440 CGAAAACGGA	* .GGCGGAGAA	460 GGCGGCTTGG	* GGATTTTCGAG.	480 AGAAAA	:	480
TrDFRc	:	* ATGGTGGTGTTGATG	500 TGGGGGCGGN	* ITCATCCGGG	520 GACTTGTTTC	* GGGAGAGTTGA	540 TACAGA	:	540
TrDFRc	:	* AGGAGTTGAATGCGA	560 .GTTCAGCGGN	* ITTTACAGAG	580 GTTGATGATC	* GGGGAGTGAGG	600 ATACTC	:	600
TrDFRc	:	* AAGAGTGNTATTGGN	620 MGGGGGGCTG	* SNNNATGNTA	640 AAGATGN :	641			

85/271

TrDFRc	:	* EXLVCVTRXNGFIG	20 FWLVKTLLQKH	* YKIHATIFF	40 NSNASHLFTL	* HPEAQSRITI	60 FPVDIL	:	60
TrDFRc	:	* DSTAVFSAINNCSG	80 VFHAASPCTLE	* DPTDPQKEL	100 LEPAVQGTLM	* VLEASSAQVPI	120 NPNWPE	:	120
TrDFRc	:	* KKAIDEASWTDVEY	140 CKLRGKWYLVS	* KTEAEKAAW	160 DFREKNGGVD	* VGAXHPGTCL(180 GELIQK	:	180
TrDFRc	:	* ELNASSALORLMMG	200 SEDTOEXYWXG	G : 206					

86/271

TrDFRd	:	* GCNTTGATCAGCGTAT	20 NAACACACANGT	* CTTCCCTT	40 GAGCTCTGTTTC	* TCCACATG	60 TCGA	:	60
TrDFRd	:	* AGCTAGTTTGCGTCAC	80 CGGCGGCAGCGG	* ATGCATCG	100 GTTCATGGCTAG	* TCCATCTC	120 CTTC	:	120
TrDFRd	:	* TCCTCCGCGGCTACAC	140 TGTTCACGCCAC	* CGTCCAAA	160 ATCTCAATGATG	* AGAACGAA	180 ACGA	:	180
TrDFRd	:	* AGCATCTAGAAGCTCT	200 CGAAGGAGCACA	* AACTAATC'	220 TCCGTCTCTTCC.	* AGATCGAT(240 CTCC	:	240
TrDFRd	:	* TTAACTACGACACAAT	260 CCTCGCTGCTGT	* CCGCGGTT	280 GCGTCGGAATTT	* ICCACCTC	300 GCTT	:	300
TrDFRd	:	* CACCTTGCACTGTAGA	320 CAAAGTTCATGA	* TCCTCAGA	340 AGGAGCTTTTGG.	* ATCCTGCA	360 ATTA	:	360
TrDFRd	:	* AAGGGACTTTGAATGT	380 GCTTACTGCAGC	* TAAGGAAG	400 TAGGGGTGAAGC	* GTGTGGTT(420 GTTA	:	420
TrDFRd	:	* CCTCGTCTGTCTCGGC	440 GATTACTCCTAG	* TCCTGATT	460 GGCCTTCTGATG	* PTGTTAAA	480 AGAG	:	480
TrDFRd	:	* AGGATTGTTGGACTGA	500 .TGTTGAATATTG	* CAAGAAAA	520 AAGAGTTGGGGT.	* ATCCGTTG'	540 ICCA	:	540
TrDFRd	:	* AAACATTGGCTGAAAA	560 AGCTGCGTGGGA	* TTTTTNCA	580 AAGAAAATGGTT	* IGGATGTT(600 GTTG	:	600
TrDFRd	:	* NGGTGAATCCCGGNAC	620 TGNGATGGGTCC	* TGTTTTTC	640 CACCACGGCATA	* ATGCAAGC	660 ATGC	:	660
TrDFRd	:	* TCATGCCTTGGGAAAC	680 TTTTTTGAAGGC	* TGGNNCTG	700 AAACATTTGAAG	* ACTATTTT	720 ATGG	:	720
TrDFRd	:	* GATTGGCCNNCTTTAA	740 AGATGTNGCATT	* GGCNCATM	760 NTTTGGGGTATG	* AGAACAAAI	780 NANN	:	780
TrDFRd	:	* CTTTGGGANACATNGG	800 NGGGTTGAAACT	* ATCNNTCC	820 TTACGG : 822				

87/271

		*	20	*	40	*	60		
rrDFRd	:	MSKLVCVTGGSGCIGS	WLVHLLLLRGYT'	JHATVQNLI	NDENETKHLEAL	EGAQTNLRI	LFQI	:	60
rrDFRd	:	* DLLNYDTILAAVRGCV	80 GIFHLASPCTVD	* KVHDPQKE	100 LLDPAIKGTLNV	* LTAAKEVG	120 VKRV	:	120
TrDFRd	:	* VVTSSVSAITPSPDWP	140 SDVVKREDCWTD	* VEYCKKKE	160 LGYPLSKTLAEK	* AAWDFXKEI	180 NGLD	:	180
TrDFRd	:	* VVXVNPXTXMGPVFPP	200 RHNASMLMPWET	* FLKAXXET	220 FEDYFMGLAXFK	* DXALXHXL(240 GYEN	:	240
TrDFRd	:	* KXXLGXXXGLKLXXLT	: 256						

88/271

		*	20	*	40	*	60		
TrDFRd1: TrDFRd2:	GCNTTGAT	CAGCGTATI	NAACACACANGT MACANNT	CTTCCCTT CTTCCCTT	GAGCTCTGTTTC GAGCTCTGTTTC	TCCNCATG' TCCACATG'	TCGA TCGA	:	60 39
		*	80	*	100	*	120		
TrDFRd1: TrDFRd2:					GTTCATGGCTAG GTTCATGGCTAG			:	120 99
		*	140	*	160	*	180		
TrDFRd1: TrDFRd2:	TCCTCCGC	GGCTACAC' GGCTACAC'	FGTTCACGCCAC FGTTCACGCCAC	CGTCCAAA CGTCCAAA	ATCTCAATGATG ATCTCAATGATG	AGAACGAA. AGAACGAA.	ACGA ACGA		180 159
		*	200	*	220	*	240		
					TCCGTCTCTTCC. TCCGTCTCTTCC.				240 219
		*	260	*	280	*	300		
TrDFRd1: TrDFRd2:	TTAACTAC TTAACTAC	GACACAAT GACACAAT	CCTCGCTGCTGT CCTCGCTGCTGT	CCGCGGTT CCGCGGTT	GCGTCGGAATTT GCGTCGGAATTT	TCCACCTC	GCTT GCTT	-	300 279
	a. camaa	*	320	*	340	*	360		260
TrDFRd1:					AGGAGCTTTTGG AGGAGCTTTTGG				360 339
		*	380	*	400	*	420		400
TrDFRd1: TrDFRd2:	AAGGGACT AGGGACT	"I"I'GAATGT("TTGAATGT(GCTTACTGCAGC GCTTACTGCAGC	TAAGGAAG	TAGGGGTGAAGC TAGGGGTGAAGC	GTGTGGTT GTGTGGTT	GTTA GTTA	-	420 399
mnmn 41	Сатастат	*	440	*	460 GGCCTTCTGATG	*	480		400
TrDFRd1:	CCTCGTCT	GTCTCGGC GTCTCGGC	GATTACTCCTAG GATTACTCCTAG	TCCTGATT	GGCCTTCTGATG GGCCTTCTGATG	TTGTTAAA.	AGAG	:	480 459
		*	500	*	520	*	540		
TrDFRd1: TrDFRd2:	AGGATTGT AGGATTGT	'TGGACTGA' 'TGGACTGA'	PGTTGAATATTG PGTTGAATATTG	CAAGAAAA CAAGAAAA	AAGAGTTGIGGT. AAGAGTTGGGGT	ATCCGTT- ATCCGTTG	TCCA		535 519
m nmn 14		*	560	*	580	*	600		
TrDFRd1: TrDFRd2:	AAACATTG	GCTGAAAA	AGCTGCGTGGGA	TTTTTNCA	AAGAAAATGGTT	TGGATGTT	GTTG	:	579
m pp= 34		*	620	*	640	*	660		
	NGGTGAAT				CACCACGGCATA		ATGC	:	639

89/271

TrDFRd1:		*	680	*	700	*	720	
TrDFRd2:	TCATGCCT	TGGGAAA	CTTTTTTGAAGO	CTGGNNCT	rgaaacattt(SAAGACTATT	TTATGG:	699
TrDFRd1:		*	740	*	760	*	780	_
TrDFRd2:	GATTGGCC	'NNCTTTA	AGATGTNGCAT	'TGGCNCAT	TNNTTTGGGGT	'ATGAGAACA	AANANN	759
TrDFRd1	:	*	800	*	820	_		
TrDFRd2	: CTTTGGG	ANACATNO	GNGGGTTGAA	ACTATONNI	CCTTACGG:	801		

90/271

		~-~-		20	8	40	*	60		
TrDFRe	:	GTCACTTA	TGAAATGG	AACACAAAGGTG	GAGACAAA	.GTATGTGTGAC.	AGGGGCATC	AGGC	:	60
TrDFRe	:	TTTTTAGC	* ATCTTGGC	80 FTATTAAGAAAC	* TTCTTTTG	100 TCTGGCTATCA	* AGTCATTGG	120 AACA	:	120
TrDFRe	:	GTTAGAGA	* TTTAGGGA	140 AGAAGAAGAAAG	* TTGAACAT	160 TTATGGAAATT	* GGAAGGAGC	180 AACA	:	180
TrDFRe	:	GAAAGACT	* AGAACTAA:	200 FCCAAGCTGATT	* TAATGGAA	220 GAAAATAGTTT	* CGACAAAGC	240 GATC	:	240
TrDFRe	:	ATGGGATG	* CAAAGGTG:	260 FCTTCCACATTG	* CCTCTCCA	280 GTACTCAATCA	* FATATCAGA	300 TAAT	:	300
TrDFRe	:	CCTAAGGC	* GGAAATCT:	320 FGGAACCGGCAG	* TCCAAGGT	340 ACGCTAAATGT0	* GTTGCGTTC	360 TTGT	:	360
TrDFRe	:	AAGAGGAA	* CCCCGATC	380 PTGTTCGAGTGG	* TGCTAGCC	400 TCATCATCTTC	* GCTGTTAG	420 AGTA	:	420
TrDFRe	:	AGAGCTGA	* TTTTGATCO	440 CAAGCATACCAA	* TTGATGAA	460 TCATCTTGGAGO	* CTCCTTGGA	480 ATTG	:	480
TrDFRe	:	TGCGAGAA	* ACTCAAGG(500 CATGGTACCCAA	* TGTCAAAG.	520 ACAATGGCAGAZ	* AAAAGCAGC'	540 TTGG	:	540
TrDFRA		CAATATAC	* Caaacacaa	560 \magaa	* \$\frac{1}{2} \text{CPC}	580	2			

91/271

TrDFRe	:	* MEHKGGDKVCVTGASO	20 GFLASWLIKKLL	* LSGYQVIG	40 rvrdlgkkkkveh	* ILWKLEGATE	60 ERLE	:	60
TrDFRe	:	* LIQADLMEENSFDKA:	80 IMGCKGVFHIAS	* PVLNHISDI	100 NPKAEILEPAVQO	* STLNVLRSCK	120 KRNP	:	120
TrDFRe	:	* DLVRVVLASSSSAVR	140 /RADFDPSIPID	* ESSWSSLEI	160 LCEKLKAWYPMSH	* CTMAEKAAWE	180 EYSK	:	180
TrDFRA		* ENGIDIA/TIE · 190	n						

92/271

TrDFRf	:	TNCNNGCTNCNTNCGG	20 GCAGAGANTTTCO	CCTGACCT	40 ATNTGTTACTNA	AGAATATT	60 CTA	:	60
TrDFRf	:	* TATATATATTTGTGTT	80 FCAAGAACCCAA	* AAAATAGA	100 ATAGTGATGGAA	* AGGAGTTG(120 CAAG	:	120
TrDFRf	:	* GTTTGTGTCACCGGTG		* PTGGTTCT	160 CTTTTAGTCAAA	* AAGCTTTT(180 GGAA	:	180
TrDFRf	:	* AAGGGTTACACCGTTC		* GAAACTTG	220 AAGGACGAATCC		240 FTTT	:	240
TrDFRf	:	* TTGAGAGGCTTTCCAC		* GACTTATG'	280 TTATTTGAAGCT		300 CAAA	:	300
TrDFRf	:	* TCAGATGAATTTTGGC		* GTTGTGAG	340 TTTGTTTTTCAC	* CTTGCTAC	360 FCCT	:	360
TrDFRf	:	* TTTCAACATCAAACTG		* AGAGCATA			420 GGTA	:	420
TrDFRf	:	* AAAAGCATAGCTGAAA		* CAGGAACA(480 FGGA	:	480
TrDFRf	:	* ACTGTAATTGCTTCTT		* ATGATGGA	520 AGTGGCTACAAA		540 FGAT	:	540
TrDFRf	:	* GAAACTTGTTGGACAC	560 CTCTCCATCTTC	* CTCT : 5	72				

93/271

TrDFRf	:	* MERSCKVCVTGGAGY	20 IGSLLVKKLL:	* EKGYTVHATL	40 RNLKDESKVI	* >FLRGFPHADT	60 RLMLF	:	60
TrDFRf	:	* EADIYKSDEFWPAIQ	80 GCEFVFHLAT	* PFQHQTDSQF	100 KSIEEAAIAG	* SVKSIAENCIP	120 KSGTVR	:	120
TrDFRf	•	* KLTYTGTVTASSSLKI	140 DDGSGYKDFTI	* DETCWTP1,H1,	D · 156				

94/271

		*	20	*	40	*	60		
TrDFRg	:	GCCNTTGCCTA	CTACTAAACTA	TATTATTATAT	TATATTATATG	ATGATACATAC	STGACA	:	60
		*	80	*	100	*	120		
TrDFRg	:	TTAATAATTGG	AAGGGAGAATA	ATAGTTGAAA	AACACACAGTT	GGAGTGTTTT	GTTGT	:	120
		*	140	*	160	*	180		
TrDFRg	:	TAAAGAAGCTN	GAAAATGGAGG <i>I</i>	AGCNACAAAG	ATGGTGAAAAA(GAGTGGACAAA	TTGTT	:	180
MacDIID		*	200	*	220	*	240		
TIDFKG	:	CCTACTGCCAA	A'l'AC'l'G'l'G'l''l'AC	CAGGAGCAACA	.GGCTATATTGG	TTCATGGCTTG	TTGAA	:	240
ጥፖጋፑፑር		* GCTCTTCTTCA	260	*	280	*	300		200
TIDING	•	GCICITCITCA	JAJET TEURADAA	.tG11CA1GC1	ACTGTTAGAGAT	rcchgaaaan	CGTTA	:	300
TrDFRq	:	* CACCTCCTGTC	320 GTTGTGGAAAG	* TAGTGACCAA	340 TTGAGA ATTTT	* ጉርርጥርቦርር አጥጥ	360		360
J					.11011011111111	CGIGCGGAII	IGCAA	•	300
TrDFRg	:	* GAAGAAGGAAG	380 TTTCGATGATGC	* CGTAAAAGGA	400 TGTATTGGTGTG	* STTCCATGTTG	420 CAGCT	•	420
								•	
TrDFRg	:	* TCAATGCAATT	440 CAATATTAGTGA	Caaagaaaac	460 ACTGAGGACTTI	* GTTGAAGCAA	480 ATATA	:	480
TrDFRg	:	ATTGACCCTGC.	500 AATCAAAGGAAC	· · · CATAAATCTT	520 CTCAAATCATGO	* TTGAAATCAA	540 ATTCA	:	540
		*	560	*	580	J.	600		
TrDFRg	:	GTGAAAAGGGT		TTCCATAAGT	ACTATTACTGCT	'AAAGACAACG	600 ACGGA	:	600
		*	620	*	640	*	660		
TrDFRg	:	AAATGGAAACC'		ATCTTGCCAA	ACAAÄÄÄCTGAG	ATTCTGTGGA	ATACA	:	660
		*	680	*	700	*	•		
TrDFRg	:	CAACCAAGTGG	ATGGGTTTATGC	ACTTTCAAAG	CTTCATGCAGAA	CAACCCCCT	. 71/		

95/271

TrDFRg	:	MVKKSGQIV	* PTAKYCVT	20 GATGYIGSWLVI	* EALLQRGCT	40 VHATVRDPEKSI	* CHLLSLWKGS	60 SDQ :	60
TrDFRg	:	LRIFRADLÇ	* EEGSFDDA	80 VKGCIGVFHVA		100 KENTEDFVEAN	_	L20 ENL :	120
TrDFRg	:	LKSCLKSNS		140 SISTITAKDNDO		160 SCQTKTEILWN	_	180 LSK :	1.80
TrDFRg	:	LHAEEAA :	187						

96/271

# 140 * 160 * 180 TrDFRg1: TAAAGAAGCTTTAAAATGCAGGAACAACAACAACATGCTCAAAAAATAACATGCTCAAAAATTGTT : 180 TrDFRg2:AGAAGCTTTAAAAATGCAGGAACAACAACAACAACAACAACAACAACAACAACAA			*	20	*	40	*	60	
# 80 * 100 * 120 TTDFRg1: TTAATAATTGGAAGGGAGAATAAATAGTTGAAAAACACACAGTTGGAGTGTTTTTGTTGT TTDFRg2: TTADFRg3:	_	GCCNTTG	CCTACTAC	PAAACTATATAT	TATTATTA	TATTATATGATG.	ATACATAG:	rgaca :	: 60
# 80 * 100 * 120 TTDFRq2: TTDFRq3: * 140 * 160 * 180 TTDFRq2:	_								: -
TYDFRG1: TAATAATTGGAAGGGAGAATAAATAGTTGAAAAACACACAGTTGGAGTGTTTTGTTGT TYDFRG2: TYDFRG3: * 140 * 160 * 180 TYDFRG1: TAAGAAGCTTGAAAATGGAGGAAGCAAAAGAATGGTGAAAAATGGTT TYDFRG2:	TrDFRg3:								: –
TYDFRG1: TAATAATTGGAAGGGAGAATAAATAGTTGAAAAACACACAGTTGGAGTGTTTTGTTGT TYDFRG2: TYDFRG3: * 140 * 160 * 180 TYDFRG1: TAAGAAGCTTGAAAATGGAGGAAGCAAAAGAATGGTGAAAAATGGTT TYDFRG2:									
TYDFRG1: TAATAATTGGAAGGGAGAATAAATAGTTGAAAAACACACAGTTGGAGTGTTTTGTTGT TYDFRG2: TYDFRG3: * 140 * 160 * 180 TYDFRG1: TAAGAAGCTTGAAAATGGAGGAAGCAAAAGAATGGTGAAAAATGGTT TYDFRG2:			*	8.0	*	100	*	120	
### 140	TrDFRq1:	TTAATAA'	TTGGAAGG		TTGAAAAA		$\Xi T G T T T T T T$	120	120
* 140 * 160 * 180 TrDFRg1: TAAAGAAGCT AAAATGCAGGAAECAACAAGATGCTCAAAAATGCTTCTT TrDFRg2:ACAACCTNGAAAATGCAGGAAECAACAACAAGATGCTCAAAAAAGAGTGGACAAATTCTT : 57 TrDFRg3:	TrDFRg2:								: -
TrDFRg1: TAAAGAAGCTTAAAATGGAGGAARCAAGATGGTGAAAAATAGTGGACAAATTGTT : 180 TrDFrg3:	TrDFRg3:							:	: –
TrDFRg1: TAAAGAAGCTTAAAATGGAGGAARCAAGATGGTGAAAAATAGTGGACAAATTGTT : 180 TrDFrg3:									
TrDFRg1: TAAAGAAGCTTAAAATGGAGGAARCAAGATGGTGAAAAATAGTGGACAAATTGTT : 180 TrDFrg3:			*	1.40	*	160	4	100	
TrDFRg2: AGAAGCTNGAAAATGGAGGAAGNACAAAGATGTGAAAAAGAGTGGACAAATTGTT : 57 TrDFRg3: CTNGAAAATGGAGGAAGNACAAAGATGTGAAAAAGAGTGGACAAATTGTT : 52 TrDFRg1: * 200 * 220 * 240 TrDFRg2: CCTACTGCCAAATACTGTGTACAGGAGCAACAGGCTATATTGGTTCATGGCTTGTTGAA : 117 TrDFRg3: CCTACTGCCAAATACTGTGTTACAGGAGCAACAGGCTATATTGGTTCATGGCTTGTTGAA : 112 TrDFRg3: CCTACTGCCAAATACTGTGTTACAGGAGCAACAGGCTATATTGGTTCATGGCTTGTTGAA : 112 TrDFRg1: CCTACTGCCAAATACTGTGTTACAGGAGCAACAGGCTATATTGGTTCATGGTTCATGGTTACAGAACTCTGTTACAGAACTCTGTTACAGAACTCTGTTACAGAACTCTGTTACAGAACTCTTACAGAACTCTTACAGAACTCTTACAGAACTCTTACAGAACTCTTACAGAACTCTTACAGAACACTTACAGAACTCTTACAGAACTCTTACAGAACTCTTACAGAACTCTTACAGAACTCTTACAGAACTTTCCATGTTACAGAACTTTCCATGTTACAACAACTTTCCATGTTACAGAACTTTTCCATGTTCCATGTTACAACAACTTTCCATGTTACAGAACTTTTCCATGTTACAGAACTTTTCCATGTTACAGAACTTTTCCATGTTACAGAACTTTTCCATGTTACAGAACTTTTCCATGTTACAGAACTTTTCCATGTTACAGAACTTTTCCATGTTACAGAACTTTTCCATGTTACAACAACTAAAAAAAA	TrDFRa1:	ТАААСАА	CCTATAAA		ACAAAGAT		TGCACAAA1		190
TrDFrg1:		AGAA	GCTNGAAA	ATGGAGGAAGN	ACAAAGAT	GGTGAAAAAGAG'	rggacaaa'	TETT	
TrDFRg1: CCTATGCCAAATACTGTGT ACAGGACCAACAGGCTATATTGGTTCATGGCTTGTTGAA : 240 TrDFRg3: CCTACTGCCAAATACTGTGTTACAGGAGCAACAGGCTATATTGGTTCATGGCTTGTTGAA : 117 TrDFRg3: CCTACTGCCAAATACTGTTACAGGAGCAACAGGCTATATTGGTTCATGGCTTGTTGAA : 112 * 260 * 280 * 300 TrDFRg1: GCTCTTCTTCAAAGAGGTTGCACTGTTCATGCTACTGTTAGAGATCCTG . : 289 TrDFRg2: GCTCTTCTTCAAAGAGGTTGCACTGTTCATGCTACTGTTAGAGATCCTG . : 177 TrDFRg3: GCTCTTCTTCAAAGAGGTTGCACTGTTCATGCTACTGTTAGAGATCCTGAAAAATCGTTA : 172 TrDFRg3: CACCTCCTGTCGTTGTGCAAAGGTTGCACTGTTAGAGATCCTGAAAAATCGTTA : 172 TrDFRg1:	TrDFRg3:		-CTNGAAA	ATGGAGGAAGCN.	ACAAAGAT	GGTGAAAAAGAG'	rggacaaar	TGTT	
TrDFRg1: CCTATGCCAAATACTGTGT ACAGGACCAACAGGCTATATTGGTTCATGGCTTGTTGAA : 240 TrDFRg3: CCTACTGCCAAATACTGTGTTACAGGAGCAACAGGCTATATTGGTTCATGGCTTGTTGAA : 117 TrDFRg3: CCTACTGCCAAATACTGTTACAGGAGCAACAGGCTATATTGGTTCATGGCTTGTTGAA : 112 * 260 * 280 * 300 TrDFRg1: GCTCTTCTTCAAAGAGGTTGCACTGTTCATGCTACTGTTAGAGATCCTG . : 289 TrDFRg2: GCTCTTCTTCAAAGAGGTTGCACTGTTCATGCTACTGTTAGAGATCCTG . : 177 TrDFRg3: GCTCTTCTTCAAAGAGGTTGCACTGTTCATGCTACTGTTAGAGATCCTGAAAAATCGTTA : 172 TrDFRg3: CACCTCCTGTCGTTGTGCAAAGGTTGCACTGTTAGAGATCCTGAAAAATCGTTA : 172 TrDFRg1:									
TrDFRg1: CCTATGCCAAATACTGTGT ACAGGACCAACAGGCTATATTGGTTCATGGCTTGTTGAA : 240 TrDFRg3: CCTACTGCCAAATACTGTGTTACAGGAGCAACAGGCTATATTGGTTCATGGCTTGTTGAA : 117 TrDFRg3: CCTACTGCCAAATACTGTTACAGGAGCAACAGGCTATATTGGTTCATGGCTTGTTGAA : 112 * 260 * 280 * 300 TrDFRg1: GCTCTTCTTCAAAGAGGTTGCACTGTTCATGCTACTGTTAGAGATCCTG . : 289 TrDFRg2: GCTCTTCTTCAAAGAGGTTGCACTGTTCATGCTACTGTTAGAGATCCTG . : 177 TrDFRg3: GCTCTTCTTCAAAGAGGTTGCACTGTTCATGCTACTGTTAGAGATCCTGAAAAATCGTTA : 172 TrDFRg3: CACCTCCTGTCGTTGTGCAAAGGTTGCACTGTTAGAGATCCTGAAAAATCGTTA : 172 TrDFRg1:			+	200	-4-	222	ala	0.40	
TrDFRg2: CCTACTGCCAAATACTGTGTTACAGGAGCAACAGGCTATATTGGTTCATGGCTTGTTGAA : 112 * 260 * 280 * 300 TrDFRg1: CCTCTTCTCAAAGAGGTTGCACTGTTCATGCTACTGTTAGAGATCCTG TrDFRg2: GCTCTTCTTCAAAGAGGTTGCACTGTTCATGCTACTGTTAGAGATCCTG TrDFRg3: GCTCTTCTTCAAAGAGGTTGCACTGTTCATGCTACTGTTAGAGATCCTGAAAAATCGTTA : 177 TrDFRg3: GCTCTTCTTCAAAGAGGTTGCACTGTTCATGCTACTGTTAGAGATCCTGAAAAATCGTTA : 172 * 320 * 340 * 360 TrDFRg1:	TrDFRa1.	CCTA	ССАДАТАСТ		CCMACACC		ATTCCCTTTCT	240 2007	240
TrDFRg1: * 260 * 280 * 300 * 289 TrDFRg2: GCTCTTCTTCAAAGAGGTTGCACTGTTCATGCTACTGTTTGAAAAATCGTTA GCTTCTTCAAAGAGGTTGCACTGTTCATGCTACTGTTAGAGATCCTGAAAAAATCGTTA GCTCTTCTTCAAAGAGGTTGCACTGTTCATGCTACTGTTAGAGATCCTGAAAAATCGTTA GCTCTTCTTCAAAGAGGTTGCACTGTTCATGCTACTGTTAGAGATCCTGAAAAATCGTTA 177 TrDFRg3: * 320 * 340 * 360 * 360 * 237 TrDFRg1:	TrDFRg2:	CCTACTG	CCAAATAC	GTGTTACAGGA	GCAACAGG	CTATATIGGTIC	4 TGGCTTGT	TGAA	
* 260 * 280 * 300 TrDFRg1: GCTCTTCTCAAAGAGGTTGCACTGTTCATGCTACTGTTAGAGATCCTG	TrDFRg3:	CCTACTG	CCAAATACT	rgtgttacagga	GCAACAGG	CTATATTGGTTC	ATGGCTTGT	TGAA	
TrDFRg1: GCTCTTCTTCAAAGAGGTTGCACTGTTCATGCTACTGTTAGAGATCCTG									
TrDFRg1: GCTCTTCTTCAAAGAGGTTGCACTGTTCATGCTACTGTTAGAGATCCTG				0.60	at-	200			
TrDFRg2: GCTCTTCTTCAAAGAGGTTGCACTGTTCATGCTACTGTTAGAGATCCTGAAAAATCGTTA : 177 * 320 * 340 * 360 TrDFRg1:	TrDFRa1.	CCTCTTC	`` ኮሞሮ እ እ አ ሮ አ ር		× CATCCTAC		*	300	200
* 320 * 340 * 360 TrDFRg1: TrDFRg2: CACCTCCTGTCGTTGTGGGAAGGTTGCCAATTGAGGATTCTCGTGCGGATTTGCAA : 237 TrDFRg3: CACCTCCTGTCGTTGTGGAAAGGTAGTGACCAATTGAGGATTTTCCGTGCGGATTTGCAA : 237 TrDFRg3: CACCTCCTGTCGTTGTGGAAAGGTAGTGACCAATTGAGGATTTTCCGTGCGGATTTGCAA : 232 . * 380 * 400 * 420 TrDFRg1: TrDFRg2: GAAGAAGGAAGTTTCGATGATGACCGTAAAAGGATGTATTGGTGTTCCATGTTGCAGCT : 297 TrDFRg3: CAAGAAGGAAGTTTCGATGATGCCGTAAAAGGATGTATTGGTGTTTCCATGTTGCAGCT : 292 * 440 * 460 * 480 TrDFRg1: TrDFRg1: TrDFRg1: TrDFRg2: TCAATGCAATTCAATATTAGTGACAAAGAAAACACTGAGGACTTTGTTGAAGCAAATATA : 357 TrDFRg3: TCAATGCAATTCAATATTAGTGACAAAGAAAACACTGAGGACTTTGTTGAAGCAAATATA : 352	_	GCTCTTC	TTCAAAGAC TTCAAAGAC	3G11GCAC1G110 3G77GCACTG110	CATGCTAC	TGTTAGAGATCC. TCTTAGAGATCC	rgaaaaaarc	CUTUTA .	_
* 320 * 340 * 360 TrDFRg1:	TrDFRg3:								
TrDFRg1: TrDFRg3: CACCTCCTGTCGTTGTGGAAAGGTAGTGACCAATTGAGAATTTTCCGTGCGGATTTGCAA : 237 TrDFRg3: CACCTCCTGTCGTTGTGGAAAGGTAGTGACCAATTGAGAATTTTCCGTGCGGATTTGCAA : 232 * 380 * 400 * 420 TrDFRg1: TrDFRg1: GAAGAAGGAAGTTTCGATGATGCCGTAAAAGGATGTATTGGTGTGTCCATGTTGCAGCT : 297 TrDFRg3: GAAGAAGGAAGTTTCGATGATGCCGTAAAAGGATGTATTGGTGTTCCATGTTGCAGCT : 292 * 440 * 460 * 480 TrDFRg1: TrDFRg1: TrDFRg2: TCAATGCAATTCAATATTAGTGACAAAGAAAACACTGAGGACTTTGTTGAAGCAAATATA : 357 TrDFRg3: TCAATGCAATTCAATATTAGTGACAAAGAAAACACTGAGGACTTTGTTGAAGCAAATATA : 352	_							•	
TrDFRg1: TrDFRg3: CACCTCCTGTCGTTGTGGAAAGGTAGTGACCAATTGAGAATTTTCCGTGCGGATTTGCAA : 237 TrDFRg3: CACCTCCTGTCGTTGTGGAAAGGTAGTGACCAATTGAGAATTTTCCGTGCGGATTTGCAA : 232 * 380 * 400 * 420 TrDFRg1: TrDFRg1: GAAGAAGGAAGTTTCGATGATGCCGTAAAAGGATGTATTGGTGTGTCCATGTTGCAGCT : 297 TrDFRg3: GAAGAAGGAAGTTTCGATGATGCCGTAAAAGGATGTATTGGTGTTCCATGTTGCAGCT : 292 * 440 * 460 * 480 TrDFRg1: TrDFRg1: TrDFRg2: TCAATGCAATTCAATATTAGTGACAAAGAAAACACTGAGGACTTTGTTGAAGCAAATATA : 357 TrDFRg3: TCAATGCAATTCAATATTAGTGACAAAGAAAACACTGAGGACTTTGTTGAAGCAAATATA : 352			-1-						
TrDFRg2: CACCTCCTGTCGTTGTGGAAAGGTAGTGACCAATTGAGAATTTTCCGTGCGGATTTGCAA : 237 TrDFRg3: CACCTCCTGTCGTTGTGGAAAGGTAGTGACCAATTGAGAATTTTCCGTGCGGATTTGCAA : 232 .	TrDEDa1.		*	320	*	340	*	360	
TrDFRg3: CACCTCCTGTCGTTGTGGAAAGGTAGTGACCAATTGAGAATTTTCCGTGCGGATTTGCAA : 232 .		CACCTCC	тетсетте	rgga a a ggta gt	CACCAATT	CACAAMMMMCCCC	receevana	CCAA	237
* 380 * 400 * 420 TrDFRg1: CAAGAAGGAAGTTTCGATGATGCCGTAAAAGGATGTATTGGTGTGTTCCATGTTGCAGCT : 297 TrDFRg3: GAAGAAGGAAGTTTCGATGATGCCGTAAAAGGATGTATTGGTGTGTTCCATGTTGCAGCT : 292 * 440 * 460 * 480 TrDFRg1: TrDFRg1: TrDFRg2: TCAATGCAATTCAATATTAGTGACAAAGAAAACACTGAGGACTTTGTTGAAGCAAATATA : 357 TrDFRg3: TCAATGCAATTCAATATTAGTGACAAAGAAAACACTGAGGACTTTGTTGAAGCAAATATA : 352	TrDFRg3:	CACCTCC	TGTCGTTGT	GGAAAGGTAGT	GACCAATT	GAGAATTTTCCG'	rgcggattt rgcggattt	GCAA:	
TrDFRg1:	_							٠	
TrDFRg1:			ata.	200					
TrDFRg2: GAAGAAGGAAGTTTCGATGATGCCGTAAAAGGATGTATTGGTGTGTTCCATGTTGCAGCT : 297 TrDFRg3: GAAGAAGGAAGTTTCGATGATGCCGTAAAAGGATGTATTGGTGTGTTCCATGTTGCAGCT : 292 * 440 * 460 * 480 TrDFRg1:	TrDED~1.		*	380	**	400	*	420	
TrDFRg3: GAAGAAGGAAGTTTCGATGATGCCGTAAAAGGATGTATTGGTGTGTTCCATGTTGCAGCT : 292 * 440 * 460 * 480 TrDFRg1:		GAAGAAG	GAAGTTTC	ATGATGCCGTA	AAAGGATG	PATTECTCTCTT	CATCTTC	ACCT :	297
* 440 * 460 * 480 TrDFRg1:	TrDFRg3:	GAAGAAG	GAAGTTTC	ATGATGCCGTA	AAAGGATG'	PATTGGTGTGTT	CATGTTGC	AGCT :	
TrDFRg1::::::::::::::::::::::::::::::::	_								
TrDFRg1::::::::::::::::::::::::::::::::			T.						
TrDFrg2: TCAATGCAATTCAATATTAGTGACAAGAAAACACTGAGGACTTTGTTGAAGCAAATATA : 357 TrDFrg3: TCAATGCAATTCAATATTAGTGACAAAGAAAACACTGAGGACTTTGTTGAAGCAAATATA : 352	π_{\sim} DFP $_{\sim}$ 1.		*	440	*	460	*	480	
TrDFRg3: TCAATGCAATTCAATATTAGTGACAAAGAAAACACTGAGGACTTTGTTGAAGCAAATATA : 352	_	TCAATGC	AATTCAATZ	TTAGTGACAAA	CAAAACAC	rgaggacttttgt	CAACCAAA	TATA :	357
	TrDFRg3:	TCAATGC	AATTCAATA	TTAGTGACAAA	GAAAACAC'	rgaggactttgt	GAAGCAAA	TATA	
	_								
				500		~~~			
* 500 * 520 * 540	TrDFRq1:		*	500	*	520	*	540	
•	TrDFRg1:	ATTGACCO	CTGCAATCA	AAGGAACCATA	AATCTTCTC	'A A ATCATCCTT	SAAATCAAA	mmcz	117
	TrDFRg3:								

97/271

TrDFRg1:		*	560	*	580	*	600	
FrDFRg2:			TTTCACATCTT TTTCACATCTT					477 472
TrDFRa1:		*	620	*	640	*	660	_
_			TGTTGATGAAT TGTTGATGAAT					537 532
TrDFRg1	:	*	680	*	700	*	-: -	
TrDFRg2 TrDFRg3			GGGTTTATGCA GGGTTTATGCA			AGAAGCGGC'	1 : 591 - : 572	

98/271

TrDFRh	:	* GNNGNGTCTTCCGT	20 TNAATTTNAGN	* ICTATATTGA	40 AAAGGAAAAA	* AAGAGTAGAG	60 AGTGA	:	60
TrDFRh	:	* AGTGAAGTGAAAAC	80 ATACATGGGTI	* CCGAATCAG	100 AAATAGTTTG	* PGTTACCGGA	120 SCTTCA	:	120
TrDFRh	:	* GGTTTCATCGGATC	140 GTGGCTTGTT	* \TGAGACTTA	160 TAGAGCGTGG	* CTACACGGTT(180 CGAGCC	:	180
TrDFRh	:	* ACCGTTCGCGACCC	200 AGATAACATGA	* \AGAAGGTGA	220 AGCATTTGGT	* GGAACTGCCG(240 GGTGCA	:	240
TrDFRh	:	* AAAAGCAAATTGTC	260 TCTTTGGAAGO	* GCTGATCTTG	280 ATAAAGAGGG	* GAGTTTTGAT(300 SAAGCA	:	300
TrDFRh	:	* ATTAAAGGGTGCAC	320 AGGAGTTTTT	* CATGTTGCTA	340 CACCAATGGA	* TTTTGAATCC	360 AAGGAC	:	360
TrDFRh	:	* CCTGAGAATGAAGI	380 GATAAAGCCTA	* ACAATAAATG	400 GATTAATAGA	* CATACTGAAA(420 SCATGC	:	420
TrDFRh	:	* GAAAAGGCAAAAAC	440 AGTTAGAAAAT	* PTGGTTTTCA	460 CATCATCGGC	* TGGAACTGTG	480 GACGTT	:	480
TrDFRh	:	* ACTGAACATCCAAA	500 GTCTATTATT(* GATGAAACAT	520 GCTGGAGTGA	* CGTTGACTTT	540 rgccgt	:	540
TrDFRh	:	* AGAGTCAAGATGAC	560 CGGTTGGATG	* PATTTTGTTT	580 CAAAGACCCT	* AGCAGAGCAA(600 GAAGCT	:	600
TrDFRh	:	* TGGAAGTATTCGAA	620 AGAGCACAACA	* ATAGACTTTG	640 TCTCCATCAT	* TCCACCTCTT(660 GTTGTT	:	660
TrDFRh	:	* GGCCCCTTTCTTAT	680 GGCCTCAATGO	* CCACCTAGTC	700 TAATCACTGC	* TCTTTCTCTT!	720 ATCACA	:	720
TrDFRh	:	* GGAAATGAGGCCCA	740 ATTACTCAATCA	* ATAAAGCAAG	760 GGCAATACGT	* CCATTTAGAT(780 GACCTT	:	780
TrDFRh	•	* TGTCTTGCTCATAT	800 ATTTCTGTAT	* GAGAATCCAA	820 AAGCTCAAGG	* GAGATACATT	840 rgctgt	:	840

99/271

860 880 900 TrDFRh : TCACATGAAGCAACCATTCATCAAGTTGCAAAACTTATTAAAGAAAAATACCCAGAGTTC : 900


940 * 960 TrDFRh : AATGTCCCAACAAAATTCAATGATATCCCAGATGAATTGGAAATTATTAAATTTTCTAAA : 960

TrDFRh : AAGAAGATCACAGACT : 976

100/271

		*	20	*	40	*	60	
TrDFRh	:	MGSESEIVCVTGA:	SGFIGSWLVMR	LIERGYTVRA	TVRDPDNMKK	VKHLVELPGAF	KSKLSL:	60
		*	80	*	100	*	120	
TrDFRh	:	WKADLDKEGSFDE		ATPMDFESKD	PENEVIKPTI	NGLIDILKACI	EKAKTV :	120
		*	140	*	160	*	180	
TrDFRh	:	RKLVFTSSAGTVD		rcwsdvdfcr		VSKTLAEQEAV	WKYSKE :	180
		*	200	*	220	*	240	
TrDFRh	:	HNIDFVSIIPPLV		SLITALSLIT		QGQYVHLDDL(240
		*	260	*	280	*		
mDED's		TVENDVACCEVTC				DELETTRESKI	י מדדאא	299


101/271



102/271

	*	200	*	220	*	240
TrDFRh1:	ACCGTTCGCGACC	CAGATAACATGA	AGAAGGTGA	AGCATTTGGT	GGAACTGCCG	GGTGCA :240
TrDFRh2:	ACCGTTCGTGACC	CAGATAACATGA	AGAAÑGTGA	AGCATTTGGT	GGAACTGCC	GGTGCA :239
TrDFRh3:	ACCGTTCGCGACC					
TrDFRh4:	ACCGTTCGCGACC					
TrDFRh5:	ACCGTTCGCGACC					
TrDFRh6:	ACCGTTCGCGACC					
TrDFRh7:	ACCOTTCGCGACC					
TrDFRh8:	ACTGTTCGCGACC					
TrDFRh9:	ACTGTTCGCGACC					
TrDFRh10:	ACTGTTCGCGACC					
TrDFRh11:	ACTGTTCGCGACC					
TrDFRh12:	ACCGTTCGCGACC					
TrDFRh13:	ACCGTTCGTGACC					
TrDFRh14:	ACCGTTCGTGACC					
TrDFRh15:	ACCG11CG1GACC	CAGATAACATGA	AGAAGG I GAI	AGCALLIGGI	GGAAC I GCCC	GGIGGA :192
IIDFKIIIJ:						
	*	260	*	280	*	300
TrDFRh1:	AAAAGCAAATTGT				CACTTTTCAT	
TrDFRh2:	AAAAGCAAATTGT					
TrDFRh3:	AAAAGCAAATTGT					
TrDFRh4:	AAAAGCAAATTGT					
TrDFRh5:	AAAAGCAAATTGT					
TrDFRh6 :	AAAAGCAAATTGT					
TrDFRh7:	AAAAGCAAATTGT					
TrDFRh8:	AAAAGCAAATTGT					
TrDFRh9:	AAAAGCAAATTGT					
TrDFRh10:	AAAAGCAAATTGT					
TrDFRh11:	AAAAGCAAATTGT					
TrDFRh12:	AAAAGCAAATTGT					
TrDFRh13:	AAAAGCAAATTGT					
TrDFRh14:	AAAAGCAAATTGT					
TrDFRh15:	ARANGCAMATIGIC	CICILIGGAAGG	CIGAICIIGA		GAGIIIIGAI	CARGOS . 2.7.2
TIDE MILD.						• -
	*	320	*	340	*	360
TrDFRh1:	ATTAAAGGGTGCA	CAGGAGTTTTTC	ATGTTGCTA	CACCAATGGA	TTTTGAATCC	AAGGAC :360
TrDFRh2:	ATTAAAGGGTGCA	CAGGAGTTTTTC	ATGTTGCTA	CACCAATGGA	TTTTGAETCC	AAGGAC :359
TrDFRh3:	ATTAAAGGGTGCAG	CAGGAGTTTTT	ATGTTGCTA	CACCAATGGA	TTTTGAATCC	AAGGAC :357
TrDFRh4:	ATTAAAGGGTGCA					
TrDFRh5:	ATTAAAGGGTGCA	CAGGAGTTTTTC	ATGTTGCTA	CACCAATGGA	TTTTGAATCC	AAGGAC:357
TrDFRh6:	ATTAAAGGGTGCA	CAGGAGTTTTTC	ATGTTGCTA	CACCAATGGA	TTTTGAATCC	AAGGAC :357
TrDFRh7:	ATTAAAGGGTGCA	CAGGAGTTTTTC	ATGTTGCTA	CACCAATGGA	TTTTGAATCC	AAGGAC :357
TrDFRh8:	ATTAAAGGGTGCA					
TrDFRh9:	ATTAAAGGGTGCA					
TrDFRh10:	ATTAAAGGGTGCA					
TrDFRh11:	ATTAAAGGGTGCA					
TrDFRh12:	ATTAAAGGGTGCA					
TrDFRh13:	ATTAAAGGGTGCA					
TrDFRh14:	ATTAAAGGGTGCA					
TrDFRh15:						

103/271



104/271

	***	*	560	*	580	*	600
TrDFRh1:	AGAGTCAA	GATGACCG	GTTGGATGTATT	TTGTTTCA	AAGACCCTAG		:586
TrDFRh2:	AGAGTCAA	AATGACCG	GTTGGATGTATT	TT			:569
TrDFRh3:							
TrDFRh4:	ANAGTCAA	NATGACCG	GCTGGATGTATT	ттстттса	AANACCC		:580
TrDFRh5:			GTTGGATGTATT				
TrDFRh6:	AGAGTCAA	GATGACCG	GTTGGATGTATT	TTGTTTCT	AAGACCCTAGCA	CACCAAC	:592
TrDFRh7:	AGAGTCAA	GATGACCG	GTTGGATGTATT	TTGTTTCT	A A C A C C C C T A C C A	CACCAACA	AGCT :597
TrDFRh8 :	ACACTCAA	AATCACCC	${ t GTTGGATGTATT}$	TTGTTTCA	AAGACCCIAGCA	CAGCAAGA	:57 <i>6</i>
TrDFRh9:	ACACTCAA	CATCACCC	GTTGGATGTATT GTTGGATGTATT	TIGITICA.	AAGA	676	:5/6
TrDFRh10:	ACACTCAA	CATCACCC	GTTGGATGTATT GTTGGATGTATT		AAGACCCIAGCA	CACCAACA	:58/
TrDFRh11:	AGAGICAA	MATCACCC	GTTGGATGTATT GTTGGATGTATT		AAGACCCTAGCA	GAGCAAGA	AGCT : 596
TrDFRh12:			GTTGGATGTATT GTTGGATGTATT				
TrDFRh13:	AGAGICAA	DOJANTANIA	GTTGGATGTATT	TTGTTTCA	AAGACCCTAGCA	GAGCAAGA	AGCT :595
TrDFRH14:	AGAGTCAA	AATGACCG	GTTGGATGTATT	TTGTTTCA	AAGACCCTAGCA	GAGCAG	:586
	AGAGTCAA	AATGACCG	GTTGGATGTATT	TTGTTTCA	AAGACCCTAGCA	GAGCAAGA	AGCT :552
TrDFRh15:	AGAGTCAA	MATGACCG	GTTGGATGTATT	TTGTTTCA.	AAGACCC'I'AGCA	GAGCAAGA	AGCT :194
		*	620	*	640	*	660
π×DEDh1 .			620 	.,	040	^	660
TIDERII :							: -
TIDINIZ .							: -
TrDFRh4:							: -
TrDFRh5:							: -
TrDFRh6:							: -
TrDFRh7:							:
TrDFRh8:	U						:598
TrDFRh8:							
TrDFRh10:							
TrDFRh11:	TGGAAGTA	TTCHAAAG	AGCACAACATAG.	Assimile – –			:630
	magaa a gma						:
TrDFRh12:	TGGAAGTA	<u> </u>					:604
TrDFRh13:							: -
TrDFRh14:	TGGAAGTA	TTCGAAAG.	AGCACAACATAG	ACTITIG			<u></u> :586
TrDFRh15:	TGGAAGTA	TTCGAAAG	AGCACAACATAG	ACTTTGTC'	TCCATCATTCCA	CCTCTTGT:	IGTT :254
		ata.	600		5 .00		
manuput 1		*	680 	*	700	*	720
TrDFRn1:							: -
TrDFRn2:							: -
TrDFRh4:							: -
TrDFRh5:							: -
TrDFRh6:							: -
							: -
TrDFRh8:							: -
TrDFRh9:							
TrDFRh10:							
TrDFRh11:							: -
TrDFRh12:							: -
TrDFRh13:							: -
TrDFRh14:							•
TrDFRh15:	GGCCCCTT	TCTTATGG	CCTCAATGCCAC	CTAGTCTAZ	$\overline{\text{ATCACTGCTCTT}}$	TCTCTTATO	CACA :314

105/271

		*	740	*	760	*	780
TrDFRh1:					700		700
TrDFRh2:							:
TrDFRh3:							: .
TrDFRh4:							: .
TrDFRh5:							: -
TrDFRh6:							: .
TrDFRh7:		-					: -
TrDFRh8:							: -
TrDFRh9:							: -
TrDFRh10:							: -
TrDFRh11:							: -
TrDFRh12:							: -
TrDFRh13:							: -
							: -
TrDFRh14:	COARAGO	0000007.55					 : -
TrDFRh15:	GGAAATGA	AGGCCCA'I''I'	ACTCAATCATAA	AGCAAGGGC	CAATACGTCCAT	TTAGATGA	CTT :374
		*	800	*	000	*	0.40
TrDFRh1:			800		820	76	840
TrDFRh2:							: -
TrDFRh3:							: -
TrDFRh4:							: -
TrDFRh5:							: -
TrDFRh6:							: -
TrDFRh7:							: -
TrDFRh8:							: -
TrDFRh9:							: -
TrDFRh10:							: -
							· :
TrDFRh11:							· : -
TrDFRh12:							: -
TrDFRh13:							: -
TrDFRh14:	mamamaa						<u>·</u> : -
TrDFRh15:	TGTCTTGC	TCATATAT	TTCTGTATGAGAZ	VICCAAAAG	CTCAAGGGAGAT	'ACATTTGC	:434
		*	860	*	880	*	000
TrDFRh1 :		- 			000	••	900
TrDFRh2:							: -
TrDFRh3 :							: -
TrDFRh4:							: -
TrDFRh5 :							: -
TrDFRh6 :							: -
TrDFRh7:							: -
TrDFRh8 :							: -
TrDFRh8:							: -
							: -
TrDFRh10:							: -
TrDFRh11:							: -
TrDFRh12:							: -
TrDFRh13:							: -
TrDFRh14: TrDFRh15:	TCACATO	70072003	TTCATCAAGTTGC				: -
TIDEKUTD:		VALUE AVAILABLE OF A V	M N WY A THE WAY A TAX TO A THE WAY A TAX TO A T		ишил али али ала ала т	$\Delta C C C \Delta C \Delta C$. 10.1

106/271

			*	92()	*	940		*	960
TrDFRh1:	-									: -
TrDFRh2:										: _
TrDFRh3:										:
TrDFRh4:										
TrDFRh5:										
TrDFRh6:	_									
TrDFRh7:										: -
TrDFRh8:										: -
TrDFRh9:										: -
TrDFRh10:										: -
TrDFRh11:										
TrDFRh12:	_									: -
TrDFRh13:										: -
TrDFRh14:	_									: -
TrDFRh15:	7	ATGTCCCA	ייייע מ מ מ מיי	~ 7∆ 7	тсататес	тасатсааг	PTCC	\		: TAAA :554
IIDI MILJ.	2	HII GICCCM	TONTANTI	$ \Gamma$	TIGALALCC	JAGAI GAA.	LIGG	MALIALIA	MAILLIC	1.A.A.A. : 554
			*							
TrDFRh1	:			:	_					
TrDFRh2	:			:	_					
TrDFRh3	:			:	_					
TrDFRh4	:			:	_					
TrDFRh5	:			:	_					
TrDFRh6	:			:	_					
TrDFRh7	:			:	_					
TrDFRh8	:			:	_					
TrDFRh9	:				_				•	
TrDFRh10	:			:	_					
TrDFRh11	:			:						
TrDFRh12	:			•	_					
TrDFRh13	:			•	are to					
TrDFRh14	:			•	_					
	:	AAGAAGAT	CACAGACT	•	570					
	•	THE TOTAL STATE OF	ALTO LACOLA VOLT	•	J / U					

107/271

TrLCRa	:	* GGNCATAAAAACTGCACT	20 PAGTGTGTATAA	* GTTTNTTA	40 .GTGAAAAAAGA	* STGTGTAAA	06 ATTA	:	60
TrLCRa	:	* ACATCATGGCTAGTATC	80 AAACAAATTGGA	* AACAAGAA	100 AGCATGTGTGA	* ITGGTGGCA	120 CTG	:	120
TrLCRa		* 1 GTTTTGTTGCATCTATG	0		160 AAAGGGTTATG	* [ጥርጥጥልልጥል	180 CTA	:	180
	•			1 1110 1 1 01				•	100
TrLCRa	:	* CTGTTAGAGACCCAGAT	200 AGTCCTAAGAAA	* ATATCTCA	220 CCTAGTGGCAC	* rgcaaagtt	240 TGG	:	240
TrLCRa	:	* GGGAACTGAATCTATTTA			280 AGAAGATTTTG	* ATGCTCCTA	300 TAG	:	300
		J.	220		2.4.0		2.60		
TrLCRa	:	CAGGATGTGAGCTTGTT	320 TTTCAACTTGCT		340 GAACTTTGCTT	CTCAAGATC	360 CTG	:	360
TrLCRa	:	* AGAATGACATGATAAAG			400 GAATGTGTTGA	* \AGCAAGTG	420 CAA	:	420
		*	1.40	ılı.	450		400		
TrLCRa	:	GAGCAAAAGAAGTCAAAA	140 AGAGTTATCTTA	ACATCTTC	460 GGCAGCCGCGG	FGACTATAA	480 ATG	:	480
TrLCRa	:	* AACTCAAAGGGACAGGT	500 CATGTTATGGAT		520 CTGGTCAGATG	* FTGAATTTC	540 TGA	:	540
			560		580	*	600		
TrLCRa	:	ACACTGCAAAGCCACCC	ACTTGGGGTTAT	CCTGCTTC	AAAAATGCTAG(CTGAAAAGG	CTG	:	600
TrLCRa	:	* CATGGAAATTTGCTGAAG			640 CACTGTGATAC	* CTAGTTTAA	660 CAA	:	660
		4.	580	*	700	*	720		
TrLCRa	:	CTGGTCCTTCTCACAC				 FGTCTCTAA		:	720
TrLCRa	:	* CAGGCAATGATTTCCTC	40		760 GCAATTTCTGT0	* CGGGTTCGT	780 TAT	:	780
TrLCRa	:	* CCATCACTCATGTTGAGG	300 GATATTTGCCGA		820 ATTTCTGGCAG	* AGAAG : 8	33		

108/271

TrLCRa	:	* MASIKQIGNKKACV	20 TIGGTGFVASMI	* LIKQLLEKGY	40 AVNTTVRDPD	* SPKKISHLVAL	60 QSLGE	:	60
TrLCRa	:	* LNLFRADLTVEEDF	80 DAPIAGCELVE	* FQLATPVNFA	100 SQDPENDMIK	* PAIKGVLNVLK	120 ASARA	:	120
TrLCRa	:	* KEVKRVILTSSAAA	140 VTINELKGTG	* HVMDETNWSD	160 VEFLNTAKPP	* TWGYPASKMLA	180 AEKAAW	:	180
TrLCRa	:	* KFAEENDIDLITVI	200 PSLTTGPSLTI	* PDIPSSVGLA	220 MSLITGNDFL	* INALKGMQFLS	240 SGSLSI	:	240
		,i.							

TrLCRa : THVEDICRAHIFLAEK : 256

109/271

	*	20	*	40	*	60	
TrLCRa1: TrLCRa2: TrLCRa3: TrLCRa4: TrLCRa5:	TAAAAACT	GCACTAGTGTG GCACTAGTGTG GTACTNGTGTG GCACTAGTGTG GACCTCGTGTG	PATAAGTTT! PATAAGTTT! PATAAGTTT(MTAGTGAAAA MTAGTGAAAA TTGGTGAAAA	AGAGTGTGT AGAGTGTGT AAGAGTTTGT	: ATTAAA' : ATTAAA' : ATTAAA'	60 60 55 55 47
TrLCRas: TrLCRa6: TrLCRa7:							:
	*	80	*	100	*	120	
TrLCRa1: TrLCRa2: TrLCRa3: TrLCRa4: TrLCRa5: TrLCRa6: TrLCRa7:	ACATCATGGCTAG ACATCATGGCTAG ACATCATGGCTAG ACATCATGGCTAG ACATCMTGGCTMG	TATCAAACAAA' TATCAAACAAA' TATCAAACAAA'	TTGGAAACAA TTGGAAACAA TTGGAAACAA	AGAAAGCATGT(AGAAAGCATGT(AGAAAGCATGT(STGATTGGTO STGATTGGTO STGATTGGTO	GCACTG GCACTG GCACTG	: 120 : 120 : 115 : 115 : 107 : -
				4.50	.1.	100	
TrLCRa1: TrLCRa2: TrLCRa3: TrLCRa4: TrLCRa5: TrLCRa6: TrLCRa7:	* GTTTTGTTGCATC GTTTTGTTGCATC GTTTTGTTGCATC GTTTTGTTGCATC	TATGTTGATCA TATGTTGATCA TATGTTGATCA	AACAGTTAC' AACAGTTAC' ACCAGTTAC'	I'TGAAAAGGGT' I'TGAAAAGGGT' I'TGAAAAGGGT'	PATGCTGTT# PATGCTGTT# PATGCTGTT#	AATACTA AATACTA AATACTA	: 180 : 180 : 175 : 175 : 167 : -
		200	*	220	*	240	
TrLCRa1: TrLCRa2: TrLCRa3: TrLCRa4: TrLCRa5: TrLCRa6: TrLCRa7:	CTGTTAGAGACCC CTGTTAGAGACCC CTGTTAGAGACCC CGGTTAGAGACCC CGGTTAGAGACCC	AGATAGTCCTA AGATAGTCCTA AGATAGÖCCTA	AGAAAATAT AGAAAATAT AGAAAATAT	CTCACCTAGTG CTCACCTAGTG CTCACCTAGTG CTCACCTAGTG	GCACTGCAAA GCACTGCAAA GCACTGCAAA	AGTTTGG AGTTTGG AGTTTGG AGTTTGG	: 240 : 240 : 235 : 235 : 227 : 1
TrLCRa1: TrLCRa2: TrLCRa3: TrLCRa4: TrLCRa5: TrLCRa5: TrLCRa6:	* GGGAACTGAATCT GGGAACTGAATCT GGGAACTGAATCT GGGAACTGAATCT GGGAACTGAATCT	PATTTAGAGCAG PATTTAGAGCAG PATTTAGAGCAG PATTTAGAGCAG	ACTTAACAG ACTTAACAG ACTTAACAG ACTTAACAG ACTTAACAG	TTGAAGAAGAT TTGAAGAAGAT TTGAAGAAGAT TTGAAGAAGAT	TTTGATGCT(TTTGATGCT(TTTGATGCT(TTTGATGCT(TTTGATGCT(CCTATAG CCTATAG CCTATAG CCTATAG CCTATAG	: 300 : 300 : 295 : 295 : 287 : 61 : 34
TrLCRa1: TrLCRa2: TrLCRa3: TrLCRa4: TrLCRa5: TrLCRa6:		TGTTTTTGAAC TGTTTTTGAAC TGTTTTTGAAC TGTTTTTGAAC TGTTTTTGAAC	TTGCTACAC TTGCTACAC TTGCTACAC TTGCTACAC TTGCTACAC	CTGTGAACTTT CTGTGAACTTT CTGTGAACTTT CTGTGAACTTT	GCTTCTCAA GCTTCTCAA GCTTCTCAA GCTTCTCAA GCTTCTCAA	GATCCTG GATCCTG GATCCTG GATCCTG	: 360 : 360 : 355 : 355 : 347 : 121

110/271

	*	380	*	400	*	420	
TrLCRa1:	AGAATGACATG	ATAAAGCCAGC	AATCAAAGGT		GTTGAAAGCAA	GTGCAA	: 420
TrLCRa2:	AGAATGACATG						: 420
TrLCRa3:	AGAATGACATG						: 415
TrLCRa4:	AGAATGACATG					endered.	: 415
TrLCRa5:				GTGTTGAATGT			: 407
TrLCRa6:	AGAATGACATG						: 181
TrLCRat:							
TILLCRa/:	AGAATGACATG	ATAAAGCCAGC	AATCAAAGGI	'GTGTTGAATGT	GTTGAAAGCAA	RG I G CAA	: 154
	*	440	*	460	*	480	
TrLCRa1:	GAGCAAAAGAA		TATCTTAACA	TCTTCGGCAGC	CGCGGTGACTA		: 480
TrLCRa2:				TCTTCGGCAGC			: 480
TrLCRa3:				TCTTCGGCAGC			: 475
TrLCRa4:				TCTTCGGCAGC			: 475
TrLCRa5:				TCTTCGGCAGC			: 467
TrLCRa6:				TCTTCGGCAGC			: 241
TrLCRa7:				TCTTCGGCAGC			: 214
TIDCKA/:	GAGCAAAAGAA	GICAAAAGAGI	IAICIIAACA	ILCIICGGCAGC	CGCGGIGACIA	IAAAIG	: 214
	*	500	*	520	*	540	
TrLCRa1:				ACCAACTGGTC			: 540
TrLCRa2:	AACTCAAAGGG	ACAGGTCATGT	TATGGATGAA	ACCAACTGGTC	AGATGTTGAA1	TTCTGA	: 540
TrLCRa3:				ACCAACTGGTC			: 535
TrLCRa4:	AACTCAAAGGG	ACAGGTCATGT	TATGGATGAA	ACCAACTGGTC	IGATGTTGAAT	TTCTCA	: 535
TrLCRa5:				ACCAACTGGTC			: 527
TrLCRa6:				ACCAACTGGTC			: 301
TrLCRa7:				ACCAACTGGTC			: 274
11201101.	1210101211000	1011001011101		210012101	110111 01 101111		
	*	_560	*	580	*	600	
TrLCRa1:		CCACCCACTTG					: 576
TrLCRa2:				GCTTCAAM			: 580
TrLCRa3:				GCTTCAAAAAT			: 578
TrLCRa4:	ACACTGCAAA	CCACCCACTTG	GGGTTATCCI	'GCOTCAAAAAT	GCTAGCTGAAA	AGGCTG	: 595
TrLCRa5:	ACACTGCAAA	CCACCCACTTG	GGGTTATCCT	'GCOTCAAAAAT	GCTAGCTGAAA	AGGCTG	: 587
TrLCRa6:	ACACTGCAAAG	CCACCCACTTG	GGGTTATCCT	'GCTTCAAAAAT	GCTAGCTGAAA	AGGCTG	: 361
TrLCRa7:	ACACTGCAAAG	CCACCCACTTG	GGGTTATCCT	GCTTCAAAAAT	GCTAGCTGAA?	AGGCTG	: 334
	*	620	*	640	4-	660	
TrLCRa1:		020		040		000	
TrLCRa1:							: -
							-
TrLCRa3:		CCCCAAAA					: -
TrLCRa4:		GCTGAAGAAAA					: 619
TrLCRa5:		GCTGAAGAAAA					: 619
TrLCRa6:				CTAATCACTGT			: 421
TrLCRa7:	CATGGAAATTT	GCTGAAGAAAA	TGACATTGAT	'CTAATCACTGT	GATACCTAGT"	"LAACAA	: 394
	*	680	*	700	*	720	
TrLCRa1:							: -
TrLCRa2:							: -
TrLCRa3:							: -
TrLCRa4:							: -
TrLCRa5:							: -
TrLCRa6:	CTGGTCCTTCT	CTCACACCAGA	ТАТСССАТСТ	'AGTGTTGGCTT	GGCAATGTCTC	'TAATAA	: 481
Trickao.				74G1G11GGC11			. 454

111/271

		*	740	*	760	*	780	
TrLCRa1:								: -
TrLCRa2:								: -
TrLCRa3:								: -
TrLCRa4:								: -
TrLCRa5:								: -
TrLCRa6:	CAGGCAA'	TGATTTC	CTCATAAATG	CTCTGAAAGG	AATGCAATTT	CTGTCGGGTT	CGTTAT	: 541
TrLCRa7:	CAGGCAA'	TGATTTC	CTCATAAATG	CTCTGAAAGG.	AATGCAATTT	CTGTCGGGTT	CGTTAT	: 514
		*	800	*	820	4		
TrLCRa1:						^		
TrLCRa2:							: -	
TrLCRa3:							: -	
TrLCRa4:							: -	
TrLCRa5:							: -	
	000 - 00 0						: -	
TrLCRa6:			GAGGATATTT				: 586	
TrLCRa7:	CCATCAC	TCATGTT	SAGGATATTT	CCGAGCTCA'	TATATTTCTC	CCACACAAC	. 567	

112/271

	*	20	*	40	*	60	
TrF3'5'Ha:	GGAACCAATTTGT	CGGACTTTTTC	CCGGGTTGG	CCCGATTCGA	TTTGCAGGGT	'GTGGTG	: 60
TrF3'5'Ha:	* AAAGAGATGGATG	80 TCTTGGTTCCAC	* 'GTTTTGATA	100 GCATATTTGA	* .AAAAATGATT	120 GGTGAA	:120
TrF3'5'Ha:	* CGTAAGAAGAAGG	140 AAGTGGAGGGGA	* AAGAAAATG.	160 AAAGTAAGGA	* .TTTTCTGCAG	180 TTTTTG	:180
TrF3'5'Ha:	* TTGAATTTGAAGG.	200 ATGAGGGTGATT	* CTAAGACTC	220 CATTCACAAT	* TACCCATGTT	240 AAGGCT	:240
TrF3'5'Ha:	* CTACTCATGGACA	260 IGGTTGTGGGTG	* GATCAGACA(280 CATCCTCCAA	* CACAATTGAG	300 TTTGCA	:300
TrF3'5'Ha:	* TTGGCAGAAATGA'	320 FGAACAACCCAG	* AAGTAATGA(340 GGAAGGTTCA	* AGAGGAATTA	360 GAAGAT	:360
TrF3'5'Ha:	* GTAGTTGGGAAAG	380 ATAACTTAGTAG	* AAGAGTCTC	400 ACATTCATAA	* GCTACCCTAC	420 TTGCAT	:420
TrF3'5'Ha:	* GCAGTGATGAAAG	440 AAACACTTCGTT	* TACACCCAG(460 CACTTCCACT	* TTTAGTCCCT	480 CACTGT	:480
TrF3'5'Ha:	* CCAAGTGAAACCA	500 CCAATGTTGGAG	* GCTACACAA	520 FTCCAAAGGG	* ATCTCGTGTG	540 TTTGTG	:540
rrF3'5'Ha:	* AACGTTTGGGCTA:	560 TTCATAGAGACC	* CTTCCATTT(580 EGGAGAAACC	* ACTAGAATTT(GAT :59	7

113/271

TrF3'5'Ha:	* GTNLSDFFPGLARF	20 DLQGVVKEMDV	* LVPRFDSIF	40 EKMIGERKKK	* EVEGKENESKI	60 OFLORI	. 60
						21 11 21 11	. 00
TrF3'5'Ha:	* LNLKDEGDSKTPFT	80 ITHVKALLMDM	* VVGGSDTSS	100 NTTEFALAEM	* MMTXTPEX7MPXX/1/	120	.126
					THATAL TAXABLE OF	255000	٠٠٠
TrF3'5'Ha:	* VVGKDNLVEESHIH	140 KLPYLHAVMKE	* TIRIHPAT.D	160	⋆ ₽₩₩₽₽₽₽₽₽	180	.100
					111100111111	A IVACE	:100
TrF3'5'Ha:	* NVWAIHRDPSIWEK	PLEFD :199					

114/271

	*	20	*	40	*	60	
TrF3'5'Hb:	GNAATCCACNAATC	CTCTTGAANTA	ATACCATTTC	TTTACAAGAZ	CTTAACCATO	GTGATG	: 60
TrF3'5'Hb:	* ATCACTCAATACCA	80 AACCTTCCTT	* PACAAAGAAC	100 TTTCTATATC	* CTTTTTCATI	120 TTCTTG	:120
TrF3'5'Hb:	* ATAACCCATTTCAT	140 CATAAGTTTT	* CTCTTCAAAA	160 AAAATCTCAA	* AAAACTTCCA	180 CCAGGC	:180
TrF3'5'Hb:	* CCAAAAGGTTTTCC	200 AGTTGTTGGT	* GCACTCCCAC	220 TAATGGGATC	* CATGCCTCAT	240 GTTACC	:240
TrF3'5'Hb:	* CTATTCAAAATGTC	260 ACAAAAATAT	* GGTCCCATAA	280 TGTACCTAAA	* .AATGGGATCA	300 SAATAAC	:300
TrF3'5'Hb:	* ATGGTTGTAGCATC	320 AACTCCTTCT	* FCAGCCAAAG	340 CATTTCTCAA	* AACACTTGAC	360 CTAAAT	:360
TrF3'5'Hb:	* TTCTCCAATAGACC	380 GCCGAACGCT	* GGCGCAACTC	400 ACCTAGCTTA	* TGATTCACAA	420 GACTTG	:420
TrF3'5'Hb:	* GTTTTCGCCGACTA	440 .TGGATCTAGG:	* rggaaattac	460 TTAGGAAACT	* AAGTAACTTG	480 CACATG	:480
TrF3'5'Hb:	* CTCGGCGGAAAAGC	500 CCTCGAAAAT	* FGGTCGAAAG	520 TTCGTGAGAT	* TGAAATGGGT	540 CACATG	:540
TrF3'5'Hb:	* ATTCGTACAATGTA	560 CGATTGTAGC	* AAGAAAGACG.	580 AATCCGTTGT	* TGTGGCCGAA	600 ATGTTG	:600
TrF3'5'Hb:	* ACATATGCTATGGC	620 CAATATGATA(* GTCAAGTTA	640 FATTGAGTCG	* TCGCGTGTTC	660 GAGACA	:660
TrF3'5'Hb:	* AAAGGTAGTGACTC	680 AAATGAATTTA	* \AGGATATGG	700 TTGNTG :70	0		

115/271

TrF3'5'Hb:	* MVMITQYQTFLYKEI	20 LSISFFIFLI	* THFIISFLFKK	40 NLKKLPPG	* PKGFPVVGALPI	60 MGSMP	: 60
TrF3'5'Hb:	* HVTLFKMSQKYGPIN	80 IYLKMGSNNM	* VVASTPSSAKA	100 FLKTLDLN	* FSNRPPNAGATI	120 HLAYDS	:120
TrF3'5'Hb:	* QDLVFADYGSRWKLI	140 LRKLSNLHML	* GGKALENWSKV	160 REIEMGHM	* IRTMYDCSKKD!	180 ESVVVA	:180
marzielub.	*	200	* CCDCNEFFKDM7	x •216			

116/271

	*	•	20	*	40	*	60	
TrF3'5'Hb1:	GNAATCCACN	AATCTCTT	GAATTAATNC	CATTTCTTT	ACAAGAACTTA	ACCATGGTG	ATC : 60	0
TrF3'5'Hb2: TrF3'5'Hb3:	GNC	AATCTCTT	'GCANTAANNC(CATTTCTTT	ACAAGAACTTA	ACCATGGTG.	ATG: 54	
TrF3 5 Hb3:		TOTOTIC	'GAANTNATAC('G <mark>N</mark> A <mark>A</mark> TNATAC(CATTTCTTT	ACAAGAACTTA	ACCNTGGTG	ATG : 52	
1113 3 1184.		TCICII	CIMPLET MAY I W.C.	ATTICTII.	ACAAGAACTTA	ACCMIGGIG	ATC : 48	3
	 *	·	80	*	100	*	120	
TrF3'5'Hb1:	ATCACTCAAT	ACCAAACC	TTCCTTTTCA	AAGAACTTT	CTATGTCCTTT	TTCATTTTC	PTG :120	-
TrF3'5'Hb2: TrF3'5'Hb3:	ATCACTCAAG	ACCAAACC	TTCCTTTACAZ TTCCTTTTCAZ	AGAACTTT(CTATATCCTTT	TTCATTTTC'	FTG : 114	_
TrF3'5'Hb4:	ATMNCTCNAT	ACCAAACC	TTCCTTTACA	AAGAACTTT AAGAACTTTT	CTATATCCTTT	TTCATTTTC	FTG :112 FTG :108	
								,
marra LE Lith 1	*		40		160		180	
TrF3'5'Hb1:	ATAACCCMTT	TCATCATA TTCATCATE	AGTTTTCTCTT AGTTTTCTCTT	CAAAAAAAA	ATCTCAAAAAA ATCTCAAAAAA	CTTCCACCA	GGC :180 GGC :174	-
TrF3'5'Hb3:	ATAACCC	TCATCATA	AGTOTTCTCTT	CAAAAAAA	ATCTCAAAAA ATCTCAAAAAA	CTTCCACCA(GGC : 174 GGC : 172	
TrF3'5'Hb4:	ATAACCCATT	TCATCAT	AGTTTTCTCTT	CAAAAAAA	ATCTCAAAAAA	CTTCCACCA	GC:168	_
	4		0.0	-t- /	200		- 4 -	
TrF3'5'Hb1:	CCAAA		00 GTTGGTGCACT		220 recearceare		240 ACC :240	า
TrF3'5'Hb2:	CCAAAAGGTT	'TTCCAGTT	GTTGGTGCACT	CCCACTAA!	IGGGATCCATG	CCTCATGTT	ACC : 234	-
TrF3'5'Hb3:	CCAAAGGGTT	TTCCAGTT	GTTGGTGCACT	CCCACTAA	IGGGATCCATG	CCTCATGTT	ACC : 232	_
TrF3'5'Hb4:	CCAAAAGGT"I	TTCCAGTT	GTTGGTGCACT	CCCACTAA	rgggatccatg	CCTCATGTT	ACC : 228	3
	*	. 2	60	*	280	*	300	
TrF3'5'Hb1:	CTATTCAAAA	TGTCACAA	AAATATGGTCC	CATAATGT	ACCTAAAAATG	GGATCAAAT	(eC :300)
TrF3'5'Hb2:	CTATTCAAAA	TGTCACAA	AAATATGGTCC	TATAATGT	ACCTAAAAATG	GGATCAAAT	AC :294	_
TrF3'5'Hb3: TrF3'5'Hb4:	CTATTCAAAA	TGTCACAA	AAATATGGTCC AAATATGGTCC	CATAATGT	ACCTAAAAATG	GGATCAAATZ	AAC :292	
1113 3 1104.	CIMIICAMA	IJGICACAA	MAAIAIGGICC	MATAAIGIA	ACCTAAAAATG	GGATCAAATA	AAC :288	3
	*		20		<u>34</u> 0	*	360	
TrF3'5'Hb1: TrF3'5'Hb2:	ATGGTTGTAG	CATCAACT	CCTTCTTCAGC	CAAAGCAT	TTCTCAAAACA	CTTGACCTA	AAT :360	
TrF3'5'Hb3:	ATGGTTGTAG	CATCAACT	CCTTCTTCAGC CCTTCTTCAGC	CAAAGCAT".	L'TCTCAAAACA	CTTGACCTA?	AAT :354 AAT :352	_
TrF3'5'Hb4:	ATGGTTGTAG	CATCAACT	CCTTCTTCAGC	CAAAGCATT	TTCTCAAAACA	CTTGACCTA?	AAT :332	
TrF3'5'Hb1:	************************		80 AACGCTGGCGC	* 4	100	* 4	120	
TrF3'5'Hb2:	TTCTCCAATA	.GACCGCCG .GGCCGGCG	AACGC I GGCGC AACGCTGGCGC	AACTCACCI	'AGCTTATGAT 'AGCTTATGAT	TCACAAGAC I	TG:420	
TrF3'5'Hb3:	TTCTCCAATA	.GACCGCCG	AACGCTGGCGC	CACTCACCI	'AGCTTATGAT	TCACAAGACT	TIC :412	-
TrF3'5'Hb4:	TTCTCCAATA	GECCGECG	AACGCTGGCGC	AACTCACCT	'AGCTTATGAT	TCACAAGACT	TG:408	}
	*	Δ	40	* /	160	* /	180	
TrF3'5'Hb1:	GTTTTCGCCG	ACTATGGA	TCTAGGTGGAA	ATTACTTAC	GAAACTAAGT	AACTTGCACA	TG:480)
TrF3'5'Hb2:	GTTTTCGCCG	ACTATGGA	TCTAGGTGGAA	ATTACTTAC	GAAACTAAGT	AACTTGCACA	TG: 474	
TrF3'5'Hb3: TrF3'5'Hb4:	GITTITICGCCG	ACTATGGA	TCTAGGTGGAA	ATTGCTTAC	GAAACTAAGT	AACTTGCACA	TG: 472	
TERU U DD4:	91111CGCCG	ACIAIGGA	TCTAGGTGGAA	ATTACTTAC	JGAAACTIAAGT	AACTTGCACA	MC:468	;
	*		00		320	* 5	540	
TrF3'5'Hb1: TrF3'5'Hb2:	CTCGGCGGAA	AAGCCCTC	GAAGATTGGTC	GAAAGTTCC	TGAGATTGAA	ATGGGTCACA	TG:540	
TrF3'5'Hb2:	CTCGGCGGAA	AAGCCCT <u>U</u> AACCCCCTC	GAAAATTGGTC GAAGATTGGTC	GAAAGTTCC	TGAGATTGAA	ATGGGTCACA	TG:534	-
TrF3'5'Hb4:	CTCGGCGGAA	AAGCCCTI	GAAAATTGGTC	GAAAGTTCC	TGAGATTGAG TGAGATTGAA	ATGGGTCACA ATGGGTCACA	TG :532 TG :528	
		Name of the Party						

117/271

		*	560	*	580	*	600	
TrF3'5'Hb1: TrF3'5'Hb2: TrF3'5'Hb3: TrF3'5'Hb4:	ATTCGTZ ATTCGTZ	ACAATGTA ACAATGTA	MGATTGTAGCA ACGATTGTAGCA ACGATTGTAGCA ACGATTGTAGCA	AAGAAAGACG AAGAAAGACG	AATCCGTTGTT AATATGTTGTT	GTGGCCGA GTG	ATGTTG	584 594 580 74
TrF3'5'Hb1:		*	620	*	640	*	660	: -
TrF3'5'Hb2:	ACATAT	GCTATGGC	CAATATGATAC	GTCAAGTTA	TATTGAGTCGT	CGCGTGTT	CGAGACA	:654
TrF3'5'Hb3:								: -
TrF3'5'Hb4:								: -
		*	680	*	700			
TrF3'5'Hb1:					: TTCNTC : 694	- 1		
TrF3'5'Hb2:	AAAGGT.	AGTGACTC	CAAATGAATTT	AAGGATATGG	**************************************	± -		
TrF3'5'Hb3:						_		
TrF3'5'Hb4:								

118/271

TrF3Ha	:	* GCACACNTCTATTTA	20 TTTCTACTT?	* \AACCTNACA	40 AAAAATAANA(* CCCACAAAAC	60 ACAAAC	:	60
TrF3Ha	:	* ACCACAAACACCAAA	80 ACCGAGTCCG	* GTTTCCTNNT	100 CNAACATGGC	* ACCAAGCCAA	120 ACTCTA	:	120
TrF3Ha	:	* AGTTATCTCTCACAA	140 CAAAACACTO	* CTTGAGTCAA	160 GTTTCGTTAG	* EGAAGAAGAT	180 GAGCGT	:	180
TrF3Ha	:	* CCAAAAGTTGCCTAC	200 AATAACTTC <i>I</i>	* AGCAACGAGA	220 TTCCAATCAT	* TTCTCTTGCT	240 GGAATT	:	240
TrF3Ha	:	* GATGAGGTTGATGGT	260 CGTAGAACAC	* SAGATATGTA	280 ACAAGATTGT'	* IGAAGCTTGT	300 GAGAAT	:	300
TrF3Ha	:	* TGGGGTATTTTCAG	320 GTTGTTGATO	* CATGGTGTTG	340 ATACAAAACT'	* IGTTTCTGAG	360 ATGACC	:	360
TrF3Ha	:	* CGTTTTGCTAGAGAG	380 FTTTTTTGCT	* FTGCCACCGG	400 AAGAGAAGCT	* CCGGTTTGAC	420 ATGTCC	:	420
TrF3Ha	:	* GGTGGTAAAAAGGGT	440 GGTTTCATT	, GTCTCTAGTC	460 CATCTCCAAGG	* AGAAGCAGTG	480 AAGGAT	:	480
ТгF3На	:	* TGGAGAGAGCTAGTO	500 FACATATTTT	* FCATACCCAA	520 ATTAAACAAAG.	* AGATTATTCA	540 AGGTGG	:	540
ТгF3На	:	* CCAGACAAGCCAGAA	560 AGGATGGAAA	* GAGGTAACAG	580 SAAAAATACAG	* TGAAAACCTA	600 ATGAAT	:	600
TrF3Ha	:	* TTAGCTTGCAAACTA	620 ATTGGAAGTT	* TTATCAGAAG	640 GCAATGGGTTT	* AGAAAAAGAA	660 GCTCTA	:	660
TrF3Ha	:	* ACAAAAGCATGTGT	680 FGATATGGAT(* CAAAAAGTTO	700 STTATAAATTA	* TTACCCAAAA	720 TGCCCT	:	720
ттгана		* GAACCTGACCTCAC	740	* A	760 CTGACCCTGG	* CACAATTACT	780 CTTTTG	•	780

119/271

TrF3Ha	:	* 80 CTTCAAGATCAAGTTGGTG	_	820 CCAAAGATAATGGTA	* AGACGTGGAT	840 TACA	:	840
TrF3Ha	:	* 86 GTTCAACCAGTTGAAGGTG		880 ATCTTGGAGACCATG	* GTCACTATCT	900 AAGT	:	900
TrF3Ha	:	* 92 AATGGACGGTTCAAAAATG		940 CAGTGGTGAATTCGA	* ACTACAGCCG	960 NTTA	:	960
TrF3Ha	:	* 98 TCAATAGCAACATTTCAAA		1000 ATGCAACTGTATACC		1020 TAGA	:	1020
TrF3Ha	:	* 104 GAGGGTGAAAAATCTGTGT	-	1060 TCACTTTTGCTGAAA		1080 GAAG	:	1080
TrF3Ha	:	* 110 ATGACCAAAGACCTTGAAA	-	1120 AGAAGTTGGCTAAGG		1140 TAGG	:	1140
TrF3Ha	:	* 116 GACTTGGAGGAGAACAAGA	_	1180 CCAAACCTTTGAATG		1200 TTAA	:	1200
TrF3Ha	:	* 122 TTAATTAGTCTTAATTTAA	-	1240 .TTTTAGACTTAATTT	* ACATATAATA	1260 ATTT	:	1260

TrF3Ha : T : 1261

120/271


		*	20	*	40	*	6		
TrF3Ha	:	MAPSQTLSYLSQQNTL	ESSFVREEDERPI	KVAYNNFSI	(EIPIISLAGID)	EVDGRRTE:	ICNK	:	59
TrF3Ha	:	* IVEACENWGIFQVVDH	80 GVDTKLVSEMTR	* FAREFFALI	100 PPEEKLRFDMSG	* GKKGGFIV	120 SSHL	:	120
TrF3Ha	:	* QGEAVKDWRELVTYFS	140 YPIKQRDYSRWP	* DKPEGWKE ¹	160 VTEKYSENLMNL	* ACKLLEVL	180 SEAM	:	180
TrF3Ha	:	* GLEKEALTKACVDMDQ	200 KVVINYYPKCPE	* PDLTLGLKI	220 RHTDPGTITLLL	* QDQVGGLQ:	240 ATKD	:	240
TrF3Ha	:	* NGKTWITVQPVEGAFV	260 VNLGDHGHYLSN	* GRFKNADH	280 QAVVNSNYSXLS	* IATFQNPA	300 PDAT	:	300
TrF3Ha	:	* VYPLKIREGEKSVLEE	320 PITFAEMYRRKM	* TKDLEIAR	340 MKKLAKEQQLRD	* LEENKTKY	360 EAKP	:	360

TrF3Ha : LNEIFA : 366


121/271

			*	20	*	40	*	60		
TrF3Ha1	:	GCACACNTO	TATTTAT	TTTCTACT	TAAACCTC	ACAAAAAATA	A-ACCCACAA <mark>C</mark>	ACACAAAC	:	59
TrF3Ha2	:	GCACNGNTC	'TATTTAT	$\Gamma TTCTACT$	TAAACCT-	<mark>N</mark> AAAAATA	A-ACCCACAA-		:	52
TrF3Ha3	:	-CACACNTO	'ATTTAT	$ ext{TTCTACT}$	TAAACCTN	ACAAAAAATA	ANACCCACAAC	ACACAAAC	:	59
TrF3Ha4	:	ECCCTC	TANTTA	TTTCTNCT	TAAACCTN	<u>NCAAAA</u> ATNAI	INACCC <u>ACAA</u> C	ACAC <u>N</u> AA <u>N</u>	:	58
TrF3Ha5	:					<u>enta</u>	ACAC-NOCA	ACACAAAC	:	22
TrF3Ha6	:					G N	A-ACCCACAA	ACACAAAC	:	20
TrF3Ha7	:						CACACNAA	NCCAAAC	:	16
TrF3Ha8	:						CACNACNA CCACANG	CACAAAC	:	16
TrF3Ha9	:						CCACAN®	ACAC – AA –	:	13
TrF3Ha10	:							CACNAAC	:	13
TrF3Ha11	:						ENAC	ACACAAAC	:	13
TrF3Ha12	:							-CAC-AA-	:	9
TrF3Ha13	:							ACACAAAC	:	12
TrF3Ha14	:							ACACAAAC	:	12
TrF3Ha15	:							AMTCUALA	:	11
TrF3Ha16	:							AC CAA(A	:	10
TrF3Ha17	:							AC@C@A@G	:	9
TrF3Ha18	:							GCACNAAC	:	8
TrF3Ha19	:							AC-ANC	:	5
TrF3Ha20	:							GCNN	:	6
TrF3Ha21	:							GNACCC	:	6
TrF3Ha22	:							Ciain	:	5
TrF3Ha23	:								:	4
TrF3Ha24	:							-	:	3
TrF3Ha25	:								:	3
TrF3Ha26	:								:	2
TrF3Ha27	:								:	2
TrF3Ha28	:							G	:	2
TrF3Ha29	:							B	:	1
TrF3Ha30	:								:	-
TrF3Ha31	:								:	~
TrF3Ha32	:								:	-
TrF3Ha33	:								:	-
TrF3Ha34	:								:	-
TrF3Ha35	:								:	-
TrF3Ha36	:								:	-
TrF3Ha37	:								:	-
TrF3Ha38	:								:	-
TrF3Ha39	:								:	-
${\tt TrF3Ha40}$:								:	-
										_


122/271



123/271




124/271




125/271

	*	260	*	280	*	300
TrF3Ha1 :	GATGAGGTTGATG	GTCGTAGAACAG	AGATATGTA	ACAAGATTGT	TGAAGCTTGT	GAGAAT :293
TrF3Ha2 :	GATGAGGTTGATG	GTCGCAGAACAC	AGATATGTA	ACAAGATTGT	TGAAGCTTGT	GAGAAT :286
TrF3Ha3 :	GATGAGGTTGATG					
TrF3Ha4 :	GATGAGGTTGATG					
TrF3Ha5 :	GATGAGGTTGATG					
TrF3Ha6 :	GATGAGGTTGATG	GTCGTAGAACA	SAGATATGTA	ACAAGATTGT	TGAAGCTTGT	GAGAAT :251
TrF3Ha7 :	GATGAGGTTGATG					
TrF3Ha8 :	GATGAGGTTGATG					
TrF3Ha9 :	GATGAGGTTGAT	GCCGAAAAACA	AAATNTTTA	dcaagattg	NGGGGCTTGT	NAXAAT :250
TrF3Ha10 :	GATGAGGTTGAT	GNCNCACANCA	ACATOTGNN	CCANATICCI	GAACCTNGC	GANAGN :253
TrF3Ha11 :	GATGAGGTTGAT	GTCGTAGAACAC	SAGATATGTA	ACAAGATTGT	TGAAGCTTGT	GAGAAT :246
TrF3Ha12 :	GATGAGGTTGAT	GTCG AGAACAC	GAGATATGTA	ACAAGATTGT	TGAAGCTTGT	GAGAAT :236
TrF3Ha13 :	GATGAGGTTGATG	GTCGTAGAACAC	GAGATATGTA	ACAAGATTGT	TGAAGCTTGT	GAGAAT :244
TrF3Ha14 :	GATGAGGTTGATG	GTCGTAGAACAC	GAGATATGTA	ACAAGATTGT	TGAAGCTTGT	GAGAAT :249
TrF3Ha15 :	GATGAGGTTGATG	GTCG <mark>A</mark> AGAACA(SAGATATGTA	ACAAGATTGT	TGAAGCTTGT	
TrF3Ha16 :	GATGAGGTTGATG	GTCGTAGAACA	GAGATATGTA	ACAAGATTGT	TGAAGCTTGT	GAGAAT :247
TrF3Ha17 :	GATGAGGTTGAT	GTCGTAGAACA	GAGATATGTA	ACAAGATTGT	TGAAGCTTGT	GAGAAT :249
TrF3Ha18 :	GATGAGGTTGAT					<u></u> :236
TrF3Ha19 :	GATGAGGTTGATG	GTCGNAGAACA	AGATATGTA	ACAAGATTGT	TGAAGCTTGT	GAGAAT :240
TrF3Ha20 :	GATGAGGTTGATO					
TrF3Ha21 :	GATGAGGTTGATO	GTCGTAGAACA	GAGATATGTA	ACAAGATTGT	TGAAGCTTGT	
TrF3Ha22 :	GATGAGGTTGAT	GTCGTAGAACA(GAGATATGTA	ACAAGATTGT	TGAAGCTTGT	
TrF3Ha23 :	GATGAGGTTGAT					
TrF3Ha24:	GATGAGGTTGAT					
TrF3Ha25:	GATGAGGTTGAT	GTCGTAGAACA	GAGATATGTA	ACAAGATTGT	TGAAGCTTGT	GAGAAT :238
TrF3Ha26 :	GATGAGGTTGATO	GTCGAGAACA	GAGATATGTA	ACAAGATTGT	TGAAGCTTGT	GAGAAT :239
TrF3Ha27 :	GATGAGGTTGAT					
TrF3Ha28 :	GATGAGGTTGAT					GAGAAT :242
TrF3Ha29 :	GATGAGGTTGAT					
TrF3Ha30 :	GATGAGGTTGAT					
TrF3Ha31 :	GATGAGGTTGAT(
TrF3Ha32 :	GATGAGGTTGAT					
TrF3Ha33 :	GATGAGGTTGAT					
${\tt TrF3Ha34}$:	GATGAGGTTGAT			ACAAGATTGT		
TrF3Ha35 :	GATGAGGTTGAT			ACAAGATTGT		
TrF3Ha36 :	GATGAGGTTGAT					
TrF3Ha37 :	GATGAGGTTGAT					
TrF3Ha38 :	GATGAGGTTGAT	100				
TrF3Ha39 :	GATGAGGTTGAT	GTCGCAGAACA				
TrF3Ha40 :			Gr r	ACAGNNTGT	TG-ANCTTGT	'GAGNAT : 28
TrF3H=A1 .						· -


126/271




127/271



128/271



129/271



130/271

		* 560 * 580 * 600	
TrF3Ha1	:	CCAGACAAGCCAGAAGGATGGAAAGAGGTAACAGAAAAATACAGTGAAAACCT:	586
TrF3Ha2	:	CCAGACAAGCCAGAAGÃATGGAAAGAÃGTAACAGAAAAATACAGTGAAAACCTAATGAAT	586
TrF3Ha3	:	CCAGACAAGCCAGAAGGATGGAAAGAGGTAACAGAAAAATACAGTGAAAAACCTAATGAAT	599
TrF3Ha4	:	:	_
TrF3Ha5	:	CCAGACAAGCCAGAAGGATGGAAAGAGGTAACAGAAAAATACAGTGAAAACCTAATGAAT	558
TrF3Ha6	:	CCAGACAAGCCAGAAGGATGGAAAGAGGTAACAGAAAAATACAGTGAAAACCTAATGAAT	551
TrF3Ha7	:		553
TrF3Ha8	:	CCAGACAAGCCAGAAGGATGGAAAGAGGTAACAGAAAAATACAGTGAAAACCTAATGAAT	552
TrF3Ha9	:	:	_
TrF3Ha10	:	:	-
TrF3Ha11	:	CCAGACAAGCCAGAAGGATGGAAAGAGGTAACAGAAAAATACAGTGAAAACCTAATGAAT	546
TrF3Ha12	:	CCAGACAAGCCAGAAGGATGGAAAGAÄGTAACAGAAAAATACAGTGAAAACCTAATGAAT	536
TrF3Ha13	:		
TrF3Ha14	:	CCAGACAAGCCAGAAGGATGGAAAGAGGTAACAGAAAAATACAGTGAAAACCTAATGAAT :	549
TrF3Ha15	:	CCAGACAAGCCAGAAGGATGGAAAGAGGTAACAGAAAAATACAGTGAAAACCTAATGAAT	551
TrF3Ha16	:	001101110001101110011101111011110111111	547
TrF3Ha17	:	CCAGACAAGCCAGAAGGATGGAAAGAGGTAACAGAAAAATACAGTGAAAACCTAATGAAT	549
TrF3Ha18	:	:	-
TrF3Ha19	:	:	-
TrF3Ha20	:	L. II	546
TrF3Ha21	:	OCHOLICO CHICALLICO CHILICOLLIC CHILIC C	546
TrF3Ha22	:	OCTIONOLITICO OTTO CONTROLLE CONTROL	542
TrF3Ha23	:	CCAGACAAGCCAGAAGGATGGAAAGAGGTAACAGAAAAATACAGTGAAAACCTAATG <u>AAT</u>	539
TrF3Ha24	:	5 ST 1 ST 1 ST 1 ST 1 ST 1 ST 1 ST 1 ST	535
TrF3Ha25	:		538
TrF3Ha26	:	5 Table 1 Tabl	539
TrF3Ha27	:		542
TrF3Ha28	:	O O I O I O I I O O I I O O I I O O I I O O I I O O I I O O I O I I O O I I O O I I O O I I O O I I O O I I O I I O O I I O I I O O I I O	542
TrF3Ha29	:	CCAGACAAGCCAGAAGGATGGAAAGAGGTAACAGAAAAATACAGTGAAAACCTAATGAAT	530
TrF3Ha30	:	:	-
TrF3Ha31	:	CCAGACAAGCCAGAAGGATGGAAAGAGGTAACAGAAAAATACAGTGAAAACCTAATGAAT	539
TrF3Ha32	:		536
TrF3Ha33	:		532
TrF3Ha34	:	CCAGACAAGCCAGAAGGATGGAAAGAGGTNACAGAAAAATACAGGGAAAAACCTAATGAAT	529
TrF3Ha35	:	3	534
TrF3Ha36	:	001101101111011110111101111011110111111	533
TrF3Ha37	:		532
TrF3Ha38	:		532
TrF3Ha39	:	COM TANK	481
TrF3Ha40	:	CCAGACAAGCCAGAAGGATGGAAAGAGGTAACAGAAAAATACAGTGAAAACCTAATGAAT	328
maritic 41		•	

131/271

			*	620	*	640	*	660
TrF3Ha1	:				~			: -
TrF3Ha2	:		CAG					:597
TrF3Ha3	:	TTAGCT						:605
TrF3Ha4	:							<u></u> : -
TrF3Ha5	:			TGGAAGTTTTAT	CAGAAGCA	<u>ATGGGTTTAGA</u>	AAAGAAGCT	CTA:618
TrF3Ha6	:	TTAGCTT	GCAAGCTAT	TGGAAG				<u></u> :573
TrF3Ha7	:	TTAGCTT	GCAAACTAT	TGGAAG <mark>N</mark> TTTAT	CAGAAGCA	ATGGGTTTAGAP	AAAGAAGCT	CTA:613
TrF3Ha8	:			TGGAAGTTTTAT				
TrF3Ha9	:							: -
TrF3Ha10	:							: -
TrF3Ha11	:	TTAGCTTO	SCAAGCTAT	TGGAAGTTTTAT	CAGAAG			:580
TrF3Ha12	:	TTAGCTT	CAAGCTAT	TGGAAGTTTTAT	CAGAAGCA	ATGGGA <mark>TTAGA</mark> A	AN	:586
TrF3Ha13	:							: -
TrF3Ha14	:	TTAGCTT	CAAACTAT	TGGAAGTTTTAT	CAGAAGCAA	ATGGGTTTAGAA	AAAGAAGCT	CTA:609
TrF3Ha15	:	TTAGCTT	CAAACTAT	TGGAAGTTTTAT	CAG			:582
TrF3Ha16	:			TGGAAGTTTTAT				CTA:607
TrF3Ha17	:	TTAGCTT	CAAGCTAT	TGGAAGTTTTAT	CAGAAGCAA	ATGGGTT∭		:593
TrF3Ha18	:							: -
TrF3Ha19	:							: -
TrF3Ha20	:	TTAGCTT	GCAAGCTAT	TGGAAGTTTT				:572
TrF3Ha21	:	TTAGCTT	CAAACTAT	TGGAAGTTTTAT	C <u></u>			:575
TrF3Ha22	:	TTAGCTT	GCAAACTAT	TGGAAGTTTTAT	CAGAAGCA	ATGGGTTTAGAA	AAAGAG	:596
TrF3Ha23	:	TTAGCTT	GCAAACTAT	'TGGAAGTT'TTAT	CAGAAGCAA	ATGGGTTTAGAA	AAAGAAGCT	CTA:599
TrF3Ha24	:							: -
TrF3Ha25	:		CAAACTAT					:559
TrF3Ha26	:	TTAGCTT	CAACCTAT	TGGAAGTTTT				:565
TrF3Ha27	:			TGGAAGTTTTAT				<u></u> :591
TrF3Ha28	:	TTAGCTT	CAACCTAT	TGGAAGTTTTAT!	CAGAAGCA	ATGGGTTTAGAA	AAAGAAGCT	CTA :602
TrF3Ha29	:	TTAGCTT(CAACCTAT	TGGAAGTTTTAT	CAGAAGCAZ	ATGGGTTTAGAA	AAAGAAGCT	CTA :590
TrF3Ha30	:							: -
TrF3Ha31	:	TTAGCTT	CAAACTAT	TGGAAGTTTTAT	CAG			<u></u> :570
TrF3Ha32	:			TGGAAGTTTTAT				
TrF3Ha33	:	TTANCTTO	CAAGCTAT	TGGAAGTTTTAT	CA <mark>C</mark> AAGCAÎ	TGGGATTACAA	AAAGAAGCT	CT :592
TrF3Ha34	:	TTANCTN:		<u></u>				:536
TrF3Ha35	:			TGGAAGTTTTAT			- -	:572
TrF3Ha36	:			TGGAAGTTTTAT				:573
TrF3Ha37	:		167	TGGAAGTTTTAT				:573
TrF3Ha38	:			TGGAAGTTTTAT				:584
TrF3Ha39	:	TTACCTN	GCAAGCTAT	TGGAAGTTTTAT	AATAANCNA	ATGGNATTAĀĞA		<u></u> :529
TrF3Ha40	:	TTAGCTT	GCAAACTAT	TGGAAGTTTTAT	CAGAAGCAA	ATGGGTTTAGAA	AAAGAAGCT	CTA:388
mac 72 2 11 c / 1 1	_							_

132/271

			*	680	*	700	*	720
TrF3Ha1	:							: -
TrF3Ha2	:							: -
TrF3Ha3	:							: -
TrF3Ha4	:							: -
TrF3Ha5	:	ACAAAAGC	ATGTGTTG	ATATGGATCAAA	AAGTTGTT	ATAAATTATTAC	CCAAAATG	CCCT : 678
TrF3Ha6	:							 : -
TrF3Ha7	:	ACAAANGC	ATGTGTTG	ATATGGATCAAA ATATGGATCAAA	AAGTTGTT.	ATAAATTATTAC	CCAAAATG	CCCT : 673
TrF3Ha8	:	ACAAAAGC	ATGTGTTG	ATATGGATCAAA	AAGTTGTT	ATAAATTATTAC	CCAAAATG	CCCT : 672
TrF3Ha9	:							: -
TrF3Ha10	:							: -
TrF3Ha11	:							: -
TrF3Ha12	:							: -
TrF3Ha13	:							: -
TrF3Ha14	:	ACAAAAGC	ATGTGTTG	ATATGGATCAAA	AAGTTGNT	ATAAATTATTAC	CCAAAATG	CCCT : 669
TrF3Ha15	:							
TrF3Ha16	:	ACA						:610
TrF3Ha17	:							: -
TrF3Ha18	:							: -
TrF3Ha19	:							: -
TrF3Ha20	:							: -
TrF3Ha21	:							: -
TrF3Ha22	:							: -
TrF3Ha23	:	ACAAAAGC	ATGTG					:612
TrF3Ha24	:							: -
TrF3Ha25	:							: -
TrF3Ha26	:							: -
TrF3Ha27	:							: -
TrF3Ha28	:	ACAAAAG-						:609
TrF3Ha29	:	ACAAAAG-						:597
TrF3Ha30	:							: -
TrF3Ha31	:							:
TrF3Ha32	:	ACAAAAGC	ATGT					:608
TrF3Ha33	:	ACAANANC	<u> </u>					:602
TrF3Ha34	:							: -
TrF3Ha35	:							:
TrF3Ha36	:							: -
TrF3Ha37	:							: -
TrF3Ha38	:							: -
TrF3Ha39	:							: -
TrF3Ha40	:	ACAAAAGC	ATGTGTTG	ATATGGATCAAA				
TrF3Ha41	:			ATCNAA	AAGTTGT	ATAAANTATTAC	CCNAAATGO	CCCT : 38

133/271

		*	740	*	760	*	780
TrF3Ha1	:						: -
TrF3Ha2	:						: -
TrF3Ha3	:						: -
${\tt TrF3Ha4}$:						:
TrF3Ha5	:	GAACCTGACCTT					:690
TrF3Ha6	:						: -
TrF3Ha7	:	GAACCTGACCTCCCA	CTT-GCC@TAAAC	GNCACACT	GACCCNGA		:716
TrF3Ha8	:	GAACCTGACCTCACA	CTTGGCCTTAAAC	GTCACACT	GACCCTGGCACA	772	:721
TrF3Ha9	:						: -
TrF3Ha10	:						: -
TrF3Ha11	:			. – – – – – –			: -
TrF3Ha12	:						: -
TrF3Ha13	:			. – – – – – –			: -
TrF3Ha14	:	GAACCTGACCTC					:681
TrF3Ha15	:						: -
TrF3Ha16	:			. – – – – – –			: -
TrF3Ha17	:						: -
TrF3Ha18	:						: -
TrF3Ha19	:						: -
TrF3Ha20	:						: -
TrF3Ha21	:						: -
TrF3Ha22	:						: -
TrF3Ha23	:						: -
TrF3Ha24	:						: -
TrF3Ha25	:						: -
TrF3Ha26	:						: -
TrF3Ha27	:						: -
TrF3Ha28	:						: -
TrF3Ha29	:						: -
TrF3Ha30	:						: -
TrF3Ha31	:						: -
TrF3Ha32	:						: -
TrF3Ha33	:						: -
TrF3Ha34	:						: -
TrF3Ha35	:						: -
TrF3Ha36	:						: -
TrF3Ha37	:						: -
TrF3Ha38	:						: -
TrF3Ha39	:						: -
TrF3Ha40	:	GAACCTGACCTCACA	CTTGGCCTTAAAC	GTCACACT	GACCCTGGCAC	ATTACTCT	TTTG:508
marita 41	-	CA A COMOA COMOA CA	COMCCCCOMMA A A C	CCACACE	CACCCTCC		

134/271

			*		*	820	*	840	
TrF3Ha1	:							:	-
TrF3Ha2	:							:	_
TrF3Ha3	:							:	_
TrF3Ha4	:							:	_
TrF3Ha5	:							:	_
TrF3Ha6	:							:	_
TrF3Ha7	:							:	_
TrF3Ha8	:								_
TrF3Ha9	:							· :	_
TrF3Ha10	:							:	_
TrF3Ha11	:							· :	_
TrF3Ha12	:								
TrF3Ha13	:							:	_
TrF3Ha14	:							:	_
TrF3Ha15	:							·:	_
TrF3Ha16	:								_
TrF3Ha17	:							:	
TrF3Ha18	:							· :	_
TrF3Ha19	:							:	_
TrF3Ha20	:							· :	_
TrF3Ha21	:							:	_
TrF3Ha22	:						. – – – – – – – – –	:	_
TrF3Ha23	:							:	•
TrF3Ha24	:							:	_
TrF3Ha25	:							:	_
TrF3Ha26	:							:	_
TrF3Ha27	:							:	_
TrF3Ha28	:								
TrF3Ha29	:							;	_
TrF3Ha30	:								_
TrF3Ha31	:								_
TrF3Ha32	:								_
TrF3Ha33	:								_
TrF3Ha34	:								_
TrF3Ha35	:								_
TrF3Ha36	:							;	_
TrF3Ha37	:							;	_
TrF3Ha38	:							:	
TrF3Ha39	:							:	_
TrF3Ha40	:	CTTCAAG	ATCAAGTT	GGTGGTCTTCAAC	CTACCA	AAGATAATGGT	'AAGACGTGGA	TTACA :56	58
TrF3Ha41				CCTCCCCTTCAAC					

135/271

			*	860	*	880	*	900
TrF3Ha1	:							: -
TrF3Ha2	:							: -
TrF3Ha3	:							: -
TrF3Ha4	:							: -
TrF3Ha5	:							: -
TrF3Ha6	:							: -
TrF3Ha7	:							: -
TrF3Ha8	:							: -
TrF3Ha9	:							: -
TrF3Ha10	:							: -
TrF3Ha11	:							: -
TrF3Ha12	:							: -
TrF3Ha13	:							: -
TrF3Ha14	:							: -
TrF3Ha15	:							: -
TrF3Ha16	:							: -
TrF3Ha17	:							:
TrF3Ha18	:							: -
TrF3Ha19	:							:
TrF3Ha20	:							: -
TrF3Ha21	:							:
TrF3Ha22	:							: -
TrF3Ha23	:							:
TrF3Ha24	:							: -
TrF3Ha25	:							: -
TrF3Ha26	:							: -
TrF3Ha27	:							: -
TrF3Ha28	:							: -
TrF3Ha29	:							: -
TrF3Ha30	:							: -
TrF3Ha31	:							: -
TrF3Ha32	:							: -
TrF3Ha33	:							: -
TrF3Ha34	:							: -
TrF3Ha35	:							: -
TrF3Ha36	:							: -
TrF3Ha37	:							: -
TrF3Ha38	:							: -
TrF3Ha39	:							<u></u> : -
TrF3Ha40	:			GTGCTTTTGTTG				
TrF3Ha41	:	GTTCAACC	AGTTGAAG	GTGCTTTTGTTG:	TTAATCTT(GGAGACCATGGT	CATTATCTA	AGT :218

136/271

		*	920	*	940	*	960
TrF3Ha1	:						: -
TrF3Ha2	:						•
TrF3Ha3	:						•
TrF3Ha4	:						: -
TrF3Ha5	:						: -
TrF3Ha6	:						: -
TrF3Ha7	:						: -
TrF3Ha8	:						•
TrF3Ha9	:						: -
TrF3Ha10	:						: -
TrF3Ha11	:						: -
TrF3Ha12	:						: -
TrF3Ha13	:						•
TrF3Ha14	:						•
TrF3Ha15	:						•
TrF3Ha16	:						
TrF3Ha17	:						: -
TrF3Ha18	:						: -
TrF3Ha19	:						: -
TrF3Ha20	:						: -
TrF3Ha21	:						: -
TrF3Ha22	:						
TrF3Ha23	:						: -
TrF3Ha24	:						: -
TrF3Ha25	:						
TrF3Ha26	:						: -
TrF3Ha27	:						: -
TrF3Ha28	:						
TrF3Ha29	:						: -
TrF3Ha30	:						
TrF3Ha31	:						: -
TrF3Ha32	:						
TrF3Ha33	:						
TrF3Ha34	:						•
TrF3Ha35	:						
TrF3Ha36	:						: -
TrF3Ha37	:						: -
TrF3Ha38	:						: -
TrF3Ha39	:						 : -
TrF3Ha40	:	AATGGACGGTTCA					
TrF3Ha41	:	AATGGACGGTTCA	AAAATGCTGACC	CACCAAGCAC	TGGTGAATTC	GAACTACAGC	CGTTTA :278

137/271

			*	980		1000	*	1020	
TrF3Ha1	:								: -
TrF3Ha2	:							:	: -
TrF3Ha3	:								: -
TrF3Ha4	:							:	: -
TrF3Ha5	:								: -
TrF3Ha6	:							:	: -
TrF3Ha7	:				-				: -
TrF3Ha8	:							:	: -
TrF3Ha9	:								: -
TrF3Ha10	:							:	
TrF3Ha11	:							:	
TrF3Ha12	:							:	: -
TrF3Ha13	:							:	
TrF3Ha14	:							:	: -
TrF3Ha15	:							;	
TrF3Ha16	:							:	
TrF3Ha17	:							:	: _
TrF3Ha18	:							;	
TrF3Ha19	:							:	
TrF3Ha20	:							;	_
TrF3Ha21	:							:	
TrF3Ha22	:							:	: -
TrF3Ha23	:							:	_
TrF3Ha24	:							:	
TrF3Ha25	:							:	_
TrF3Ha26	:							:	_
TrF3Ha27	:							;	_
TrF3Ha28	:							:	_
TrF3Ha29	:							;	
TrF3Ha30	:							:	_
TrF3Ha31	:							;	_
TrF3Ha32	:							;	_
TrF3Ha33	:							:	
TrF3Ha34	:								_
TrF3Ha35	:							:	_
TrF3Ha36	:							:	_
TrF3Ha37	:							:	_
TrF3Ha38	:							:	_
TrF3Ha39	:							:	_
TrF3Ha40	:	TCAATAGO	AA					:	698
TrF3Ha41	:	TCAATAGO	'AACATTTC			ААСТСТАТАСССТ			330

138/271

			*	1040	*	1060	*	1080	
TrF3Ha1	:							:	-
TrF3Ha2	:							· :	-
TrF3Ha3	:							:	-
TrF3Ha4	:							:	
TrF3Ha5	:							:	-
TrF3Ha6	:							· :	_
TrF3Ha7	:							:	-
TrF3Ha8	:							:	_
TrF3Ha9	:							:	-
TrF3Ha10	:							· :	_
TrF3Ha11	:							:	
TrF3Ha12	:							· :	_
TrF3Ha13	:							:	_
TrF3Ha14	:							:	_
TrF3Ha15	:							· :	-
TrF3Ha16	:							· :	_
TrF3Ha17	:							:	_
TrF3Ha18	:							:	_
TrF3Ha19	:							:	-
TrF3Ha20	:							:	-
TrF3Ha21	:							:	
TrF3Ha22	:							:	-
TrF3Ha23	:							:	-
TrF3Ha24	:							:	-
TrF3Ha25	:							:	-
TrF3Ha26	:							:	-
TrF3Ha27	:							:	-
TrF3Ha28	:							:	_
TrF3Ha29	:							:	-
TrF3Ha30	:							:	-
TrF3Ha31	:							:	
TrF3Ha32	:							:	-
TrF3Ha33	:							:	-
TrF3Ha34	:							:	_
TrF3Ha35	:							· :	-
TrF3Ha36	:							:	_
TrF3Ha37	:							:	_
TrF3Ha38	:							:	
TrF3Ha39	:							:	-
TrF3Ha40	:							· :	
TrF3Ha41	:	GAGGGTG	AAAATCT:	GTGTTGGAAGAAC	CAATCAC'	TTTTGCTGAAATGT	TATAGAAC	GAAG :	398

139/271

			*	1100	*	1120	*	1140
TrF3Ha1	:							
TrF3Ha2	:							
TrF3Ha3	:		· -					
TrF3Ha4	:							
TrF3Ha5	:		. – – – – -					
TrF3Ha6	:							
TrF3Ha7	:							
TrF3Ha8	:							
TrF3Ha9	:						-	
TrF3Ha10	:							
TrF3Ha11	:							
TrF3Ha12	:							
TrF3Ha13	:							
TrF3Ha14	:							
TrF3Ha15	:							
TrF3Ha16	:							
TrF3Ha17	:							
TrF3Ha18								
TrF3Ha19	÷							
TrF3Ha20								
TrF3Ha21	:							
TrF3Ha22	:							
TrF3Ha23	:							
TrF3Ha24	:							
TrF3Ha25	:							
TrF3Ha26	:							
TrF3Ha27	•							
TrF3Ha28	:							
TrF3Ha29	:							
TrF3Ha30	:							
	:							
TrF3Ha31	:							
TrF3Ha32	:							
TrF3Ha33	:							
TrF3Ha34	:							
TrF3Ha35	:							
TrF3Ha36	:							
TrF3Ha37	:							
TrF3Ha38	:							
TrF3Ha39	:							
TrF3Ha40	:							
TrF3Ha41	:	ATGACCAA	AGACCT	ТСАААТТССТ	CGATGAAGA	ACTTCCCTAAC	CAACAACAA	CIDITACC

140/271

			*	1160	*	1180	*	1200
TrF3Ha1	:							· :
TrF3Ha2	:							· :
TrF3Ha3	:							:
${\tt TrF3Ha4}$:							· :
TrF3Ha5	:							:
TrF3Ha6	:							· :
TrF3Ha7	:						. – – – – – – – – –	:
TrF3Ha8	:							· :
TrF3Ha9	:							:
TrF3Ha10	:							· :
TrF3Ha11	:							:
TrF3Ha12	:							:
TrF3Ha13	:							:
TrF3Ha14	:							:
TrF3Ha15	:							:
TrF3Ha16	:							:
TrF3Ha17	:							
TrF3Ha18	:							:
TrF3Ha19	:							
TrF3Ha20	:							· :
TrF3Ha21	:							
TrF3Ha22	:							
TrF3Ha23	:							
TrF3Ha24	:							
TrF3Ha25	:							
TrF3Ha26	•							
TrF3Ha27	•							
TrF3Ha28	:							
TrF3Ha29								
TrF3Ha30	:							:
TrF3Ha31	:							
TrF3Ha32	:							:
TrF3Ha33	:							
TrF3Ha34	:							
TrF3Ha35	:							:
TrF3Ha36	:							
TrF3Ha37	:		. .					
TrF3Ha38	•							:
TrF3Ha39	:							
TrF3Ha39	:							:
Trr3Ha40	:	CACODOGG		ТААСАСТАААТ		7 7 CCMMMC2-2	mca ca mcmma	CCTTAA
тгнанаді	•	12741 MINUS 274	-\-\-\-\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	-v-1C741CM MAVAVAVAV				

141/271

			*	1220	*	1240	*	1260
TrF3Ha1	:							
TrF3Ha2	:							
TrF3Ha3	:							
${ t TrF3Ha4}$:							
TrF3Ha5	:							
TrF3Ha6	:							
TrF3Ha7	:							
TrF3Ha8	:	~						
TrF3Ha9	:							
TrF3Ha10	:							
TrF3Ha11	:							
TrF3Ha12	:							
TrF3Ha13	:							
TrF3Ha14	:							
TrF3Ha15	:							
TrF3Ha16	:							
TrF3Ha17	:							
TrF3Ha18	:							
TrF3Ha19	:							
TrF3Ha20	:							
TrF3Ha21	:							
TrF3Ha22	:							
TrF3Ha23	:							
TrF3Ha24	:							
TrF3Ha25	•			· · · · · · · · · · · · · · · · · · ·				
TrF3Ha26	•							
TrF3Ha27	:							
TrF3Ha28	:							
TrF3Ha29	:							
TrF3Ha30	:							
TrF3Ha31	:							
TrF3Ha32	:							
TrF3Ha33	:							
TrF3Ha34	:							
TrF3Ha35	:							
TrF3Ha36	•							
TrF3Ha30	:							
TrF3Ha38	:							
TrF3Ha36								
TrF3Ha40	:							
TrF3Ha41	:					ТАСАСТТААТТ		

142/271

TrF3Ha1 : - :
TrF3Ha2 : - :
TrF3Ha3 : - :
TrF3Ha4 : - :
TrF3Ha5 : - :
TrF3Ha6 : - : TrF3Ha7 : - : TrF3Ha8 : - : TrF3Ha9 : - : TrF3Ha10 : - : TrF3Ha11 : - : TrF3Ha12 : - : TrF3Ha12 : - :
TrF3Ha14 : - :
TrF3Ha15 : - :
TrF3Ha16 : - : TrF3Ha17 : - : TrF3Ha18 : - : TrF3Ha19 : - : TrF3Ha20 : - : TrF3Ha21 : - : TrF3Ha22 : - : TrF3Ha23 : - : TrF3Ha24 : - : TrF3Ha25 : - : TrF3Ha26 : - : TrF3Ha27 : - : TrF3Ha28 : - : TrF3Ha29 : - : TrF3Ha30 : - : TrF3Ha31 : - : TrF3Ha32 : - : TrF3Ha33 : - : TrF3Ha34 : - : TrF3Ha35 : - : TrF3Ha36 : - : TrF3Ha37 : - : TrF3Ha38 : - : TrF3Ha39 : - : TrF3Ha40 : - : - TrF3Ha41 : **T** : 579

143/271

		* 20 * 40 * 60		
TrF3Hb	:	GNAGCATAACATAAACCCTGTNCCCGATTNATGTAACACAATCTCCCCTTTTCTTATTAC	:	60
TrF3Hb	:	* 80 * 100 * 120 AAGTAAAATACCATAACACAATAATATGAATACCATAATCTTGAATCATACAAACAA	:	120
TrF3Hb	:	* 140 * 160 * 180 TGGATCAAACAACAACCATGGTTGATCTAGAAACAGAACCAAGTTCACCATTTAT	:	180
TrF3Hb	:	* 200 * 220 * 240 TCAATCCCCAGAACACAGACCAAAATCCTCAATAATCATTGCTGAAGGTATCCCTCTAAT	:	240
TrF3Hb	:	* 260 * 280 * 300 TGATCTCACTCCTATAAACTACAAAGATGAAATCATCACCAACCCACTTTCCATTGAAGA	:	300
TrF3Hb	:	* 320 * 340 * 360 CTTAGTCAAAGAATAGGCAAAGCATGTAAAGAATGGGGTTTCTTTC	:	360
TrF3Hb	:	* 380 * 400 * 420 CAAAGTTCCTTTGGATAAACGTGAAAGGATTGAAGAATCTTCAAAGAAGTTTTTTGAACT	:	420
TrF3Hb	:	* 440 * 460 * 480 TAGTTTGGAGGAAAAACTTAAGGTGAGAAGATGAAGTTAATTTGCTTGGTTATTTTGA	:	480
TrF3Hb	:	* 500 * 520 * 540 AGCTGAGCATACAAAAATGTTAGGGACTGGAAGGAAATTTATGATTTTAATGTGCAACA	:	540
TrF3Hb	:	* 560 * 580 * 600 ACCAACTTTTATACCACCTTCGGATGACCAAAGTTTTCAGTTTCAATGGGAAAATCGATG	:	600

FIGURE 76

TrF3Hb : G : 601

144/271

TrF3Hb	:	* MNTIILNHTNNLGSNK	20 TTTMVDLETEPS	* SPFIQSPEH	40 IRPKSSIIIAEG	* IPLIDLTPI	60 NYK	:	60
TrF3Hb	:	* DEIITNPLSIEDLVKE	80 GKACKEWGFFQ	* VINHKVPLI	100 OKRERIEESSKK		120 LKV	:	120
mwE3 Hb		*	140	* *	160 PRDDOSEOFOW	* ENRW • 17	2		

145/271

TrF3Hc	:	* TTACCCAACAATNATG	20 TGTGACTGATGT	* TAGTGTAC	40 CAGGAAAGATGG	* GAGAGGTG	60 GATC	:	60
TrF3Hc	:	* CAGCTTTCTTCAAATC	80 CAGAAAATAGGC	* CAAAACTT	100 TCCATAATCCAA	GCTGAAGG	120 AATT	:	120
TrF3Hc	:	* CCTGTAATCAATCTCT	140 CCCCATTAATTC	* 'ACCACACA	160 GTTCAAGACTCC	* TCTGCCAT	180 TGAA	:	180
TrF3Hc	:	* AGCTTAGTCAAAGAAA	200 TAGGAAATGCTT	* 'GCAAGGAA	220 TGGGGTTTCTTC	* CAAGTAAC.	240 AAAC	:	240
TrF3Hc	:	* CATGGTGTCCCTCTAA	260 ATCTAAGGCTCA	* .GACTCGAG	280 GAAGCTACCAAA	* .GTTTTCTT	300 TGCA	:	300
TrF3Hc	:	* CAGAGTTTGGAGGAGA	320 AGAGGAAGCTTA	* .CCGTAGAT	340 GATAACAGTTTG	* CCTGGTTA	360 TCAT	:	360
TrF3Hc	:	* GATACAGAGCACACCA	380 AGAATGTCAGAG	* SACTGGAAA	400 GAAGTGTTTGAT	* TTTTTTATC	420 CAAA	:	420
TrF3Hc	:	* GACCCCACTTTGATTC	440 CTCTGAATTCTG	* SATGAACAT	460 GATGATCGAGTC	* ACTCAATG	480 GACT	:	480
TrF3Hc	:	* AATCCATCCCTCAAT	500 ATCCTCCAAACT	* 'TCAAAGTT	520 ATTTTGGAAGAG	* TATATTAA	540 AGAG	:	540
TrF3Hc	:	* ATGGAAAAGCTAGGCT	560 TTAAGTTGCTAG	* SAGCTTATA	580 GCTTTGAGC :	585			

146/271

* 20 * 40 * 60
TrF3Hc: MLVYQERWERWIQLSSNPENRPKLSIIQAEGIPVINLSPLIHHTVQDSSAIESLVKEIGN: 60

* 80 * 100 * 120

 ${\tt Trf3hc} \; : \; {\tt ACKEWGFFQVTNHGVPLNLRLEEATKVFFAQSLEEKRKLTVDDNSLPGYHDTEHTKNV} \; : \; 120$

* 140 * 160 * 180 Trf3Hc: RDWKEVFDFLSKDPTLIPLNSDEHDDRVTQWTNPSPQYPPNFKVILEEYIKEMEKLGFKL: 180

TrF3Hc : LELIALS : 187

147/271

TrF3'Ha	:	GGGAATGGT	* 'GGAGGCG#	20 ATGTGACCCTA(* GGGCTGAT(40 GAATTAGTAATG	* GTAGTTGAG	60 GCTT	: 60
TrF3'Ha	:	ATGGCGTTA	* .GCTGGAG1	80 TTTTCAATATTGO	* GTGATTTT	100 GTTCCTGCTTTG	* GAATGGTT!	120 AGAT	:120
TrF3'Ha	:	ATTCAAGGT	* 'GTACAAGG	140 Baaaaatgaagaa	* AATTACATI	160 AAAAGATTTGAT	* GCATTTTT <i>I</i>	180 AACT	:180
TrF3'Ha	:	AGCATTATT	* 'GAAGATCA	200 ACATGATTTCCAA	* AGAGTGAGA	220 AAGCATAATGAC	* TTATTGAGT	240 FACG	:240
TrF3'Ha	:	TTGTTATCA	* CTAAAAGA	260 AAAAGTTGATGA	* \GGATGGT(280 GACAAACTTAAT	* GATACTGA(300 GATC	:300
TrF3'Ha	:	AAAGCATTA		320 CATGTTCACAGO	* CTGGAACA(340 GACACATCATCA	* AGCACAAC <i>I</i>	360 AGAG	:360
TrF3'Ha	:	TGGGCTATT		380 AATAAAAAATCO	* CAAAACTA?	400 ATGATTCGTGTT	* CAAAATGAG	420 STTG	:420
TrF3'Ha	:	GACACTGTT		440 JAGACAAGCTTGT	* FAACTGAA(460 CAAGACTTGGCC	* CATCTTCCI	480 TTAC	:480
TrF3'Ha	:	TTAGAGGCT	* GTAATAAA	500 GGAGACATTTCC	* FTCTCCAT(520 CCATCAACCCCT	* CTTTCTCTC	540 CCCA	:540
TrF3'Ha	:	CGTGTTGCA	* ACAAATAG	560 TTGTGAAATCC1	* CGACTATO	580 CACATTCCCAAA	* GGTGCAAC1	600 CTC	:600

TrF3'Ha : TTGG : 604

148/271

* 20 * 40 * 60

Trf3'Ha : GNGGGECDPRADELVMVVELMALAGVFNIGDFVPALEWLDIQGVQGKMKKLHKRFDAFLT : 60

* 80 * 100 * 120

Trf3'Ha : SIIEDHMISKSEKHNDLLSTLLSLKEKVDEDGDKLNDTEIKALLLNMFTAGTDTSSSTTE :120

* 140 * 160 * 180

Trf3'Ha : WAIAELIKNPKLMIRVQNELDTVVGRDKLVTEQDLAHLPYLEAVIKETFRLHPSTPLSLP :180

* 200
Trf3'Ha: RVATNSCEILDYHIPKGATLL: 201

149/271

			*	20	*	40	*	60	
TrF3 TrF3	:	GGGAAT(EGTGGAGG EGTGGAGG	CGAATGTGACC	CTAGGGCTG CTAGGGCTG	SATGAATTTAA SATGAATTTAA	GTAATGGTAG GTNATGGTAG	TTGAGC TTGAGC	: 60 : 57
TrF3 TrF3	 :			80 GGAGTTTTCAA GGAGTTTTCAA					:120 :117
TrF3 TrF3	 :			140 CAAGGAAAAT CAAGGAAAAAT					:180 :177
TrF3 TrF3	 :			200 .GATCACATGAT .GATCACATGAT					:240 :237
TrF3 TrF3	 :			260 AAAGAAAAAGI AAAGAAAAAGI					:300
TrF3 TrF3	:			320 TTGAACATGTT TTGAACATGTT					:360 :357
TrF3 TrF3	:			380 'GAACTAATAAA 'GAACTAATAAA					:420 :417
TrF3 TrF3	:			440 GGCCGAGACAZ GGCCGAGACAZ					:480 :477
TrF3 TrF3	 :			500 ATAAAGGAGAC ATAAAGGAGAC					:540 :537
TrF3 TrF3	 :			560 AATAGTTGTGA AATAGTTGTGA			 CCCAAAGGTG	600 CAACTC	:581 :597
TrF3 TrF3	:	TCTTGG	: - :603						

150/271

TrPALa	:	GNAGGAAA1	* TTCAACT	20 \AATATTGCCTT	* TAATTCTT	40 TNTNATANATN	* ITTTGAATTT	60 CNTT	:	60
TrPALa	:	CTCCCTAAA	* .AATTCTAT	80 AGCTACCACAT	* CANCACAA	100 CATAACANNAA	* .TTAAGAAAT	120 ATTN	:	120
TrPALa	:	TATNTACTA	* .TTTTAAGA	140 TATGGAAGTAG	* TAGCAGCA	160 GCAATCACAAA	* AAACAATGG	180 CAAG	:	180
TrPALa	:	ATTGATTCA	* TTTTGCTT	200 GAATCATGCTA	* ATGCTAAT	220 AACATGAAAGT	* GAATGGTGC'	240 IGAT	:	240
TrPALa	:	CCTTTGAAT	* TGGGGTG1	260 GGCTGCTGAGG	* CAATGAAG	280 GGAAGTCACTT	* GGATGAGGT(300 GAAG	:	300
TrPALa	:	CGTATGGTG		320 CCGGAAACCGG'	* FTGTCCGT(340 CTTGGTGGCGA	* GACACTGAC	360 GATT	:	360
TrPALa	:	TCTCAGGTG		380 TGCTGCACACG2	* ATGGTGCA	400 ACGGTGGAGCT	* ATCGGAATC	420 FGCT	:	420
FrPALa	:			440 GAGCAGTGACTO	* GGGTTATGO	460 GAGAGTATGAA	* CAAAGGTAC <i>I</i>	480 AGAC	:	480
FrPALa	:	AGTTATGGT		500 AGGGTTCGGCG(* CTACCTCG(520 CACCGCCGAACO	* CAAACAAGG1	540 GGT	:	540
rrPALa	:	GCTTTGCAG		560 CATAAGGTNTTI	* TGAATGC	580 AGGAATATTTGO	* GAAATGGAAC	600 NTG	:	600
CrPALa		AGACA AAGC		620 NCCC - 621						

151/271

TrPALa	:	* 20 * 40 * 60 MEVVAAAITKNNGKIDSFCLNHANANNMKVNGADPLNWGVAAEAMKGSHLDEVKRMVEEY : 6	60
TrPALa	:	* 80 * 100 * 120 RKPVVRLGGETLTISQVAAIAAHDGATVELSESARAGVKASSDWVMESMNKGTDSYGVTT : 12	20
TrPALa	:	* 140 * GFGATSHRRTKQGGALQKELIRFECRNIWKWNRQSHTLP: 159	

152/271

			^	20		*	40	*	6	50
TrPALa1	:	GNNGGAA	ATTNCAAC	TAAATA	TTGCCT	TTAATT	CTTTNTNAT	ANATNTTT	TA ATTTCCCT	· 60
TrPALa2	:	GNAGGAA		ͲΑΑΑͲΑ	TTNCCT	יתית עודע עודעה	CTTTATNAT	יייייייייייייייייייייייייייייייייייייי	חואים היהים איני	1 : 60
TrPALa3			TCAAC	ανδίπο	CACTO	TILL TO THE	CTTTNTAAT	vina incidentale		T : 50
	•		TOTER	m 41 22 125; 1 7 2		TIMMIT	CITIMIES	AT T T 73 T T T	INALLICIVI	: 50
			*	80		*	100	*	1.0	
TrPALa1		CITICOCITIA	7 7 7 7 mmc3m		7 007 07		100	***	12	10
	•	CICCCIA	AAAATTCT	ATAGCT	ACCACA	MICANCA	CAACATAAC	ANNAA'I"I'AA	AGAAATATT	
TrPALa2	:	CTCCCTA	AAAA'I''I'C'I	'ATAGCT	'ACCACA	TCANCA	CAACATAAC	ANNAATTA	AGAAATATI	N :120
TrPALa3	:	CICACIN	CAAATACT	'ATAG#T	ACCAMA	ACATAA	CAAAGTAAC	$\mathbf{ACTTATTAC}$	"IAGCTATT	2 :110
			*	140		*	160	*	18	30
TrPALa1	:	TATNTAC	TATTTTAA	GATATG	GAAGTA	GTAGCA	NCAGCAATC	ACAAAAAA	CAATGGCAA	G:180
TrPALa2	:	TATNTAC	TATNTTAA	GATATG	GAAGTA	GTAGCA	GCAGCAATC	ACAAAAAA	CAATGGCAA	C :180
TrPALa3	:	TITETAR	CANTTTAA	GINATG	GAAGTA	GTAGCA	GCAGCAATC	CAAAAAAA	'AACCCA'AA	G:170
							0011001111101	10111111111	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	. 1 / 0
			*	200		*	220	*	24	0
TrPALa1		$\Delta TTC\Delta TT$	C Δ T		Съпсси	יא א שרכירות	AATAACATG		24	.0
TrPALa2	÷	ATTCATT			CAIGCI	AAIGCI.	AATAACATGA AATAACATGA	AAAGIGAAI	GGTGCTGA	
TrPALa3	:	ATIGATI	CAIIIIGC	TIGAAT	CAIGCI	AAIGCI	AATAACATGA	AAAGTGAAT	'GGTGCTGA	
TILVIO	٠	AIIGAII	CALLIIGU	TIGAAI	CATGCT	AATGCT	AATAACATG	AAAG'I'GAA'I	<u>'GGTGCTGA</u>	T :230
			-1-	0.50						
			*	260		*	280	*	30	<u>· O</u>
TrPALa1	:	CCTTTGA	ATTGGGGT	'GTGGCT	GCTGAG	GCAATG.	AAGGGAAGT	CACTTGGAT	GAGGTGAA	G:300
TrPALa2	:	CCTTTGA	ATTGGGGT	'GTGGCT	GCTGAG	GCAATG.	AAGGGAAGT	CACTTGGAT	GAGGTGAA	G:300
TrPALa3	:	CCTTTGA	ATTGGGGT	GTGGCT	GCTGAG	GCAATG	AAAGGAAGTO	CACTTGGAT	'GAGGTGAA	G:290
			*	320		*	340	*	36	Λ
TrPALa1	:	CGTATGG	TGGAGGAA	TACCGG	AAACCG	GTTGTC	CGTCTTGGT	CCCACACC	CTCACCAT	:360
TrPALa2	•	CGTATGG	TGGAGGAA	TACCGG	AAACCG	CTTCTC	CGTCTTGGT			T:360
TrPALa3	:	GTATCC	TCCACCA	TARCCE	AAACCC	CTTCTC	CGTCTTGGT			1 :360
TTTTEAS	•	MO IIII OO	LOCACCA		AAACCG	GIIGIC	CGICIIGGI(AJADJADJE	CIGACGAI	1 :350
			4	380		ata .	400			_
m∞D⊼r ∈ 1		mama a aa			GG3.G3.G	^	400	×	42	0
TrPALa1	:	TCTCAGG	TGGCTGCC	ATTGCT	GCACAC	GAT'GGT'	GCAACGGTGG	SANCTATCO	GAATCTGC	T:420
TrPALa2	:	TCTCAGG'	TGGCTGCC	ATTGCT	GCACAC	GATGGT	GCAACGGTGG	BAGCTATCO	GAATCTGC	T :420
TrPALa3	:	TCTCANG	TGGCTGCC	ATTGCT	GCACAC	GATGGT	GCCACGGTGC	AGCTATCG	GAATCTGC	T:410
			*	440		*	460	*	48	0
TrPALa1	:	AGAGCCG	GCGTTAAG	GCGAGC.	AGTGAC	TGGGTT	ATGGAGAG	TGAACAAA	GGTACAGA	C:480
TrPALa2	:	AGAGCCG	GCGTTAAG	GCAAGC.	AGTGAC	TGGGTT	ATGGAGAGTA	TGAACAAA	GGTACCGA	C:480
TrPALa3	:	AGAGCCG	GCGTTAAG	GCGAGC.	AGTGAC	TGGGTT	ATGGARAGTA	TGAACAA	GGTACTGA	C:470
								011101111		G • 4 / 0
			*	500		*	520	*	54	Λ
TrPALa1		AGTTATG	стстс <u>а</u> ст		TTCCCC	CCTACC	CNCACCGCC	CAACCAAA	CAACCEC	:540
TrPALa2	:	ACOTACO	CTCTCPC		TICGGC	CCMACC.	regeacegee	GAACCAAA	OD TODAAU.	:540
TrPALa3	:	ACTITACIO	GTGTC際C器	ACAGGG		GCTACC.	rCGCACCGCC rCGCACCGCC	GAACCAAA	CAAGGTGG	T:540
IIFALGS	•	AGIIAIG	GIGICACI.	ACAGGG	TTCGGC	GCTACC.	regeacegee	GAACCAAA	CAAGGTGG	:530
				5 6 0		, t.				_
		COMPRES	^	560		*	580	*	60	•
TrPALa1	:	GCTTTGCZ	ANAAAGAG	CTCATA	AG@TAG	TTTGCT	-TAAOT <mark>G</mark> TQAAT			<u>-</u> :582
TrPALa2	:	GCTTTTGC	AGAAAGAG	CTCATA	AGGTNT	TTTGAAT	rgc <mark>t</mark> ggaata	TTTGGAAA	TGGAACNT	G :600
TrPALa3	:	GCTTTGC	AGAAAGAG	CTCATA	AGGTNT	TTTGAAT	rgcaggaata	TTTGGAAA	TGGAACITT	:590
										_
			*	620						
TrPALa1	:				: -					
TrPALa2	:	AGTCNAAC	GCCACACA	CTACCC	:621					
TrPALa3	:	ANACAAA	CC		:600					

153/271

			*	20	*	40	*	60		
TrPALb	:	GNAGGAAA	NAATTNTA	TTGTTATTATTT	CCCCCAC	CACAACGGAAA	TATUTTAAU	GTTN	:	60
m		2555 S	*	80	*	100	*	120		
TrPALb	:	CTTATTTC	CCCCCACAC	CAACATAACNAA	ATACATTNI	CCTCTCCTCT	CATCACAATI	'ATTA'	:	120
			*	1.10						
Con Dat la		CEEEE CEE		140	*	160	*	180		
TrPALb	:	CTTTCTAC	ACACCCCC	CTCTCAACTATT	ATTAACTA	ACATAATGGA	GGGAATTACC	AATG	:	180
			*	0.00						
m~DAT.b	_	CCC2 mccm/		200	*	220	*	240		
TIPADD	:	GCCATGCT	JAAGCAAC'	TTTTTGCGTGAC	CAAAAGTG	TTGGTGATCC.	ACTCAACTGG	GGTG	:	240
			*	260	.4.	0.00				
TrDAIh		C) CCCCCCC		20U		280	*	300		
TTEALD	•	CAGCCGCGC	SAGICGIIC	GATGGGGAGTCA	TTTGGATG	AGG'I'GAAGCG'	TATGGTGGAG	GAAT	:	300
			*	320	*	2.40	al.			
TrPALb		ል ርርርሞአ አጥር		TAAAATTGGCGG		340	*	360		
111711	•	ACCGIAAIC	CMIIGGII	AAAAT 1 GGCGG	CGAGACGC	TTACCATTGC	1'CAGG'I'GGC'I'	GGAA	:	360
			*	380	*	400		400		
TrPALb		ጥጥርረጥጥረጥረ	~ ∆ ጥር አ ጥ አ ር ባ	GGTGTGAGGGT			*	420		400
	•	110011010	CAIGAIAGI	1 DODADIBLEDD.	GGAGCIGI	CIGAGICCGC	CAGGGCCGGC	GTTA	:	420
			*	440	*	460	*	480		
TrPALb	:	AGGCGAGTZ	GTGATTGG	GTGATGGACAG	$C\Delta TC\Delta \Delta C\Delta$	ATCCCACTCA		400		480
			-01011100	.01011100110110	CHIGHACA	AIGGGACIGA.	INGITHIGGI.	GTTA	:	480
			*	500	*	520	*	540		
TrPALb	:	CCACCGGTT	TCGGCGCC	ACCTCTCACCG	GAGAACCA	AGCAGGGTGG		7766	:	540
							I OCCI I GCAG.	DDAA	•	240
			*	560	*	580	*	600		
\mathtt{TrPALb}	:	AGCTAATTA	GGTTTTTG	AATGCTGGAAT	ATTTGGCA	ATGGTACAGAZ	ATCTA A CTGT:	ACAC		600
								10110	•	000
			*	620	*	640	*	660		
TrPALb	:	TACCACACA	CAGCAACC	AGAGCTGCAAT	GCTTGTGA	GAATCAACACI	CTTCTTCAA	GAGG	:	660
									-	
			*	680	*					
TrPALb	:	AATATTTCI	TGAATGGC	CTTTGTAAATT	TTTGG : (693				

154/271

		*	20	*	40	*	60	
TrPALb	:	MEGITNGHAEAT	FCVTKSVGDPLNW	GAAAESLMG	SHLDEVKRMV	EEYRNPLVKI	GGETLT :	60
		*	80	*	1.00	*	120	
TrPALb	:	IAQVAGIASHDS	GVRVELSESARAG'	VKASSDWVM		GVTTGFGATS		120
		4	1.40	.14	1.50			
		^	140	*	160	*		
TrPALb	:	GGALOKELIRFL	NAGIFGNGTESNC	TLPHTATRA	AMIARRINTIL	OFFYFUNCIO	KET. • 17	7

155/271

	*		20	*	40	*	60	
TrPALb1:	GNAGGAAANA	ATTNTATT	GTTATTATT	TCCCCCCA	CACAACATAA	CAAATACNA	TTATT	: 60
TrPALb2:					CÅGGAA	ANAATTNTA	TTGTTN	: 21
TrPALb3:						ATNATT G MT		: 21
TrPALb4:						ATATTAANA.		: 19
TrPALb5 :						ATATTAANA		: 19
TrPALb6 :						ANAATTNTN		: 18
TrPALb7:						ANAATTNT		: 18
TrPALb8:					 -			: -
	*		80	*	100	*	120	
TrPALb1 :	CTERRE							:120
TrPALb2 :	RTTUTTCCDA	CCCACACA	ACATAACA	ATACATTN'	TCCTCTCCTC	TCATCACAA	ATTATT	: 81
TrPALb3 :	CASC COLAVA CAC	AACATANA	CAAATACNA	MITTICHT GOL	INCNCTACTA	GCATCACAA	ATTATTA	: 81
TrPALb4:	NTTTTCCC	CCCACAC	ACATAACNA	ATACATTN	rciitctcctc	TNATCACAA	ATTATT	: 79
TrPALb5:	CTTATTTCCN							: 79
TrPALb6:	ATTATTTCC							: 78
TrPALb7:	CTTATTTCCC							: 78
TrPALb8:					PCTCTCCTC			: 42
				- A.C. 28 404				
	*		40	*	160	*	180	
TrPALb1:	TANCC	ATTACHER	CCCAAUTA	NA-TEEC	Ale Cital Chi II inc	AAAAAAAAA	CCAATG	:180
TrPALb2:	CTTTCTACA	CCCCCT	CTCAAGTAT	TATTAACT	AACATAATGO	AGGGAATTA	CCAATG	:141
TrPALb3:	CTTTCTAME	ACCCCCCT	CTCAACTAT	TATTAACT	AACATAATGG	AGGGAATTA	CTAATG	:141
TrPALb4:	CTTTCTACAN							:139
TrPALb5:	CTTTCTACAC							:139
TrPALb6:	CTTTCTANNC							:138
TrPALb7:	CTTTCTACAC							:138
TrPALb8:	CTTTCMMMC	SCCC CCT	CTNAACTAT			ACCCA ANTA	CCAATG	:102
IIIALDO .	CITICAAAAAAAC	WCCCERCCT	C T 1/2-1-20	445/7 / 144-2/24	MACKING	7-CCC/	CCAALG	. 102
	*	2	00	*	220	*	240	
TrPALb1 :	* GCCATGCTGA			* ACCAAAAGT(* CACTCAACT		:240
TrPALb1 :	* GCCATGCTGA GCCATGCTGA	AACTT	TTTGCGTG		GTTGGTGATC		GGGGTG	
	GCCATGCTGA	ACCAACTT AGCAACTT	TTTGCGTGA	ACCAAAAGT	GTTGGTGATC GTTGGTGATC	CACTCAACT	GGGGTG GGGGTG	:201
TrPALb2 : TrPALb3 :	GCCATGCTGA GCCATGCTGA	A <mark>®</mark> CAACTT AGCAACTT AGCAACTT	TTTGCGTG <i>I</i> TTTGCGTG <i>I</i> TTTGCGT \	ACCAAAAGT(ACCAAAAGT(GTTGGTGATC GTTGGTGATC GTTGGTGATC	CACTCAACT CACTCAACT	GGGGTG GGGGTG GGGGTG	:201 :201
TrPALb2 : TrPALb3 : TrPALb4 :	GCCATGCTGA GCCATGCTGA GCCATGCTGA	A <mark>R</mark> CAACTT AGCAACTT AGCAACTT AGCAACTT	TTTGCGTG <i>I</i> TTTGCGTG <i>I</i> TTTGCGT G <i>I</i> TTTGCGTG <i>I</i>	ACCAAAAGT(ACCAAAAGT(ACCAAAAGT(GTTGGTGATC GTTGGTGATC GTTGGTGATC GTTGGTGATC	CACTCAACT CACTCAACT CACTCAACT	GGGGTG GGGGTG GGGGTG	:201 :201 :199
TrPALb2 : TrPALb3 : TrPALb4 : TrPALb5 :	GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA	AMCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT	TTTGCGTGI TTTGCGTGI TTTGCGTGI TTTGCGTGI TTTGCGTGI	ACCAAAAGT(ACCAAAAGT(ACCAAAAGT(ACCAAAAGT(GTTGGTGATC GTTGGTGATC GTTGGTGATC GTTGGTGATC GTTGGTGATC	CACTCAACT CACTCAACT CACTCAACT CACTCAACT	GGGGTG GGGGTG GGGGTG GGGGTG	:201 :201 :199 :199
TrPALb2 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb6 :	GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA	AMCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT AMCAACTT	TTTGCGTGI TTTGCGTMI TTTGCGTGI TTTGCGTGI TTTGCGTGI TTTGCGTGI	ACCAAAAGT(ACCAAAAGT(ACCAAAAGT(ACCAAAAGT(ACCAAAAGT(STTGGTGATC STTGGTGATC STTGGTGATC STTGGTGATC STTGGTGATC STTGGTGATC	CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT	GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG	:201 :201 :199 :199 :198
TrPALb2 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb6 : TrPALb7 :	GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA	AMCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT AMCAACTT AMCAACTT	TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA	ACCAAAGT(ACCAAAAGT(ACCAAAAGT(ACCAAAAGT(ACCAAAAGT(ACCAAAAGT(STTGGTGATC STTGGTGATC STTGGTGATC STTGGTGATC STTGGTGATC STTGGTGATC STTGGTGATC	CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT	GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG	:201 :201 :199 :199 :198 :198
TrPALb2 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb6 :	GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA	AMCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT AMCAACTT AMCAACTT	TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA	ACCAAAGT(ACCAAAAGT(ACCAAAAGT(ACCAAAAGT(ACCAAAAGT(ACCAAAAGT(STTGGTGATC STTGGTGATC STTGGTGATC STTGGTGATC STTGGTGATC STTGGTGATC STTGGTGATC	CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT	GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG	:201 :201 :199 :199 :198
TrPALb2 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb6 : TrPALb7 :	GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA	ACCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT	TTTGCGTGA TTTGCGTMA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA	ACCAAAGT(ACCAAAAGT(ACCAAAAGT(ACCAAAAGT(ACCAAAAGT(ACCAAAAGT(STTGGTGATC STTGGTGATC STTGGTGATC STTGGTGATC STTGGTGATC STTGGTGATC STTGGTGATC	CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT	GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG	:201 :201 :199 :199 :198 :198
TrPALb2 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb6 : TrPALb7 :	GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA	ACCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT	TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA	ACCAAAGT(ACCAAAAGT(ACCAAAAGT(ACCAAAAGT(ACCAAAAGT(ACCAAAAGT(*	ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC	CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT	GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG	:201 :201 :199 :199 :198 :198
TrPALb2: TrPALb3: TrPALb4: TrPALb5: TrPALb6: TrPALb7: TrPALb8:	GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA CCCATGCTGA * CAGCCGCGGA	ACCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT	TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA	ACCAAAGT ACCAAAAGT ACCAAAAGT ACCAAAAGT ACCAAAAGT ACCAAAAGT ACCAAAAGT ACCAAAAGT	ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC	CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT	GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG	:201 :201 :199 :199 :198 :198 :162
TrPALb2 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb6 : TrPALb7 : TrPALb8 :	GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA CAGCCGCGGA CAGCCGCGGA	ACCAACTT AGCAACTT CTCGTTGA	TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA	ACCAAAGTO ACCAAAAGTO	ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC EAGGTGAAGC EAGGTGAAGC	CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT	GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG AGGAGT AGGAGT	:201 :201 :199 :199 :198 :198 :162 :300 :261
TrPALb2 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb6 : TrPALb7 : TrPALb8 : TrPALb1 : TrPALb2 :	GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA CCCATGCTGA * CAGCCGCGGA	AECAACTT AGCAACTT	TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTGCGTGA TTGCGTGA TTGCGTGA TTGCGTGA TTGCGTGA	ACCAAAGTO ACCAAAAGTO	ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC EAGGTGAAGC EAGGTGAAGC EAGGTGAAGC	CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT * CACTCAACT * CTATGGTGG GTATGGTGG	GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG AGGAGT AGGAAT	:201 :201 :199 :199 :198 :198 :162
TrPALb2 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb6 : TrPALb7 : TrPALb8 : TrPALb1 : TrPALb2 : TrPALb3 :	GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA CCATGCTGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA	ACCAACTT AGCAACTT	TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTGGGGAGTC TGGGGGAGTC	ACCAAAGTO ACCAAAAGTO ACCAAAAAGTO ACCAAAAAAGTO ACCAAAAAAGTO ACCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC EAGGTGAAGC EAGGTGAAGC EAGGTGAAGC	CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT * CTATGGTGG GTATGGTGG	GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG AGGAGT AGGAAT AGGAAT	:201 :201 :199 :199 :198 :162 :300 :261 :261 :259
TrPALb2 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb6 : TrPALb7 : TrPALb8 : TrPALb1 : TrPALb2 : TrPALb3 : TrPALb4 :	GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA	ACCAACTT AGCAACTT AGCATTGA AGCGTTGA AGCGTTGA AGCGTTGA	TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTGGGGGAGTC	ACCAAAGTO ACCAAAAGTO ACCAAAAAGTO ACCAAAAGTO ACCAAAAAGTO ACCAAAAGTO ACCAAAAAGTO ACCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC EAGGTGAAGC EAGGTGAAGC EAGGTGAAGC EAGGTGAAGC	CACTCAACT CACTCA	GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG AGGAGT AGGAAT AGGAAT AGGAAT	:201 :201 :199 :199 :198 :198 :162 :300 :261 :261
TrPALb2 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb6 : TrPALb7 : TrPALb8 : TrPALb1 : TrPALb2 : TrPALb3 : TrPALb4 : TrPALb5 :	GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA	ACCAACTT AGCAACTT AGC	TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTGGGGAGTC TGGGGAGTC TGGGGAGTC TGGGGAGTC TGGGGAGTC	ACCAAAAGTO ACCAAAAGTO ACCAAAAGTO ACCAAAAGTO ACCAAAAGTO ACCAAAAGTO ACCAAAAGTO ATTTGGATO ATTTGGATO ATTTGGATO ATTTGGATO ATTTGGATO ATTTGGATO ATTTGGATO ATTTGGATO ATTTGGATO	ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC EAGGTGAAGC EAGGTGAAGC EAGGTGAAGC EAGGTGAAGC EAGGTGAAGC EAGGTGAAGC EAGGTGAAGC	CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT * CGTATGGTGG GTATGGTGG GTATGGTGG GTATGGTGG	GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG AGGAGT AGGAAT AGGAAT AGGAAT AGGAAT	:201 :201 :199 :199 :198 :162 :300 :261 :259 :259
TrPALb2 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb7 : TrPALb8 : TrPALb1 : TrPALb2 : TrPALb3 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb5 : TrPALb5 : TrPALb6 :	GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA * CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA	ACCAACTT AGCAACTT AGCATTGAACTT AGCATTGAACTT AGCATTGAACTT AGCATTGAACT AGCATTGAACT AGCATTGAACT AGCATTGAACT AGCATTGAACT AGCATTGAACT AGCATTGAACT AGCAACT TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTGGGGAGTC TGGGGAGTC TGGGGAGTC TGGGGAGTC TGGGGAGTC TGGGGAGTC TGGGGAGTC TGGGGAGTC TGGGGAGTC	ACCAAAAGTO ACCAAAAAGTO ACCAAAAAAGTO ACCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC EAGGTGAAGC	CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT * CGTATGGTGG GTATGGTGG GTATGGTGG GTATGGTGG	GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT	:201 :201 :199 :199 :198 :162 :300 :261 :259 :259 :258 :258	
TrPALb2 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb6 : TrPALb7 : TrPALb8 : TrPALb1 : TrPALb2 : TrPALb3 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb5 :	GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA	ACCAACTT AGCAACTT AGCATTGAACTT AGCATTGAACTT AGCATTGAACTT AGCATTGAACT AGCATTGAACT AGCATTGAACT AGCATTGAACT AGCATTGAACT AGCATTGAACT AGCATTGAACT AGCAACT TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTGGGGAGTC TGGGGAGTC TGGGGAGTC TGGGGAGTC TGGGGAGTC TGGGGAGTC TGGGGAGTC TGGGGAGTC TGGGGAGTC	ACCAAAAGTO ACCAAAAAGTO ACCAAAAAAGTO ACCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC EAGGTGAAGC	CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT * CGTATGGTGG GTATGGTGG GTATGGTGG GTATGGTGG	GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT	:201 :201 :199 :199 :198 :162 :300 :261 :259 :259 :259	
TrPALb2 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb7 : TrPALb8 : TrPALb1 : TrPALb2 : TrPALb3 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb5 : TrPALb5 : TrPALb6 :	GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA	ACCAACTT AGCAACTT GTAACT AGCAACT AGAACT AGCAACT AGC	TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTGGGGAGTC TGGGGAGTC	ACCAAAAGTO ACCAAAAGTO ACCAAAAGTO ACCAAAAGTO ACCAAAAGTO ACCAAAAGTO ATTTGGATO	ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC EAGGTGAAGC	CACTCAACT CACTCA	GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT	:201 :201 :199 :199 :198 :162 :300 :261 :259 :259 :258 :258
TrPALb2 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb7 : TrPALb8 : TrPALb1 : TrPALb2 : TrPALb3 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb5 : TrPALb5 : TrPALb6 :	GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA * CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA	ACCAACTT AGCAACTT GTAACT AGCAACT AGAACT AGCAACT AGC	TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTGGGGAGTC TGGGGAGTC	ACCAAAAGTO ACCAAAAGTO ACCAAAAGTO ACCAAAAGTO ACCAAAAGTO ACCAAAAGTO ATTTGGATO	ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC EAGGTGAAGC	CACTCAACT CACTCA	GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT	:201 :201 :199 :199 :198 :162 :300 :261 :259 :259 :258 :258
TrPALb2 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb6 : TrPALb7 : TrPALb1 : TrPALb1 : TrPALb2 : TrPALb3 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb5 : TrPALb5 : TrPALb5 : TrPALb6 : TrPALb6 : TrPALb7 : TrPALb8 :	GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA	ACCAACTT AGCAACTT AGCATTGAACTT AGCAACTT GCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACT A	TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTGCGTGA TTGCGTGA TTGCGTGA TTGCGTGA TGGGGAGTC	ACCAAAAGTO ACCAAAAGTO ACCAAAAGTO ACCAAAAGTO ACCAAAAGTO ACCAAAAGTO ATTTGGATO	ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC EAGGTGAAGC	CACTCAACT CACTCA	GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT	:201 :201 :199 :199 :198 :198 :162 :300 :261 :259 :259 :258 :258 :222
TrPALb2 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb6 : TrPALb7 : TrPALb8 : TrPALb1 : TrPALb2 : TrPALb2 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb5 : TrPALb5 : TrPALb6 : TrPALb6 : TrPALb7 : TrPALb8 :	GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA CAGCCGCGGA	ACCAACTT AGCAACTT AGCATTGA GTCGTTGA GTCGTTGA GTCGTTGA GTCGTTGA GTCGTTGA GTCGTTGA GTCGTTGA ATTGGTTA ATTGGTTA	TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA GO GGGGAGTC TGGGGAGTC	ACCAAAGTO ACCAAAAGTO ACCAAAAGTO ACCAAAAGTO ACCAAAAGTO ACCAAAAGTO ATTTGGATO	ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC 280 EAGGTGAAGC EAGGTG	CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT C	GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT	:201 :201 :199 :199 :198 :162 :300 :261 :259 :259 :258 :222 :360
TrPALb2 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb6 : TrPALb7 : TrPALb8 : TrPALb1 : TrPALb2 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb5 : TrPALb6 : TrPALb6 : TrPALb7 : TrPALb7 : TrPALb8 :	GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA CAGCCGCGGA CAGCCGCGCA CAGCCGCGCA CAGCCGCGCA CAGCCGCGCA CAGCCGCGCA CAGCCGCGCA CAGCCGCGCA CAGCCGCGCA	AECAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT ATTGGTTAA ATTGGTTA ATTGGTTA	TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA CONTROL CONTRO	ACCAAAGTO ACCAAAAGTO ACCAACAGTO ACCACACACACO ACCACTOCACO ACOCACTOCAC ACCACTOCAC ACCACTOCAC ACCACTOCAC ACCACTOCAC ACCACTOCAC	ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC 280 EAGGTGAAGC EAGGTGAAC EAGGTGAACC EAGGTGA	CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAGGTGG CTATGGTGG CTCAGGTGG CTCAGGTGG CTCAGGTGG CTCAGGTGG CTCAGGTGG	GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT	:201 :201 :199 :199 :198 :162 :300 :261 :259 :259 :258 :225 :258 :225 :225 :225 :225 :225
TrPALb2 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb6 : TrPALb7 : TrPALb8 : TrPALb1 : TrPALb2 : TrPALb3 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb6 : TrPALb6 : TrPALb7 : TrPALb7 : TrPALb8 :	GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA CAGCCGCGGA CAGCCGCGCA CAGCCGCGCA CAGCCGCGCA CAGCCGCGCA ACCGTAATCC ACCGTAATCC	AECAACTT AGCAACTT AGCATTGA ATCGTTGA ATTGGTTA ATTGGTTA ATTGGTTA ATTGGTTA	TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA CGGGGAGTC TGGGGGAGTC TGGGGGAGTC TGGGGGAGTC TGGGGAGTC TGGGAGAGTC TGGGGAGTC TG	ACCAAAGTO ACCAAAAGTO ACCAACAGTO ACCAACAGTO ACCACACAGTO ACCACACAGTO ACCACACAGTO ACCACACAGTO ACCACACAGTO ACCACACAGTO ACCACACACGO ACCACACAGTO ACCACACACAGTO ACCACACACACGO ACCACACACACGO ACCACACACACGO ACCACACACACACGO ACCACACACACACACACACACACACACACACACACACA	ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC 280 EAGGTGAAGC EAGGTG	CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT * * * * * * * * * * * * * * * * * *	GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT	:201 :201 :199 :199 :198 :162 :300 :261 :259 :259 :258 :222 :360 :321 :321
TrPALb2 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb6 : TrPALb7 : TrPALb8 : TrPALb1 : TrPALb2 : TrPALb3 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb6 : TrPALb6 : TrPALb7 : TrPALb7 : TrPALb8 : TrPALb1 : TrPALb2 : TrPALb3 : TrPALb4 : TrPALb4 : TrPALb5 : TrPALb6 : TrPALb7 : TrPALb8 :	GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGCA CAGCCGCGCA CAGCCGCGCA CAGCCGCGCA CAGCCGCGCA ACCGTAATCC ACCGTAATCC	ACCAACTT AGCAACTT AGCATTAA ATTGGTTA ATTGGTTA ATTGGTTA ATTGGTTA	TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTGGGGAGTC TGGGGAGTC TGGGAGTC TGGGGAGTC TGGGGA	ACCAAAGTO ACCAAAAGTO ACCAACAGTO ACCAACACACACACACACACACACACACACACACACAC	ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC 280 EAGGTGAAGC EAGGTG	CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT * * * * * * * * * * * * * * * * * *	GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT AGGAAT	:201 :201 :199 :199 :198 :162 :300 :261 :259 :258 :225 :258 :222 :360 :321 :319
TrPALb2 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb6 : TrPALb7 : TrPALb8 : TrPALb1 : TrPALb2 : TrPALb3 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb5 : TrPALb6 : TrPALb7 : TrPALb7 : TrPALb8 : TrPALb7 : TrPALb8 :	GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA CAGCCGCGGA CAGCCGCGCA ACCGTAATCC ACCGTAATCC ACCGTAATCC ACCGTAATCC	ACCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT AGCAACTT AGCATTGA GTCGTTGA GTCGTTGA GTCGTTGA GTCGTTGA GTCGTTGA ATTGGTTA ATTGGTTA ATTGGTTA ATTGGTTA	TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTGCGTGA TTGCGTGA TTGGGGAGTC TGGGGAGTC AAATTGGCC AAATTGGCC AAATTGGCC AAATTGGCC	ACCAAAGTO ACCAAAAGTO ACCAACAGTO ACCAACACACACACACACACACACACACACACACACAC	ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC EAGGTGAAGC EAGTGAAGC EAGGTGAAGC E	CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAGTGG CTCAGGTGG	GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG AGGAAT AGGAA	:201 :201 :199 :199 :198 :162 :300 :2261 :2259 :2258 :2258 :222 :3321 :319 :319
TrPALb2 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb6 : TrPALb7 : TrPALb8 : TrPALb1 : TrPALb2 : TrPALb3 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb6 : TrPALb7 : TrPALb7 : TrPALb7 : TrPALb8 : TrPALb1 : TrPALb1 : TrPALb2 : TrPALb5 : TrPALb6 : TrPALb6 : TrPALb1 : TrPALb1 : TrPALb2 : TrPALb2 : TrPALb3 : TrPALb3 : TrPALb4 : TrPALb5 : TrPALb6 :	GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA GCCATGCTGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGGA CAGCCGCGCA CAGCCGCGCA CAGCCGCGCA CAGCCGCGCA CAGCCGCGCA ACCGTAATCC ACCGTAATCC	AECAACTT AGCAACTT AGCATGA ATTGGTTAA ATTGGTTA ATTGGTTA ATTGGTTA ATTGGTTA ATTGGTTA ATTGGTTA ATTGGTTA ATTGGTTA	TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTTGCGTGA TTGCGTGA TTGGGGAGTC TGGGGAGTC TGGGGAATTGGCC AAATTGGCC AAATTGGCC AAATTGGCC AAATTGGCC	ACCAAAGTO ACCAAAAGTO ACCAACAGTO ACCAACAGTO ACCACACAGTO ACCACACAGTO ACCACACAGTO ACCACACAGTO ACCACACAGTO ACCACACAGTO ACCACACACAGTO ACCACACAGTO ACCACACACAGTO ACCACACACAGTO ACCACACACACAGTO ACCACACACACACACACACACACACACACACACACACA	ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC ETTGGTGATC EAGGTGAAGC	CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT CACTCAACT * CGTATGGTGG CGTATGGTGG CGTATGGTGG CGTATGGTGG CGTATGGTGG CTCAGGTGG CTCAGGTGG CTCAGGTGG CTCAGGTGG CTCAGGTGG CTCAGGTGG CTCAGGTGG CTCAGGTGG CTCAGGTGG	GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG GGGGTG AGGAAT AGGAAA	:201 :201 :199 :199 :198 :162 :300 :2261 :2259 :2258 :2258 :222 :3321 :319 :318

156/271

			*	380	*		400		*	420	
TrPALb1	:	TTGCTTCTC	ATGATAC	TGGTGTG.	AGGGTGG	AGCTGT	CCGAGTC	CGCAAC	GGCCG	CCCTTA	:42
TrPALb2	:	TTGCTTCTC	ATGATAC	${f TGGTGTG}$	AGGGTGGZ	አርርጥርጥ(ግሞር ል ር ሞር	CCCCAC	CCCCC	COMMA	:38
TrPALb3	:	TTGCTTCTC	ATGATAC		$\mathtt{AGGGTGG}$	AGCTGT($^{\circ}$ $^{\circ}$ $^{\circ}$	CCCCAC	מפפרפט	CCTTTA	:38
$\mathtt{TrPALb4}$:	TTGCTTCTC	A'I'GA'I'A(${f FTGGTGTGL}$	AGGGTGG <i>I</i>	AGCTGT(CTGAGTC	CGCCAC	CCCCC	2CCTTA	:37
TrPALb5	:	TIGCTICIC	ATGATAC	TGGTGTG	$\mathtt{AGGGTGG}$	$^{\text{AGCTGTC}}$	TTGAGTC	CCCCAC	CCCCCC	COMMA	:37
TrPALb6	:	TTGCTTCTC	ATGATAG	TGGTGTG	AGGGTGG <i>I</i>	GCTGN	VCGAGTC	CCCAAC	CCCCC	CCCTTA	:37
TrPALb7	:	TTGCTTCTC	ATGATAC	TGGTGTG	AGGGTGGZ	GCTGT	TGAGTC	CGCCAG	:GGCCG(CCTTA	:37
TrPALb8	:	TTGCTTCTC	ATGATAG	TGGTGTG	AGGGTGG	GCTGT	CGACTC		CCCCC		:34
		•						CCCLING	GGCCGC	3CGIIA	: 54
			*	440	*		460		*	480	
TrPALb1	:	AGGCGAGTA	GTGATTC	GGTGATG	GATAGCAT	'GAACA	ATGGGAC	TGATAG	TTACC	TUCTUM V	:48
TrPALb2	:	AGGCGAGTA	${ t GTGATTC}$	GGTGATGC	GACAGCAT	GAACAZ	ATGGGAC'	тсатас	ጥጥልጥርር	עיייייטיייי	:44
TrPALb3	:	ANGCGAGTA	GTGATTC	NGTGATG	GACAGNAT	'GAACAZ	ATGGGAC'	ТСАТАС	ጥጥልጥርር	CUNT	:44
TrPALb4	:	AGGCGAGTA	$\operatorname{GTGATTG}$	GGTGATGC	GACAGCAT	'GAACA	ATGGGAC	ТСАТАС	TTATCC	ALIANDA.	:43
TrPALb5	:	AGGCGAGTA	GTCCTTC	GGTGATGC	CACACCAT	CAACAZ	TCCCAC	ፐርአጥአር	תיים א תיכיכ	'mc'mma	:43
TrPALb6	:	AGGCGAGTA	TGATTC	GGTGATG	JATAACAT	GAACAZ	TGGGAC'	TCATÑC	OTNOCC	N CONTA	:43
TrPALb7	:	AGGCGAGTA	GTGGTTG	GGTGATG	ACAGCAT	GAACAZ	TECCAC	TCATAG	α_1		:43
TrPALb8	:	AGGCGAGTA	GTGATTG	GGTGATG	FAMACCAT	CAACAA	TTGGGAC'	LCVLVC	TTAIGO	TOTTA	
				00101110	313,33,13,0,111	CIMICIA	JADDD 11	IGAIAG	LIAGG	TGTTA	:40
			*	500	*		520		*	540	
TrPALb1 :	:	CCACCGGTT'	riigelige	CACCTCTC	CACCGGAG	AACCAA	AGC A GGG	гсстсс	CIDITICION	CAACC	:540
TrPALb2 :	:	CCACCGGTT'	rcggagc	CACCTCTC	CACCGGAG	AACCAA	AGCASSGC	ractice.	CLLCC	CAACC	:501
TrPALb3:	:	CCACCGGTT"	rcggcgc	САССТСТС	CACCGGAG	AACCAA	LCCAGCC	TCCTTCC	CIIGCE	CAAGG	
TrPALb4:	:	CCACCGGTT'	rcggcgc	САССТСТС	PACCGGAG	ΔΑΓΓΑΑ	CCACCC	rccmcc		CAAGG	:503
TrPALb5:	:	CCACTGGTT'	rcggcgc	CACCTCTC	PACCGGAG	A A C C A A	ACCAGGG.			GAAGG	:499
TrPALb6:	:	C/M					OCAGG.	IGGIGC	CIIGCA	GAAGG	:499
TrPALb7:		CCACUGGTT	rcggcgc	САССТСТС	ACCCCAC	AACCAA	CCACCC	постос	ammaaa	GRAGG	:443
TrPALb8:		CCACCGGTT'	ringelige	CACCTCTC	CACCCCAC	AACCAA N N C C N N			CTTGCA	GAAGG	:498
		0011000011		CACCICIC	ACCGGAG	AACCAA	CAGGG.	reerec	CT"IGCA	GAAGG	:462
		,	*	560	*		580	,	*	600	
TrPALb1:		AGCTAATTA(GTTTTT		GAATATT	TGGC A A	TCCTAC		D X XX	800	E 0.0
TrPALb2:		AGCTAATTA	GTTTTT	GAATGCTG	CAATATT	TCCC A A	TCCTAC		БУУСШО Т₩Й	ma ca c	:592
TrPALb3:		AGCTAATTA	G T T T T T T T T T T T T T	GAATGCTG	CAATATT	TCCCAAA	TCCTACA		TAACIG	TACAC	:561
TrPALb4:		AGCTAATTA	Guana	GAATGCTG	CAATATT	TGGCAA	TCCTACE		TAACTG	TACAC	:561
TrPALb5 :		AGCTAATTA(GAATGC		TOOCAA		AGAAIC.	TAACTG	TACAC	:559
TrPALb6:						I GGCAA	IGGIACA	IGAATC:	TAACTG	TACAC	:559
TrPALb7:		AGCTAATTAC		GAATCCEC	CAATATT	דכייים א	TCCTACA		TA A COC		:
TrPALb8:		AGCTAATTAC	GTTTTT	GAATGCTG	CAATATT	TCCCAA	TCCTACA		LAACIG		:558
				0.1110010	C2221211	LOCCAL	IGGIACA	IGAATC.	LAACI	TACAC	:522
		4		620	*		640		٠	560	
TrPALb1:									`	660	
TrPALb2 :	1	TACCACACAC	AGCAAC	CAGAGCTG	СУУТССТ	reme a c	7 7 7 7 7 7 7	A CIDOMI	Ommaa	7.0	:
TrPALb3:		TTCNACACAC	AGCAAC	CANAGNTG	CARTCCT		MAICAAC	ACTUTI		AG	:618
TrPALb4:		TACCACACAC	GCAAC	CACACCTC			WAINNALL	ACNULL	CTTCL	MMAGG	:621
TrPALb5:		TACCACACAC TACCACACAC	'AGCAAC	CACACCTC	CAATGCT		77///	ACTION			:590
TrPALb6 :				SAGAGCIG	CAALGCI	LG L GAG	AAT CAAC	ACTCT"	'CTTCA	<u> </u>	:616
TrPALb7 :		TACCACACC-									:
		TACCACACAC	l								:567
	•		7								:532
		*		680	*						
TrPALb1 :						•					
TrPALb2:							_				
	,	AATATTTCTT	GAATCC		$\lambda \lambda \sigma		_				
TrPALb4 :	-				aa Lililili	. 654	4				
TrPALb5:						·- :	_				
TrPALb6:						- :					
TrPALb7:						- : -	-				
TrPALb8 :						· - :	_				
						• -	-				

FIGURE 88 (cont)

157/271

		*	20	*	40	*	60		
TrPALc	:	AACAAGATCGT	TATGCCTTAGAACT	TCACCTCA	ATGGCTTGGTC	CTTTGATTGA	AGTGAT	:	60
TrPALc	:	* AAGATTTTCAA	80 CCAAATCAATTGAA	* AGAGAAAT	100 FAACTCGGTCA	* ACGACAACCC'	120 FTTGAT	:	120
TrPALc	:	* CGATGTTTCAA	140 GGAACAAGGCCATT	* CATGGTGG:	160 FAACTTTCAAGO	* GAACACCTAT	180 rggagt	:	180
TrPALc	:	* TTCAATGGATA	200 ACACACGTTTAGCT	* CTTGCTTC?	220 AATTGGTAAACT	* 'CATGTTTGC'	240 CAATT	:	240
TrPALc	:	* CTCTGAACTTG	260 FTAATGATTTTAC.	* AACAACGG(280 GTTGCCTTCGAA	* TCTTACTGCT	300 PAGTAG	:	300
TrPALc	:	* GAACCCGAGCT	320 FGGACTATGGTTTC	* AAGGGATCG	340 GGAAATTGCCAT	* GGCTTCGTA1	360 TGTTC	:	360
FrPALc	:	* CGAGTTACAAT!	380 ATCTTGCTAATCCT	* GTCACCACO	400 CATGTCCAAAG	* TGCCGAGCA2	420 CACAA	:	420
FrPALc	:	* CCAAGATGTTA	440 ACTCTTTGGGTTTGA	* ATTTCATCI	460 'AGAAAAACAAA	* TGAAGCTATI	480 GAGAT	:	480
TrPALc	:	* TCTCAAGCTCAT	500 FGTCTTCCACTTTC	* FTGATTGCA	520 TTATGTCAAGC	* AATCGACTTA	540 AGGCA	:	540
rPALc	:	* CTTGGAGGAAA	560 TCTCAGGAACACC	* STCAAGAAC	ACGGT · 579				

158/271

TrPALc	:	* TRSLCLRTSPQWLG	20 PLIEVIRFSTR	* SIEREINSVN	40 NDNPLIDVSR	* NKAIHGGNFQO	60 GTPIGV	:	60
TrPALc	:	* SMDNTRLALASIGE	80 LMFAQFSELVN	* IDFYNNGLPS1	100 ILTASRNPSL	* DYGFKGSEIAN	120 MASYCS	:	120
IrPALc	:	* ELQYLANPVTTHVÇ	140 SAEQHNQDVNS	* SLGLISSRKTN	160 VEAIEILKLM	* SSTFLIALCQA	180 AIDLRH	:	180
TrPALC		* T.EENT.RNTVKNT •	192						

159/271

TrPALd	:	GGTCAATNCAGCTT	20 'NGGAGATCTA	GTCCCCCTTT	40 CTTACTNTGO	* CTGGTTTACTAA	60 CTGGA	:	60
TrPALd	:	* AGACCNAATTCTAA	80 AGCTCATGGG	* CCTACAGGAG.	100 AAGTACTTAA	* ATGCAAAAGAAG	120 CTTTT	:	120
TrPALd	:	* CAATTGGCTGGAAT	140 CAATACCGAG	* TTCTTTGAAT	160 FACAACCAAA	* \AGAAGGTCTTG	180 CACTT	:	180
TrPALd	:	* GTTAATGGAACTGC	200 TGTTGGTTCT	* GGTTTAGCTT(220 CTATTGTTCT	* TTTTGAGGCTA	240 ACATA	:	240
TrPALd	:	* TTGGCGGTGTTGTC	260 TGAAGTTCTA	* TCGGCAATTT	280 CGCTGAAGT	* TATGCAAGGGA	300 AGCCC	:	300
TrPALd	:	* GAATTTACTGATCA	320 TTTGACACAT.	* Aagttgaagc <i>i</i>	340 ACCACCCTGG	* TCAAATTGAGG	360 CTGCT	:	360
TrPALd	:	* GCTATTATGGAACA	380 CATTTTGGAT	* GGGAGTGCTTA	400 TGTTAAAGA	* CGCGAAGAAGT:	420 rgcat	:	420
FrPALd	:	* GAGATGGACCCTTT.	440 ACAGAAGCCA	* AAGCAAGATAG	460 ATATGCACT	* TAGAACTTCACO	480 CACAA	:	480
FrPALd	:	* TGGCTTGGTCCTTT	500 GATTGAAGTGA	* ATTAGATTTTC	520 AACCAAGTC.	* AATTGAGAGAG	540 AGATC	:	540
rpald	:	* AACTCTGTCAATGA	560 CAACCCTTTGA	* ATTGATGTTTC	580 GAGAAACAA	* GGCTTTC • 50)1		

160/271

60	:	60 ELQPKEGLAL	40 * GEVLNAKEAFQLAGINTEFFE	* RXNSKAHGPT	20 LSYXAGLLTGI	* GQXSXGDLVP:	:	TrPALd
		120	1.00 *	*	80	*		
120	:		IFAEVMQGKPEFTDHLTHKL	LAVLSEVLSA:		VNGTAVGSGL	:	TrPALd
180	:	180 STKSIEREI	160 * DRYALRTSPQWLGPLIEVIRE	* EMDPLQKPKQI	140 AYVKDAKKLHI	* AIMEHILDGS	:	TrPALd

TrPALd : NSVNDNPLIDVSRNKAL : 197

161/271

	_	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	20 1022 2000 1200 1	~ *	40	**	0.0		C 0
TrPALe	:	GWWGGAAATTT	ICAACTCNATTN	T.L.L.C.T.L.L.M.T.	'A'I'AA'I'N'I'I'I'G	SAATTTCCTTCT	CTCTCAAA	:	60
TrPALe	•	* *	80 ACTCTACCACAT	* CACACAACA	100 TAACAAATTA	* \ACAAATATTA	120		120
	•	1101111110011	20101110111	011011011			11 1110 111111	•	120
TrPALe	:	* CTATTAAGATA	140 ATGGAAGTAGTA	* GCAGCAGCA	160 ATCACAAAA	* ACAACGGCAAG	180 2277GATTC		180
	·						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	·	0 0
TrPALe	•	* ATTTTGCTTG	200 ATCATGCTAAT	* GCTAATAAC	220 ATGAAAGTGA	* CATGATGCTGA	240 CCTTTGAA	•	240
								•	
TrPALe	•	* TTGGGGTGTG	260 GCTGCTGAGGCA	* ATGAAGGGA	280 AGTCACTTGO	* ATGAGGTGAAA	008 TOOTATOO		300
	-							Ī	
TrPALe		* GGAGGAGTACO	320 CGGAAGCCGATT	* GTCCGTCTT	340 GGTGGCGAGA	* CGCTGACGATI	360 TCTCAGGT	:	360
	-							•	
TrPALe	:	* GGCTGCCATTO	380 GCTGCACACGAT	* GGTGCGATG	400 GTTGAGCTGT	* CGGAATCTGCT	420 CAGAGCCGG		420
								•	
TrPALe		* CGTTAAGGCAA	440 AGCAGTGATTGG	* GTTATGGAG	460 AGTATGAACA	* AAGGTACTGAC	480	•	480
	Ī						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	•	,,,,
TrPALe		* TGTCACCACAC	500 GGTTCGGCGCT	* ^^^~~~	520 CCCCGAACCA	* . A A C A A C C T C C T	540		540
	•		,55116666661	110010110110110	0000011100F	777017001	CCITIACA	•	240
m∞nat o		*	560	* *	580	*	T - E00		

162/271

20 TrPALe : MEVVAAAITKNNGKIDSFCLNHANANNMKVNDADPLNWGVAAEAMKGSHLDEVKRMVEEY : 60

80 TrPALe: RKPIVRLGGETLTISQVAAIAAHDGAMVELSESARAGVKASSDWVMESMNKGTDSYGVTT: 120

140

TrPALe : GFGATXHRRTKQGGALQKGLIRFLNAGIFXNXTX : 154

163/271

		* 20 * 40 * 60 CNATTGTTAGTNGTTTCCNCCCACCCACATAACAAATACATAATTCTCTCTCT	60
TrPALf	:	* 80 * 100 * 120 AATTATTACTTTACTACACCCTCCTCTCAACTATTATTAACTAGCATAATGGAGGGAATT :	120
TrPALf	:	* 140 * 160 * 180 ACCAATGGCCATGCTGAAACAACTTTTAGCGTGACCAAAAGTGNNGGNGATCCACTCAAC:	180
TrPALf	:	* 200 * 220 * 240 TGGCGNGCAGCCGCGGAGTCGTCGACGGGGAGTCATTTGGATGAGGTGAAGCGTATGGNG:	240
TrPALf	:	* 260 * 280 * 300 GAGGAGTACCGTAATCCGNTGGTTAAAATTGGCGGCGAGACGCTTACCATTGCTNNGGTA:	300
TrPALf	:	* 320 * 340 * 360 NCTGGAATTGCTTCTCATGATAGTGGAGTGAGGGTGGAGCTGTCCGAGTTCGCAAGGGCC :	360
TrPALf	:	* 380 * 400 * 420 GGCGTTAAGGCGAGTAGTGATTGNGTGATGGATAGCATGAACAATGGGACTGATAGTTAC:	420
TrPALf	:	* 440 * 460 * 480 GGTGTTACCACCGCNTTTGGTGCCACCTGTCACCGGAGAACCAAGCCANGGTGGTGCCTT:	480
TrPALf	:	* 500 * 520 * 540 GCAGAAGGAGCTAAATTNNGGTGTTTTGAANGCTGGNAATANTTTGGCNNTGGTTCAGAA :	540
TrPALf	:	* 560 ATCTNAACTTGTNCACTTACCACACC : 566	

164/271

40 20

Trpalf : MEGITNGHAETTFSVTKSXXDPLNWXAAAESSTGSHLDEVKRMXEEYRNPXVKIGGETLT : 60

100 80

TrpALf : IAXVXGIASHDSGVRVELSEFARAGVKASSDXVMDSMNNGTDSYGVTTXFGATCHRRTKP : 120

140

TrPALf : XWCLAEGAKXXCFEXWXXFGXGSEIXTCXLTT : 152

165/271

			*	20	*	40	*	60	
TrPALf1 TrPALf2	:	CNATTGTT.	AGTNGTTT(CCNCCCACCNA CC	CATAACNAA CATAACAAA	ATACNTANTTCTC ATACATÑATTCTC	TCCTCTGA TCCTCTGA	TCAC TCAC	: 60 : 35
TrPALf1 TrPALf2	-	AATTATTA	* CTTTNCTAC	80 CACCCTCCTCT	* CAACTATTA	100 ATTAACTAGCATA ATTAACTAGCATA	* ATGGAGGG	120 AATT	:120
TIPALIL	:	AATTATTA	*	140	*	160	ATGGAGGG	180	: 95
TrPALf1 TrPALf2		ACCAATGG ACCAATGG	CCATGCTG! CCATGCTG!	AAACAACTTTT	IGCGTGACC AICGTGACC	AAAAGTGTNGGN AAAAGTGNUGGT	GATNNANT GATCCACT	GMMC	:180 :155
TrPALf1 TrPALf2	:	TGECGNGM	* 	200 	* 	220 TTGGATGAGGTG	* 	240	:188
IIFAUL	•	Тоодощос	*	260	*	280	*	300	:215
TrPALf1 TrPALf2	:	GAGGAGTA	CCGTAATC(CGNTGGTTAAA	ATTGGCGGC	GAGACGCTTACC	ATTGCTNN	GGTA	: - :275
TrPALf1 TrPALf2	:	NCTGGAAT	* TGCTTCTC	320 TGATAGTGGA	* 	340 GAGCTGTCCGAG	* TTCGCAG	360 	: - :335
m Dar 51			*	380	*	400	*	420	
TrPALf1 TrPALf2	:	GGCGTTAA	GGCGAGTAC	FTGATTGNGTG	ATGGATAGO	ATGAACAATGGG	ACTGATAG	TTAC	: - :395
TrPALf1 TrPALf2	:	GGTGTTAC	* CACCGCNT1	440 TTGGTGCCACC	* IGTCACCGG	460 AGAACCAAGCCA	* NGGTGGTG	480 CCTT	: - :455
TrPALf1	:		*	500	*	520	*	540	
TrPALf2	:	GCAGAAGG	AGCTAAAT1	NNGGTGTTTT	GAANGCTGG	NAATANTTTGGC	NNTGGTTC.	AGAA	:515
TrPALf1 TrPALf2	:	ATCTNAAC'	* I'TGTNCACT	560 TACCACACC	: - :541				

166/271

		*	20	*	40	*	60		
TrVRa	:	GTAAGAGTTGAG	AAAAAANACCAA	TAAAGTAAAC	NCTATNTAGA	AAGAGAGTCAA	AAATG	:	60
			0.0	*	100	*	120		
TrVRa		* GCTGAAGGAAAA	80 ~C> > CCCTTTCT		100 Caacacatta			:	120
IIVKa	٠	GCIGAAGGAAAA	TOILIDDDAADE	GIIACIGGAG	GAACAGGIII	101100110111	001110	•	
		*	140	*	160	*	180		
TrVRa	:	ATCAAGAGTCTT	CTTGAAAATGGA	TACTCTGTTA	ATACCACTAT	TAGAGCTGATC	CAGAA	:	180
		*	200	*	220	*	240		240
TrVRa	:	CGTAAGAGGGAT	3TAAGCTTCCTA	ACAAATCTAC	CCGGCGCATC	CGAAAGGCTAC	ATTIC	:	240
		*	260	*	280	*	300		
TrVRa	:	TTCAACGCCGAT		GAGAGTTTCA		TGAAGGTTGTG	TCGGG	:	300
		*	320	*	340	*	360		2.50
TrVRa	:	ATATTCCACACC	GCTTCACCAATC	GATTTCGCCG	TGAGTGAGCC	AGAAGAAATAG	TGACA	:	360
		*	380	*	400	*	420		
TrVRa		AAAAGAACAGTG						:	420
II VI	•	THE HIGH HOLIGIC	0111 001100111 111					-	
		*	440	*	460	*	480		
TrVRa	:	AAGAGATTTATT'	TACACTTCAAGN	GGTTCTGCTG	TTTCATTCA	TGGAAAAAAACA	AAGAT	:	480
		ate.	500	, ta	F00	4	E 4 0		
m		GNNTNGGATGAG	500	* *	520	ሳ የመሮመጥላ አአሮሮአጥ	540	:	540
TrVRa	:	GMMTMGGATGAG.	AGTGATTGGAGT	GAIGIIGALI	IGCIIAGAAG	IGI IAAACCA I	11661	•	340
		*	560	*	580	*	600		
TrVRa	:	TGGAGTTATGGN	GTGTTCAAGACT	TTGGCTGAG	AAGCAGTGCT	TGAATTTGGTC	NACAA	:	600
		*	620	*	640	*	660		
TrVRa	:	AATGGGATTGAT	GTTGTTACTTTG	ATTCTTCCTT	TTATTGTTGC	GAGGTTTTGTTI	GTCCC	:	660
		*	680	*	700	*	720		
TrVRa		AAGCTTCCTGAT				CAAAAAGGAAC		:	720
II VICA	•	11100110010111	1010110111						
		*	740	*	760	*	780		
${\tt TrVRa}$:	GGTATTATAAGT	TTCCACATGGTA	CATGTAGATO	GATGTGGCTAC	SAGCACATATCI	'ATCTA	:	780
		d.	000	ala.	0.2.0	4	0.40		
CD and AD on		CTTGAGAATCCT	800 CEECC > CC > CC	* '```````````````````````	820 ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	᠈ᢕᠬᠬᠬ᠇᠘ᠿᡳ᠘᠇ᡳᢕᡎ᠈	840	:	840
TrVRa	:	CTTGAGAATCCT	GIICCAGGAGGI	AGAIAIAAI	.GIICACCAI	CITIGIAICIA	II I GAA	•	040
		*	860	*	880	*	900		
TrVRa	:	GAAATGTCACAG	CTTCTCTCAGCC	AAATATCCAC	SAATATCAAAT	CACTATCAGTAG	ATGAG	:	900
							2.50		
		*	920	*	940	*	960		0.00
TrVRa	:	TTGAAGGAAATT	AAAGGGGCAAGA	TINGCCAGAT"	TTGAACTCGAA	AGAAGC TCG TGC	ACGCT	:	960
		*	980	*	1000	*	1020		
TrVRa	:	GGTTTTGAGTTT				CGATTCAATGCT		:	1020
•									
		*	1040	*	1060	*	1080		
TrVRa	:	GAAAAAGGCTAT	CTCTAAGCATGI	'ATTTGAAAA'	TTCCATGAAGT	TTGAGAAAACA	'TAATG	:	1080
		Tr.	1100	*	1120	*	1140		
T2077D ↑		TGCCTAAAATCA	1100			ݖݽݽݻݞݽݽݻݽݽݻ ┄		,	1140
TIAKG	•	1 GCC LAMMA I CA	WIGWIGGCIWI	AJAIBIADAD.	HOLLINIGOR		· O L OFA L	•	T T T T
		*	1160	*	1180				
TrVRa	:	CAATCAAATAAT		TCATTTTTC		AA : 1185			

167/271

		*	20	*	40	*	60		
TrVRa	:	MAEGKGRVCVTG	GTGFLGSWIIKSL:	LENGYSVNT	'TIRADPERKR	DVSFLTNLPGA	ASERLH	:	60
TrVRa	:	* FFNADLDDPESF	80 NEAIEGCVGIFHT	* ASPIDFAVS	100 EPEEIVTKRT	* VDGALGILKA(120 CVNSKT	:	120
TrVRa	:	* VKRFIYTSXGSA	140 VSFNGKNKDXXDE:	* SDWSDVDLL	160 RSVKPFGWSY	* XVFKTLAEKA\	180 /LEFGX	:	180
TrVRa	:	* QNGIDVVTLILE	200 FIVGGFVCPKLPD	* SVEKALVLV	220 LGKKEQIGII:	* SFHMVHVDDV <i>I</i>	240 ARAHIY	:	240
TrVRa	:	* LLENPVPGGRYN	260 CSPFFVSIEEMSQ	* LLSAKYPEY	280 QILSVDELKE	* IKGARLPDLNS	300 SKKLVD	:	300
TrVRa	:	* AGFEFKYSVDDM	320 FDDAIQCCKEKGYI	և ։ 326					

168/271

			*	20	*	40	*	60
TrVRa1	:	GTAGTAG	TTGAGAAAA	ААЛАСЛААТАА	AGTAAACNO	CTATNTAGAAAGA	GAGTCAAA	AATG : 6
TrVRa2	:	<u>AGAG</u>	TTGAGAAAA.	AANNCCAATAA	AGTAAACNO	CTATNTAGAAAGA	GAGTNNAA	AATG: 5'
TrVRa3	:							 :
TrVRa4	:							:
TrVRa5	:							:
TrVRa6	:							:
m .r. 1		00m0220	*	80	*	100	*	120
TrVRa1	:	GCTGAAG	GAAAAGGAA	GGGTTTGTGTTA	ACTGGAGG	AACAGGTTTTCTT	GGTTCATG	GATC : 120
TrVRa2	:	GCTGAAG	GAAAAGGAA	GGGTTTGTGTTA	<u> CTGGAGG</u>	AACAGGTTTTCTT	'GGTTCATG	GATC : 11'
TrVRa3	:							:
TrVRa4 TrVRa5	:							: ·
TrVRa5	:							:
IIVRat	٠							:
			*	140	*	160	*	180
TrVRa1	:	ATCAAGA	GTCTTCTTG		CTGTTAAT	TACCACTATTAGA	GCTGATCC	
TrVRa2	:					TACCACTATTAGA		
TrVRa3	:							
TrVRa4	:							: .
TrVRa5	:							: .
TrVRa6	:							: -
			*	200	*	220	*	240
TrVRa1	:	CGTAAGA	GGATGTAA	GCTTCCTAACAA	ATCTACCO	CGGCGCATCCGAA	AGGCTACA'	$\mathbf{TTTC} : 240$
TrVRa2	:	CGTAAGA	GGATGTAA	GCTTCCTAACAA	ATCTACCO	CGGCGCATCCGAA	AGGCTACA	$\mathbf{I'I'IC} : 237$
TrVRa3	:							: -
TrVRa4	:							: -
TrVRa5 TrVRa6	:							: -
TIVRAG	:							: -
			*	260	*	280	*	300
TrVRa1	:	TTCAACGO	CCGATCTAG		GTTTCAAC	CGAAGCAATTGAA	ССТТСТСТСТ	
TrVRa2	:	TTCAACGO	CCGATCTAG	ACGACCCAGAGA	GTTTCAAC	GAAGCAATTGAA	CGTTGTGT	CGGG : 297
TrVRa3	:							: 2 <i>)</i>
TrVRa4	:							: .
TrVRa5	:							: -
TrVRa6	:							: -
								-
m			*	320	*	340	*	360
TrVRa1	:	ATATTCCA	ACACCGCTT(CACCAATCGATT	TCGCCGTG	GAGTGAGCCAGAA	GAAATAGT(GACA : 360
TrVRa2	:	ATATTCCA	ACACCGCTTC	CACCAATCGAT'I	TCGCCGTG	SAGTGAGCCAGAA	GAAATAGT	<u>GACA</u> : 357
TrVRa3	:							: -
TrVRa4	:							: -
TrVRa5 TrVRa6	:							: -
TIVKAO	:							: -
			*	380	*	400	*	420
TrVRa1	:	AAAAGAAC	CAGTGGATG		TTTTAAAA	GCATGTGTGAAT		AGTG : 420
TrVRa2	:	AAAAGAAC	CAGTGGATG	GAGCATTAGGAA	TTTTAAAA	GCATGTGTGAAT	TCAAAGAC	AGTG : 417
TrVRa3	:							:
TrVRa4	:							: -
TrVRa5	:							: -
TrVRa6	:							·

169/271

		*	440	*	460	*	480
rVRa1	:		TTACACTTCAAGN				
cVRa2	:	AAGAGATTTAT	$ ext{TTACACTTCAAGT}$	GGTTCTGCT	GTTTCATTCAA'	TGGAAAAAA(CAAAGAT :
VRa3	:						:
VRa4	:						:
VRa5	:						:
VRa6	:						:
		*	500	*	520	*	540
VRa1	:	GNNTNNNATGA	NA				:
VRa2	:		GAGTGATTGGAGT	GATGTTGAT	TTGCTTAGAAG'	TGTTAAACC	ATTTGGT :
VRa3	:						:
VRa4	:						
VRa5	:						
VRa6	:						
	Ť						•
		*	560	*	580	*	600
VRa1	:						:
VRa2	:	TGGAGTTATGG	GTNTTCAAGACT	TTGGCTGAG	AAAGCAGTGCT'	TGAATTTGG:	CCACAA :
VRa3	:	G	NGTGTTTAAGACT	TTAGCTGAG.	AAAGCAGTGCT'	TGAATTTGG:	NACAA:
CVRa4	:		AGAC	TTNGCTGAG.	AAAGC GTGCT	TGAATTTGG:	CNACAA :
rVRa5	:		 -		ing T '	TGAATTTGG	CNACAA:
rVRa6	:					TGAATTTGG	
		*	620	*	640	*	660
VRa1	:						:
VRa2	:	AATG					:
:VRa3	:	AATGGGATTGA	TGTTGTTACTTTG	ATTCTTCCT	TTTATTGTTGG	AGGTTTTGT	PTGTCCI :
:VRa4	:		TGTTGTTACTTTG				
cVRa5	:	AATGGGATTGA	TGTTGTTACTTTG	ATTCTTCCT	TTTNTTGTTGG:	AGGTTTTGT	TTGTCCC :
:VRa6	:	AATGGGATTGA	TGTTGTTACTTTG	ATTCTTCCT	TTTNTTGTTGG	AGGTTTTGT:	TTGTCCC :
		*	680	*	700	*	720
:VRa1	:						:
:VRa2	:						·:
VRa3	:		TTCTGTTGAGAAA				
:VRa4	:		TTCTGTTGAGAAA				
VRa5	:		TTCTGTTGAGAAA				
:VRa6	:	AAGCTTCCTGA	TTCTGTTGAGAAA	GCTCTTGTT'	TTGGTACTAGG	CAAAAAGGAA	ACAAATT :
		*	740	*	760	*	780
VRa1	:						:
VRa2	:						 :
VRa3	:		TTTCCACATGGTA				
VRa4	:		TTTCCACATGGTA				
VRa5	:		TTTCCACATGGTA				
VRa6	:	GGTATTATAAG	TTTCCACATGGTA	CATGTAGAT	GATGTGGCTAG.	AGCACATAT(TATCTA:
					00-		a · -
		*	800	*	820	*	840
VRa1	:						:
VRa2	:						 :
VRa3	:	CTTGAGAATCC	TGTTCCAGGAGGT	AGATATAAT'	TGTTCACCATT	CTTTGTATC	TATTGAA :
VRa4	:		TGTTCCAGGAGGT				
VRa5	:		TGTTCCAGGAGGT				
CVRa6	:	CTTGAGAATCC	TGTTCCAGGAGGT	AGATATAAT'	TGTTCACCATT	CTTTGTATCT	TATTGAA :

FIGURE 100 (cont)

170/271

TrVRa1			*	860	*	880	*	900	•	
TrVRa2 TrVRa3 TrVRa4 TrVRa5 TrVRa6	TrVRa3 : TrVRa4 : TrVRa5 : TrVRa6 : TrVRa6 :	GAAATG1 GAAATG1	rcacaget rcacaget	TCTTTCAGCC TCTCTCAGCC	AAATATCCA AAATATCCA	GAATATCAAAT GAATATCAAAT GAATATCAAAT GAATATCAAAT	'ACTATCTGTA 'ACTATCAGTA	GATGAG GATGAG	: : : : : : : : : : : : : : : : : : : :	350 341 319 319
TrVRa1	:		*	920	*	940	*	960		_
TrVRa2 TrVRa3 TrVRa4 TrVRa5 TrVRa6	:	TTGAAGO TTGAAGO	AAATTAA AAATTAA	AGGGGCAAG G AGG I GCAAGA	TTGCCAGAT TTGCCAGAT	TTGAACTCGAA TTGAACTCGAA TTGAACTCGAA TTGAACTCGAA	GAAGCTCGTG	GACGCT	: : : : : : : : : : : : : : : : : : : :	410 401 379 379
TrVRa1	:		*	980	*	1000	*	1020		
TrVRa1 : TrVRa2 : TrVRa3 : TrVRa4 : TrVRa5 : TrVRa6 :	:	GGTTTTC GGTTTTC	SAGTTTAA SAGTTTAA	GTATAGTGTC GTATAGTGTC	GATGATATG' GATGATATG'	FTCGATGATGC FTCGATGATGC FTTGATGATGC FTTGATGATGC	GATTCAATGC GATTCAATGC	TGCAAG	: : : : : : : : : : : : : : : : : : : :	470 461 439 439
TrVRa1 :	:		*	1040	*	1060	*	1080		~~
TrVRa2 TrVRa3 TrVRa4 TrVRa5 TrVRa6	:	GAAAAAC GAAAAAC	GCTATCT GCTATCT	CTAAGCATGT! CTAAGCATGT!	TTTGAAAA' YTTTGAAAA'	FTCCATGAAGT FTCCATGAAGT FTCCATGAAGT FTCCATGAAGT	TGAGAAAACA TGAGAAAACA	ATACTG ATAATG	: : : : : : : : : : : : : : : : : : : :	530 521 499 499
TrVRa1 :	:		*	1100	*	1120	*	1140		_
TrVRa2: TrVRa3: TrVRa4: TrVRa5: TrVRa6:	:	TGCCTAA TGCCTAA	TAATCAAT AATCAAT	GATGGCTAAT(GATGGCTAAT(GAGATGTACA GAGATGTACA	AAGTTTATGCA AAGTTTATGCA AAGTTTATGCA AAGTTTATGCA	TTAAGTTATT TTAAGTTATT	TGTGAT TGTGAT	:	590 581 559 559
TrVRa1 :			*	1160	*	1180	- :			
TrVRa2 : TrVRa3 : TrVRa4 : TrVRa5 :		CAATCAA CAATCAA	ATAATGA ATAATGA			:GAAAAAAAAA	- : - - : 613 - : 602 - : 575 A : 604			

FIGURE 100 (cont)

171/271

LpDFRa	:	* GTSYWTTCGAGT	20 rtgagagaatggc	* TTCCAGGGC	40 AAGGTGTGTGT	* TACTGGGGCC	60 TCTGG	:	60
LpDFRa	:	* CTTTGTTGCTTC	80 PTGGCTTGTCAAA	* AGACTACTC	100 GAGTCCGGTTA	* .TAATGTTCTA	120 .GGGAC	:	120
LpDFRa	:	* AGTCAGAGACCC	140 AGGCAATCAGAAG	* AAGGTAGCA	160 CACCTCTGGAA	* .CTTAGCAGGG	180 GCCAA	:	180
LpDFRa	:	* GGAAAGGTTGGA	200 GCTTGTCAAAGCT	* GACCTCTTG	220 GAAGAAGGGAG	* CTTCGATGAT	240 GCTGT	:	240
LpDFRa	:	* GATGGCCTGTGA	260 GGGTGTCTTCCAC	* ACTGCATCA	280 CCTATCATCAC	* CAAATCTGAT	300 ACCAA	:	300
LpDFRa	:	* GGAAGAAATGCT	320 TGATTCTGCAATT	* AACGGCACT	340 CTAAACGTGCT	* CGAGATCGTGC	360 AAGAA	:	360
LpDFRa	:	* GAATCCTTTTCT	380 CAAAAGGGTTGTT	* CTCACGTCA	400 TCATCGTCAAC	* CCGTGAGGCTG	420 BAGGGA	:	420
LpDFRa	:	* TGAAGCTGAATT	440 CCCACCCAACGTG	* TTGCTGGAT	460 GAAACATCATO	* GGAGCTCCGTG	480 GAGTT	:	480
LpDFRa	:	* CTGTGAAAGTAT	500 CCAGGTATGGTAT	* GGTGTCGCG	520 AAGATCCTTGO	* CTGAGAAATCA	540 GCTTG	:	540
LpDFRa	:	* GGAGTTCGCCAA	560 GGAGAACAACATC	* GACCTAGTG	580 GCTGTTCTTC	* CAACGTTCGTG	600 SATTGG	:	600
LpDFRa	:	* ACCTAATCTCTC	620 GTCTGAATTAGGA	* .CCCACTGTT	640 TTAGATGTCCT	* TTGGCTTATTI	060 AAAGG	:	660
		*	680	*					

FIGURE 101

LpDFRa : AGAGACAGAGAAGTTCACCATGTTTKGGAAGGATG : 695

172/271

LpDFRa	:	* VFSSLREWLPGQVCVT	20 GASGFVASWLVK	* RLLESGYN	40 VLGTVRDPGNQK	* KVAHLWNLA	60 GAK	:	60
LpDFRa	:	* ERLELVKADLLEEGSF	80 DDAVMACEGVFH	* TASPIITK	100 SDTKEEMLDSAI		120 SCKK	:	120
LpDFRa	:	* NPFLKRVVLTSSSSTV	140 RLRDEAEFPPNV	* LLDETSWS	160 SVEFCESIQVWY	* GVAKILAEK	180 CSAW	:	180
LpDFRa	•	* EFAKENNIDLVAVLPT	200 FVIGPNLSSELG	* PTVLDVLG	220 LFKGETEKFTMF	* PGKD : 231	L.		

173/271

		*	20	*	40	*	60	
LpDFRa1 :	<u></u> -		GAGAATGGCTT					: 50
LpDFRa2 :			AGAGAATGGCTI					: 54
LpDFRa3 :			EUNGGCTT					: 41
LpDFRa4 :			GAGAATGGCTT					: 58
LpDFRa5 :	GICITIFICE.	Kean am Keaske	GAGAATGGCTT	'CNAGGGCA	egrerererin	ACTGGGGCC	TCTGGC	: 60
		*	80	*	100	*	120	
LpDFRa1 :	TTTGTTGC	TCTTGGC	CTTGTCAAAAGA	CTACTCGA	GTCCGGTTATZ	AATGTTCTA		:110
LpDFRa2 :	TTTGTTGC	TTTTGGC	CTTGTCAAAAGA	CTACTCGA	GTCCGGTTAT	AATGTTCTA	GGGACA	:114
LpDFRa3 :			CTTGTNAAA_GA					:100
LpDFRa4 :			CTTGTCAAAAGA					:118
LpDFRa5 :	THETHE	PTC@TGGC	CTTGTCAAAAGA	CTECTCGA	<u>GTCCGGTTAI</u>	AATGTTCTA	GGGACA	:120
		*	140	*	160	*	180	
LpDFRa1 :	GTCAGAGAG	CCAGGCA	ATCAGAAGAAC	GTAGCACA		PTAGCAGGG		:170
LpDFRa2 :	GTCAGAGAG	CCCAGGCA	ATCAGAAGAAG	GTAGCACA	CCTCTGGAAC'	rtagcagge	GCCAAG	:174
LpDFRa3 :			ATCAGAAGAAC					:160
LpDFRa4 :	GTCAGAGA(CCAGGCA	ATCAGAAGAAG	GTAGCACA	CCTCTGGAGC	TTAGCAGGG	GCCAAG	:178
LpDFRa5 :	GTCAGAGAG	CCAGGCA	ATCAGAAGAAG	GTAGCACA	CCTCTGGAGC.	I''I'AGCAGGG	GCCAAG	:180
		*	200	*	220	*	240	
LpDFRa1 :	GAAAGGTT(GAGCTTG	GTCAAAGCTGAC	CTCTTGGA	AGAAGGGAGC	TTCGATGAT	'GCTGTG	:230
LpDFRa2 :			STCAAAGCTGAC					:234
LpDFRa3 :	GAAAGGTT(GAGCTTC	TCAAAGCTGAC	CTCTTGGA	AGAAGGGAGC	TTCGATGAT	'GCTGTG	:220
LpDFRa4:	GAAAGGGTC	GAGC'I"I'G	TCACAGCTGAC	CTCTTGGA	AGAAGGGAGC'.		GG GTG	:238
LpDFRa5 :	GAAAGGET	5GAGCTTC	TCAMAGCTGAC	CTCTTGGA.	AGAAGGGAGC'.	FTCGATGAT	GCEGIG	:240
		*	260	*	280	*	300	
LpDFRa1 :			FTCTTCCACACT					:290
LpDFRa2 :			TCTTCCACACT					:294
LpDFRa3 :			TCTTCCACACT					:280
LpDFRa4 : LpDFRa5 :			FTCTTCCACACT FTCTTCCACACT					:298
прытказ .	AIGGCCIG.	CAGGGIC	FICTICCACACT	GCATCACC	IAICAICACCA	MAICIGAI	ACCAAG	:300
		*	320	*	340	*	360	
LpDFRa1 :			CTGCAATTAAC					:350
LpDFRa2 :			CTGCAATTAAC					:354
LpDFRa3 : LpDFRa4 :			CTGCAATTAAC CTGCAATAAAC					:340
LpDFRa5 :			CTGCAATAAAC			WELDOWN AND AREA	COLUMN A COMP. AND CO. CO.	:360
		*	380	*	400	*	420	
LpDFRa1 :			AGGGTTGTTCTC					:410
LpDFRa2 : LpDFRa3 :			\GGGTTGTTCTC \GGGNTGNTCTC					:414:400
LpDFRa3 :			GGGTTGTTCTC					:418
LpDFRa5 :	AAAAN							:365
	Anna Anna Anna Anna Anna Anna Anna Anna							
		*	440	*	460	*	480	
LpDFRa1 :			CCAACGTGTTG					:470
LpDFRa2 : LpDFRa3 :			CCAACGTGTTG				GAGTTC	:474
LpDFRa3 :			CCAACGNGN <mark></mark> CCAACGTGTTG				CACTTC	:425 :478
LpDFRa5 :								: -
<u> </u>								•

174/271

			*	500 _	*	520	*	540	
LpDFRa1 LpDFRa2	:	TGTGAAA TGTGAAA	GTATCCAG(GTATCCAG(GTATGGTATGGT GTATGGTATGGT	CTCGCGAA CTCGCGAA	GATCCTTGCTC GATCCTTGCTC	FAGAAATCA FAGAAATCA	.GCTTGG .GCTTGG	:530 :534
LpDFRa3 LpDFRa4 LpDFRa5	:	TGTGAAA	GTATCCAG	GTATGGTACGGT	GTCGCAAA	GATCCTTGCCC	SAGAAATCA	GCCTGG	: - :538 : -
LpDFRa1	:	GAGTTCG	* CCAAGGAG	560 AACAACATCGAC AACAACATCGAC	* CCTAGTGGC	580 TGTTCTTCCAA	* ACGTTCGTC	600 ATTGGA	:590 :594
LpDFRa2 LpDFRa3 LpDFRa4 LpDFRa5	: : :			AACAACATCGAC					: -
LpDFRa1 LpDFRa2	:	CCTAATC	* TCTCGTCT	620 GAATTAGGACCO GAATTAGGACCO	* CACTGTTTT CACTGTTTT	640 AGATGTCCTTO AGATGTCCTTO	* GCTTATTT GCTTATTT	066 AAAGGA 'AANGGA	:650 :654
LpDFRa3 LpDFRa4 LpDFRa5	:			GAATTAGGACC					: - :658 : -
LpDFRa1 LpDFRa2	:		* AGAAGTTC AGAAGTTC	680 AC ACCATGTTTTG	* GAAGGATG	: 667 : 688			
LpDFRa3 LpDFRa4 LpDFRa5	: :	GAGACAG	AGAAGTTC	ACCATGTTTGG(GAAGGAN-	: - : 691 : -			

FIGURE 103 (cont)

175/271

LpDFRb	:	* 20 * 40 * 60 GTCCTCGCCTACGAGGCCCGACGCCCGCGGCCGCTACCTCTGCATCGGGGCCGTGCTG :	60
LpDFRb	:	* 80 * 100 * 120 CACCGCGCGCACTTCCTAAAGCTTCTCAAGGACCTCTTCCCGCAGTACTCCTTCACCGCC : 1	.20
LpDFRb	:	* 140 * 160 * 180 AAGTGCGAAGACGAAGCCCATGGCGAAGCCGTACAAGTTCTCCNACCAGAGGCTC : 1	.80
LpDFRb	:	* 200 * 220 * 240 AGGGACCTGGGGATTAAAATTCACTCCGCTGGCGGAAAGTTTGTACGAGACCGTGACGTGC : 2	240
LpDFRb	:	* 260 * 280 * 300 CTGCAAAAAATGGCCACCTGCCTCTGCCCGCTCCCATGGCGCCAAAGCGTGCATACCTA : 3	300
LpDFRb	:	* 320 * 340 * 360 TAATACTACAAAGACACGGCCGGGATCGACAAGCCAAGAAACAGAGGATTCTCCCGAGGT : 3	360
LpDFRb	:	* 380 * 400 * 420 TCACCATGGAATTGTGTATTTCACAAAGTTTGAATTCTTATTTTTTTT	120
LpDFRb	:	* 440 * 460 * 480 TACGGAAAACCAATACTGTATACCAGAGGCAAGTGTAACAATGTAAATAGTCGTGTAAAT : 4	180
LpDFRb	:	* 500 * 520 CTTGTTCAAGAATGAATGATAAAGTATTTTTTGCAAAAAAAA	

176/271

* 20 * 40 * 60 LpDFRb : VLAYERPDARGRYLCIGAVLHRAHFLKLLKDLFPQYSFTAKCEDDGKPMAKPYKFSXQRL : 60

* 80 * 100 LpDFRb : RDLGLKFTPLAESLYETVTCLQKNGHLPLPAPMAPKRAYL : 100

177/271

			*	20	*	40	*	60	
LpDFRb1	:	GTCCTC	GCCTACGA	AGCGCCCGAC	GCCGCGGCC	GCTACCTCTC	CATCGGGGC	CGTGCTG	: 60
LpDFRb2	:								: -
LpDFRb3	:								: -
				0.0	.t.	400			
T DDD 1-1		GT GGGG	*	80	× ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	100	×	120	100
LpDFRb1 LpDFRb2	:	CACCGC	:GCGCAC1"1	CCTAAAGCTT	<u>_TCAAGGACC</u>	TCTTCCCGCA	IGTACTCCTT	CACCGCC	:120
LpDFRb3	:								: -
прыгкоз	•								• -
			*	140	*	160	*	180	
LpDFRb1	:	AAGTGC	GAAGACGA	ACGGCAAGCCCA	ATGGCGAAGC	CGTACAAGTT	CTCCAACCA	GAGGCTC	:180
LpDFRb2	:				<u>AAGC</u>	CGTACAAGTT			: 30
LpDFRb3	:					<u>G</u> I'I	CTCNNACCA	GAGGCTC	: 19
			4	200	4	222	مك	0.40	
LpDFRb1		ACCCAC	CTCCCATIO	PAAAATTCACT(CCCMCCCC	220	CCACACCO	240	:240
LpDFRb2	:			TAAAAT TCACT(: 90
LpDFRb3	•			PAAAATTCACTO					· 79
_ps::	•		.0002322		300010000		.00710110001	37100100	• ,5
			*	_260	*	280	*	300	
LpDFRb1	:			SCCACCTGCCTC					:300
LpDFRb2	:	_		CCACCTGCCT(:150
LpDFRb3	:	CTGCAA	AAAAATGG	SCCACCTGCCTC	CTGCCCGCTC	CCATGGCGCC	'AAAGCGTGC	ATACCTA	:139
			*	320	*	340	*	360	
LpDFRb1		ΤΑΑΤΑΚ	TACMAAGA	ACACGGCCGGG			ACCATTOTO		:360
LpDFRb2	:			ACACGGCCGGG					:210
LpDFRb3	:			ACACGGCCGGG					:199
-									
			*	380	*	400	*	420	
LpDFRb1	:			TGTATTTCA					:420
LpDFRb2	:			TGTATTTCAC					:270
LpDFRb3	:	TCACCA	TGGAATTC	TGTATTTCAC!	AAAGTTTGAA	ALTC TTATELL	"TTTTATTAT	<i>3</i> AAGAAA	:259
			*	440	*	460	*	480	
LpDFRb1	:	TACGGA	TAACCAAT	PACTGTATACCA	AGAGGCAAGT		'AAATAGTCG'		:480
LpDFRb2	:			TACTGTATACCA					:330
LpDFRb3	:	TACGGA	AAACCAAT	PACTGTATACCA	<u>AGA</u> GG <u>C</u> AAGT	GTAACAATGI	'AAATAGTCG'	IGTAAAT	:319
			,	E00	a.	= 0.0			
T ~ DED 5-1			× NAAAAA	500	*	520	1 504		
LpDFRb1 LpDFRb2	:			SAATGATAAAGT SAATGATAAAGT					
LpDFRb3	•			BAATGATAAAG BAATGATAAAGT					
	•	يالتات							

178/271

		*	20	*	40	*	60		
LpF3Ha	:	TCTCNAGACACACTG	GTGTAACCAC	GGTAGCGAGT	GGCAAGACTA	GCAGAAAGTAC	:GGACA	:	60
		•	9.0	*	100	*	120		
LpF3Ha		TCAGCTAACCATTCC	80 'TC 2 2 CT 2 C2 :	^ a m a a c c a m c c i					120
пргэна	٠	ICAGCIAACCAIICC	CICAACIAGA	717770071100	51000003111	010011100010	,,,,,,	•	
		*	140	*	160	*	180		
LpF3Ha	:	AGTGATCGGGTGGCA	ACGCTCCAAG	AAAGTCCCAT	CTAGCCACGT	TAGAGCGGTGG	GAGAC	:	180
_									
		*	200	*	220	*	240		240
LpF3Ha	:	CGCCCAGACCTCGCC	CAATGTCGAC	CACGAGTCCG	GCGCGGGCA'I"	reegerearee	ACCTG	:	240
		*	260	*	280	*	300		
T.nF3Ha		AAGCAGCTCGAAGGT	rccAgggcgc	CGCAGGGTCG		CGGCTCCGCGT		:	300
Lp: Jiid	•	11100110010011001					-		
		*	320	*	340	*	360		
LpF3Ha	:	AACGATGGGTTTTTC	CATGGTGACG	AATCATGGCA	TCCCAGAGGC	GGTCGTGGAGO	GGATG	:	360
				at.	4.0.0		400		
		*	380	* az aamaaaa	400	~ ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	420		420
Гр взна	:	CTGAGCGTGGCGAG	GAGTTCTTC	CACCIGCCGG	AGICGGAGCG	GCTCAAGTGC	ACICC	•	420
		*	440	*	460	*	480		
LpF3Ha	:	GACGACCCCAAGAAG		CTGTCGACGA		GCGCACGGAGA		:	480
	•								
		* .	500	*	520	*	540		
LpF3Ha	:	AGCAACTGGCGCGA	CTTCCTCCGG	CTGCATTGCT	ACCCTCTTGA	GAGCTTCGTC	BACCAG	:	540
		.1.	F.60		580	*	600		
T ~ E 2 11 5	_	TGGCCGTCGAACCC	560 TCCCCCCTTTC	л СССЛ Л СТСС		 സസ്യമസ്യയുമ			600
ъргзпа	:	TGGCCGTCGAACCCC	3000000110	AGGCAAGICG	ICGGCACCIA	CICOACGGIAA	30021021	•	000
		*	620	*	640	*	660		
LpF3Ha	:	GCGCTGGCGCTGAG	GCTCCTGGAG	GCGATATCGG	AGAGCCTAGG	GCTGGAGAGA(GCCAC	:	660
_									
		*	680	*	700	*	720		700
LpF3Ha	:	ATGGTGAAGGCCAT	GGGCGGCAC	GCGCAGCACA	'I'GGCGG'I'GAA	CTACTACCCG	CGLGC	:	720
		*	740	*	760	*	780		
LnE3Ha		CCGCAGCCGGAGCT	ZACCTACGGT	CTGCCAGGGC		CAACGCCCTC		:	780
אווניזקה	٠	00001100000011001	021001110001	01000110000	.101100011000				
		*	800	*	820	*	840		
LpF3Ha	:	CTCCTCATGGATCC	CCACGTCTCC	GGCCTCCAGG	TCCTCAGGGA	CGGCGCCAAG'	rggatc	:	840
					222	at.	0.00		
		*	860	*	088	~ ~	900	_	900
ьргзна	:	GCCGTCCACCCACG	CCCCAACGCC	CIGGICATCA	ACCTAGGGA	CCAGCTACAG	506016	•	900
		*	920	*	940	*	960		
LpF3Ha	:	AGCAACGGCGCGTA		TGGCACCGGG		.CGCGGAGCAG		:	960
		*		*		*	1020	_	
LpF3Ha	:	CTGTCGGTGGCATC'	TTTCCTGTGC	CCGTGCAACA	GCGCGGTTAT	CTGCCCCGCG	CCGAGG	:]	1020
		*	1040	*	1060	*	1080		
LpF3Ha	:	CTCGTCGGCGACGG	GGAGGACCCC	GTCTACCGGA	GCTACACCTA	.CGACGAGTAC	TACAAG	: 1	L080
			4400	4.	1100	-11-	1110		
T 110 11-		* AGGTTTTGGAGCAG	1100	* ''''	1120	·C⊞™СУССУСШ «	1140	. 1	1140
трызна	:	HOGITITIOGAGCAG	GMMCCIGGAI	LAGGAGCACI	CONTROLI	ウェエクロロロかびエ 1	しなりしない	• -	トナギハ

179/271

1200 1160 1180

LpF3Ha: TGATGCTTGAACCTTGAGTTACTAGCTAGCTCTCCTTAACAGTGCAAATCCATGGCCCAA: 1200

1220 1240

Lpf3Ha : GAGGGCCCGGATTGCATGGTTACTTATGTTGTTTGAACTGGTATTGCTTAAGTGCCTAAT :1260

1280 1300 1320

LpF3Ha : AACATTGCTACATTCTACTNCTATCTTGTCCGTTTAAAAATTATAAGATGGCCTAACCTTT :1320

LpF3Ha : TTCTTAATTGTATGCATNCTGAACATATTTAAGTGTGTGTTCAGACAGTTTAGTCTGC :1380

LpF3Ha : A :1381

FIGURE 107 (cont)

180/271

		*	20	*	40	*	60		
LpF3Ha	:	MSNPLLSDRVARSK	KVPSSHVRAVG	DRPDLANVDI	HESGAGIPLI	DLKQLEGPGRR	RVVEA	:	60
LpF3Ha	:	* IGSACENDGFFMVT	80 'NHGIPEAVVEG	* GMLSVAREFF	100 HLPESERLKC	* YSDDPKKAVRL	120 STSFN	:	120
LpF3Ha	:	* VRTEKVSNWRDFLR	140 LHCYPLESFVC	* OQWPSNPPAF	160 RQVVGTYSTE	* ARALALRLLEA	180 ISESL	:	180
LpF3На	:	* GLERGHMVKAMGRH	200 AQHMAVNYYPE	* CPQPELTYGI	220 LPGHTDPNAL	* TILLMDPHVSG	240 LQVLR	:	240
LpF3Ha	:	* DGAKWIAVHPRPNA	260 LVINLGDQLQA	* .LSNGAYKSV	280 WHRAVVNAEQ	* ERLSVASFLCP	300 CNSAV	:	300
LnF3Ha		*	320	*	340	OH • 346			

181/271


			*	20		*	40		*	60	
LpF3Ha1	:	TCTCNAGA	CACACTGT	GTAACCA	CGGTAC	CGAGI	'GGCAAGAC'	TAGCAGA	AAAG	TACGGACA	: 60
LpF3Ha2	:	TCTAGA	CACACTGT	GTAACC	CGGTAG	CGAGT	GGCAAGAC	ragcag <i>i</i>	<u>L</u> AA <u>C</u>	TACGGACA	: 58
LpF3Ha3	:										· : -
			*	80		4	100		-1-	400	
LpF3Ha1		TCACCTAA	CCNTTCCT		י א גרווו א אי	, , , , ,	100 CTCCGGCG	mamaar	*	120	1 100
LpF3Ha2		TCAGCTAA		CAACTAG	AAT AAC	CAIGG	CTCCGGCG <i>I</i>	λ TGTCC F	MACC	CTCTCCTC	:120 :118
LpF3Ha3	:					CALGO	CICCGGCGA	TIGICU	MACC	CICICCIC	: TTO
	-										•
			*	140		*	160		*	180	
LpF3Ha1	:	AGTGATCG	GGTGGCAC	GCTCCAA	GAAAGT	CCCAT	CTAGCCACC	STTAGAG	CGG	TGGGAGAC	:180
LpF3Ha2	:	AGTGATCG	GGTGGCAC	GCTCCAA	GAAAGT	CCCAT	CTAGCCACC	TTAGAC	CGG	TGGGAGAC	:178
LpF3Ha3	:								. – – –		· : -
			4	200		4.	000				
LpF3Ha1		CCCCCACA	CCTCCCCA	200	CCACCA	× CIDOCO	220 GCGCGGGC	mmagaa	*	240	1 040
LpF3Ha2	:						GCGCGGGC <i>F</i> GCGCGGGC <i>F</i>				
LpF3Ha3	•					CICCO	GCGCGGGCA	TITCCGC	ICA	ICGACCIG	:238
	•										• -
			*	260		*	280		*	300	
LpF3Ha1	:	AAGCAGCT	CGAAGGTC	CAGGGCG	CCGCAG	GGTCG	TCGAGGCCA	ATCGGCT	CCG	CGTGCGAG	:300
LpF3Ha2	:	AAGCAGCT	CGAAGGTC	CAGGGCG	CCGCAG	GGTCG	TCGAGGCC	ATCGGCT	CCG	CGTGCGAG	:298
LpF3Ha3	:										: -
			_								
T D2-1-1		22662-66	*	320		*	340		*	360	
LpF3Ha1	:	AACGATGG	GTTTTTCA	TGGTGAC	GAATCA	TGGCA	TCCCAGAGO	CGGTCG	TGG	AGGGGATG	
LpF3Ha2 LpF3Ha3	:	AACGATGG	GTTTTTCA	rggrgac	GAATCA	TGGCA	TCCCAGAGO	CGGTCG	TGG	AGGGGATG	:358
пргэнаэ	•										: -
			*	380		*	400		*	420	
LpF3Ha1	:	CTGAGCGT	GGCGAGGG		ССАССТ	GCCGG	AGTCGGAGC	'СССТСА	AGT	CCTACTCC	:420
LpF3Ha2	:	CTGAGCGT	GGCGAGGG	AGTTCTT	CCACCT	GCCGG	AGTCGGAGC	GGCTCA	AGT	GCTACTCC	:418
LpF3Ha3	:										: -
			*	440		*	460		*	480	
LpF3Ha1	:	GACGACCC	CAAGAAGG	CGGTCCG	GCTGTC	GACGA	GCTTCAACG	TGCGCA	.CGG.	AGAAGGTG	:480
LpF3Ha2 LpF3Ha3	:	GACGACCC	<u>CAAGAAGG(</u>	CGGTCCG	GCTGTC	GACGA	GCTTCAACG	TGCGCA	CGG.	AGAAGGTG	:478
презназ	•									~	: -
			*	500		*	520		*	540	
LpF3Ha1	:	AGCAACTG	GCGCGACT		GCTGCA	ጥጥርርጥ	ACCCTCTTG	AGAGCT		TCCACCAC	:540
LpF3Ha2	:	AGCAACTG	GCGCGACT	CCTCCG	GCTGCA	TTGCT	ACCCTCTTG	AGAGCT	тСG	TCGACCAG	:538
LpF3Ha3	:										: -
			*	560		*	580		*	600	
LpF3Ha1	:	TGGCCGTC	GAACCCGC	CCGCCTT	CAGGCA	AGTCG'	TCGGCACCT	'ACTCGA	CGG	AAGCGAGA	:600
LpF3Ha2	:	TGGCCGTC	GAACCCGC	CCGCCTT	CAGGCA	AGTCG'	TCGGCACCT	783	See L	Electronic protection and an electronic	:598
LpF3Ha3	:								GG.	AAGDEGEE	: 12
			*	620		+	C10			660	
LpF3Ha1		GCGCTGGC	ССТСАССС	CCTCCA	CCCCAT	ATCCC	640 AGAGCCTAG	СССТСС	7. C. 7.	660	:660
	:	GCGCTGGC	GCTGAGGC	rccigga rccigga	GGCGAT.	ATCGG. ATCCC	AGAGCCTAG AGAGCCTAG	GGCTGG GGCTGC	AGA(CACCCAC	:658
LpF3Ha3	:	digctggd	GCT TO GGG	PICTGG	GCGAT	TCGE	IGGGGCTEG	GGCTGG.	ACN	SAGGCCAC SAGGGTAT	: 72
							dederoc				. 12
			*	680		*	700		*	720	
LpF3Ha1	:	ATGGTGAA	GGCCATGGC	GCGGCA	CGCGCA	GCACA'	TGGCGGTGA	ACTACT.	ACC	CGCCGTGC	:720
LpF3Ha2	:	ATGGTGAA	GGCCATGG	GCGGCA	CGCGCA	GCACA'	TGGCGGTGA	ACTACT	ACC	CGCCGTGC	.718
LpF3Ha3	:	GTGGAGAA	GGTGCTGGG	GEAGCA	GAGCA	GCACA'	TGGCCGTGA	ACTACT.	ACC	CGCGGTGC	:132

182/271

		*	740	*	760	*	780	
LpF3Ha1 : LpF3Ha2 : LpF3Ha3 :	CCGCAG	CCGGAGCT	CACCTACGGTC' CACCTACGGTC' CACCTACGGCC'	IGCCAGGG	CACACGGACCC	CAATGCCCTC CAACGCCCTC	CACCATN CACCATC	:755 :778 :192
LpF3Ha1 LpF3Ha2 LpF3Ha3		* 	800	*	820	*	840	: -
	CTCCTC		CCACGTCTCCG	GCTCCAG	GTCCTCAGGGA	CGGCGCCAAG	TGGATC	:780 :252
LpF3Ha1 LpF3Ha2		* 	860 	* 	880	* 	900	: - : -
LpF3Ha3 :	GCCGTCC	<u>CACCCAC</u> G	CCCCAACGCCC	rggtcatc:	AACCTAGGCGA	CCAGCTACAG	GCGCTG	:312
LpF3Ha1 : LpF3Ha2 :		* 	920	*	940	*	960	: -
LpF3Ha3 :	AGCAACO	GCGCGTA	CAAGAGCGTGT	GCACCGG	CAGTGGTGAA	CGCGGAGCAG	GAGCGT	:372
LpF3Ha1 : LpF3Ha2 :		*	980	*	1000	*	1020	: -
LpF3Ha3 :	CTGTCGC	TGGCATC	TTTCCTGTGCC	CGTGCAAC	AGCGCGGTTATO	CTGCCCGCG	CCGAGG	: - :432
LpF3Ha1 : LpF3Ha2 :		*	1040	*	1060	*	1080	: -
LpF3Ha3 :	CTCGTC	GCGACGG	GGAGGACCCCGT	CTACCGGZ	GCTACACCTAC	CGACGAGTAC	TACAAG	: 492
LpF3Ha1 : LpF3Ha2 :		*	1100	*	1120	*	1140	: _, -
LpF3Ha3 :	AGGTTTT	GGAGCAG	GAACCTGGATCA	GGAGCACT	GCCTCGAGCTC	TTCAGGAGT	CAGCAC	: - :552
LpF3Ha1 :		*	1160	*	1180	*	1200	: -
LpF3Ha2 : LpF3Ha3 :	TGATGCT	'TGAACCT'	TGAGTTACTAGO	TAGCTCTC	CTTAACAGTGC	CAAATCCATG	GCCCAA	: - :612
LpF3Ha1 :		*	1220	*	1240	*	1260	: -
LpF3Ha2 : LpF3Ha3 :	GAGGGCC	CCGATTG	CATGGTTACTTA	TGTTGTT	GAACTGGTATT	GCTTAAGTG	CCTAAT	: - :672
LpF3Ha1 :		*	1280	*	1300	*	1320	: -
LpF3Ha2 : LpF3Ha3 :	AACATTO	CTACATT	CTACTNCTATCT	TGTCCGTT	TAAAATTATAA	GATGGCCTA	ACCTTT	: - :732
LpF3Ha1 :		*	1340	*	1360	*	1380	
LpF3Ha2 : LpF3Ha3 :	ТТСТТА	ттстатс	CATNCTGAACAT	'ልጥጥጥል ልርጣ	CTCTCTCTCTCTC	CACACMERA	CTCTCC	702
LpF3Ha1 : LpF3Ha2 : LpF3Ha3 :	- : - - : -		SAINCI GAACAI	ATTTAAGI	OIGIGIGITCA	GACAGITIA	GICIGO :	: 792

FIGURE 109 (cont)

183/271



LpF3OH


184/271

1	GAATTCGATT	AAGCAGTGGT	AACAACGCAG	AGTACGCGGG	GACTCTCAGA
51	ACACACTGTG	TAACCACGGT	AGCGAGTGGC	AAGACTAGCA	GAAAGTACGG
101	ACATCAGCTA	ACCATTCCTC	AACTAGAATA	AGCATGGCTC	CGGCGATGTC
151	CAACCCTCTC	CTCAGTGATC	GGGTGGCACG	CTCCAAGAAA	GTCCCATCTA
201	GCCACGTTAG	AGCGGTGGGA	GACCGCCCAG	ACCTCGCCAA	TGTCGACCAC
251	GAGTCCGGCG	CGGGCATTCC	GCTCATCGAC	CTGAAGCAGC	TCGAAGGTCC
301	AGGGCGCCGC	AGGGTCGTCG	AGGCCATCGG	CTCCGCGTGC	GAGAACGATG
351	GGTTTTTCAT	GGTGACGAAT	CATGGCATCC	CAGAGGCGGT	CGTGGAGGGG
401	ATGCTGAGCG	TGGCGAGGGA	GTTCTTCCAC	CTGCCGGAGT	CGGAGCGGCT
451	CAAGTGCTAC	TCCGACGACC	CCAAGAAGGC	GGTCCGGCTG	TCGACGAGCT
501	TCAACGTGCG	CACGGAGAAG	GTGAGCAACT	GGCGCGACTT	CCTCCGGCTG
551	CATTGCTACC	CTCTTGAGAG	CTTCGTCGAC	CAGTGGCCGT	CGAACCCGCC
601	CGCCTTCAGG	CAAGTCGTCG	GCACCTACTC	GACGGAAGCG	AGAGCGCTGG
651	CGCTGAGGCT	CCTGGAGGCG	ATATCGGAGA	GCCTAGGGCT	GGAGAGAGGC
701	CACATGGTGA	AGGCCATGGG	GCGGCACGCG	CAGCACATGG	CGGTGAACTA
751	CTACCCGCCG	TGCCCGCAGC	CGGAGCTCAC	CTACGGTCTG	CCAGGGCACA
801	AGGACCCCAA	TGCCATCACG	CTCCTCCTGC	AGGACGGCGT	CTCCGGCCTG
851	CAGGTCCAGC	GCGACGGCCG	GTGGGTGGCC	GTCAACCCGG	TGCCCAACGC
901	CCTCGTCATC	AACATCGGCG	ATCAGTTACA	GGCGCTGAGC	AACGACCGAT
951	ACAAGAGCGT	GAACCACAGA	GTGATCGTCA	ACAGCGCGAG	CGAGAGGATT
1001	TCGGTGCCGA	CGTTCTACTG	CCCGTCGCCG	GACACGGTGG	TCGCGCCGGC
1051	CGACGCGCTG	GTGGACGACG	CCCACCCTCG	GGCCTACCAG	CCCTTCACGT
1101	ACCAGGAGTA	CTACGAGGAG	TTCTGGAAGA	TGGGCCTTCA	GTCAGCAAGT
1151	TGCCTCGACA	GGTTCCGACG	GATCGAGTGA	TGGACAAGAC	GTGGGCCGTT
1201	GTTATCTCCT	GGGCCATGAG	CGTTGCCGCA	GCCGATGTGT	CGCCATATGG
1251	TGGAGACGTT	TCCTCCCTCC	GGAAAAGAAA	AATAAAACAG	AGTGGAGACC
1301	ACTAGAACCG	TCAGATAGCA	TCCCAAAAAA	AAAAAAAAA	AAAAAAAAA
1351	AAAAGTACTC	TGCGTTGTTA	CCACTGCTTA	ATCACTAGT G	AATTC


185/271

1	MAPAMSNPLL	SDRVARSKKV	PSSHVRAVGD	RPDLANVDHE	SGAGIPLIDL
51	KQLEGPGRRR	VVEAIGSACE	${\tt NDGFFMVTNH}$	GIPEAVVEGM	LSVAREFFHL
L01	PESERLKCYS	DDPKKAVRLS	TSFNVRTEKV	SNWRDFLRLH	CYPLESFVDQ
151	WPSNPPAFRQ	VVGTYSTEAR	ALALRLLEAI	SESLGLERGH	MVKAMGRHAQ
201	HMAVNYYPPC	PQPELTYGLP	GHKDPNAITL	LLQDGVSGLQ	VQRDGRWVAV
251	NPVPNALVIN	IGDQLQALSN	DRYKSVNHRV	IVNSASERIS	VPTFYCPSPD
301	TVVAPADALV	DDAHPRAYOP	FTYOEYYEEF	WKMGLOSASC	LDRFRRTE

186/271




pDH51LpF3OH sense




pDH51LpF3OH anti

187/271




pPZP221:35S2LpF3OH sense




pPZP221:35S2LpF3OH anti

188/271



189/271



TrBANa


190/271

1	GAATTC GATT	AAGCAGTGGT	AACAACGCAG	AGTACGCGGG	ATAAAAACTG
51	CACTAGTGTG	TATAAGTTTC	TTGGTGAAAA	AAGAGTTTGT	AAATTAACAT
101	CATGGCTAGT	ATCAAACAAA	TTGGAAACAA	GAAAGCATGT	GTGATTGGTG
151	GCACTGGTTT	TGTTGCATCT	ATGTTGATCA	AGCAGTTACT	TGAAAAGGGT
201	TATGCTGTTA	ATACTACCGT	TAGAGACCCA	GATAGCCCTA	AGAAAATATC
251	TCACCTAGTG	GCACTGCAAA	${\tt GTTTGGGGGA}$	ACTGAATCTA	TTTAGAGCAG
301	ACTTAACAGT	TGAAGAAGAT	TTTGATGCTC	CTATAGCAGG	ATGTGAACTT
351	GTTTTTCAAC	TTGCTACACC	TGTGAACTTT	GCTTCTCAAG	ATCCTGAGAA
401	TGACATGATA	AAGCCAGCAA	TCAAAGGTGT	GTTGAATGTG	TTGAAAGCAA
451	TTGCAAGAGC	AAAAGAAGTT	AAAAGAGTTA	TCTTAACATC	TTCGGCAGCC
501	GCGGTGACTA	TAAATGAACT	CAAAGGGACA	GGTCATGTTA	TGGATGAAAC
551	CAACTGGTCT	GATGTTGAAT	TTCTCAACAC	TGCAAAACCA	CCCACTTGGG
601	GTTATCCTGC	CTCAAAAATG	CTAGCTGAAA	AGGCTGCATG	GAAATTTGCT
651	GAAGAAAATG	ACATTGATCT	AATCACTGTG	ATACCTAGTT	TAACAACTGG
701	TCCTTCTCTC	ACACCAGATA	TCCCATCTAG	TGTTGGCTTG	GCAATGTCTC
751	TAATAACAGG	CAATGATTTT	CTCATAAATG	CTTTGAAAGG	AATGCAGTTT
801	CTGTCGGGTT	CGTTATCCAT	CACTCATGTT	GAGGATATTT	GCCGAGCTCA
851	TATATTTCTT	GCAGAGAAAG	AATCAGCTTC	TGGTAGATAC	ATTTGCTGTG
901	CTCACAATAC	TAGTGTTCCC	GAGCTTGCAA	AGTTTCTCAA	CAAACGATAT
951	CCTCAGTATA	AAGTTCCAAC	TGAATTTGAT	GATTGCCCCA	GCAAGGCAAA
1001	GTTGATAATC	TCTTCTGAAA	AGCTTATCAA	AGAAGGGTTC	AGTTTCAAGC
1051	ATGGTATTGC	CGAAACTTTC	GACCAGACTG	TCGAGTATTT	TAAGACTAAG
1101	GGGGCACTGA	AGAATTAGAT	TTTGATATTT	CTAATTCAAT	AGCAAACTCT
1151	AAGCTTGTTA	TGTGTTTGTG	AAGTTCAGAG	TGAAATATCA	AATGAATAAG
1201	TGGAGAGAGC	ACAATAAGAG	GAGAGCACAA	TAATTTTGGA	AAAAAAAAA
1251	AAAAAAAAA	AAAAAAAAGT	ACTCTGCGTT	GTTACCACTG	CTTAATCACT
1301	AGT GAATTC				


191/271

1	MASIKQIGNK	KACVIGGTGF	VASMLIKQLL	EKGYAVNTTV	RDPDSPKKIS
51	HLVALQSLGE	LNLFRADLTV	EEDFDAPIAG	CELVFQLATP	VNFASQDPEN
101	DMIKPAIKGV	LNVLKAIARA	KEVKRVILTS	SAAAVTINEL	KGTGHVMDET
151	NWSDVEFLNT	AKPPTWGYPA	SKMLAEKAAW	KFAEENDIDL	ITVIPSLTTG
201	PSLTPDIPSS	VGLAMSLITG	NDFLINALKG	MQFLSGSLSI	THVEDICRAH
251	IFLAEKESAS	GRYICCAHNT	SVPELAKFLN	KRYPQYKVPT	EFDDCPSKAK
301	LIISSEKLIK	EGFSFKHGIA	ETFDOTVEYF	KTKGALKN	

192/271




pDH51TrBANa sense




pDH51TrBANa anti

193/271




pPZP221:35S2TrBANa sense



pPZP221:35S²TrBANa anti

194/271



TrCHIa


195/271

1	GAATTCGATT	AAGCAGTGGT	AACAACGCAG	AGTACGCGGG	GACTTAAACA
51	TTGACACAAG	TCCCAAATAA	AAAAGATCTG	AAACAACATA	GTCACCCCAT
101	TTTTTAACAT	TAAACTAAAA	ATATGTCGGC	CATCACCGCA	ATCCAAGTCG
151	AGAACCTTGA	ATTTCCGGCT	GTGGTTACTT	CTCCGGCCAC	CGGTAAGTCA
201	TATTTTCTTG	GTGGTGCAGG	GGAGAGAGGT	TTGACTATTG	AAGGAAACTT
251	CATCAAGTTC	ACTGCCATAG	GAGTATATTT	GGAAGATGTA	GCAGTGGCTT
301	CACTTGCCAC	TAAATGGAAG	GGTAAATCCT	CTGAGGAGTT	GCTTGAGACT
351	CTTGACTTCT	ATAGAGACAT	CATTTCAGGA	CCCTTTGAAA	AGTTGATTCG
401	AGGATCGAAG	ATTAGGGAAT	TGAGTGGTCC	TGAGTACTCA	AGGAAGGTTA
451	ATGAAAACTG	CGTGGCACAC	TTAAAATCTG	TTGGGACTTA	TGGAGATGCT
501	GAAGCTGAAG	CTATGCAAAA	ATTTGTTGAA	GCCTTCAAGC	CTATTAATTT
551	TCCACCTGGT	GCCTCTGTTT	TTTACAGGCA	ATCACCTGAT	GGAATATTAG
601	GGCTTAGTTT	CTCTCAAGAT	GCAAGTATAC	CAGAAAAGGA	GGCTGCAGTA
651	ATAGAGAACA	AGGCAGCTTC	ATCGGCAGTG	TTAGAAACTA	TGATTGGTGA
701	ACATGCTGTT	TCTCCTGATT	TAAAGCGTTG	TTTGGCTGCA	AGATTACCTG
751	CCTTGTTGAA	CGAGGGTACT	TTCAAGATTG	AATGAAAACT	GATTATTATT
801	ATCTCCAAAA	GCATTGCAGC	ACAAGATTGA	GTCATTTATG	AGCATGGACA
851	TTTTTATGTC	CACACATGTT	TAACTTTTGT	ATCTCTCTTT	AGATTCTCAT
901	CAATATCAAT	AATACTAATA	TGAAACGAAG	TCAAAAAAAA	AAAAAAAAA
951	AAAAAAAAA	AAAAGTACTC	TGCGTTGTTA	CCACTGCTTA	ATCACTAGT G
1001	AATTC				


196/271

1	MSAITAIQVE	NLEFPAVVTS	PATGKSYFLG	GAGERGLTIE	GNFIKFTAIG
51	VYLEDVAVAS	LATKWKGKSS	EELLETLDFY	RDIISGPFEK	LIRGSKIREL
101	SGPEYSRKVN	ENCVAHLKSV	GTYGDAEAEA	MQKFVEAFKP	INFPPGASVF
151	YRQSPDGILG	LSFSQDASIP	EKEAAVIENK	AASSAVLETM	IGEHAVSPDL
201	KRCLAARLPA	LLNEGTFKIE			

197/271




pDH51TrCHIa sense




pDH51TrCHla anti

198/271




pPZP221:35S2TrCHIa sense



pPZP221:35S2TrCHla anti

199/271



TrCHId


200/271

1	GAATTC ACTA	GTGATTAAGC	AGTGGTAACA	ACGCAGAGTA	CGCGGGGACA
51	TTACAACTCA	CAACACCTTC	TCCATTACCA	TCTATCTTCT	ACTAAGTTCA
101	ACGAGATCAA	TGGCACTTCC	TTCTGTCACC	GCTTTGAATA	TCGAGAACAA
151	TCTATTCCCT	CCTACCGTCA	CACCACCGGG	ATCCACCAAC	AATTTCTTCC
201	TCGGCGGTGC	AGGAGAGCGG	GGTCTTCAAA	TTCAAGACAA	ATTTGTCAAA
251	TTCACCGCTA	TTGGTGTTTA	TCTACAGGAC	ATTGCTGTTC	CTTACCTCGC
301	CACTAAATGG	AAGGGTAAGA	CTGCTCAAGA	GCTAACGGAA	ACTGTTCCTT
351	TCTTCAGGGA	CATCGTTACA	GGTCCATTTG	AGAAATTTAT	GCAGGTGACA
401	ATGATCTTGC	CATTGACTGG	GCAACAATAC	TCAGAGAAAG	TGTCAGAAAA
451	TTGTGTAGCT	ATTTGGAAGT	CTCTTGGGAT	TTATACCGAC	GAAGAAGCCA
501	AAGCAATTGA	GAAGTTTGTT	TCTGTCTTCA	AAGATGAAAC	ATTCCCACCA
551	GGCTCCTCTA	TCCTTTTCAC	AGTATTACCC	AAAGGATTAG	GATCACTAAC
601	GATAAGTTTC	TCTAAAGATG	GATCCATTCC	AGAGACCGAG	TCTGCAGTTA
651	TAGAGAATAA	GCTACTCTCA	CAAGCTGTGC	TTGAGTCGAT	GATAGGGGCG
701	CACGGTGTCT	CCCCTGCAGC	AAAACAGAGT	TTGGCCACCA	GGTTATCCGA
751	GTTATTCAAC	GAGGTTGGTG	ATGCTAGCAA	CTGATTATAT	CAACAAAACG
801	AAAATGAAAG	TCCTTTCTGC	AATAAAGACC	AAGCGGAAAT	TTTATTTTAG
851	GTGCACTTTG	AAATGACCTC	TTTGGCGACT	TTTTCTTGTA	CTAATAATAA
901	AGAGTGTGTT	TGTATCATGT	TGTAATTTTA	TTTTAGAAAA	AGTGAGGTAA
951	GAAAGGAGTC	CTTATGTTTA	TTTCAATTAT	TGAAAAATTA	TTTGCATGTA
1001	TAATTGATTT	CAACTGATGT	TATTTAATCA	CGTTTTTTCT	AAAAAAAAA
1051	AAAAAAAAA	AAAAAAAA	GTACTCTGCG	TTGTTACCAC	TGCTTAATC G
1101	AATTC				


201/271

1	MALPSVTALN	IENNLFPPTV	TPPGSTNNFF	LGGAGERGLQ	IQDKFVKFTA
51	IGVYLQDIAV	PYLATKWKGK	TAQELTETVP	FFRDIVTGPF	EKFMQVTMIL
101	PLTGQQYSEK	VSENCVAIWK	SLGIYTDEEA	KAIEKFVSVF	KDETFPPGSS
	ILFTVLPKGL				
201	SPAAKQSLAT	RLSELFNEVG	DASN		

202/271




pDH51TrCHId sense




pDH51TrCHId anti

203/271




pPZP221:35S2TrCHId sense



pPZP221:35S2TrCHId anti

204/271



TrCHRc

205/271


1	GAATTC GATT	AAGCAGTGGT	AACAACGCAG	AGTACGCGGG	GATTCAAACA
51	TAGCTCAAAG	TGTGTAACAA	ATTTCTTAAC	TTAAAACATT	TTCAACCCAA
101	CAAAAAAAAA	CAAAGACAAA	AACATGGGTA	GTGTTGAAAT	TCCAACAAAG
151	GTTCTTACTA	ACAGTTCTAG	TCAAGTGAAA	ATGCCTGTGG	TTGGAATGGG
201	ATCAGCACCT	GATTTCACAT	GTAAGAAAGA	CACAAAAGAT	GCAATCATTG
251	AAGCCATCAA	ACAGGGTTAT	AGACACTTTG	ATACTGCTGC	TGCTTATGGC
301	TCAGAACAAG	CTCTTGGTGA	AGGTTTGAAA	GAAGCAATTG	AACTTGGTCT
351	TGTCACTAGA	GAAGACCTTT	TTGTTACTTC	TAAACTTTGG	GTCACTGAAA
401	ATCATCCTCA	TCTTGTTGTT	CCTGCTCTTC	AAAAATCTCT	CAAGACTCTT
451	CAATTGGAGT	ACTTGGACTT	GTATTTGATC	CATTGGCCAC	TTAGTTCTCA
501	GCCTGGAAAG	TTTTCATTTC	CAATTGATGT	GGCAGATCTC	TTGCCATTTG
551	ATGTGAAGGG	TGTTTGGGAA	TCCATGGAAG	AAGGCTTGAA	ACTTGGACTC
601	ACTAAAGCTA	TTGGTGTTAG	TAACTTCTCT	GTCAAGAAAC	TTCAAAATCT
651	TGTCTCAGTT	GCCACTGTTC	TTCCTGCTGT	CAATCAAGTG	GAGATGAACC
701	TTGCATGGCA	ACAAAAGAAG	CTTAGAGAAT	TTTGCAATGC	AAATGGAATA
751	GTGTTAACTG	CATTTTCACC	ATTGAGAAAA	GGTGCAAGCA	GGGGACCAAA
801	TGAAGTTATG	GAAAATGATA	TGCTTAAAGA	GATTGCAGAT	GCTCATGGAA
851	AGTCTGTTGC	ACAAATTTCA	TTGAGATGGT	TATATGAACA	AGGAGTCACT
901	TTTGTTCCCA	AGAGCTATGA	TAAGGAAAGA	ATGGGTCAAA	ATTTGGCTAT
951	CTTTGATTGG	ACATTGGCAA	AAGAAGATCA	TGAGAAAATT	GATCAAATTA
1001	AGCAGAACCG	TTTGATCCCT	GGACCAACCA	AGCCAGGACT	CAGTGACCTA
1051	TGGGATGATG	AAATATAAAG	TGGAAGATGT	TAAAAGTCCC	TTAAGCTCAC
1101	TCAATATCTA	TCTATTGTGT	ACTTTTTGCA	TTTGGGGTTT	GAAATTGAGT
1151	CACCCTTGTT	TCTGTATCGA	TTTAAAATTT	AAATAATCAA	TTTTTCATTA
1201	CAAAAAAAAA	AAAAAAAAA	AAAAAAAAA	AGTACTCTGC	GTTGTTACCA
1251	CTGCTTAATC	ACTAGT GAAT	TC		

£11 .


206/271

1	MGSVEIPTKV	LTNSSSQVKM	PVVGMGSAPD	FTCKKDTKDA	IIEAIKQGYR
51	HFDTAAAYGS	EQALGEGLKE	AIELGLVTRE	DLFVTSKLWV	TENHPHLVVP
101	ALQKSLKTLQ	LEYLDLYLIH	WPLSSQPGKF	SFPIDVADLL	PFDVKGVWES
151	MEEGLKLGLT	KAIGVSNFSV	KKLQNLVSVA	TVLPAVNQVE	MNLAWQQKKL
201	REFCNANGIV	LTAFSPLRKG	ASRGPNEVME	NDMLKEIADA	HGKSVAQISL
251	RWLYEQGVTF	VPKSYDKERM	GQNLAIFDWT	LAKEDHEKID	QIKQNRLIPG
301	PTKPGLSDLW	DDEI			

207/271




pDH51TrCHRc sense




pDH51TrCHRc anti

208/271




pPZP221:35S2TrCHRc sense



pPZP221:35S2TrCHRc anti

209/271



TrCHSa1


210/271

1	GAATTC GATT	AAGCAGTGGT	ATCAACGCAG	AGTACGCGGG	GACAACAACT
51	ATAACTTCCT	GTTATTAACC	AATTGAGTTC	AAATTACATA	CATAGCAGGA
101	ACTATACTAA	AGATATCAAC	ATGGTTAGTG	TTTCTGAAAT	TCGCAAGGCT
151	CAAAGGGCTG	AAGGCCCTGC	AACTATTTTG	GCCATTGGTA	CTGCAAATCC
201	AGCAAATCGT	GTTGACCAGA	GTACATATCC	TGATTTCTAC	TTCAAAATCA
251	CTAACAGTGA	GCATAAGGTT	GAGCTTAAAG	AGAAATTTCA	GCGCATGTGT
301	GATAAATCTA	TGATCAAGAG	CAGATACATG	TATCTAACAG	AAGAGATTTT
351	GAAAGAAAAT	CCTAGTCTTT	GTGAATACAT	GGCACCTTCA	TTGGATGCTA
401	GGCAAGACAT	GGTGGTGGTT	GAGGTACCTA	GACTTGGGAA	GGAGGCTGCA
451	GTGAAAGCTA	TCAAAGAATG	GGGTCAACCA	AAGTCAAAGA	TTACTCACTT
501	AATCTTTTGC	ACCACAAGTG	GTGTTGACAT	GCCTGGTGCC	GATTACCAAC
551	TCACAAAACT	CTTAGGTCTT	CGCCCATATG	TGAAGAGGTA	CATGATGTAC
601	CAACAAGGGT	GCTTTGCAGG	TGGGACGGTT	CTTCGTTTGG	CCAAGGATTT
651	GGCCGAGAAC	AACAAAGGTG	CTCGTGTGTT	GGTTGTTTGC	TCTGAAGTAA
701	CCGCAGTCAC	ATTCCGCGGC	CCCAGTGACA	CTCATTTGGA	CAGTCTTGTT
751	GGACAAGCAC	TATTCGGAGA	TGGAGCTGCT	GCACTCATTG	TTGGCTCAGA
801	CCCAGTACCA	GAAATTGAGA	AGCCAATATT	TGAGATGGTT	TGGACCGCAC
851	AGACAATTGC	TCCAGATAGT	GAAGGTGCCA	TTGATGGTCA	TCTTCGTGAA
901	GCTGGACTAA	CATTTCATCT	TCTTAAAGAT	GTTCCTGGGA	TTGTCTCAAA
951	GAACATTGAT	AAGGCATTGG	TTGAGGCATT	CCAACCATTA	AACATCTCTG
1001	ATTACAATTC	AATCTTTTGG	ATTGCTCATC	CAGGTGGTCC	TGCAATTCTA
1051	GACCAAGTTG	AGATAAAGTT	GGGCTTAAAA	CCTGAAAAAA	TGAAGGCCAC
1101	CAGAGATGTA	CTTAGTGAAT	ATGGTAACAT	GTCAAGTGCA	TGTGTATTGT
1151	TCATCTTAGA	TGAGATGAGA	AAGAAATCGG	CTGAAAATGG	ACTTAAAACC
1201	ACAGGAGAAG	GACTTGACTG	GGGTGTGTTG	TTTGGATTTG	GGCCCGGACT
1251	TACCATTGAA	ACTGTTGTTC	TACATAGTGT	GGCTATATGA	GAATGAGAGA
1301	CTTGATTTGT	TTTTATTGTA	TTGTATTGTA	TTACTTTAAA	TCTTGGTTGA
1351	ACCTCCATTT	TAAGAATAAA	TATGGAGTTC	AATATGGACC	ATCCTGTTAA
1401	AATAATATAT	CGTTAATAGC	TATTATTTA	GTGTCTGTTT	CTTTTTACTA
1451	AACTATTTTA	TTTTAGTATT	TGTTTTTGAC	CAAAAAAAAA	AAAAAAAAA
1501	AAAAAAAGTA	CTCTGCGTTG	TTACCACTGC	TTAATCACTA	GT GAATTC


211/271

1	MVSVSEIRKA	QRAEGPATIL	AIGTANPANR	VDQSTYPDFY	FKITNSEHKV
51	ELKEKFQRMC	DKSMIKSRYM	YLTEEILKEN	PSLCEYMAPS	LDARQDMVVV
101	EVPRLGKEAA	VKAIKEWGQP	KSKITHLIFC	${\tt TTSGVDMPGA}$	DYQLTKLLGL
151	RPYVKRYMMY	QQGCFAGGTV	LRLAKDLAEN	NKGARVLVVC	SEVTAVTFRG
201	PSDTHLDSLV	GQALFGDGAA	ALIVGSDPVP	EIEKPIFEMV	WTAQTIAPDS
251	EGAIDGHLRE	AGLTFHLLKD	VPGIVSKNID	KALVEAFQPL	NISDYNSIFW
301	IAHPGGPAIL	DQVEIKLGLK	PEKMKATRDV	LSEYGNMSSA	CVLFILDEMR
351	KKSAENGLKT	TGEGLDWGVL	FGFGPGLTIE	TVVLHSVAI	

212/271




pDH51TrCHSa1 sense




pDH51TrCHSa1 anti

213/271




pPZP221:35S2TrCHSa1 sense



pPZP221:35S2TrCHSa1 anti

214/271



TrCHSa3


215/271

1	GAATTC ACTA	GTGATTAAGC	AGTGGTAACA	ACGCAGAGTA	CGCGGGGAAC
51	AAAAACAACT	ACGCATATTA	TATATATATA	TATATAGTCT	ATAATTGAAA
101	GAAACTGCTA	AAGATATTAT	TAAGATATGG	TGAGTGTAGC	TGAAATTCGC
151	AAGGCTCAGA	GGGCTGAAGG	CCCTGCAACC	ATTTTGGCCA	TTGGCACTGC
201	AAATCCACCA	AACCGTGTTG	AGCAGAGCAC	ATATCCTGAT	TTCTACTTCA
251	AAATTACAAA	CAGTGAGCAC	AAGACTGAGC	TCAAAGAGAA	GTTCCAACGC
301	ATGTGTGACA	AATCCATGAT	CAAGAGCAGA	TACATGTATC	TAACAGAAGA
351	GATTTTGAAA	GAAAATCCTA	GTCTTTGTGA	ATACATGGCA	CCTTCATTGG
401	ATGCTAGGCA	AGACATGGTG	GTGGTTGAGG	TACCTAGACT	TGGGAAGGAG
451	GCTGCAGTCA	AGGCCATTAA	AGAATGGGGT	CAACCAAAGT	CAAAGATTAC
501	TCACTTAATC	TTTTGCACCA	CAAGTGGTGT	TGACATGCCT	GGTGCTGATT
551	ACCAACTCAC	AAAACTCTTA	GGTCTTCGCC	CATATGTGAA	AAGGTATATG
601	ATGTACCAAC	AAGGTTGTTT	TGCAGGAGGC	ACGGTGCTTC	GTTTGGCAAA
651	AGATTTGGCC	GAGAACAACA	AAGGTGCTCG	TGTGCTAGTT	GTTTGTTCTG
701	AAGTCACCGC	AGTCACATTT	CGCGGCCCCA	GTGATACTCA	CTTGGACAGT
751	CTTGTTGGAC	AAGCATTGTT	TGGAGATGGA	GCCGCTGCAC	TAATTGTTGG
801	TTCTGATCCA	GTGCCTGAAA	TTGAGAAACC	AATATTTGAG	ATGGTTTGGA
851	CTGCACAAAC	AATTGCTCCA	GACAGTGAAG	GTGCCATTGA	TGGTCATCTT
901	CGTGAAGCTG	GGCTAACATT	TCATCTTCTT	AAAGATGTTC	CTGGGATTGT
951	ATCAAAGAAC	ATTAATAAAG	CATTGGTTGA	GGCTTTCCAA	CCATTAGGAA
1001	TTTCTGACTA	CAACTCAATC	TTTTGGATTG	CACACCCGGG	TGGACCTGCA
1051	ATTCTTGATC	AAGTAGAACA	AAAGCTAGCC	TTGAAGCCCG	AAAAGATGAG
1101	GGCCACGAGG	GAAGTTCTAA	GTGAATATGG	AAACATGTCA	AGCGCATGTG
1151	TATTGTTCAT	CTTAGATGAG	ATGCGGAAGA	AATCGGCTCA	AAATGGACTT
1201	AAGACAACTG	GAGAAGGACT	TGATTGGGGT	GTGTTGTTCG	GCTTCGGACC
1251	AGGACTTACC	ATTGAAACCG	TTGTTCTTCG	TAGCGTGGCT	ATATAAGATG
1301	TGTGATTGTT	TTTATTTAA	TGTATTACTT	TTAATCTTGC	TGCCTTGAAT
1351	TTCGATTTAA	. GAATAAATAA	ATATATCTTT	TGATAAAAAA	
1401	AAAAAAAAA	AAGTACTCTG	CGTTGTTACC	ACTGCTTAAT	C GAATTC


216/271

1	MVSVAEIRKA	QRAEGPATIL	AIGTANPPNR	VEQSTYPDFY	FKITNSEHKT
51	ELKEKFQRMC	DKSMIKSRYM	YLTEEILKEN	PSLCEYMAPS	LDARQDMVVV
101	EVPRLGKEAA	VKAIKEWGQP	KSKITHLIFC	TTSGVDMPGA	DYQLTKLLGL
151	RPYVKRYMMY	QQGCFAGGTV	LRLAKDLAEN	NKGARVLVVC	SEVTAVTFRG
201	PSDTHLDSLV	GQALFGDGAA	ALIVGSDPVP	EIEKPIFEMV	WTAQTIAPDS
251	EGAIDGHLRE	AGLTFHLLKD	VPGIVSKNIN	KALVEAFQPL	GISDYNSIFW
301	IAHPGGPAIL	DQVEQKLALK	PEKMRATREV	LSEYGNMSSA	CATLITDEWE
351	KKSAQNGLKT	TGEGLDWGVL	FGFGPGLTIE	TVVLRSVAI	

217/271




pDH51TrCHSa3 sense




pDH51TrCHSa3 anti

218/271




pPZP221:35S2TrCHSa3 sense



pPZP221:35S2TrCHSa3 anti

219/271



TrCHSc


220/271

1	GAATTCGATT	AAGCAGTGGT	AACAACGCAG	AGTACGCGGG	GATTCAATCT
51	GTTGTGCATA		ATTGCATAGA	AAACCATACA	CATTTGATCT
101		AAATATGGGA	GACGAAGGTA	TAGTGAGAGG	TGTCACAAAG
151	CAGACAACCC	CTGGGAAGGC	TACTATATTG	GCTCTTGGCA	AGGCATTCCC
201	TCACCAACTT	GTGATGCAAG	AGTGTTTAGT	TGATGGTTAT	TTTAGGGACA
251	CTAATTGTGA	CAATCCTGAA	CTTAAGCAGA	AACTTGCTAG	ACTTTGTAAG
301	ACAACCACGG	TAAAAACAAG	GTATGTTGTT	ATGAATGAGG	AGATACTAAA
351	GAAATATCCA	GAACTTGTTG	TCGAAGGCGC	CTCAACTGTA	AAACAACGTT
401	TAGAGATATG	TAATGAGGCA	GTAACACAAA	TGGCAATTGA	AGCTTCCCAA
451	GTTTGCCTAA	AGAATTGGGG	TAGATCCTTA	TCGGACATAA	CTCATGTGGT
501	TTATGTTTCA	TCTAGTGAAG	CTAGATTACC	CGGTGGTGAC	CTATACTTGT
551	CAAAAGGACT	AGGACTAAAC	CCTAAAATTC	AAAGAACCAT	GCTCTATTTC
601	TCTGGATGCT	CGGGAGGCGT	AGCCGGCCTT	CGCGTTGCGA	AAGACGTAGC
651	TGAGAACAAC	CCTGGAAGTA	GAGTTTTGCT	TGCTACTTCG	GAAACTACAA
701	TTATTGGATT	CAAGCCACCA	AGTGTTGATA	GACCTTATGA	TCTTGTTGGT
751	GTGGCACTCT	TTGGAGATGG	TGCTGGTGCA	ATGATAATTG	GCTCAGACCC
801	GGTATTTGAA	ACTGAGACAC	CATTGTTTGA	GCTGCATACT	TCAGCTCAGG
851	AGTTTATACC	AGACACCGAG	AAGAAAATTG	ATGGGCGGCT	GACGGAGGAG
901	GGCATAAGTT	TCACACTAGC	AAGGGAACTT	CCGCAGATAA	TCGAAGACAA
951	TGTTGAGGGA	TTCTGTAATA	AACTAATTGA	TGTTGTTGGG	TTGGAGAATA
1001	AGGAGTACAA	TAAGTTGTTT	TGGGCTGTGC	ATCCAGGTGG	GCCTGCGATA
1051	TTGAATCGCG	TGGAGAAGCG	GCTTGAGTTG	TCGCCGCAGA	AGCTGAATGC
1101	TAGTAGAAAA	GCTCTAATGG	ATTATGGAAA	TGCTAGCAGC	AATACTATTG
1151	TTTATGTGCT	GGAATATATG	CTAGAAGAGG	AAAAGAAGAT	TAAAAAGGCG
1201	GGTGGAGGAG	ATTCTGAATG	GGGATTGATA	CTTGCTTTTG	GACCTGGAAT
1251	TACTTTTGAG	GGGATTCTAG	CAAGGAACTT	GTGTGCATGA	AGTCTTATAC
1301	AATTGTGATG	CATGACTTAT	ACTCTTATTT	CTACTAATTA	TTATATTAAG
1351	CAAATTCAGA	ACTTTTAAGT	AATGATTTAA	TGAAGAATAC	TTATAGTATA
1401	TTGACTTTAT	TCACTTTCAA	AGCAAGTTTA	TGATCCTAAG	ACATGGTAGA
1451	ACTTGAGCAT	GTGGAATAGT	TGTAACAAAA	ACTCTAAGCA	AATAGAGACT
1501	TTATGTAGTA	TAAAGCATTT	CCAGACATGA		TACCTCAGAA
1551	CATAAAATAT	ATTTAGCTAT	CTTTCATCCC		
1601	GGTACAGAAT	AAGCATATGT	CAACACAAAA		
1651	AGTAACCAAA	CATGATGCCT	GATTAAGTTA	AAAGAAAAGA	
1701	GCATAGATCT	TCAATCACAC	CACTCCAGAG		
1751	TCCGCCGAAA		TCAATAAATA		
1801	AGTCATGCGG	GAAATGTCTT			
1851	TTATGAACTA				
1901	ATGAATGTCT	GGACAATTTC		ACCATGACGG	
1951	TACCCCAAGG	CAACCAATAA	ATGTCCACGG	GTATCTAACA	CCTGTTGCAA
2001	GAAATAGTAA	GTTATTAGGA	GATGTGCGGT	TACGAAATTC	AAGCTACACA
2051	ACAAAAGGAG	GCCAGAACAA	CAGCAATCTT	GTAACCAGAT	GACAACAATA
2101	AAATGTAAAC	TTAAAGAGAC	CGAACACACA	. AACATTGCAA	C'I'CAGA'I'GGA
	ATTGCTGCCA		AGGAGATTTG	GGACGTCAAA	'I'CAG'I'A'I'A'I'I
2201	ATGCAAATAC	AAGGTATGAC	CGCCTTGTCT	ATTGTAGCAT	ACAACAAACG
2251	TACAGTGGGT	TTGTCCCTCT	CAAAATGGCA	. GGATCTTTAC	AGCACAATAT
2301	TTGGTTTTGT	CATACTTATA	CCATAAAAAA	. AAAAAAAAAA	AAAAAAAAAA
2351	AAAGTACTCT	GCGTTGTTAC	CACTGCTTAA	. TCACTAGT GA	ATTC


221/271

1	MGDEGIVRGV	${\tt TKQTTPGKAT}$	ILALGKAFPH	QLVMQECLVD	GYFRDTNCDN
51	PELKQKLARL	CKTTTVKTRY	VVMNEEILKK	YPELVVEGAS	TVKQRLEICN
.01	EAVTQMAIEA	SQVCLKNWGR	SLSDITHVVY	VSSSEARLPG	GDLYLSKGLG
.51	LNPKIQRTML	YFSGCSGGVA	GLRVAKDVAE	NNPGSRVLLA	TSETTIIGFK
201	PPSVDRPYDL	VGVALFGDGA	GAMIIGSDPV	FETETPLFEL	HTSAQEFIPE
251	TEKKIDGRLT	EEGISFTLAR	ELPQIIEDNV	EGFCNKLIDV	VGLENKEYNK
301	LFWAVHPGGP	AILNRVEKRL	ELSPQKLNAS	RKALMDYGNA	SSNTIVYVLE
) E 1	VMT DEDEKTTE	K V CCCD S E.M.C	T.TT.AEGPGTT	FEGILARNI.C	Δ

222/271




pDH51TrCHSc sense




pDH51TrCHSc anti

223/271




pPZP221:35S2TrCHSc sense



pPZP221:35S2TrCHSc anti

224/271



TrCHSd2


225/271

1	GAATTC GATT	AAGCAGTGGT	AACAACGCAG	AGTACGCGGG	GATAGCAACA
51	CACACTTTGA	TTTCTTTTTG	AGTCCTTGCT	ACGTGGCTTT	ACCAAAAAAC
101	GTTGCTAAGT	CATCAACCAT	TCCAATTCCT	TAATATAACC	TATCAGTACT
151	CACCATCTTT	TCTTCCTCCC	TGCTAACTTT	AGACTCAGAG	AAGATGGTGA
201	ATGTTAATGA	GATCCGCCAG	GCACAGAGAG	CTGAAGGCCC	TGCCACCGTG
251	TTGGCAATCG	GCACTGCAAC	TCCTCCAAAC	TGTGTCGATC	AGAGTACATA
301	CCCAGACTAC	TACTTCCGCA	TCACAAACAG	TGAGCACAAG	ACAGAGCTCA
351	AAGAAAAATT	CCAGCGCATG	TGTGACAAAT	CTATGATTAA	GAAGAGATAC
401	ATGCATTTGA	CAGAAGAGAT	TTTGAAGGAG	AATCCAAGTT	TATGTGAGTA
451	CATGGCACCT	TCATTGGATG	CAAGACAAGA	CATGGTGGTT	GTGGAAGTAC
501	CAAGGCTAGG	AAAAGAGGCT	GCAACAAAGG	CTATCAAGGA	ATGGGGTCAA
551	CCTAAGTCCA	AGATTACTCA	CCTCATCTTT	TGCACCACAA	GTGGTGTGGA
601	CATGCCTGGC	GCCGACTATC	AGCTTACAAA	GCTTTTAGGC	CTTCGTCCGC
651	ATGTGAAGCG	TTATATGATG	TACCAACAAG	GTTGTTTCGC	TGGTGGTACG
701	GTGCTTCGTT	TGGCTAAAGA	CTTGGCTGAA	AACAACAAAG	GTGCCCGTGT
751	GTTGGTGGTT	TGTTCAGAGA	TCACTGCGGT	TACTTTCCGT	GGACCCAGTG
801	ACACTCATCT	TGATAGCCTT	GTGGGGCAAG	CATTGTTTGG	AGATGGTGCA
851	GCAGCTGTGA	TTGTAGGTTC	AGACCCATTA	CCACAAGTTG	AGAAGCCCTT
901	GTTTGAATTG	GTATGGACTG	CTCAAACAAT	CCTTCCAGAC	AGTGAAGGAG
951	CCATTGATGG	GCACCTTCGT	GAAGTCGGGC	TGACATTCCA	TCTCCTCAAG
1001	GATGTTCCTG	GACTCATCTC	AAAGAACATT	GAGAAAGCTC	TTGTTGAGGC
1051	CTTTCAACCT	TTAGGTATCT	CTGATTACAA	TTCTATATTT	TGGATCGCAC
1101	ATCCTGGTGG	ACCTGCAATT	CTGGACCAAG	TGGAAGCCAA	ATTAAGCTTA
1151	AAGCCAGAGA	AAATGCAAGC	CACCCGGCAT	GTGCTTAGCG	AGTATGGTAA
1201	CATGTCAAGT	GCATGTGTGT	TATTTATCTT	GGATGAGATG	AGGAGGAAGT
1251	CAAAAGAAGA	TGGACTTGCC	ACAACAGGCG	AGGGGCTGGA	ATGGGGTGTA
1301	CTATTCGGTT	TTGGACCCGG	ACTCACTGTT	GAGACTGTAT	TGCTCCATAG
1351	TGTTGCCACT	TAAATTGCCT	AGATATGCTA	TAACTATATG	CTTATTTAAT
1401	TCTTTGTTTC	TGGGGGATTT	TATCTTCACT	TACTTCACTG	AGCATTTGAA
1451	TAAAGTTTGT	TTAATTATT		TATGGTGTTG	CTTAATGTAC
1501	CCATCCATAT	AATATTTGTA		TAATCAACTT	GCAATTTCAT
1551	GAAAAAAAAA	. AAAAAAAAAA		AAAAAAAAA	AAGGAAAAA
1601	. AAAAAAAAAA	. AAAAAAAAA	AAGTACTCTG	CGTTGTTACC	ACTGCTTAAT
1651	. CACTAGT GAA	TTC			


226/271

1	MVNVNEIRQA	QRAEGPATVL	AIGTATPPNC	VDQSTYPDYY	FRITNSEHKT
51	ELKEKFQRMC	DKSMIKKRYM	HLTEEILKEN	PSLCEYMAPS	LDARQDMVVV
.01	EVPRLGKEAA	TKAIKEWGQP	KSKITHLIFC	${\tt TTSGVDMPGA}$	DYQLTKLLGL
151	RPHVKRYMMY	QQGCFAGGTV	LRLAKDLAEN	NKGARVLVVC	SEITAVTFRG
201	PSDTHLDSLV	GQALFGDGAA	AVIVGSDPLP	QVEKPLFELV	WTAQTILPDS
251	EGAIDGHLRE	VGLTFHLLKD	VPGLISKNIE	KALVEAFQPL	GISDYNSIFW
301	IAHPGGPAIL	DQVEAKLSLK	PEKMQATRHV	LSEYGNMSSA	CVLFILDEMR
351	RKSKEDGLAT	TGEGLEWGVL	FGFGPGLTVE	TVLLHSVAT	

227/271




pDH51TrCHSd2 sense




pDH51TrCHSd2 anti

228/271




pPZP221:35S2TrCHSd2 sense



pPZP221:35S2TrCHSd2 anti

229/271



TrCHSf


230/271

1	GAATTCGATT	AAGCAGTGGT	AACAACGCAG	AGTACGCGGG	ACTAAGCCTT
51	GATTCATTGT	TTGTTTCCAT	AACACAAGAA	CTAGTGTTTG	CTTGAATCTT
101	AAGAAAAAAT	GCCTCAAGGT	GATTTGAATG	GAAGTTCCTC	GGTGAATGGA
151	GCACGTGCTA	GACGTGCTCC	TACTCAGGGA	AAGGCAACGA	TACTTGCATT
201	AGGAAAGGCT	TTCCCCGCCC	AGGTCCTCCC	TCAAGAGTGC	TTGGTGGAAG
251	GATTCATTCG	CGACACTAAG	TGTGACGATA	CTTATATTAA	GGAGAAATTG
301	GAGCGTCTTT	GCAAAAACAC	AACTGTGAAA	ACAAGATACA	CAGTAATGTC
351	AAAGGAGATC	TTAGACAACT	ATCCAGAGCT	AGCCATAGAT	GGAACACCAA
401	CAATAAGGCA	AAAGCTTGAA	ATAGCAAATC	CAGCAGTAGT	TGAAATGGCA
451	ACAAGAGCAA	GCAAAGATTG	CATCAAAGAA	TGGGGAAGGT	CACCTCAAGA
501	TATCACACAC	ATAGTCTATG	TTTCCTCGAG	CGAAATTCGT	CTACCCGGTG
551	GTGACCTTTA	TCTTGCAAAT	GAACTCGGCT	TAAACAGCGA	TGTTAATCGC
601	GTAATGCTCT	ATTTCCTCGG	TTGCTACGGC	GGTGTCACTG	GCTTACGTGT
651	CGCCAAAGAC	ATCGCCGAAA	ATAACCCTGG	TAGTAGGGTG	TTACTCACAA
701	CATCCGAGAC	CACTATTCTC	GGTTTTCGAC	CACCGAGTAA	AGCTAGACCT
751	TATGACCTCG	TTGGCGCTGC	ACTTTTCGGT	GATGGCGCCG	CTGCTGCAAT
801	AATTGGAACA	GACCCTATAT	TGAATCAAGA	ATCACCTTTC	ATGGAATTGA
851	ACCATGCAGT	CCAAAAATTC	TTGCCTGATA	CACAAAATGT	GATTGATGGT
901	AGAATCACTG	AAGAGGGTAT	TAATTTTAAG	CTTGGAAGAG	ACCTTCCTCA
951	AAAAATTGAA	GACAATATTG	AAGAATTTTG	CAAGAAAATT	ATGGCTAAAA
1001	GTGATGTTAA	GGAATTTAAT	GACTTATTTT	GGGCTGTTCA	TCCTGGTGGG
1051	CCAGCTATAC	TCAATAAGCT	AGAAAATATA	CTCAAATTGA	AAAGTGATAA
1101	ATTGGATTGT	AGTAGGAAGG	CATTAATGGA	TTATGGAAAT	GTTAGTAGCA
1151	ATACTATATT	CTATGTGATG	GAGTATATGA	GAGATTATTT	GAAGGAAGAT
1201	GGAAGTGAAG	AATGGGGATT	AGGATTGGCT	TTTGGACCAG	GGATTACTTT
1251	TGAAGGGGTT	CTCCTCCGTA	GCCTTTAATC	TTGAAATAAT	AATTCATATG
1301	AAATTACTTG	TCTTAAGATT	GTGATAGGAA	GATGAATATG	TATTGGATTA
1351	ATATTGATAT	GGTGTTATTT	TAAGTTGATT	TTAAAAAAAG	TTTATTAATA
1401	AAGTATGATG	TAACAATTGT	TGTTTGAATG	TTAAAAGGGA	AGTATACTAT
1451	TTTAAGTTCT	TGACCATACT	GATTTTTTCT	TTACACATTT	TCATATCTAA
1501	AATTGTTCTA	TGATATCTTC	ATTGTTGATA	CTGTAATAAT	ATAATATCTA
1551	ATTTGGCTGG	CAAAATGAAA	GATTTTTCAC	CGAAAAAAAA	AAAAAAAAA
1601	AAAAAAAAA	AAGTACTCTG	CGTTGTTACC	ACTGCTTAAT	CACTAGT GAA
1651	TTC				


231/271

1	MPQGDLNGSS	SVNGARARRA	PTQGKATILA	LGKAFPAQVL	PQECLVEGFI
51	RDTKCDDTYI	KEKLERLCKN	${\tt TTVKTRYTVM}$	SKEILDNYPE	LAIDGTPTIR
101	QKLEIANPAV	VEMATRASKD	CIKEWGRSPQ	DITHIVYVSS	SEIRLPGGDL
151	YLANELGLNS	DVNRVMLYFL	GCYGGVTGLR	VAKDIAENNP	GSRVLLTTSE
201	TTILGFRPPS	KARPYDLVGA	ALFGDGAAAA	IIGTDPILNQ	ESPFMELNHA
251	VQKFLPDTQN	VIDGRITEEG	INFKLGRDLP	QKIEDNIEEF	CKKIMAKSDV
301	KEFNDLFWAV	HPGGPAILNK	LENILKLKSD	KLDCSRKALM	DYGNVSSNTI
351	FVTMEVMRDV	LKEDGSEEWG	LGLAFGPGIT	FEGVLLRSL	

232/271




pDH51TrCHSf sense




pDH51TrCHSf anti

233/271




pPZP221:35S2TrCHSf sense



pPZP221:35S2TrCHSf anti

234/271



TrCHSh


235/271

1	GAATTCACTA	GTGATTAAGC	AGTGGTAACA	ACGCAGAGTA	CGCGGGGGAA
51	TCCACCAAAT	CAACACCATT	AATAACCTTC	CAAATTCTCG	TTACCTCACC
101	AAATCTCATT	TTTCATTATA	TATCTTGGGT	ACATCTTTTG	TTACCTCCAA
151	CAAAAAAATG	GTGACCGTAG	AAGAGATTCG	TAACGCCCAA	CGTTCAAATG
201	GCCCTGCCAC	TATCTTAGCT	TTTGGCACAG	CCACTCCTTC	TAACTGTGTC
		ATTATCTTAGCT	TTACTACTTT	CGTATCACCA	ACAGCGAACA
251	ACTCAAGCTG	CTTAAGGAAA	AATTCAAGCG	GATGTGTGAT	AGATCAATGA
301	TATGACTGAT		CTAACAGAAG	ACTTTCTGAA	GGAGAATCCA
351	TAAAGAAACG	TTACATGCAC	0	GATGTAAGAC	GAGACATAGT
401	AATATGTGTG	AATACATGGC	ACCATCACTA		
451	GGTTGTTGAA	GTACCAAAGC	TAGGTAAAGA	AGCAGCAAAA	AAAGCCATAT
501	GTGAATGGGG	ACAACCAAAA	TCCAAAATCA	CACATCTTGT	TTTCTGCACC
551	ACTTCCGGTG	TTGACATGCC	GGGAGCCGAT	TACCAACTCA	CCAAACTTTT
601	AGGCTTAAAA	CCTTCTGTCA	AGCGTCTCAT	GATGTATCAA	CAAGGTTGTT
651	TCGCTGGCGG	CACAGTTCTC	CGCTTAGCAA	AAGACCTTGT	TGAGAATAAC
701	AAAAATGCAA	GAGTTCTTGT	TGTTTGTTCT	GAAATTACTG	CGGTTACTTT
751	TCGTGGACCA	TCGGATACTC	ATCTTGATTC	GCTCGTGGGA	CAGGCGCTTT
801	TTGGTGATGG	AGCCGCAGCA	ATGATTATTG	GTGCGGATCC	TGATTTAACC
851	GTGGAGCGTC	CGATTTTCGA	GATTGTTTCG	GCTGCTCAGA	CTATTCTTCC
901	TGATTCTGAT	GGCGCAATTG	ATGGACATCT	TCGTGAAGTG	GGGCTCACTT
951	TTCATTTATT	GAAAGATGTT	CCGGGGATTA	TTTCAAAGAA	CATTGAAAAA
1001	AGTTTAGTTG	AAGCTTTTGC	GCCTATTGGG	ATTAATGATT	GGAACTCAAT
1051	ATTTTGGGTT	GCACATCCAG	GTGGACCGGC	TATTTTAGAC	CAGGTTGAAG
1101	AGAAACTCCA	TCTTAAAGAG	GAGAAACTCC	GGTCCACCCG	GCATGTGCTT
1151	AGTGAATATG	GAAATATGTC	AAGTGCATGT	GTTTTATTTA	TTTTGGATGA
1201	AATGAGAAAG	AGGTCTAAAG	AGGAAGGGAT	GATTACAACT	GGTGAAGGGT
1251	TGGAATGGGG	TGTGTTGTTT	GGGTTTGGAC	CGGGTTTAAC	TGTTGAAACC
1301	GTTGTGCTTC	ATAGTGTTCC	GGTTCAGGGT	TGAATTTATT	ATACATAGAT
1351	TGGAAAATAA	AATTTGCCTG	CCGAGAGATG	TGAACTAACT	TTGTAGGCAA
1401	GCTCAAATTA	AAGTTTGAGA	TAATATTGTG	CTTTAGTTAT	TATGGTATGT
1451	AATGTAATGT	TTTTACTTTT	TTCGAAATTC	ATGTAATTTG	ATATGTAAAG
1501	TAATATGTTT	GGGTTGGAAT	ATAATTATTT	GTTAACTAAA	AAAAAAAAA
1551		AAAAAGTACT	CTGCGTTGTT	ACCACTGCTT	AATC GAATTC


236/271

1	MVTVEEIRNA	QRSNGPATIL	AFGTATPSNC	VTQADYPDYY	FRITNSEHMT
51	DLKEKFKRMC	DRSMIKKRYM	${\tt HLTEDFLKEN}$	PNMCEYMAPS	LDVRRDIVVV
101	EVPKLGKEAA	KKAICEWGQP	KSKITHLVFC	TTSGVDMPGA	DYQLTKLLGL
151	KPSVKRLMMY	QQGCFAGGTV	LRLAKDLVEN	NKNARVLVVC	SEITAVTFRG
201	PSDTHLDSLV	GQALFGDGAA	AMIIGADPDL	TVERPIFEIV	SAAQTILPDS
251	DGAIDGHLRE	VGLTFHLLKD	VPGIISKNIE	KSLVEAFAPI	GINDWNSIFW
301	VAHPGGPAIL	DQVEEKLHLK	EEKLRSTRHV	LSEYGNMSSA	CVLFILDEMR
351	KRSKEEGMIT	TGEGLEWGVL	FGFGPGLTVE	TVVLHSVPVQ	G

237/271




pDH51TrCHSh sense




pDH51TrCHSh anti

238/271




pPZP221:35S2TrCHSh sense



pPZP221:35S2TrCHSh anti

239/271



TrDFRd


240/271

1	GAATTCACTA	GTGATTAAGC	AGTGGTAACA	ACGCAGAGTA	CGCGGGGGTG
51	ACTTGATCTA	GCAGTTATCA	AACACAACAG	TCTTCCACTT	GAGCTCTGTT
101	TCTCCACATG	TCGAAGCTAG	TTTGCGTCAC	CGGCGGCAGC	GGATGCATCG
151	GTTCATGGCT	AGTCCATCTC	CTTCTCCTCC	GCGGCTACAC	TGTTCACGCC
201	ACCGTCCAAA	ATCTCAATGA	TGAGAACGAA	ACGAAGCATC	TAGAAGCTCT
251	CGAAGGAGCA	CAAACTAATC	TCCGTCTCTT	CCAGATCGAT	CTCCTTAACT
301	ACGACACAAT	CCTCGCTGCT	GTCCGCGGTT	GCGTCGGAAT	TTTCCACCTC
351	GCTTCACCTT	GCACTGTAGA	CAAAGTTCAT	GATCCTCAGA	AGGAGCTTTT
401	GGATCCTGCA	ATTAAAGGGA	CTTTGAATGT	GCTTACTGCA	GCTAAGGAAG
451	TAGGGGTGAA	GCGTGTGGTT	GTTACCTCGT	CTGTCTCGGC	GATTACTCCT
501	AGTCCTGATT	GGCCTTCTGA	TGTTGTTAAA	AGAGAGGATT	GTTGGACTGA
551	TGTTGAATAT	TGCAAGAAAA	AAGAGTTGTG	GTATCCGTTG	TCCAAAACAT
601	TGGCTGAGAA	AGCTGCGTGG	GATTTTTCCA	AAGAAAATGG	TTTGGATGTT
651	GTTGTGGTGA	ATCCCGGTAC	TGTGATGGGT	CCTGTTATTC	CACCACGGCA
701	TAATGCAAGC	ATGCTCATGC	TTGTGAGACT	TCTTGAAGGC	TGCGCTGAAA
751	CATTTGAAGA	CTATTTTATG	GGATTGGTCC	ACTTCAAAGA	TGTAGCATTG
801	GCGCATATTT	TGGTGTATGA	GAACAAAGAA	GCATCTGGTA	GACATGTGTG
851	TGTTGAAACT	ATCTCTCACT	ACGGTGATTT	TGTGGCAAAA	GTTGCTGAAC
901	TTTATCCAGA	ATATAGTGTT	CCTAGGATGC	AGCGAGATAC	GCAACCTGGA
951	TTGTTGAGAG	CGAATGATGG	ATCAAAGAAG	CTCATAGATT	TGGGTTTGGA
1001	ATTCATTCCA	ATGGAGCAAA	TTATCAAGGA	TGCTGTAGAG	AGTTTGAAGA
1051	ACAAAGGATT	CATTTCTTGA	ATGATGTTAC	TGTTCTTTGG	AGAACCCTAT
1101	AGTTACCAGA	GTATAGACTA	TATATATAA	AGGTGATGGG	TCAGAGAATG
1151	AGTACTTATG	TCATGAGTTG	TGTCTGTATA	ATATGTTTTC	TCAATTCTTA
1201	TATGTTAAAT	TGCTAATGTT	AACTTCAATA	TTTATCAGCC	AGTATTGTTT
1251	TTTTAATAAA	ATATTGAAGC	AAAAAAAAA	AAAAAAAAA	AAAAAAAGT
1301	ACTCTGCGTT	GTTACCACTG	$\mathtt{CTTAATC} \textbf{GAA}$	TTC	


241/271

1	MSKLVCVTGG	SGCIGSWLVH	LLLLRGYTVH	ATVQNLNDEN	ETKHLEALEG
51	AQTNLRLFQI	DLLNYDTILA	AVRGCVGIFH	LASPCTVDKV	HDPQKELLDF
101	AIKGTLNVLT	AAKEVGVKRV	VVTSSVSAIT	PSPDWPSDVV	KREDCWTDVE
151	YCKKKELWYP	LSKTLAEKAA	WDFSKENGLD	${\tt VVVVNPGTVM}$	GPVIPPRHNA
201	SMLMLVRLLE	GCAETFEDYF	MGLVHFKDVA	LAHILVYENK	EASGRHVCVE
251	TISHYGDFVA	KVAELYPEYS	VPRMQRDTQP	GLLRANDGSK	KLIDLGLEFI
301	PMEQIIKDAV	ESLKNKGFIS			

242/271




pDH51TrDFRd sense




pDH51TrDFRd anti

243/271




pPZP221:35S2TrDFRd sense



pPZP221:35S2TrDFRd anti

244/271



TrF3Ha


245/271

1	GAATTC GATT	AAGCAGTGGT	AACAACGCAG	AGTACGCGGG	GACCACTCTA
51	TTTATTTCTA	CTTAAACCTC	ACAAAAAATA	AACCACACAA	CACACAAACA
101	CCAAAAACAG	AGCACCGTTT	CCATCATCAA	ACAATGGCAC	CAGCCAAAAC
151	TCTAAGTTAT	CTCTCACAAC	AAAACACTCT	CGAGTCAAGT	TTCGTTAGGG
201	AAGAAGATGA	GCGTCCAAAA	GTTGCCTACA	ATAACTTCAG	CAACGAGATT
251	CCAATCATTT	CTCTTGCTGG	AATTGATGAG	GTTGATGGTC	GTAGAACAGA
301	GATATGTAAC	AAGATTGTTG	AAGCTTGTGA	GAATTGGGGT	ATTTTTCAGG
351	TTGTTGATCA	TGGTGTTGAT	ACAAAACTTG	TTTCTGAGAT	GACCCGTTTT
401	GCTAGAGAGT	TTTTTGCTTT	GCCACCGGAA	GAGAAGCTCC	GGTTTGACAT
451	GTCCGGTGGT	AAAAAGGGTG	GTTTCATTGT	CTCTAGTCAT	CTTCAAGGAG
501	AAGCAGTGAA	GGATTGGAGA	GAGCTAGTGA	CATATTTTTC	ATACCCAATT
551	AAACAAAGAG	ATTATTCAAG	GTGGCCAGAC	AAGCCAGAAG	GATGGAAAGA
601	GGTAACAGAA	AAATACAGTG	AAAACCTAAT	GAATTTAGCT	TGCAAGCTAT
651	TGGAAGTTTT	ATCAGAAGCA	ATGGGTTTAG	AAAAAGAAGC	TCTAACAAAA
701	GCATGTGTTG	ATATGGATCA	AAAAGTTGTT	ATAAATTATT	ACCCAAAATG
751	CCCTGAACCT	GACCTCACAC	TTGGCCTTAA	ACGTCACACT	GACCCTGGCA
801	CAATTACTCT	TTTGCTTCAA	GATCAAGTTG	GTGGTCTTCA	AGCTACCAAA
851	GATAATGGTA	AGACGTGGAT	TACAGTTCAA	CCAGTTGAAG	GTGCTTTTGT
901	TGTTAATCTT	GGAGACCATG	GTCACTATCT	AAGTAATGGA	CGGTTCAAAA
951	ATGCTGACCA	TCAAGCAGTG	GTGAATTCGA	ACTACAGCCG	TTTATCAATA
1001	GCAACATTTC	AAAATCCAGC	TCCAGATGCA	ACTGTGTACC	CTTTGAAGAT
1051	TAGAGATGGT	GAAAAATCTG	TGTTGGAAGA	ACCAATCACT	TTTGCTGAAA
1101	TGTATAGAAG	GAAGATGACC	AAAGACCTTG	AAATTGCTAG	GATGAAGAAG
1151	TTGGCTAAGG	AACAACAACT	TAGGGACTTG	GAGGAGAACA	AGACTAAATA
1201	TGAGGCCAAA	CCTTTGAATG	AGATCTTTGC	TTAATTAATT	AGTCTTAATT
1251	TAAATAATAA	ATTTTAGACT	TAATTTACAT	TTTAATAATT	TAATTTTTTG
1301	TTCAATTAAT	CTATGTTTAA	TTTGTCGTTA	TTGTCCACGT	GTATTAAGCT
1351	GCTTGGTTGT	GTGTGCCTTG	GAGAATAATC	AATAATATTA	CATCTATGTT
1401	TAATTATAAA	AAAAAAAAAA	AAAAAAAAA	GTATCTGCGT	TGTTACCACT
1451	GCTTAATCAC	TAGT GAATTC			


246/271

1	MAPAKTLSYL	SQQNTLESSF	VREEDERPKV	AYNNFSNEIP	IISLAGIDEV
51	DGRRTEICNK	IVEACENWGI	FQVVDHGVDT	KLVSEMTRFA	REFFALPPEE
101	KLRFDMSGGK	KGGFIVSSHL	QGEAVKDWRE	LVTYFSYPIK	QRDYSRWPDK
151	PEGWKEVTEK	YSENLMNLAC	KLLEVLSEAM	GLEKEALTKA	CVDMDQKVVI
201	NYYPKCPEPD	LTLGLKRHTD	PGTITLLLQD	QVGGLQATKD	NGKTWITVQP
251	VEGAFVVNLG	DHGHYLSNGR	FKNADHQAVV	NSNYSRLSIA	TFQNPAPDAT
301	VYPLKIRDGE	KSVLEEPITF	AEMYRRKMTK	DLEIARMKKL	AKEQQLRDLE
351	ENKTKYEAKP	LNEIFA			

247/271




pDH51TrF3Ha sense




pDH51TrF3Ha anti

248/271




pPZP221:35S2TrF3Ha sense



pPZP221:35S2TrF3Ha anti

249/271



TrPALa


250/271

1	GAATTCGATT	AAGCAGTGGT	AACAACGCAG	AGTACGCGGG	GAGGAAATTC
51	ACAACTCAAA	TATTCCTTTA			GAATTTCCAT
101	TCTCCCTAAA	AATTCTATAG	CTACCACATC	ACACAACATA	ACAAATTAAG
151	AAATATTTAT	TACTATATTA		GTAGTAGCAG	CAGCAATCAC
201	AAAAAACAAT	GGCAAGATTG	ATTCATTTTG	CTTGAATCAT	GCTAATGCTA
251	ATAACATGAA	AGTGAATGGT	GCTGATCCTT	TGAATTGGGG	TGTGGCTGCT
301	GAGGCAATGA	AGGGAAGTCA	CTTGGATGAG	GTGAAGCGTA	TGGTGGAGGA
351	ATACCGGAAA	CCGGTTGTCC	GTCTTGGTGG	CGAGACACTA	ACCATTTCTC
401	AGGTGGCTGC	CATTGCTGCA	CACGATGGTG	CAACGGTGGA	GCTATCGGAA
451	TCTGCTAGAG	CCGGCGTTAA	GGCAAGCAGT	GACTGGGTTA	TGGAGAGTAT
501	GAACAAAGGT	ACCGACAGCT	ACGGTGTCCC	AACAGGGTTC	GGCGCTACCT
551	CGCACCGCCG	AACCAAACAA	GGTGGTGCTT	TGCAGAAAGA	GCTCATAAGG
601	TTTTTGAATG	CTGGAATATT	TGGAAATGGA	ACTGAGTCAA	GCCACACACT
651	ACCACACACA	GCCACAAGAG	CTGCCATGCT	AGTGAGAATC	AACACACTTC
701	TCCAAGGCTA	TTCAGGAATT	AGATTTGAAA	TCTTAGAAGC	TATCACCAAG
751	CTTCTTAACA	ACAATGTCAC	CCCATGTTTA	CCGCTTCGCG	GTACAATCAC
801	AGCTTCAGGA	GATTTAGTCC	CTCTTTCTTA	CATTGCTGGT	TTACTAACCG
851	GACGACCAAA	TTCCAAGGCT	CATGGACCTT	CTGGAGAAGT	ACTTAATGCA
901	AAACAAGCTT	TTCAATCAGC	TGGAATCGAT	GCCGAGTTCT	TTGAATTACA
951	ACCAAAAGAA	GGCCTTGCCC	TTGTTAACGG	AACCGCTGTT	GGTTCTGGTT
1001	TAGCTTCTAT	TGTTCTTTTT	GAGGCTAATA	TATTGGCGGT	GTTGTCTGAA
1051	GTTCTATCTG	CAATTTTCGC	TGAAGTTATG	CAAGGGAAGC	CCGAATTTAC
1101	CGATCATTTG	ACACATAAGT	TGAAACATCA	CCCTGGTCAA	ATTGAGGCTG
1151	CTGCTATTAT	GGAACACATT	TTGGATGGGA	GTGCTTATGT	TAAAGACGCT
1201	AAGAAGTTGC	ATGAGATGGA	TCCTTTACAG	AAGCCAAAAC	AAGATAGATA
1251	TGCACTTAGG	ACTTCGCCAC	AATGGCTTGG	TCCTTTGATT	GAAGTGATTA
1301	GATTCTCTAC	CAAGTCAATT	GAGAGAGAGA	TCAACTCTGT	CAATGACAAT
1351	CCTTTGATTG	ATGTTTCAAG	GAACAAGGCT	TTGCATGGTG	GAAATTTTCA
1401	AGGAACACCT	ATCGGAGTAT	CCATGGATAA	TACACGTTTG	GCTCTTGCAT
1451	CAATTGGCAA	ACTTATGTTT	GCTCAATTCT	CTGAGCTTGT	CAATGATTTT
1501	TACAACAATG	GATTGCCATC	AAATCTCTCT	GCTAGTAGAA	ATCCGAGCTT
1551	GGATTATGGG	TTCAAGGGAT	CCGAAATTGC	CATGGCTTCT	TATTGTTCCG
1601	AGTTGCAATA	TCTTGCAAAT	CCGGTTACAA	CTCATGTCCA	AAGTGCGGAA
1651	CAACACAACC	AAGATGTCAA	CTCTTTGGGT	TTGATTTCTT	CTAGAAAAAC
1701	TTATGAAGCA	ATTGAGATCC	TTCAATTGAT	GTCTTCCACA	TTCTTGATTG
1751	CACTTTGTCA	AGCAATTGAT	TTAAGACATT	TGGAGGAGAA	TTTGAAAAAC
1801	TCGGTCAAAA	ATACCGTAAG	CCAAGTGGCC	AAAAAGACAC	TAACCATAGG
1851	TGTCAATGGA	GAACTTCATC	CTTCAAGATT	TTGTGAAAAA	GACTTATTGA
1901	AAGTGGTTGA	TAGGGAACAT	GTCTTTGCCT	ACATTGATGA	TCCTTGTAGT
1951	GCTACATACC	CATTGATGCA	AAAACTCAGG	CAAGTACTAG	TGGATCATGC
2001	ATTAGTTAAT	GGAGAAAGTG	AGAAGAATTT	GAACACATCA	ATCTTCCAAA
	AGATTGCAAC				
	AAAGTGCAAG				
	ATCAATGGAT				
	GGGAACTGGT				
	GTGACAAACT				
	CTTGAATGCT				
	TTGATTGTTA				
	TGCGAGTGTA				
	AAAAAAAAA		AAAAGTACTC	TGCGTTGTTA	CCACTGCTTA
2501	ATCACTAGT G	AATTC			


251/271

1	MEVVAAAITK	NNGKIDSFCL	NHANANNMKV	NGADPLNWGV	AAEAMKGSHL
51	DEVKRMVEEY	RKPVVRLGGE	TLTISQVAAI	AAHDGATVEL	SESARAGVKA
L01	SSDWVMESMN	KGTDSYGVPT	GFGATSHRRT	KQGGALQKEL	IRFLNAGIFG
L51	NGTESSHTLP	${\tt HTATRAAMLV}$	RINTLLQGYS	GIRFEILEAI	TKLLNNNVTP
201	CLPLRGTITA	SGDLVPLSYI	AGLLTGRPNS	KAHGPSGEVL	NAKQAFQSAG
251	IDAEFFELQP	KEGLALVNGT	AVGSGLASIV	LFEANILAVL	SEVLSAIFAE
301	VMQGKPEFTD	HLTHKLKHHP	GQIEAAAIME	HILDGSAYVK	DAKKLHEMDP
351	LQKPKQDRYA	LRTSPQWLGP	LIEVIRFSTK	SIEREINSVN	DNPLIDVSRN
101	KALHGGNFQG	TPIGVSMDNT	RLALASIGKL	MFAQFSELVN	DFYNNGLPSN
451	LSASRNPSLD	YGFKGSEIAM	ASYCSELQYL	ANPVTTHVQS	AEQHNQDVNS
501	LGLISSRKTY	EAIEILQLMS	STFLIALCQA	IDLRHLEENL	KNSVKNTVSQ
551	VAKKTLTIGV	NGELHPSRFC	EKDLLKVVDR	EHVFAYIDDP	CSATYPLMQK
601	LRQVLVDHAL	VNGESEKNLN	TSIFQKIATF	EEELKNLCQK	RLKVQGLHMK
651	VEIQQFQTRS	MDADLIHSTI	L		

252/271




pDH51TrPALa sense




pDH51TrPALa anti

253/271




pPZP221:35S2TrPALa sense



pPZP221:35S2TrPALa anti

254/271



TrPALb


255/271

1	GAATTCGATT	AAGCAGTGGT	AACAACGCAG	AGTACGCGGG	AGGAAATAAA
51	TTCATCATTG	TTCCTTATTT	CCCACCCAAC	ACAACATAAC	AAATACATTT
101	CCTCTCCTCT	CATCACAATT	ATTACTTTCT	ACACCCCCC	CTCTCAACTA
151	TTATTAACTA	ACATAATGGA	GGGAATTACC	AATGGCCATG	CTGAAGCAAC
201	TTTTTGCGTG	ACCAAAAGTG	TTGGTGATCC	ACTCAACTGG	GGTGCAGCCG
251	CGGAGTCGTT	GATGGGGAGT	CATTTGGATG	AGGTGAAGCG	TATGGTGGAG
301	GAATACCGTA	ATCCATTGGT	TAAAATTGGC	GGCGAGACGC	TTACCATTGC
351	TCAGGTGGCT	GGAATTGCTT	CTCATGATAG	TGGTGTGAGG	GTGGAGCTGT
401	CTGAGTCCGC	CAGGGCCGGC	GTTAAGGCGA	GTAGTGGTTG	GGTGATGGAC
451	AGCATGAACA	ATGGGACTGA	TAGTTATGGT	GTTACCACTG	GTTTCGGCGC
501	CACCTCTCAC	CGGAGAACCA	AGCAGGGTGG	TGCCTTGCAG	AAGGAGCTAA
551	TTAGGTTTTT	GAATGCCGGA	ATATTTGGCA	ATGGTACAGA	ATCTAACTGT
601	ACACTACCAC	ACACAGCAAC	CAGAGCTGCA	ATGCTTGTGA	GAATCAACAC
651	TCTTCTTCAA	GGATATTCTG	GAATTAGATT	TGAAATTTTG	GAAGCTATCA
701	CAAAGCTTCT	AAACAACAAC	ATTACCCCAT	GTTTACCACT	TCGTGGTACA
751	ATCACGGCTT	CCGGTGATCT	CGTTCCGCTT	TCCTACATTG	CCGGTTTGTT
801	AACCGGTAGA	CCGAACTCCA	AAGCCGTTGG	ACCCTCCGGA	GAAATTCTCA
851	ATGCAAAAGA	AGCTTTTCAA	CTTGCCGGCA	TTGGTTCTGA	GTTTTTTGAA
901	TTGCAGCCAA	AAGAAGGTCT	TGCTCTTGTT	AATGGTACTG	CTGTTGGTTC
951	TGGTTTAGCT	TCTATTGTTC	TGTTTGAAGC	AAATGTACTA	GCTGTTTTGT
1001	CTGAAGTTAT	GTCGGCGATT	TTCGCTGAAG	TTATGCAAGG	GAAACCAGAA
1051	TTCACTGATC	ATTTGACTCA	TAAGTTGAAA	CATCACCCTG	GTCAAATTGA
1101	AGCTGCTGCA	ATTATGGAAC	ATATTTTGGA	TGGAAGTGCT	TATGTTAAAG
1151	CAGCTAAGAA	ATTACACGAA	ACCGATCCTT	TACAAAAGCC	GAAACAAGAT
1201	CGTTATGCAC	TTAGAACTTC	ACCTCAATGG	CTTGGTCCTT	TGATTGAAGT
1251	GATAAGATTT	TCAACTAAGT	CAATTGAGAG	AGAAATTAAC	TCTGTCAATG
1301	ATAACCCTTT	GATTGATGTT	TCAAGGAACA	AGGCCATTCA	CGGTGGTAAT
1351	TTTCAAGGAA	CACCTATTGG	AGTTTCAATG	GATAACACAC	GTTTAGCTCT
1401	TGCTTCAATT	GGTAAACTCA	TGTTTGCTCA	ATTCTCTGAA	CTTGTTAATG
1451	ATTTTTACAA	CAACGGGTTA	CCTTCGAATC	TTACTGCTAG	TAGGAACCCA
1501	AGCTTGGATT	ACGGTTTCAA	GGGATCGGAA	ATTGCCATGG	CTTCTTATTG
1551	TTCTGAGTTA	CAATATCTTG	CTAATCCTGT	CACCACCCAT	GTCCAAAGTG
		CAATCAAGAT	GTTAACTCTT	TGGGTTTGAT	TTCTTCAAGA
1601 1651	CGGAGCAACA AAAACAAATG	AAGCTATTGA	GATCCTAAAG	CTCATGTCTT	CGACATTTCT
1701	GATTGCACTT	TGTCAAGCAA	TTGATTTAAG	GCATTTGGAG	GAAAATCTGA
1751		CAAGAACACG	GTAAGCCAAG	TAGCGAAGAG	AACACTCACC
	GGAACACTGT		TCATCCTTCT	AGATTTTGTG	AGAAAGATTT
1801 1851	ACCGGTGTTA	ATGGAGAACT	AGTATGTATT	TGCCTATGTC	GACGATCCTT
1901	GCTCAAAGTT	GTTGATAGGG ATACCCTTTG	ATGCAAAAGT	TGAGACAAGT	GCTTGTGGAT
1951	GTCTAGCTAC	TAAATGCTGA	TGGAGAGAAG	AATTTGAACA	CATCAATCTT
	CATGCATTGG		AGGATGAATT	GAAAGCTATC	TTGCCAAAGG
2001	TCAAAAGATT	GCAACTTTTG		ATGGACAATG	TGGAATTTCA
2051	AAGTTGAAAG	TACAAGAACT	GCATATGAAA GTCTTATCCA	TTGTACAAGT	TTGTTAGAGA
2101	AACAAGATTA	AGGAATGCAG			
	GGAGTTAGGA			AAAAACGATA	
2201					
	CCTCTTTTGG				
	TTAATTAGCA				
	TTGTAGTATA				
	GCCTATGGAA				
	GTTTTCCTTA				
	CATTTGTTTG				
	TTTGATGTAA				TCAGCCATGA
	AAAAAAAAA		AAAAAAGTAC	TCTGCGTTGT	TACCACTGCT
∠651	TAATCACTAG	TGAATTC			


256/271

1	MEGITNGHAE	ATFCVTKSVG	DPLNWGAAAE	SLMGSHLDEV	KRMVEEYRNP
51	LVKIGGETLT	IAQVAGIASH	DSGVRVELSE	SARAGVKASS	GWVMDSMNNG
101	TDSYGVTTGF	${\tt GATSHRRTKQ}$	GGALQKELIR	FLNAGIFGNG	TESNCTLPHT
151	ATRAAMLVRI	NTLLQGYSGI	RFEILEAITK	LLNNNITPCL	PLRGTITASG
201	DLVPLSYIAG	LLTGRPNSKA	VGPSGEILNA	KEAFQLAGIG	SEFFELQPKE
251	GLALVNGTAV	GSGLASIVLF	EANVLAVLSE	VMSAIFAEVM	QGKPEFTDHL
301	THKLKHHPGQ	IEAAAIMEHI	LDGSAYVKAA	KKLHETDPLQ	KPKQDRYALR
351	TSPQWLGPLI	EVIRFSTKSI	EREINSVNDN	PLIDVSRNKA	IHGGNFQGTP
401	IGVSMDNTRL	ALASIGKLMF	AQFSELVNDF	YNNGLPSNLT	ASRNPSLDYG
451	FKGSEIAMAS	YCSELQYLAN	PVTTHVQSAE	QHNQDVNSLG	LISSRKTNEA
501	IEILKLMSST	FLIALCQAID	LRHLEENLRN	TVKNTVSQVA	KRTLTTGVNG
551	ELHPSRFCEK	DLLKVVDREY	VFAYVDDPCL	ATYPLMQKLR	QVLVDHALVN
601	ADGEKNLNTS	IFQKIATFED	ELKAILPKEV	ESTRTAYENG	QCGISNKIKE
651	CRSYPLYKFV	REELGTALLT	GEKTISLGEE	CDKLFTAMCQ	GKIVDPLLEC
701	LGEWNGAPLP	IC		4	

257/271




pDH51TrPALb sense




pDH51TrPALb anti

258/271




pPZP221:35S2TrPALb sense



pPZP221:35S²TrPALb anti

259/271



TrPALf


260/271

1	GAATTCACTA	A GTGATTAAGC	AGTGGTAACA	ACGCAGAGTA	CGCGGGGAGG
51	. AAA'I'AAA'T'TC	: ATCATTGTTC	: ATTATTTCCC	ACCCAACACA	ACATAACAAA
101	T'ACATTATTC	: TCTCCTCTGA	TCACAATTAT	TACTTTCTAC	ACCCTCCTCT
	CAACTATTAT	' TAACTAGCAT	' AATGGAGGGA	ATTACCAATC	CCC ATCCTCA
201	AACAACTTTT	TGCGTGACCA	AAAGTGTTGG	TGATCCACTC	: AACTGGGGTG
251	CAGCCGCGGA	GTCGTTGACG	GGGAGTCATT	TGGATGAGGT	' GAAGCGTATG
301	GTGGAGGAGT	ACCGTAATCC	GTTGGCTAAA	ATTGGCGGCG	AGACGCTTAC
351			TTGCTTCTCA	TCATACTCCT	GTGAGGGTGG
401			GCCGGCGTTA	ACCCCACTAC	TGATTGGGTG
451	ATGGATAGCA	TGAACAATGG	GACTGATAGT	TACCCTCTTA	CCACCGGTTT
501	TGGTGCCACC		GAACCAAGCA	CCCTCCTCCT	TTGCAGAAGG
551	AGCTAATTAG		GCTGGAATAT	TTCCCAATCC	
601	AACTGTACAC		AGCAACTAGA	CCTCCAATGG	TACAGAATCT TTGTGAGAAT
651	CAACACTCTT	CTTCAACCCT	ACTCTGGTAT	TACAGCAAIGC	
701		GCTTCCAAAC	AACAACATTA		ATTTTGGAAG
751	GGTACAATCA	CGGCTTCCAAAC	TGATCTTGTT	CCCCATGTTT	ACCACTTCGT
801		GGAAGACCCA	ACTCCAAAGC		
851	TTTTTCACTCC		TTTCAACTCG	AGTTGGACCT	
901	TTTCAATTCC	1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	1 1 1 CAAC 1 CG	CCGGCATTGG	TTCTGAGTTT
951	TECCTCTCCT		AGGTCTTGCT TTGTTCTGTT	CTTGTTAATG	
1001	TUGCICIGGI	1 I AGC I I C I A	CCCAMMENCA	TGAAGCAAAT	GTACTAGCTG
1051	CCCCAATTTA	AGTTATGTCG	GCGATTTTCG	CTGAAGTTAT	GCAAGGGAAA
1101	A A TOTAL A A COM	CCGATCATTT	GACTCATAAG	TTGAAACATC	ACCCTGGTCA
1151	MMA A A CCA CC	GCTGCAATTA	TGGAACATAT	TTTGGATGGA	AGTGCTTATG
1201	TTAAAGCAGC		CACGAAACCG	ATCCTTTACA	AAAACCGAAA
1251	CAAGATCGTT	ATGCACTTAG	AACTTCACCT	CAATGGCTTG	GTCCTTTGAT
1301	TGAAGTGATA	AGATTTTCAA	CCAAATCGAT	TGAAAGAGAA	
	TCAACGACAA	CCCTTTGATC	GATGTTTCAA	GGAACAAGGC	CATTCATGGT
1351	GGTAACTTTC	AAGGAACACC	TATTGGAGTT	TCAATGGATA	ACACACGTTT
1401	AGCTCTTGCT	TCAATTGGTA	AACTCATGTT	TGCTCAATTC	TCTGAACTTG
1451	TTAATGATTT	TTACAACAAC	GGGTTGCCTT	CGTATCTTAC	TGCTAGTAGG
1501		TGGACTATGG		TCGGAAATTG	CCATGGCTTC
1551	GTATTGTTCC	GAGTTACAAT	ATCTTGCTAA	TCCTGTCACC	ACCCATGTCC
1601	AAAGTGCCGA		CAAGATGTTA	ACTCTTTGGG	TTTGATTTCT
1651	TCTAGAAAAA		TATTGAGATT	CTCAAGCTCA	TGTCTTCCAC
1701	TTTCTTGATT		AAGCAATCGA	CTTAAGGCAC	TTGGAGGAAA
1751	ATCTCAGGAA	CACCGTCAAG	AACACGGTAA	GCCAAGTAGC	GAAGAGAACA
	CTCACCACCG		AGAACTTCAT	TCTTCTAGAT	TTTGTGAGAA
	AGATTTGCTT	AAAGTTGTTG	ATAGGGAGTA	TGTATTTGCC	TATGCCGACG
1901	ATCCTTGTCT	AGCTACATAC	CCTTTGATGC	AAAAGTTGAG	ACAAGTGCTT
1951	GTGGATCATG	CATTGGTAAA	TGTTGATGGA	GAGAAGAATT	TCDDCDTC
2001	AATCTTTCAA	AAGATTGCAA	CTTTTGAGGA	TGAGTTGAAA	$CCT\Delta TTTTCC$
∠U51	CAAAGGAGGT	TGAAAGTACA	AGAACTGCAT	ATGAAAATGG	ACA ATGTGGA
2101	ATTTCAAACA	AGATTAAGGA	ATGCAGGTCT	TATCCATTGT	$\Delta C \Delta \Delta C T T T C T$
2151	TAGAGAGGAG	TTAGGAACCG	CGTTGCTAAC	CGGAGAAAA	Δ CT Δ T Δ TCCC
$\angle \angle \cup \bot$	CGGGCGAAGA	GTGCGATAAA	TTGTTCACAG	CTATGTGCCA	$\Delta CCT\Delta \Delta \Delta \Delta TT$
225I	GTTGATCCTC	TTATGGAATG	CCTCGGAGAG	TGGA ATGGTG	CTCCTCTACC
23UI	AATATGTTAA	TTAGCATAAT	ATGTTTTCTT	TGAGAAGTGA	ጥጥልሮጥጥጥልጥል
∠351	TATTTGTAGT	ATACTATAGT	AGTTGCATTG	AGAAGAAATT	CCTTTCTTT
24UI	TAAGCCTATG	GAAAATGGCA	AATCAATTTT	CTGCTCAAAG	$C\Delta TCCTTT\Delta T$
245I	TAAGTTTTCC	TTAAAGTGTT	AAGGAACTTT	TAATTCTTTT	TCTDDTDCDD
$\sim 20T$	TTTCATTTGT	TTGCCACAAC	TTTGGGTGCA	AATATCACAT	$C \Delta T \Delta C \Delta T C T C$
∠55T	GTGTTTGATG	TAAATGGTGT	TTTTTCAATA	AATAAATAGT	ርጥጥጥር አ አ ርጥ አ
∠60T	AAAAAAAAA	AAAAAAAAAA	AAAAAAAAG	TACTCTCCCT	ACAACIN
2651	GCTTAATC GA	ATTC		1.10.010.01	TOTIACCACT


261/271

1	MEGITNGHAE	TTFCVTKSVG	DPLNWGAAAE	SLTGSHLDEV	KRMVEEYRNP
51	LAKIGGETLT	IAQVAGIASH	DSGVRVELSE	SARAGVKASS	DWVMDSMNNG
101	TDSYGVTTGF	GATSHRRTKQ	GGALQKELIR	FLNAGIFGNG	TESNCTLPHT
151	ATRAAMLVRI	NTLLQGYSGI	RFEILEAITK	LPNNNITPCL	PLRGTITASG
201	DLVPLSYIAG	LLTGRPNSKA	VGPSGEILSA	KEAFQLAGIG	SEFFELQPKE
251	GLALVNGTAV	GSGLASIVLF	EANVLAVLSE	VMSAIFAEVM	QGKPEFTDHL
301	THKLKHHPGQ	IEAAAIMEHI	LDGSAYVKAA	KKLHETDPLQ	KPKQDRYALR
351	TSPQWLGPLI	EVIRFSTKSI	EREINSVNDN	PLIDVSRNKA	IHGGNFQGTP
401	IGVSMDNTRL	ALASIGKLMF	AQFSELVNDF	YNNGLPSYLT	ASRNPSLDYG
451	FKGSEIAMAS	YCSELQYLAN	PVTTHVQSAE	QHNQDVNSLG	LISSRKTNEA
501	IEILKLMSST	FLIALCQAID	LRHLEENLRN	TVKNTVSQVA	KRTLTTGVNG
551	ELHSSRFCEK	DLLKVVDREY	VFAYADDPCL	ATYPLMQKLR	QVLVDHALVN
601	VDGEKNLNTS	IFQKIATFED	ELKAILPKEV	ESTRTAYENG	QCGISNKIKE
651	CRSYPLYKFV	REELGTALLT	GEKTISPGEE	CDKLFTAMCQ	GKIVDPLMEC
701	LGEWNGAPLP	IC			

262/271




pDH51TrPALf sense




pDH51TrPALf anti

263/271




pPZP221:35S2TrPALf sense



pPZP221:35S2TrPALf anti

264/271



TrVRa


265/271

1	GAATTC GATT	AAGCAGTGGT	AACAACGCAG	AGTACGCGGG	ATAGTAGTAG
51	TTGAGAAAAA	ATACACAAAT	AAAGTAAACA	CTATCATAGA	AAGAGAGTCA
101	AAAATGGCTG	AAGGAAAAGG	AAGGGTTTGT	GTTACTGGAG	GAACAGGTTT
151	TCTTGGTTCA	TGGATCATCA	AGAGTCTTCT	TGAAAATGGA	TACTCTGTTA
201	ATACCACTAT	TAGAGCTGAT	CCAGAACGTA	AGAGGGATGT	AAGCTTCCTA
251	ACAAATCTAC	CCGGCGCATC	CGAAAGGCTA	CATTTCTTCA	ACGCCGATCT
301	AGACGACCCA	GAGAGTTTCA	ACGAAGCAAT	TGAAGGTTGT	GTCGGGATAT
351	TCCACACCGC	TTCACCAATC	GATTTCGCCG	TGAGTGAGCC	AGAAGAAATA
401	GTGACAAAAA	GAACAGTGGA	TGGAGCATTA	GGAATTTTAA	AAGCATGTGT
451	GAATTCAAAG	ACAGTGAAGA	GATTTATTTA	CACTTCAAGT	GGTTCTGCTG
501	TTTCATTCAA	TGGAAAAAAC	AAAGATGTTT	TGGATGAGAG	TGATTGGAGT
551	GATGTTGATT	TGCTTAGAAG	TGTTAAACCA	TTTGGTTGGA	GTTATGGTGT
601	TTCAAAGACT	TTGGCTGAGA	AAGCAGTGCT	TGAATTTGGT	CAACAAAATG
651	GGATTGATGT	TGTTACTTTG	ATTCTTCCTT	TTATTGTTGG	AAGTTTTGTT
701	TGTCCTAAGC	TTCCTGATTC	TGTTGAGAAA	GCTCTTGTTT	TGGTACTAGG
751	CAAAAAGGAA	CAAATTGGTA	TTATAAGTTT	CCACATGGTA	CATGTGGATG
801	ATGTGGCTAG	AGCACATATT	TATCTACTTG	AGAATCCTGT	TCCAGGAGGT
851	AGATATAATT	GTTCACCATT	CTTTGTATCT	ATTGAAGAAA	TGTCACAACT
901	TCTTTCAGCC	AAATATCCAG	AATATCAAAT	ACTATCAGTA	GATGAGTTGA
951	AGGAAATCAA	AGGTGCAAGG	TTGCCAGATT	TGAACTCGAA	AAAGCTCGTG
1001	GACGCTGGTT	TTGAGTTTAA	GTATAGTGTC	GGTGATATGT	TCGATGATGC
1051	GATTCAATGC	TGCAAGGAAA	AAGGCTATCT	CTAAGTATGT	GTTTGAAAAA
1101	AATTCCATGA	AGCTGAGAAA	ACAATAATAT	GCCTAAAATC	AATGATGGCT
1151	AATGAAATGT	ACAAGTTTAT	GCATAAAGTT	ATTTGTGATG	AATCAAATAA
1201	TGAAATAATC	GGTTCATTTT	TCCGAAAAA	AAAAAAAAA	AAAAAAAAA
1251	AAAAAGTACT	CTGCGTTGTT	ACCACTGCTT	AATCACTAGT	GAATTC


266/271

1	MAEGKGRVCV	TGGTGFLGSW	IIKSLLENGY	SVNTTIRADP	ERKRDVSFLT
51	NLPGASERLH	FFNADLDDPE	SFNEAIEGCV	GIFHTASPID	FAVSEPEEIV
101	TKRTVDGALG	ILKACVNSKT	VKRFIYTSSG	SAVSFNGKNK	DVLDESDWSD
151	VDLLRSVKPF	GWSYGVSKTL	AEKAVLEFGQ	QNGIDVVTLI	LPFIVGSFVC
201	PKLPDSVEKA	LVLVLGKKEQ	IGIISFHMVH	VDDVARAHIY	LLENPVPGGR
251	YNCSPFFVSI	EEMSQLLSAK	YPEYQILSVD	ELKEIKGARL	PDLNSKKLVD
3.01	AGFEFKYSVG	DMFDDATOCC	KEKGYL		

267/271




pDH51TrVRa sense




pDH51TrVRa anti

268/271




pPZP221:35S2TrVRa sense



pPZP221:35S2TrVRa anti

269/271









FIGURE 196

270/271



E





FIGURE 196 (cont)

271/271

NA₆ Genetic Linkage Map



SEQUENCE LISTING

<110> Agriculture Victoria Services Pty Ltd AgResearch Limited <120> Manipulation of flavonoid biosynthesis in plants <130> M80393510 <150> PR8113 <151> 2001-10-05 <160> 336 <170> PatentIn version 3.1 <210> 1 <211> 636 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (11) \(\bar{.}\). (11) <223> Any nucleotide <220> <221> misc_feature <222> (17)..(17) <223> Any nucleotide <400> 1 gcattaaaca ntgaaanttg accagtccca acaaagatct gaaacacata gctccccatt ttttaacatt aaactaaaaa tatgtcggcc atcaccgcaa tccaagtcga gaaccttgaa 120 tttccggctg tgattacttc tccggccacc ggtaagtcat attttcttgg tggtgcaggg 180 gagagaggtt tgactattga aggaaacttc atcaagttca ctgccatagg agtatatttg gaagatgtag cagtggcttc acttgccact aaatggaagg gcaaatcctc tgaagagttg 300 cttgagaccc ttgacttcta cagagatatc atttcaggac catttgagaa gttgattcga 360 ggatcgaaga ttagggaatt gagtggtcct gagtactcaa ggaaggttaa tgaaaactgt 420 gtggcacact taaaatctgt tgggacttat ggagatgcag aagttgaagc tatgcaaaaa tttgttgaag ccttcaagcc tattaatttt ccacctggtg cctctgtttt ttacaggcaa 540 tcacctgatg gaatattagg gcttagtttc tctcaagatg caagtatacc agaaaaggaa 600 gctgcagtaa tagagaacaa gggagcttca tcggcg 636

<210> 2

<211> 185 <212> PRT

<213> Trifolium repens

<400> 2

Met Ser Ala Ile Thr Ala Ile Gln Val Glu Asn Leu Glu Phe Pro Ala

Val Ile Thr Ser Pro Ala Thr Gly Lys Ser Tyr Phe Leu Gly Gly Ala

Gly Glu Arg Gly Leu Thr Ile Glu Gly Asn Phe Ile Lys Phe Thr Ala

Ile Gly Val Tyr Leu Glu Asp Val Ala Val Ala Ser Leu Ala Thr Lys 55

Trp Lys Gly Lys Ser Ser Glu Glu Leu Leu Glu Thr Leu Asp Phe Tyr

Arg Asp Ile Ile Ser Gly Pro Phe Glu Lys Leu Ile Arg Gly Ser Lys

Ile Arg Glu Leu Ser Gly Pro Glu Tyr Ser Arg Lys Val Asn Glu Asn

Cys Val Ala His Leu Lys Ser Val Gly Thr Tyr Gly Asp Ala Glu Val 115

Glu Ala Met Gln Lys Phe Val Glu Ala Phe Lys Pro Ile Asn Phe Pro 130

Pro Gly Ala Ser Val Phe Tyr Arg Gln Ser Pro Asp Gly Ile Leu Gly 150

Leu Ser Phe Ser Gln Asp Ala Ser Ile Pro Glu Lys Glu Ala Ala Val 170

Ile Glu Asn Lys Gly Ala Ser Ser Ala 180 . 185

<210> 3

<211> 244 <212> DNA

<213> Trifolium repens

<220>

<221> misc_feature

<222> (17)..(17)

<223> Any nucleotide

<221> misc_feature <222> (23)..(23) <223> Any nucleotide

<220> <221> misc_feature
<222> (50)..(50)
<223> Any nucleotide

<220>

<220>

<221> misc_feature <222> (207)..(208) <223> Any nucleotides

<220>

<221> misc feature <222> (213)..(213) <223> Any nucleotide

<220>

<221> misc_feature
<222> (222)..(222)
<223> Any nucleotide

<220>

<221> misc_feature
<222> (233)..(233)
<223> Any nucleotide

<220>

<221> misc_feature <222> (236)..(236) <223> Any nucleotide

<220>

<221> misc_feature <222> (238)..(238) <223> Any nucleotide

<220>

<221> misc_feature <222> (241)..(241)

<223> Any nucleotide

<220>

<221> misc_feature
<222> (244)..(244)
<223> Any nucleotide

<400> 3 gcattaaaca ttgacanagt ccnaataaaa aagatctgaa acacatagtn ccccattttt taacattaaa ctaaaaatat gtcggccatc accgcaatcc aagtcgagaa ccttgaattt

ccggctgtgg ttacttctcc ggccaccggt aagtcatatt ttcttggtgg tgcaggggag 180

agaggtttga ctattgaagg aaacttnntc aanggcgctg gnatacgacc ctnttngnag

nagn 244

<210> <211> 606

<212> DNA <213> Trifolium repens

<220>

<221> misc_feature

<222> (2)..(2) <223> Any nucleotide

<220>

<221> misc_feature

<222> (605)..(606)

<223> Any nucleotides

<400>

gnttgcccgg tcccaacaaa gatctgaaac acatagcccc ccatttttta acattaaact

aaaaatatgt ctgccatcac cgcaatccaa gtcgagaacc ttgaattccc ggcggtgatt

acttctccgg tcaacggtaa gtcatatttt cttggtggtg caggggagag aggtttgact 180

attgaaggaa acttcatcaa gttcactgcc ataggagtat atttggaaga tgtagcagtg

gcttcacttg ccactaaatg gaagggcaaa tcctctgaag agttgcttga gacccttgac

ttctacagag atatcatttc aggaccattt gagaagttga ttcgaggatc gaagattagg

gaattgagtg gtcctgagta ctcaaggaag gttaatgaaa actgtgtggc acacttaaaa

tctgttggga cttacggaga tgcagaagtt gaagctatgc aaaaatttgt tgaagccttc 480

aagcctatta attttccacc tggtgcctct gttttttaca ggcaatcacc tgatggaata

ttagggctta gtttctctca agatgcaagt ataccagaaa aggaagctgc agtaatagag 600

aacann

606

```
<211> 599
 <212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (19)..(19)
<223> Any nucleotide
<400> 5
ggatctgaaa cacatagtnc cccttttaac attaaactaa aaatatgtcg gccatcaccg
caatccaagt cgagaacctt gaatttccag ctgtgattac ttctccggcc accggtaagt
catattttct tggtggtgca ggggagagag gtttgactat tgaaggaaac ttcatcaagt
tcactgccat aggagtatat ttggaagatg tagcagtggc ttcacttgcc actaaatgga
agggtaaatc ctctgaggag ttgcttgaga ctcttgactt ctatagagac atcatttcag
gaccctttga aaagttgatt cgaggatcga agattaggga attgagtggt cctgagtact
360
caaggaaggt taatgaaaac tgcgtggccc acttaaaatc tgttgggact tatggagatg
ctgaagctga agctatgcaa aaatttgttg aagccttcaa gcctattaat tttccacctg
gtgcctctgt tttttacagg caatcacctg atggaatatt agggcttagt ttctctcaag
540
atgcaagtat accagaaaag gaggctgcag taatagagaa caagggagct tcatcggcg
599
<210> 6
<211> 228
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (2)..(2)
<223> Any nucleotide
<220>
<221> misc_feature <222> (15)..(15)
      (15)..(15)
<223> Any nucleotide
<220>
<221> misc feature
<222>
      (31)..(31)
<223> Any nucleotide
```

```
<221> misc_feature
<222> (54)..(54)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (212)..(212)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (214)..(215)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (217)..(217)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (221)..(221)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (223)..(223)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (225)..(22)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (225)..(226)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (228)..(228)
<223> Any nucleotide
<400> 6
gngatctgaa aaacntagta cccattttaa nattaaacta aaaatatgtc ggcnatcacc
gcaatccaag tcgagaacct tgaatttcca gctgtgatta cttctccggc caccggtaag
tcatattttc ttggtggtgc aggggagaga ggtttgacta ttgaaggaaa cttcatcaag
180
ttcactgcca taggagtata tttggaagat gnannanggg ntncnntn
228
```

```
<210> 7
 <211> 589
 <212> DNA
<213> Trifolium repens
 <220>
 <221> misc_feature
 <222> (2)..(2)
 <223> Any nucleotide
<220>
<221> misc_feature
<222> (8)..(8)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (20)..(20)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (589)..(589)
<223> Any nucleotide
<400>
cnttaaantt gaccagtccn aacaaagatc tgaaacacat agccccccat tttttaacat
taaactaaaa atatgtctgc catcaccgca atccaagtcg agaaccttga cttcccggcg
gtgattactt ctccggtcaa cggtaagtca tattttcttg gtggtgcagg ggagagaggt
180
ttgactattg aaggaaactt catcaagttc actgccatag gagtatattt ggaagatgta
gcagtggctt cacttgccac taaatggaag ggcaaatcct ctgaagagtt gcttcagacc
300
cttgacttct acagagatat catttcagga ccatttgaga agttgattcg aggatccaag
attagggaat tgagtggtcc tgagtactca aggaaggtta atgaaaactg tgtggcacac
ttaaaatctg ttgggactta tggagatgca gaagttgaag ctatgcaaaa atttgttgaa
gccttcaagc ctattaattt tccacctggt gcctctgttt tttacaggca atcacctgat
ggaatattag ggcttagttt ctctcaagat gcaagtatac cagaaaagn
589
<210> 8
```

<211> 332

<212> DNA

<213> Trifolium repens

```
<220>
<221> misc_feature
<222> (29)..(29)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (36)..(36)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (206)..(206)
<223> Any nucleotide
<220>
<221> misc feature
<222> (313)..(313)
<223> Any nucleotide
<220>
<221> misc feature
<222> (326)..(326)
<223> Any nucleotide
<220>
<221> misc_feature
<222>
       (331)...(331)
<223> Any nucleotide
<400> 8
ttaaaattga cacagtccca accttaaant tgaccnggtc ccaaacaaag atctgaaaca
acatagcccc ccatttttta acattaaact aaaaatatgt ctgccatcac cgcaatccaa
120
gtcgagaacc ttgaattccc ggcggtgatt acttctccgg tcaacggtaa gtcatatttt
cttggtggtg caggggagag aggttngact attgaaggaa acttcatcaa gttcactgcc
ataggagtat atttggaaga tgtagcaggg gcttcacttg ccactaaatg gaagggcaga
tcctctgaag agngcttgag accctngact nc
332
<210> 9
<211> 78
<212> PRT
<213> Trifolium repens
<220>
<221> MISC_FEATURE
<222> (37)..(37)
<223> Any amino acid
```

```
<220>
<221> MISC_FEATURE
<222> (73)..(73)
<223> Any amino acid
<220>
<221> MISC_FEATURE <222> (77)..(77)
<223> Any amino acid
<400> 9
Met Ser Ala Ile Thr Ala Ile Gln Val Glu Asn Leu Glu Phe Pro Ala
                    5
Val Ile Thr Ser Pro Val Asn Gly Lys Ser Tyr Phe Leu Gly Gly Ala
Gly Glu Arg Gly Xaa Thr Ile Glu Gly Asn Phe Ile Lys Phe Thr Ala
           35
Ile Gly Val Tyr Leu Glu Asp Val Ala Gly Ala Ser Leu Ala Thr Lys
     50
                                55
Trp Lys Gly Arg Ser Ser Glu Glu Xaa Leu Arg Pro Xaa Thr
<210> 10
<211> 332
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (13)..(13)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (19)..(19)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (29)..(29)
<223> Any nucleotide
```

<220>

<220>

<221> misc_feature <222> (36)..(36) <223> Any nucleotide

```
<221> misc_feature <222> (297)..(297)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (310)..(310)
<223> Any nucleotide
<220>
<221> misc feature
<222> (313)...(313)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (315)..(315)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (320)..(320)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (324)..(324)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (326)..(326)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (331)..(332)
<223> Any nucleotides
<400> 10
ttaaaattga ccnagtccna accttaaant tgaccnggtc ccaaacaaag atctgaaaca
acatagecee ceattttta acattaaact aaaaatatgt etgecateae egeaateeaa
120
gtcgagaacc ttgaattccc ggcggtgatt acttctccgg tcaacggtaa gtcatatttt
cttggtggtg caggggagag aggtttgact attgaaggaa acttcatcaa gttcactgcc
ataggagtat atttggaaga tgtagcaggg gcttcacttg ccactaaatg gaagggnaga
300
tcctctgaan agngnttgan accntngact nn
332
```

```
<210> 11
 <211> 331
 <212> DNA
 <213> Trifolium repens
 <220>
 <221> misc_feature
<222> (5)..(5)
 <223> Any nucleotide
 <220>
<221> misc_feature
<222> (28)..(28)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (35)..(35)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (205)..(205)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (298)..(298)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (301)..(301)
<223> Any nucleotide
<400> 11
ttaanttgac acagtcccaa ccttaaantt gaccnggtcc caaacaaaga tctgaaacaa
catagecece catttttaa cattaaaeta aaaatatgte tgecateaee geaatecaag
tcgagaacct tgaattcccg gcggtgatta cttctccggt caacggtaag tcatattttc
ttggtggtgc aggggagaga ggttngacta ttgaaggaaa cttcatcaag ttcactgcca
taggagtata tttggaagat gtagcagggg cttcacttgc cactaaatgg aagggcanat
nctctgaaga gtgcttgaga cccttgactt c
331
<210> 12
```

<210> 12 <211> 186 <212> DNA <213> Trifolium repens

```
<220>
 <221> misc_feature
<222> (22)..(22)
 <223> Any nucleotide
 <220>
<221> misc_feature
<222> (135)..(135)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (143)..(143)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (157)..(157)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (167)..(167)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (173)..(174)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (178)..(179)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (181)..(182)
<223> Any nucleotides
<220>
```

<221> misc_feature <222> (184)..(184)

<223> Any nucleotide

<220>

<221> misc_feature
<222> (186)..(186)
<223> Any nucleotide

<400> 12

gcgttaaaat tgacccagtc cnaacaaaga tctgaaacac atagcccccc atttttaac 60

attaaactaa aaatatgtct gccatcaccg caatccaagt cgagaacctt gacttcccgg

```
120
cggagattac ttctncgggg aangggaagg gatattntct tggtggngga ggnnaganng
nntngn
186
<210> 13
<211> 274
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (6)..(6)
<223> Any nucleotide
<220>
<221> misc_feature <222> (9)..(9)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (12)..(12)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (15)..(15)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (18)...(18)
<223> Any nucleotide
<400> 13
gttagnagna gnatntcngg caccctttga aaagttgatt cgaggatcga agattaggga
attgagtggt cctgagtact caaggaaggt taatgaaaac tgcgtggcac acttaaaatc
tgttgggact tatggagatg cagaagctga agctatgcaa aaatttgttg aagccttcaa
gcctattaat tttccacctg gtgcctctgt tttttacagg caatcacctg atggaatatt
aggggttagt attgccaatt cattttttt aact
274
<210> 14
<211>
       94
```

<212> PRT <213> Trifolium repens <400> 14

Ala Pro Phe Glu Lys Leu Ile Arg Gly Ser Lys Ile Arg Glu Leu Ser 10

Gly Pro Glu Tyr Ser Arg Lys Val Asn Glu Asn Cys Val Ala His Leu

Lys Ser Val Gly Thr Tyr Gly Asp Ala Glu Ala Glu Ala Met Gln Lys

Phe Val Glu Ala Phe Lys Pro Ile Asn Phe Pro Pro Gly Ala Ser Val

Phe Tyr Arg Gln Ser Pro Asp Gly Ile Leu Gly Val Ser Ile Ala Asn

Ser Phe Phe Leu Thr Ile Leu Ile Arg Val Arg Phe Asp Cys

<210> 15

<211> 274

<212> DNA

<213> Trifolium repens

<220>

<221> misc_feature

<222> (6)..(6) <223> Any nucleotide

<220>

<221> misc_feature

<222> (9)..(9) <223> Any nucleotide

<220>

<221> misc_feature <222> (12)..(13)

<223> Any nucleotides

<220>

<221> misc_feature <222> (18)..(18)

<223> Any nucleotide

<400> 15

gttagnagna tnntttcngg caccetttga aaagttgatt cgaggatcga agattaggga

attgagtggt cctgagtact caaggaaggt taatgaaaac tgcgtggcac acttaaaatc

tgttgggact tatggagatg cagaagctga agctatgcaa aaatttgttg aagccttcaa 180

gcctattaat tttccacctg gtgcctctgt tttttacagg caatcacctg atggaatatt

```
240
 aggggttagt attgccaatt cattttttt aact
 <210> 16
 <211> 264
 <212> DNA
 <213> Trifolium repens
 <220>
 <221> misc_feature
 <222> (2)..(2)
<223> Any nucleotide
 <220>
 <221> misc_feature
 <222> (5)..(5)
 <223> Any nucleotide
<220>
<221> misc_feature
<222> (9)..(9)
<223> Any nucleotide
<400> 16
gnatntttng gaccctttga aaagttgatt cgaggatcga agattaggga attgagtggt
cctgagtact caaggaaggt taatgaaaac tgcgtggcac acttaaaatc tgttgggact
,120
tatggagatg cagaagctga agctatgcaa aaatttgttg aagccttcaa gcctattaat
tttccacctg gtgcctctgt tttttacagg caatcacctg atggaatatt aggggttagt
240
attgccaatt cattttttt aact
264
<210> 17
<211> 825
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (3)..(3)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (5)..(5)
<223> Any nucleotide
<220>
<221> misc_feature <222> (7)..(10)
```

```
<223> Any nucleotides
 <220>
 <221> misc_feature
 <222> (13)..(14)
<223> Any nucleotides
 <220>
 <221> misc_feature
 <222> (487)..(488)
 <223> Any nucleotides
 <220>
 <221> misc_feature
<222> (507)..(507)
 <223> Any nucleotide
 <220>
 <221> misc_feature
<222> (545)..(545)
<223> Any nucleotide
 <220>
<221> misc_feature
<222> (579)..(579)
<223> Any nucleotide
 <220>
<221> misc_feature
<222> (654)..(654)
<223> Any nucleotide
<220>
<220>
<221> misc_feature
<222> (716)..(716)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (719)..(719)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (725)..(725)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (738)..(738)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (762)..(762)
```

<223> Any nucleotide

<220>

<221> misc feature

 $\langle 222 \rangle$ (787)...(787)

<223> Any nucleotide

<400> 17

ctactaagtt caacgagatc aatggcactt ccttctgtca ccgctttgaa tatcgagaac

aatctattcc ctcctaccgt cacaccaccg ggatccacca acaatttctt cctcggcggt

gcaggagagc ggggtcttca aattcaagac aaatttgtca aattcaccgc tattggtgtt

tatctacagg acattgctgt tccttacctc gccactaaat ggaagggtaa gactgctcaa

gagctaacgg aaactgttcc tttcttcagg gacatcgtta caggtccatt tgagaaattt

atgcaggtga caatgatctt gccattgact gggcaacaat actcagagaa agtgtcagaa 420

aattgtgtag ctatttggaa gtctcttggg atttataccg acgaagaagc caaagcaatt

gagaagnntg tttctgtctt caaagangaa acattcccac caggctcctc tatccttttc

acagnattac ccaaaggatt aggatcacta acgataagnt tctctaaaga tggatccatt

ccagagaccg agtctgcagt tatagagaat aagctactct cacaagctgt gctngagtcg

atgatagggg cacacggtgt ctcccctgca gcaaaacaga gttttggcca ccaggntanc

cgagntattc aacgaggntg gctgatgcct agcaacttga tnatatcaac aaaacgaaaa

tgaaagncct tttctgcaat aaagaacaag cggaaatttt atttt 825

<210> 18

<211> 230

<212> PRT

<213> Trifolium repens

<220>

<221> MISC_FEATURE <222> (163)..(163)

<223> Any amino acid

<220>

<221> MISC_FEATURE

<222> (188)..(188) <223> Any amino acid

<220>

<221> MISC FEATURE

<222> (209)..(210) <223> Any amino acids

<220>

<221> MISC FEATURE

<222> (212)..(212)

<223> Any amino acid

<220>

<221> MISC_FEATURE <222> (216)..(216) <223> Any amino acid

<220>

<221> MISC_FEATURE

<222> (224)..(224) <223> Any amino acid

<400> 18

Met Ala Leu Pro Ser Val Thr Ala Leu Asn Ile Glu Asn Asn Leu Phe 10

Pro Pro Thr Val Thr Pro Pro Gly Ser Thr Asn Asn Phe Phe Leu Gly 20

Gly Ala Gly Glu Arg Gly Leu Gln Ile Gln Asp Lys Phe Val Lys Phe

Thr Ala Ile Gly Val Tyr Leu Gln Asp Ile Ala Val Pro Tyr Leu Ala

Thr Lys Trp Lys Gly Lys Thr Ala Gln Glu Leu Thr Glu Thr Val Pro

Phe Phe Arg Asp Ile Val Thr Gly Pro Phe Glu Lys Phe Met Gln Val

Thr Met Ile Leu Pro Leu Thr Gly Gln Gln Tyr Ser Glu Lys Val Ser 105

Glu Asn Cys Val Ala Ile Trp Lys Ser Leu Gly Ile Tyr Thr Asp Glu 115 120

Glu Ala Lys Ala Ile Glu Lys Val Ser Val Phe Lys Glu Thr Phe Pro 130 135

19/390

Pro Gly Ser Ser Ile Leu Phe Thr Leu Pro Lys Gly Leu Gly Ser Leu 150 155 Thr Ile Xaa Phe Ser Lys Asp Gly Ser Ile Pro Glu Thr Glu Ser Ala Val Ile Glu Asn Lys Leu Leu Ser Gln Ala Val Xaa Glu Ser Met Ile 1.80 185 Gly Ala His Gly Val Ser Pro Ala Ala Lys Gln Ser Phe Gly His Gln Xaa Xaa Arg Xaa Ile Gln Arg Xaa Trp Leu Met Pro Ser Asn Leu Xaa 215 Ile Ser Thr Lys Arg Lys <210> 19 <211> 807 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (3)..(3) <223> Any nucleotide <220> <221> misc feature <222> (5)..(5) <223> Any nucleotide <220> <221> misc_feature
<222> (7)..(10) <223> Any nucleotides <220> <221> misc_feature <222> (13)..(14) <223> Any nucleotides <220> <221> misc feature <222> (21)..(21) <223> Any nucleotide <220> <221> misc_feature <222> (23)..(23)

<220>

<223> Any nucleotide

```
<221> misc_feature
<222> (25)..(25)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (99)..(99)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (147)..(147)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (229)..(229)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (288)..(288)
<223> Any nucleotide
<220>
<221> misc feature
<222> (316)..(316)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (335)..(335)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (337)..(338)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (417)..(417)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (434)..(434)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (437)..(437)
<223> Any nucleotide
```

<220>

<221> misc_feature <222> (486)..(487) <223> Any nucleotides <220> <221> misc_feature
<222> (506)..(506)
<223> Any nucleotide <220> <221> misc_feature
<222> (544)..(544)
<223> Any nucleotide <220> <221> misc_feature
<222> (561)..(561)
<223> Any nucleotide <220> <221> misc_feature
<222> (578)..(578)
<223> Any nucleotide <220> <221> misc feature <222> (625)..(625) <223> Any nucleotide <220> <221> misc_feature <222> (653)..(653) <223> Any nucleotide <220> <221> misc_feature
<222> (672)..(673)
<223> Any nucleotides <220> <221> misc_feature <222> (682)..(683) <223> Any nucleotides <220> <221> misc_feature <222> (685)..(685) <223> Any nucleotide <220> <221> misc_feature
<222> (690)..(690)
<223> Any nucleotide

<220>

```
<221> misc_feature
<222> (695)..(695)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (706)..(707)
<223> Any nucleotides
<220>
<220>
<221> misc_feature
<222> (715)..(715)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (718)..(718)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (721)..(721)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (724)..(724)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (737)..(737)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (754)..(754)
<223> Any nucleotide
<220>
<221> misc feature
<222> (761)..(762)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (764)..(764)
<223> Any nucleotide
<220>
<220>
<221> misc_feature
<222> (766)..(766)
<223> Any nucleotide
```

<220>

```
<221> misc_feature
<222> (775)..(775)
<223> Any nucleotide
<220>
<221> misc feature
<222> (782)..(782)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (784)..(784)
<223> Any nucleotide
<220>
<221> misc feature
<222>
       (786)...(786)
<223> Any nucleotide
<400> 19
ttnantnnnn ttnncggttt ntnanaacta cacaacacct tctttttcc atttatcttc
tactaagttc aacgagatca atggcacttc cttctgtcnc cgctttgaat atcgagaaca
120
atctattccc tectacegte acaccanegg gatecaceaa caatttette eteggeggtg
180
caggagagcg gggtcttcaa attcaagaca aatttgtcaa attcaccgnt attggtgttt
atctacagga cattgctgtt ccttacctcg ccactaaatg gaagggtnag actgctcaag
agctaacgga aactgnccct ttcttcaggg acatngnnac aggtccattt gagaaattta
360
tgcaggtgac aatgatcttg ccattgactg ggcaacaata ctcagagaaa gtgtcanaaa
attgtgtacc tatntgnaag tctcttcgga tttataccga ccaagaagcc aaagcaattg
480
agaagnntgt ttctgtcttc aaagangaaa cattcccacc aggctcctct atccttttca
cagnattacc caaaggatta ngatcactaa cgataagntt ctctaaagat ggatccattc
600
cagagaccga gtctgcagtt atagngaata agctactctc acaagctgtg ctngagtcga
tgataggggc anncggtgtc tnncntgcan caaancatag ttttgnncac caggntancc
nagntattca acgaggntgg ctgatgccta gcancttgat nntntnaaca aaacnaaaat
780
gnangncctt ttctgcatta aagaaca
807
```

```
<210> 20
<211> 266
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (14)..(15)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (33)..(33)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (52)..(52)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (200)..(200)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (211)..(211)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (229)..(229)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (241)..(242)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (244)..(244)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (247)..(247)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (254)..(254)
<223> Any nucleotide
```

<220> <221> misc_feature <222> (256)..(256) <223> Any nucleotide <220> <221> misc feature <222> (266)..(266) <223> Any nucleotide <400> 20 gcaattacaa cctnncaaca ccttctcctt acntctatct tctactaagt tnaacqagat 60 caatggcact teettetgtg accgetttga atategagaa caatetatte cetectaceg tcacaccacc gggatccacc aacaatttct tcctcggcgg tgcaggagag cggggtcttc 180 aaattcaaga caaatttgtn aaattgaccg ntattggtgt ttatgtacng gacgttggtg nngnttncgt gggngntggc tggatn 266 <210> 21 <211> 797 <212> DNA <213> Trifolium repens <400> 21 ttacactcac aacaccttct ccattaccat ctatcttcta ctaagttcaa cgagatcaat ggcacttcct tetgtcaccg ctttgaatat cgagaacaat ctattccctc ctaccgtcac 120 accaccggga tccaccaaca atttcttcct cggcggtgca ggagagcggg gtcttcaaat tcaagacaaa tttgtcaaat tcaccgctat tggtgtttat ctacaggaca ttgctgttcc ttacctcgcc actaaatgga agggtaagac tgctcaagag ctaacggaaa ctgttccttt 300 cttcagggac atcgttacag gtccatttga gaaatttatg caggtgacaa tgatcttgcc attgactggg caacaatact cagagaaagt gtcagaaaat tgtgtagcta tttggaagtc tcttgggatt tataccgacg aagaagccaa agcaattgag aagtttgttt ctgtcttcaa agatgaaaca ttcccaccag gctcctctat ccttttcaca qtattaccca aaggattaqq atcactaacg ataagtttct ctaaagatgg atccattcca gagaccgagt ctgcagttat 600

agagaataag ctactctcac aagctgtgct tgagtcgatg ataggggcgc acggtgtctc

26/390

660 ccctgcagca aaacagagtt tggccaccag gttatccgag ttattcaacg aggttggtga tgctagcaac tgattatatc aacaaaacga aaatgaaagt cctttctgca ataaagacca agcggaaatt ttatttt 797 <210> 22 <211> 468 <212> DNA <213> Trifolium repens <220> <221> misc_feature
<222> (30)..(30)
<223> Any nucleotide <220> <221> misc_feature <222> (47)..(47) <223> Any nucleotide <220> <221> misc_feature <222> (436)..(436) <223> Any nucleotide <220> <221> misc_feature <222> (442)..(442) <220> <221> misc_feature
<222> (450)..(450)
<223> Any nucleotide <220> <221> misc_feature <222> (453)..(455) <223> Any nucleotides <220> <221> misc_feature <222> (458)..(458) <223> Any nucleotide <220> <221> misc_feature
<222> (464)..(464)
<223> Any nucleotide

<220>

```
<221> misc_feature
<222>
       (467)..(468)
<223> Any nucleotides
<400> 22
tcacattatt acaattacaa cttaacattn actcgtaaaa agagatnaat qqcacttcct
tctgtcaccg ctttggatat cgagaacaat ctattccctc ccaccgtcac accaccggga
120
tccactgaca acttcttcct cggcggtgca ggagagaggg gtcttcaaat ccaagacaaa
ttcgtcaaat tcaccgctat tggtgtttat ctgcaggaca ttgctgttcc ttacctcgca
gctaaatgga agggtaagac tgctcaagag ctaactcaaa ctgttccttt cttcagggac
300
atcgttacag gtccatttga gaaatttatg caggtgacaa tgatcttgcc attgactggg
caacaatact cagagaaagt gtcagaaaat tgtgtagcta tttggaagtc tcttgggata
tatacggacg aacaanccaa ancaattgan aannntgntt ctgnttnn
468
<210> 23
<211> 1130
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (5)..(5)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (7)..(8)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (28)..(28)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (38)..(38)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (53)..(53)
```

<223> Any nucleotide

```
<220>
<221> misc_feature
<222> (61)..(61)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (91)..(91)
<223> Any nucleotide
<220>
<221> misc_feature
\langle 222 \rangle (101)...(101)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (107)..(107)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (115)..(115)
<223> Any nucleotide
<220>
<221> misc feature
<222> (138)..(138)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (154)..(154)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (191)..(191)
<223> Any nucleotide
<400> 23
tattntnnga aaccacttgt gttgaagncg tgaacttngc taccctccat atnatactat
nacctcttct gagacccttc atcatagaaa nacaacaca ntcagcnctt tgctntttct
acaacaacct ataactanac atattatttt tatntattta gtatataatt gaaataaact
gctaaagata nttattaaga tatggtgagt gtagctgaaa ttcgcaaggc tcagagggct
gaaggeeetg caaceatttt ggeeattgge actgeaaate cageaaaceg tgttgageag
agcacatato otgatttota ottoaaaato acaaacagtg agcacaagao tgagotcaaa
360
```

gagaaattcc agcgcatgtg tgacaaatct atgatcaaga gcagatacat gtatctaaca 420 gaagagattt tgaaagaaaa tootagtott tgtgaataca tggcacotto attggatgot aggcaagaca tggtggtggt tgaggtacct agacttggga aggaggctgc agtgaaggct 540 attaaagaat ggggtcaacc aaagtcaaag attactcact taatcttttg caccacaagt ggtgtagaca tgcctggtgc tgattaccaa ctcacaaaac tcttaggtct tcgcccatat. 660 gtgaagaggt acatgatgta ccaacaaggg tgctttgcag gtgggacggt gcttcgtttg gcaaaagatt tggccgagaa caacaaaggt gctcgtgtgt tggttgtttg ttctgaagta accgcagtca catteegegg ceccagtgae acteaettgg acagtettgt tggacaagea ctatttggag atggagctgc tgcactcatt gttggctcag acccagtacc agaaattgag 900 aaaccaatat ttgagatggt atggaccgca cagacaattg ctccagacag tgaaggtgcc 960 attgatggtc accttcgtga agctggacta acatttcatc ttcttaaaga tgttcctggg attgtatcaa agaacattaa taaagcattg gtcgaggctt tccaaccatt aggaatttct gattacaact caatcttttg gattgcacac ccgggtggac ctgcaattct 1130 <210> 24 <211> 309 <212> PRT <213> Trifolium repens <400> 24 Met Val Ser Val Ala Glu Ile Arg Lys Ala Gln Arg Ala Glu Gly Pro Ala Thr Ile Leu Ala Ile Gly Thr Ala Asn Pro Ala Asn Arg Val Glu 25

Gln Ser Thr Tyr Pro Asp Phe Tyr Phe Lys Ile Thr Asn Ser Glu His

Lys Thr Glu Leu Lys Glu Lys Phe Gln Arg Met Cys Asp Lys Ser Met 50 55 60

Ile Lys Ser Arg Tyr Met Tyr Leu Thr Glu Glu Ile Leu Lys Glu Asn 70 75 80

Pro Ser Leu Cys Glu Tyr Met Ala Pro Ser Leu Asp Ala Arg Gln Asp 85 90 95

Met Val Val Glu Val Pro Arg Leu Gly Lys Glu Ala Ala Val Lys 100 105 110

Ala Ile Lys Glu Trp Gly Gln Pro Lys Ser Lys Ile Thr His Leu Ile 115 120 125

Phe Cys Thr Thr Ser Gly Val Asp Met Pro Gly Ala Asp Tyr Gln Leu 130 135 140

Thr Lys Leu Leu Gly Leu Arg Pro Tyr Val Lys Arg Tyr Met Met Tyr 145 150 155 160

Gln Gln Gly Cys Phe Ala Gly Gly Thr Val Leu Arg Leu Ala Lys Asp 165 170 175

Leu Ala Glu Asn Asn Lys Gly Ala Arg Val Leu Val Val Cys Ser Glu 180 185 190

Val Thr Ala Val Thr Phe Arg Gly Pro Ser Asp Thr His Leu Asp Ser 195 200 205

Leu Val Gly Gln Ala Leu Phe Gly Asp Gly Ala Ala Ala Leu Ile Val 210 215 220

Gly Ser Asp Pro Val Pro Glu Ile Glu Lys Pro Ile Phe Glu Met Val 225 230 235 240

Trp Thr Ala Gln Thr Ile Ala Pro Asp Ser Glu Gly Ala Ile Asp Gly 245 250 255

His Leu Arg Glu Ala Gly Leu Thr Phe His Leu Leu Lys Asp Val Pro 260 265 270

Gly Ile Val Ser Lys Asn Ile Asn Lys Ala Leu Val Glu Ala Phe Gln 275 280 285

Pro Leu Gly Ile Ser Asp Tyr Asn Ser Ile Phe Trp Ile Ala His Pro 290 295 300

Gly Gly Pro Ala Ile

<210> 25

<211> 663

<212> DNA

<213> Trifolium repens

```
<220>
   <221> misc_feature
<222> (5)..(5)
<223> Any nucleotide
   <220>
   <221> misc feature
  <222> (7)..(8)
<223> Any nucleotides
  <220>
   <221> misc_feature
   <222> (28)..(28)
   <223> Any nucleotide
  <220>
  <221> misc_feature <222> (38)..(38)
<223> Any nucleotide
  <220>
  <221> misc_feature
  <222> (53)..(53)
<223> Any nucleotide
  <220>
  <221> misc_feature
  \langle 222 \rangle (61)...(61)
  <223> Any nucleotide
  <220>
  <221> misc_feature
<222> (97)..(97)
<223> Any nucleotide
  <220>
  <221> misc_feature
<222> (128)..(128)
<223> Any nucleotide
  <220>
  <221> misc_feature
<222> (138)..(139)
<223> Any nucleotides
  <220>
  <221> misc_feature
  <222> (148)..(148)
<223> Any nucleotide
  <220>
  <221> misc_feature
<222> (151)..(151)
<223> Any nucleotide
```

```
<220>
<221> misc_feature
<222>
      (163)...(163)
<223> Any nucleotide
<220>
<221> misc_feature <222> (171)..(171)
<223> Any nucleotide
<400> 25
tattntnnga aaccacttgt gttgaagncg tgaacttngc taccctccat atnatactat
nacctettet gagaccette atcatatata tataacneat etcaceteat acatatttee
acaacaanct ataacttnnc ctgttatnta naccaattga gtntcaaatt nacatacata
gcggaacata ctaaatacaa catggttagt gtttctgaaa ttcgcaaggc tcaaagggct
gaaggccctg caactatttt ggccattggt actgcaaatc cagcaaatcg tgttgaccaq
300
agtacatate etgattteta etteaaaate aetaacagtg ageataaggt tgagettaaa
360
gagaaatttc agcgcatgtg tgataaatct atgatcaaga gcagatacat gtatctaaca
gaagagattt tgaaagaaaa tcctagtctt tgtgaataca tggcaccttc attggatgct
aggcaagaca tggtggtggt tgaggtacct agacttggga aggaggctgc agtgaaagct
atcaaagaat ggggtcaacc aaagtcaaag attactcact taatcttttg caccacaagt
600
ggtgttgaca tgcctggtgc tgattaccaa ctcacaaaac tcttaggtct tcgcccatat
660
gtg
663
<210> 26
<211> 575
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222>
      (2)..(2)
<222> (2)..(2) 
<223> Any nucleotide
<220>
<221> misc feature
<222> (4)..(5)
<223> Any nucleotides
```

<220> <221> misc_feature <222> (18)..(18) <223> Any nucleotide <220> <221> misc_feature <222> (47)..(47) <223> Any nucleotide <220> <221> misc_feature <222> (65)..(65) <223> Any nucleotide <400> 26 gnannacaac acacttcnac ctttgctttt ctacaacaac ttctatntaa acctttttt agttnaaact tacactactg ctaaagatat atatcaacat ggttagtgtg tctgaaattc gcaaggctca aagggctgaa ggccctgcaa ctattttggc cattggcact gcaaatccag 180 caaaccgtgt tgatcagagt acatatcctg atttctactt caaaatcact aacagtgagc 240 ataaagttga gctcaaagag aaattccagc gcatgtgtga taaatctatg atcaagagca gatacatgta tctaacagaa gagattttga aagaaaatcc tagtctttgt gaatacatgg caccttcatt ggatgctagg caagatatgg tggtggttga ggtacctaga cttqqaaaqq aggctgcagt gaaggctatt aaagaatggg gtcaaccaaa atctaagatt acacatttga tcttttgcac cacaagtggt gtagacatgc ctggtgctga ttaccagccc acaaaacttt 540 taggacttcg tccatatgtg aagaggtaca tgatq 575 <210> 27 <211> 607 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (4)..(4) <223> Any nucleotide <220> <221> misc_feature

<222> (10)..(10)

<223> Any nucleotide <220> <221> misc_feature <222> (18)..(18) <223> Any nucleotide <220> <221> misc_feature
<222> (26)..(26)
<223> Any nucleotide <220> <221> misc_feature <222> (29)..(30) <223> Any nucleotides <220> <221> misc feature <222> (55)..(55) <223> Any nucleotide <220> <221> misc_feature <222> (57)..(57) <223> Any nucleotide <220> <221> misc_feature <222> (75)..(76) <223> Any nucleotides <220> <221> misc_feature <222> (80)..(81) <223> Any nucleotides <220> <221> misc_feature <222> (92)..(95) <223> Any nucleotides <220> <221> misc_feature <222> (103)..(104) <223> Any nucleotides <400> 27 cacnttagen etttgetntt tetaenaenn ettetgteta aacetttttt gagtntnact tgcatacata gaaannctan nctgctaaag annnntatca agnnatggtt agtgtgtctg aaattcgcaa ggctcaaagg gcagaaggcc ctgcaacaat cttggccatt ggcactgcaa 180

atccagcaaa ccgtgttgat cagagcacat atcctgattt ctacttcaaa atcactaaca 240 gtgaacataa agttgagctc aaagagaaat tccagcgcat gtgtgataaa tctatgatca agagcagata catgtatcta acagaagaga ttttgaaaga aaatcctagt ctttgtgagc acatggcacc ttcattggat gctaggcaag acatggtggt ggttgaggta cctagacttg 420 ggaaggaggc tgcagtgaaa gctataaaag aatggggtca accaaagtca aagattactc acttaatctt ttgcaccaca agtggtgttg acatgcctgg tgctgattac caactcacaa 540 aactettagg tettegeeca tatgtgaaga ggtacatgat gtaccaacaa gggtgetttg 600 caggtgg 607 <210> 28 <211> 606 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (4)..(4)<223> Any nucleotide <220> <221> misc_feature <222> (40)...(40)<223> Any nucleotide <220> <221> misc_feature <222> (52)..(52) <223> Any nucleotide <400> 28 cacnttagec tttgetttte tacactette tgtetaaaen ttttttgagt tnacttgeat acatagaaac tactgctaaa gatatcaaga tggttagtgt gtctgaaatt cgcaaggctc aaagggcaga aggccctgca acaatcttgg ccattggcac tgcaaatcca gcaaaccgtg ttgatcagag cacatatcct gatttctact tcaaaatcac taacagtgaa cataaagttg agctcaaaga gaaattccag cgcatgtgtg ataaatctat gatcaagagc agatacatgt 300 atctaacaga agagattttg aaagaaaatc ctagtctttg tgagcacatg gcaccttcat

360

tggatgctag gcaagacatg gtggtggttg aggtacctag acttgggaag gaggctgcag tgaaagctat aaaagaatgg ggtcaaccaa agtcaaagat tactcactta atcttttgca ccacaagtgg tgttgacatg cctggtgctg attaccaact cacaaaactc ttaggtcttc gcccatatgt gaagaggtac atgatgtacc aacaagggtg ctttgcaggt gggacggttc 600 ttcgtt 606 <210> 29 <211> 594 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (4)..(4) <223> Any nucleotide <220> <221> misc_feature <222> (26)..(26) <223> Any nucleotide <220> <221> misc_feature <222> (32)..(33) <223> Any nucleotides <220> <221> misc_feature <222> (43)..(43) <223> Any nucleotide <220> <221> misc_feature <222> (53)..(53)<223> Any nucleotide <220> <221> misc_feature <222> (62)..(62) <223> Any nucleotide

<400> 29

gcanacactc tatccctttc ttttcntata anntacagta ctngcaataa acnactgaat

tnaattacat aaaaatctta ctattaagat atggtgagtg tatctgaaat tcgtaaggct 120

caaagggcag aaggccctgc aaccatttta gccattggta ctgcaaatcc agcaaaccgt gtagaccaga gcacatatcc tgatttctac ttcaaaatca ctaacagtga gcataaggtt gagcttaaag agaaattcca gcgcatgtgt gataaatcta tgatcaagag cagatacatg 300 tatctaacag aagagatttt gaaagaaaat cctagtcttt gtgaatacat ggcaccttca 360 ttggatgcta ggcaagacat ggtggtggtt gaggtaccta gactaggaaa ggaggctgca gtcaaggcca ttaaagaatg gggtcaacca aagtcaaaga ttactcactt aatcttttgc 480 accacaagtg gtgtagacat gcctggtgct gattaccaac tcacaaaact cttgggactt cgtccatatg tgaagaggtt catgatgtac caacaaggtt gttttgcagg aggc <210> 30 <211> <212> 708 DNA <213> Trifolium repens <220> <221> misc feature <222> (3)..(3) <223> Any nucleotide <220> <221> misc_feature <222> (52)..(52) <223> Any nucleotide <220> <221> misc_feature <222> (706)..(706) <223> Any nucleotide <400> 30 acnaaaacaa ctacgcatat tatatatata tatatagtct ataattgaaa gnaaactgct aaagatatta ttaagatatg gtgagtgtag ctgaaattcg caaggctcag agggctgaag catatcctga tttctacttc aaaattacaa acagtgagca caagactgag ctcaaagaga agttccaacg catgtgtgac aaatccatga tcaagagcag atacatgtat ctaacagaag agattttgaa agaaaatcct agtctttgtg aatacatggc accttcattg gatgctaggc 360

aagacatggt ggtggttgag gtacctagac ttgggaagga ggctgcagtc aaggccatta 420

aagaatgggg tcaaccaaag tcaaagatta ctcacttaat cttttgcacc acaagtggtg

ttgacatgcc tggtgctgat taccaactca caaaactctt aggtcttcgc ccatatgtga

aaaggtatat gatgtaccaa caaggttgtt ttgcaggagg cacggtgctt cgtttggcaa

aagatttggc cgagaacaac aaaggtgctc gtgtgctagt tgtttgttct gaagtcaccg 660

cagtcacatt tcgcggcccc agtgatactc acttggacag tcttgntg

<210> 31 <211> 407 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (4)..(4) <223> Any nucleotide

<220> <221> misc_feature

<222> (20)..(20) <223> Any nucleotide

<220>

<221> misc feature <222> (26)..(26) <223> Any nucleotide

<220>

<221> misc_feature <222> (28)..(28)

<223> Any nucleotide

<220>

<221> misc_feature <222> (41)..(42)

<223> Any nucleotides

<220>

<221> misc_feature <222> (73)...(73) <223> Any nucleotide

<220>

<221> misc_feature $\langle 222 \rangle (329) \dots (329)$

<223> Any nucleotide

```
<220>
<221> misc_feature
<222> (345)..(345)
<223> Any nucleotide
<220>
<221> misc feature
<222> (365)..(365)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (378)..(378)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (383)..(384)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (386)..(389)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (402)..(402)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (407)..(407)
<223> Any nucleotide
<400> 31
ccanggaaaa caacctccgn gcatantnta tatatatata nngtctataa ttgaaagaaa
ctactaaaga tanttattaa gatatggtga gtgtagctga aattcgcaag gctcagaggg
120
ctgaaggccc tgcaaccatt ttggccattg gcactgcaaa tccaccaaac cgtgttgagc
agagcacata tectgattte taetteaaaa ttacaaacag tgagcacaag aetgagetea
240
aagagaagtt ccaacgcatg tgtgacaaat ccatgatcaa gagcagatac atgtatctaa
cagaagagat tttgaaagaa aatcctagnc tttgtgaata catgncacct tcattggatg
ctagncaaga catggtgncg ccnnannnnc ccaccetece enegeen
407
```

```
<210> 32
<211> 483
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (2)..(2)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (21)..(21)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (37)..(37)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (388)..(388)
<223> Any nucleotide
<220>
<220>
<221> misc_feature
<222> (408)..(409)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (444)..(444)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (449)..(449)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (453)..(453)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (476)..(476)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (479)..(479)
<223> Any nucleotide
```

<220>

41/390

<221> misc_feature <222> (483)..(483)

<223> Any nucleotide

<400> 32

gnacaaaaac actcgcatat ncatatatct ctctctngtc tataattgaa agaaactgct

aaagatatta ttaagatatg gtgagtgtag ctgaaattcg caaggctcag agggctgaag

180

catatcctga tttctacttc aaaattacaa acagtgagca caagactgag ctcaaagaga 240

agttccaacg catgtgtgac aaatccatga tcaagagcag atacatgtat ctaacagaag

agattttgaa agaaaatcct agtctttgtg aatacatggc accttcattg gatgctaggc 360

aagacatggt ggtggttgag gtacctanac ttgggaagga ggctgcannc aaggccatta 420

aagaatgggg tcaaccaaag tcanagatna ctnacttaat cttttgcacc acaagnggng 480

ccn

483

<210> 33

<211> 586

<212> DNA <213> Trifolium repens

<220>

<221> misc_feature

<222> (14)..(14)

<223> Any nucleotide

<220>

<221> misc_feature <222> (20)..(20)

<223> Any nucleotide

<220>

<221> misc_feature

<222> (26)..(26) <223> Any nucleotide

<220>

<221> misc_feature

<222> (36)..(36)

<223> Any nucleotide

<220>

<221> misc_feature <222> (42)..(42)

<223> Any nucleotide <220> <221> misc_feature <222> (73)..(73) <223> Any nucleotide <400> 33 gcacaaaaac actncgctan ttatantata tatatntata tnatatataa ttgaaagaaa ctactaaaga tanttattaa gatatggtga gtgtagcaga aattcgcaag gctcagaggg 120 ctgaaggccc tgcaaccatt ttggccattg gcactgcaaa tccaccaaac cgtgttgagc 180 agagcacata tcctgatttc tacttcaaaa ttacaaacag tgagcacaag actgagctca aagagaagtt ccaacgcatg tgtgacaaat ccatgatcaa gagcagatac atgtatctaa cagaagagat tttgaaagaa aatcctagtc tttgtgaata catggcacct tcattggatg ctagacaaga catggtggtg gttgaggtac ctagacttgg gaaggaggct gcagtcaagg 420 ctatcaaaga atggggtcaa ccaaaatcta agattacaca tttgatcttt tgcaccacaa gtggtgtaga catgcctggt gctgattacc aactcacaaa actcttagga cttcgtccat atgtgaagag gtacatgatg taccaacaag ggtgctttgc aggtgg 586 <210> 34 <211> 574 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (3)..(3) <223> Any nucleotide <220> <221> misc_feature <222> (8)..(8) <223> Any nucleotide <220> <221> misc_feature <222> (11)..(11) <223> Any nucleotide <220> <221> misc_feature

```
<222> (18)..(19)
<223> Any nucleotides
<220>
<221> misc_feature <222> (28)..(28)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (30)..(31)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (34)..(35)
<223> Any nucleotides
<220> .
<221> misc_feature <222> (43)..(43)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (45)..(46)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (51)..(51)
<223> Any nucleotide
<400> 34
gcnacaanct ntaacttnnc ctgttatntn nacnnattga gtntnnaatt nacatacata
gcggaacata ctaaatacaa catggttagt gtttctgaaa ttcgcaaggc tcaaagggct
gaaggccctg caactatttt ggccattggc actgcaaatc cagcaaaccg tgttgatcag
180
agcacatatc ctgattttta cttcaaaatc actaacagtg agcataaggt tgagcttaaa
gagaaatttc agcgcatgtg tgataaatct atgatcaaga gcagatacat gtatctaaca
300
gaagagattt tgaaagaaaa tootagtott tgtgaataca tggcacottc attggatgot
360
aggcaagaca tggtggtggt tgaggtacct agacttggga aggaggctgc agtgaaagct
atcaaagaat ggggtcaacc aaagtcaaag attactcact taatcttttq caccacaagt
480
ggtgtagaca tgcctggagc tgattaccaa ctcacaaaac tcttaggtct tcgcccatat
```

```
540
```

gtgaagaggt acatgatgta ccaacaaggg tgct 574

- <210> 35
- <211> 604
- <212> DNA
- <213> Trifolium repens
- <220>
- <221> misc_feature
- <222> (32)..(32)
- <223> Any nucleotide

<400> 35

aaaacaaccc cgcatattat atatatatat angtctataa ttgaaagaaa ctgctaaaga

tattattaag atatggtgag tgtagctgaa attcgcaagg ctcagagggc tgaaggccct

gcaaccattt tggccattgg tactgcaaat ccaccaaacc gtgttgagcg gagcacatat 180

cctgatttct acttcaaaat tacaaacagt gagcacaaga ctgagctcaa agagaagttc 240

caacgcatgt gtgacaaatc catgatcaag agcagataca tgtatctaac agaagagatt 300

ttgaaagaaa atcctagtct ttgtgaatac atggcacctt cattggatgc taggcaagac 360

atggtggtgg ttgaggtacc tagacttggg aaggaggctg cagtgaaagc tatcaaagaa

tggggtcaac caaagtcaaa gattactcac ttaatctttt gcaccacaag tggtgtagac 480

atgcctggag ctgattacca actcacaaaa ctcttaggtc ttcgcccata tgtgaaaagg 540

tatatgatgt accaacaagg ttgttttgca ggaggcacgg tgcttcgttt ggcaaaagat 600

ttgg

604

- <210> 36
- <211> 570
- <212> DNA
- <213> Trifolium repens
- <220>
- <221> misc feature
- <222> (9)..(9)
- <223> Any nucleotide
- <220>
- <221> misc_feature
- <222> (37)..(37)

<223> Any nucleotide

<221> misc feature

<400> 36 caacaaccnt aacttcctgt tattaaccat tgagttnaat tacatacata gcggaacata ctaaatacaa catggttagt gtttctgaaa ttcgcaaggc tcaaagggct gaagqccctq caactatttt ggccattggt actgcaaatc cagcaaatcg tgttgaccag agtacatatc ctgatttcta cttcaaaatc actaacagtg agcataaggt tgagcttaaa gagaaatttc 240 agcgcatgtg tgataaatct atgatcaaga gcagatacat gtatctaaca gaagagattt tgaaagaaaa tcctagtctt tgtgaataca tggcaccttc attggatgct aggcaagaca tggtggtggt tgaggtacct agacttggga aggaggctgc agtgaaagct atcaaagaat 420 ggggtcaacc aaagtcaaag attactcact taatcttttg caccacaagt ggtgttgaca 480 tgcctggtgc cgattaccaa ctcacaaaac tcttaggtct tcgcccatat gtgaagaggt acatgatgta ccaacaaggg tgctttgcag 570 <210> 37 <211> 598 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (10)..(10) <223> Any nucleotide <220> <221> misc_feature <222> (17)..(18) <223> Any nucleotides <220> <221> misc_feature <222> $(26)^{-}$...(27)<223> Any nucleotides <220> <221> misc_feature <222> (29)..(30) <223> Any nucleotides <220>

<220>

<222> (34)..(34) <223> Any nucleotide <220> <221> misc_feature <222> (42)..(42)<223> Any nucleotide <220> <221> misc_feature <222> (44)..(45) <223> Any nucleotides <220> <221> misc_feature <222> (50)..(50) <223> Any nucleotide <220> <221> misc_feature <222> (67)..(67) <223> Any nucleotide <400> 37 caacaacctn taacttnncc tgttanntnn accnattgag tntnnaattn acatacatag cggaacntac taaatacaac atggttagtg tttctgaaat tcgcaaggct caaagggctg 120 aaggccctgc aactattttg gccattggta ctgcaaatcc agcaaatcgt gttgaccaga gtacatatcc tgatttctac ttcaaaatca ctaacagtga gcataaggtt gagcttaaag agaaatttca gcgcatgtgt gataaatcta tgatcaagag cagatacatg tatctaacag aagagatttt gaaagaaaat cctagtcttt gtgaatacat ggcaccttca ttggatgcta ggcaagacat ggtggtggtt gaggtaccta gacttgggaa ggaggctgca gtgaaagcta 420 tcaaagaatg gggtcaacca aagtcaaaga ttactcactt aatcttttgc accacaagtg gtgtagacat gcctggagct gattaccaac tcacaaaact cttaggtctt cgcccatatg 540 tgaagaggta catgatgtac caacaagggt gctttgcagg tgggacggtt cttcgttt <210> 38 <211> 609 <212> DNA Trifolium repens <213>

PCT/AU02/01345 47/390 <221> misc_feature <222> (3)..(3) <223> Any nucleotide <220> <221> misc_feature <222> (32)..(32) <223> Any nucleotide <220> <221> misc_feature <222> (34)..(34) <223> Any nucleotide <400> 38 ganaaaaaaa ctccgcatat tatatatata tntntatagt ctataattga aagaaactgc taaagatatt attaagatat ggtgagtgta gctgaaattc gcaaggctca gagggctgaa ggccctgcaa ccattttggc cattggcact gcaaatccac caaaccgtgt tgagcagagc 180 acatatcctg atttctactt caaaattaca aacagtgagc acaagactga gctcaaagag aagttccaac gcatgtgtga caaatccatg atcaagagca gatacatgta tctaacagaa 300 gagattttga aagaaaatcc tagtctttgt gaatacatgg caccttcatt ggatgctagg 360 caagacatgg tggtggttga ggtacctaga cttgggaagg aggctgcagt caaggccatt 420 aaagaatggg gtcaaccaaa gtcaaagatt actcacttaa tcttttgcac cacaagtggt gttgacatgc ctggtgctga ttaccaactc acaaaactct taggtcttcg cccatatgtg aaaaggtata tgatgtacca acaaggttgt tttgcaggag gcacggtgct tcgtttggca 600 aaagatttg 609 <210> <211> 39 390 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (8)..(8) <223> Any nucleotide

<220> <221> misc_feature $\langle 222 \rangle$ (37)...(37)

```
<223> Any nucleotide
 <220>
 <221> misc_feature
<222> (97)..(97)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (334)..(334)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (345)..(345)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (349)..(349)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (353)..(353)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (363)..(363)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (366)..(366)
<223> Any nucleotide
<220>
<220>
<221> misc_feature
<222> (369)..(369)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (371)..(371)
<223> Any nucleotide
<220>
<221> misc feature
<222> (376)..(376)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (380)..(380)
```

<223> Any nucleotide <220> <221> misc_feature <222> (390)..(390) <223> Any nucleotide <400> 39 aacaaccnat aacttcctgt tattaaccat tgagttnaat tacatacata gcggaacata ctaaatacaa catggttagt gtttctgaaa ttcgcanggc tcaaagggct gaaggccctg 120 caactatttt ggccattggt actgcaaatc cagcaaatcg tgttgaccag agtacatatc ctgatttcta cttcaaaatc actaacagtg agcataaggt tgagcttaaa gagaaatttc agegeatgtg tgataaatet atgateaaga geagataeat gtatetaaea gaagagattt tgaaagaaaa tcctagtctt tgtgaataca tggnaccttc attgnatgnt agncaagaca tgntgntgnc ngaggnaccn agacttqccn 390 <210> 40 <211> 561 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (15)..(16) <223> Any nucleotide <220> <221> misc_feature <222> (37)..(38) <223> Any nucleotides <220> <221> misc_feature <222> (69)..(69) <223> Any nucleotide <220> <221> misc feature <222> (485)..(485) <223> Any nucleotide <220> <221> misc_feature <222> (507)..(507) <223> Any nucleotide

WO 03/031622 PCT/AU02/01345

```
<220>
<221> misc_feature
<222> (511)..(511)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (520)..(520)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (530)..(530)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (543)..(543)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (554)..(554)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (557)..(558)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (561)..(561)
<223> Any nucleotide
<400> 40
aaaaaacaac ctacnngcat attatatata tatatanngt ctataattga aagaaactac
taaagatant tattaagata tggtgagtgt agctgaaatt cgcaaggctc agagggctga
120
aggccctgca accattttgg ccattggcac tgcaaatcca ccaaaccgtg ttgagcagag
180
cacatatcct gatttctact tcaaaattac aaacagtgag cacaagactg agctcaaaga
gaagttccaa cgcatgtgtg acaaatccat gatcaagagc agatacatgt atctaacaga
agagattttg aaagaaaatc ctagtctttg tgaatacatg gcaccttcat tggatgctag
360
acaagacatg gtggtggttg aggtacctag acttgggaag gaggctgcag tcaaggctat
420
caaagaatgg ggtcaaccaa aatctaagat tacacatttg atcttttgca ccacaagtgg
```

51/390

480

tgtanacatg cctggtgctg attaccnact ngcaaaactn ttaggacttn gcccatatgt

gangaggcgc gtgntgnncc n 561

- <210> 41 <211> 543 <212> DNA <213> Trifolium repens
- <220>
- <221> misc_feature
- <222> (1)..(2)
- <223> Any nucleotides
- <220>
- <221> misc_feature
- <222> (14)..(15)
- <223> Any nucleotides
- <220>

- <221> misc_feature
 <222> (20)..(20)
 <223> Any nucleotide
- <220>
- <221> misc_feature
- <222> (25)..(25) <223> Any nucleotide
- <220>
- <221> misc_feature
- <222> (28)..(28) <223> Any nucleotide
- <220>
- <221> misc_feature <222> (31)..(31)
- <223> Any nucleotide
- <220>

- <221> misc_feature
 <222> (40)..(40)
 <223> Any nucleotide
- <220>
- <221> misc_feature
- <222> (42)..(42) <223> Any nucleotide
- <220>
- <221> misc_feature
- <222> (48) ... (48)
- <223> Any nucleotide

52/390

<400> 41 nnaacctata actnnccctn ttatntanac ncattgagtn tnaaattnac atacatagcg gaacatacta aatacaacat ggttagtgtt tctgaaattc gcaaggctca aagggctgaa ggccctgcaa ctattttggc cattggtact gcaaatccag caaatcgtgt tgaccagagt 180 acatatcctg atttctactt caaaatcact aacagtgagc ataaggttga gcttaaagag aaatttcagc gcatgtgtga taaatctatg atcaagagca gatacatgta tctaacagaa gagattttga aagaaaatcc tagtctttgt gaatacatgg caccttcatt ggatgctagg caagacatgg tggtggttga ggtacctaga cttgggaagg aggctgcagt gaaagctatc aaagaatggg gtcaaccaaa gtcaaagatt actcacttaa tcttttgcac cacaagtggt 480 gttgacatgc ctggtgctga ttaccaactc acaaaactct taggtcttcg cccatatgtg 540 aag 543 <210> 42 <211> 437 <212> DNA <213> Trifolium repens <220> <221> misc_feature
<222> (3)..(3)
<223> Any nucleotide <220> <221> misc feature <222> (13)..(13) <223> Any nucleotide <220> <221> misc_feature <222> (16)..(16) <223> Any nucleotide <220> <221> misc_feature <222> (21)..(21) <223> Any nucleotide <220> <221> misc_feature <222> (30)..(31)

<223> Any nucleotides <220> <221> misc_feature
<222> (35)..(36)
<223> Any nucleotides <220> <221> misc_feature <222> (38)..(38) <223> Any nucleotide <220> <221> misc_feature <222> (41)..(42) <223> Any nucleotides <220> <221> misc_feature <222> (54)..(54) <223> Any nucleotide <220> <221> misc_feature
<222> (59)..(59)
<223> Any nucleotide <220> <221> misc_feature
<222> (373)..(373)
<223> Any nucleotide <220> <221> misc_feature
<222> (388)..(388)
<223> Any nucleotide <220> <221> misc_feature
<222> (394)..(394)
<223> Any nucleotide <220> <221> misc_feature
<222> (407)..(408)
<223> Any nucleotides <220> <221> misc feature <222> (434)..(434) <223> Any nucleotide <220> <221> misc_feature <222> (437)..(437)

<223> Any nucleotide

<221> misc_feature

<400> 42 ggntaaccaa ccntanactt ncctgttatn ncttnnanat nntacataca tagncagcna aacaaagata tcaacatatg gttagtgttt ctgaaattcg taaggctcaa agggcagaag gccctgcaac tattttggcc attggtactg caaatccagc aaaccgtgtt gatcagagta catatectga tttetaette aaaateaeta acagtgagea taaagttgag etcaaagaga aattccagcg catgtgtgat aaatctatga tcaagagcag atacatgtat ctaacagaag agattttgaa agaaaatcct agtctttgtg aatacatggc accttcattg gatgctaggc aagatatggt ggncgttgag gtacctanac ttgnaaagga ggctgcnntg aaggctatta 420 aagaatgggg ccanccn 437 <210> 43 <211> 607 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (13)..(13) <223> Any nucleotide <220> <221> misc_feature <222> (18)..(18) <223> Any nucleotide <220> <221> misc feature <222> (23)..(23) <223> Any nucleotide <220> <221> misc_feature <222> (29)..(29) <223> Any nucleotide <220> <221> misc_feature
<222> (32)..(32)
<223> Any nucleotide <220>

```
<222>
       (35)..(35)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (66)..(66)
<223> Any nucleotide
<400> 43
caacaaaaac acntcgcnat atntatatna tnttngtcta taattgaaag aaactgctaa
agatanttat taagatatgg tgagtgtagc tgaaattcgc aaggctcaga gggctgaagg
120
ccctgcaacc attttggcca ttggcactgc aaatccacca aaccgtgttg agcagagcac
atatcctgat ttctacttca aaattacaaa cagtgagcac aagactgagc tcaaagagaa
gttccaacgc atgtgtgaca aatccatgat caagagcaga tacatgtatc taacagaaga
gattttgaaa gaaaatccta gtctttgtga atacatggca ccttcattgg atgctaggca
360
agacatggtg gtggttgagg tacctagact tgggaaggag gctgcagtga aagctatcaa
agaatggggt caaccaaagt caaagattac tcacttaatc ttttgcacca caagtggtgt
480
agacatgeet ggagetgatt accaacteac aaaactetta ggtettegee catatgtgaa
aaggtatatg atgtaccaac aaggttgttt tgcaggaggc acggtgcttc gtttggcaaa
600
agatttg
607
<210> 44
<211> 581
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222>
      (7)..(7)
<223> Any nucleotide
<220>
<221> misc feature
<222> (11)..(11)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (17)..(17)
<223> Any nucleotide
```

PCT/AU02/01345

```
·<220>
<221> misc_feature <222> (29)..(29)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (33)..(33)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (64)..(64)
<223> Any nucleotide
<400> 44
aacactncgc natattntat atatatnt atngtctata attgaaagaa actgctaaag
atanttatta agatatggtg agtgtagctg aaattcgcaa ggctcagagg gctgaaggcc
ctgcaaccat tttggccatt ggcactgcaa atccaccaaa ccgtgttgag cagagcacat
180
atcctgattt ctacttcaaa attacaaaca gtgagcacaa gactgagctc aaagagaagt
240
tccaacgcat gtgtgacaaa tccatgatca agagcagata catgtatcta acagaagaga
ttttgaaaga aaatcctagt ctttgtgaat acatggcacc ttcattggat gctaggcaag
acatggtggt ggttgaggta cctagacttg ggaaggaggc tgcagtcaag gccattaaag
aatggggtca accaaagtca aagattactc acttaatctt ttgcaccaca agtggtgttg
acatgcctgg tgctgattac caactcacaa aactcttagg tcttcgccca tatgtgaaaa
540
ggtatatgat gtaccaacaa ggttgttttg caggaggcac g
581
<210> 45
<211> 588
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (9)..(10)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (16)..(16)
```

```
<223> Any nucleotide
<220>
<221> misc feature
<222> (20)..(20)
<223> Any nucleotide
<220>
<221> misc feature
<222> (25)..(28)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (32)..(33)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (63)..(63)
<223> Any nucleotide
<400> 45
aaacaaccnn ccgcantatn tatannnnta tnngtcataa ttgaaagaaa ctgctaaaga
tanttattaa gatatggtga gtgtagctga aattcgcaag gctcagaggg ctgaaggccc
tgcaaccatt ttggccattg gcactgcaaa tccaccaaac cgcgttgagc agagcacata
tcctgatttc tacttcaaaa ttacaaacag tgagcacaag actgagctca aagagaagtt
ccaacgcatg tgtgacaaat ccatgatcaa gagcagatac atgtatctaa cagaagagat
tttgaaagaa aatcctagtc tttgtgaata catggcacct tcattggatg ctaggcaaga
360
catggtggtg gttgaggtac ctagacttgg gaaggaggct gcagtcaagg ctatcaaaga
atggggtcaa ccaaaatcta agattacaca tttgatcttt tgcaccacaa gtggtgtaga
catgeetggt getgattace aacteacaaa actettggga ettegteeat atgtgaagag
attcatgatg taccaacaag gctgctttgc aggtgggacg gttcttcg
588
<210> 46
<211> 613
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
```

PCT/AU02/01345

<222> (5)..(5) <223> Any nucleotide <220> <221> misc_feature <222> (7)..(7) <223> Any nucleotide <220> <221> misc_feature <222> (12)..(13) <223> Any nucleotides <220> <221> misc_feature <222> (17)..(18) <223> Any nucleotides <220> <221> misc_feature <222> (20)..(22) <223> Any nucleotides <220> <221> misc_feature
<222> (24)..(24)
<223> Any nucleotide <220> <221> misc_feature
<222> (26)..(27)
<223> Any nucleotides <220> <221> misc_feature <222> (29)..(29) <223> Any nucleotide <220> <221> misc_feature <222> (50)..(50) <223> Any nucleotide <220> <221> misc_feature <222> (60)..(60) <223> Any nucleotide <400> 46 caacnenteg enntatnntn nntntnntng tetataattg aaagaaaetn etaaagatan ttattaagat atggtgagtg tagctgaaat tcgcaaggct cagagggctg aaggccctgc 120 aaccattttg gccattggca ctgcaaatcc accaaaccgt gttgagcaga gcacatatcc

180

360

tgatttctac ttcaaaatta caaacagtga gcacaagact gagctcaaag agaagttcca acgcatgtgt gacaaatcca tgatcaagag cagatacatg tatctaacag aagagatttt 300 gaaagaaaat cctagtcttt gtgaatacat ggcaccttca ttggatgcta ggcaagacat

ggtggtggtt gaggtaccta gacttgggaa ggaagctgca gtcaaggcca ttaaagaatg 420

gggtcagcca aagtcaaaga ttactcactt aatcttttgc accacaagtg gtgttgacat

gcctggagct gattaccaac tcacaaaact cttaggtctt cgcccatatg tgaaaaggta

tatgatgtac caacaaggtt gttttgcagg aggcacggtg cttcgtttgg caaaagattt 600

ggccgagaac aac 613

<210> 47 <211> 544 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (3)..(3)<223> Any nucleotide <220> <221> misc_feature <222> (6)..(6) <223> Any nucleotide

<220> <221> misc_feature <222> (20)..(21) <223> Any nucleotides

<400> ccnatnacct tcctgttatn ncttacatat actacataca tagcaggagc aaagatatca

acatatggtt actgtttctg aaattcgcaa ggctcaaagg gctgaaggcc ctgcaaccat 120

tttggccatt ggtactgcaa atccagcaaa ccgtgttgat cagagtacat atcctgattt

ctacttcaaa atcactaaca gtgagcataa ggttgagctc aaggagaaat tccagcgcat

gtgtgacaaa tctatgatca agagcagata catgtatcta acagaagaga ttttgaaaga 300

aaatcctagt ctttgtgaat acatggcacc ttcattggat gctaggcaag atatggtggt cgttgaggta cctagactgg gaaaggaagc tgcagtgaag gctattaaag aatggggtca 420 accaaagtca aagattactc acttaatctt ttgcactaca agtggtgtag acatgcctgg 480 tgctgattac cagctcacaa aactcttagg tcttcgccca tatgtgaaga ggtatatgat 540 gtat 544 <210> 48 <211> 555 <212> DNA <213> Trifolium repens <220> <221> misc feature <222> (4)..(5) <223> Any nucleotides <220> <221> misc_feature <222> (8)..(8) <223> Any nucleotide <220> <221> misc_feature <222> (11)..(11) <223> Any nucleotide <220> <221> misc_feature <222> (21)..(22) <223> Any nucleotides <220> <221> misc_feature <222> (513)..(513) <223> Any nucleotide <400> 48 accnnatnac ntactgttat nncttacata tactacatag caggactgca aaattcaagt atcaacatat ggttactgtt tctgaaattc gcaaggctca aagggctgaa ggccctgcaa ccattttggc cattggtact gcaaatccag caaaccgtgt tgatcagagt acatatcctg atttctactt caaaatcact aacagtgagc ataaggttga gctcaaggag aaattccagc gcatgtgtga taaatctatg atcaagagca gatacatgta tctaacagaa gagattttga 300

aagaaaatcc tagtctgtgt gagtacatgg caccttcatt ggatgctagg caagacatgg 360 ttgtggttga ggtacctaga cttggaaagg aggctgcagt caaggccatt aaagaatggg gtcaaccaaa gtcaaagatt actcacttaa tcttttgcac cacaagtggt gtagacatgc ctggtgctga ttaccaactc acaaaactct tangtcttcg tccatacgtg aagagggaca 540 tgatgtacca acaag <210> 49 <211> 570 <212> DNA <213> Trifolium repens <220> <221> misc feature <222> (3)..(3) <223> Any nucleotide <220> <221> misc_feature <222> (5)..(5) <223> Any nucleotide <220> <221> misc_feature <222> (13)..(13) <223> Any nucleotide <220> <221> misc_feature <222> (25)..(25) <223> Any nucleotide <220> <221> misc_feature <222> (58)..(58) <223> Any nucleotide <400> 49 acnenteget atnitatitat ataintagie tataatigaa agaaaciget aaagatanti attaagatat ggtgagtgta gctgaaattc gcaaggctca gagggctgaa ggccctgcaa 120 ccattttggc cattggcact gcaaatccac caaaccgtgt tgagcagagc acatatcctg atttctactt caaaattaca aacagtgagc acaagactga gctcaaagag aagttccaac 240 gcatgtgtga caaatccatg atcaagagca gatacatgta tctaacagaa gagattttga

300

aagaaaatcc tagtctttgt gaatacatgg caccttcatt ggatgctagg caagacatgg

tggtggttga ggtacctaga cttgggaagg aggctgcagt caaggccatt aaagaatggg 420

gtcaaccaaa gtcaaagatt actcacttaa tcttttgcac cacaagtggt gttgacatgc 480

ctggtgctga ttaccaactc acaaaactct taggtcttcg cccatatgtg aaaaggtata 540

tgatgtacca acaaggttgt tttgcaggag

- <210> 50
- <211> 546
- <212> DNA
- <213> Trifolium repens
- <220>
- <221> misc_feature
- <222> (6)..(6) <223> Any nucleotide
- <220>
- <221> misc_feature
- <222> (25)..(25)
- <223> Any nucleotide
- <220>
- <221> misc_feature
- <222> (35)..(35)
- <223> Any nucleotide
- <220>
- <221> misc_feature
- <222> (49)..(49)
- <223> Any nucleotide
- <400> 50

actatnacta ctgtttactt acatntactc atagnggact gcaagtatna gtataacata

tggttactgt ttctgaaatt cgcaaggctc aaagggctga aggccctgca accattttgg 120

ccattggtac tgcaaatcca gcaaaccgtg ttgatcagag tacatatcct gatttctact 180

tcaaaatcac taacagtgag cataaggttg agctcaagga gaaattccag cgcatgtgtg

ataaatctat gatcaagagc agatacatgt atctaacaga agagattttg aaagaaaatc 300

ctagtctgtg tgagtacatg gcaccttcat tggatgctag gcaagacatg gttgtggttg 360

aggtacctag acttggaaag gaggctgcag tcaaggccat taaagaatgg ggtcaaccaa agtcaaagat tactcactta atcttttgca ccacaagtgg tgtagacatg cctggtgctg attaccaact cacaaaactc ttaggtcttc gtccatacgt gaagaggtac atgatgtacc 540 aacaag 546 <210> 51 <211> 582 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (18)...(18)<223> Any nucleotide <220> <221> misc_feature <222> (22)..(22) <223> Any nucleotide <220> <221> misc_feature <222> (34)..(34) <223> Any nucleotide <400> acctaccttc ctgttatnct tnaattcata catngcagca aacaaagata taacatatgg ttagtgtatc tgaaattcgc aaggctcaaa gggcagaagg ccctgcaact attttggcca ttggtactgc aaatccagca aaccgtgttg atcaaagtac atatcctgat ttctacttca 180 aaatcactaa cagtgagcat aaggttgagc tcaaagagaa attccagcgc atgtgtgata aatctatgat caagagcaga tacatgtatc caacagaaga gattttgaaa gaaaatccta 300 gtctttgtga atacatggca ccttcattgg atgctagaca agacatggtg gtggttgagg 360 tacctagact tggaaaggag gctgcagtga aggccattaa agaatggggt caaccaaaat ctaagattac acatttgatc ttttgcacca caagtggtgt agacatgcct ggtgctgatt accageteae aaaactetta ggtettegte catatgtgaa aaggtatatg atgtaccaae aagggtgctt tgcaggtggg acggtgcttc gtttggccaa gg

582

<210> 52 <211> 649 <212> DNA <213> Trifolium repens <220> <221> misc_feature
<222> (3)..(3)
<223> Any nucleotide <220> <221> misc_feature <222> (21)..(21) <223> Any nucleotide <220> <221> misc_feature <222> (24)..(24) <223> Any nucleotide <220> <221> misc_feature
<222> (26)..(26)
<223> Any nucleotide <220> <221> misc_feature
<222> (40)..(40)
<223> Any nucleotide <220> <221> misc_feature <222> (45)..(45) <223> Any nucleotide <220> <221> misc_feature
<222> (80)..(81)
<223> Any nucleotides <220> <221> misc_feature
<222> (238)..(239)
<223> Any nucleotides <220> <221> misc_feature
<222> (469)..(469)
<223> Any nucleotide <220> <221> misc_feature <222> (578)..(578) <223> Any nucleotide

```
<220>
   <221> misc_feature
<222> (588)..(588)
   <223> Any nucleotide
   <220>
  <221> misc_feature
<222> (600)..(600)
<223> Any nucleotide
  <220>
  <221> misc_feature
<222> (610)..(610)
<223> Any nucleotide
  <220>
  <221> misc_feature
<222> (612)..(612)
<223> Any nucleotide
  <220>
 <221> misc_feature
<222> (618)..(618)
<223> Any nucleotide
  <220>
 <221> misc_feature
<222> (620)..(620)
<223> Any nucleotide
 <220>
 <221> misc_feature
<222> (626)..(626)
<223> Any nucleotide
 <220>
<221> misc_feature
<222> (637)..(637)
<223> Any nucleotide
 <220>
<221> misc_feature
<222> (640)..(640)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (649)..(649)
<223> Any nucleotide
<400> 52
acnacttcct gttatcactt ncananatta catacatagn cagcnaaaca aagatatcaa
catatggtta gtgtatctgn nattcgcaag gctcaaaggg cagaaggccc tgcaactatt
```

120

ttggccattg gtactgcaaa tccagcaaac cgtgttgatc aaagtacata tcctgatttc

tacttcaaaa tcactaacag tgagcataag gttgagctca aagagaaatt ccagcgcnng

tgtgataaat ctatgatcaa gagcagatac atgtatctaa cagaagagat tttgaaagaa

aatcctagtc tttgtgaata catggcacct tcattggatg ctagacaaga catggtggtg

gttgaggtac ctagacttgg aaaggaggct gcagtgaagg ccattaaaga atggggtcaa

ccaaaatcta agattacaca tttgatcttt tgcaccacaa gtggtgtana catgcctggt

gctgattacc agctcacaaa actcttaggt cttcgtccat atgtgaaaag ggatatgatg

taccaacaag ggtgctttgc aggtgggacc gtgcttcntt tggccaanga tttggccan

aacaacaaan gngctcgngn gttggntggt tggtctnaan tcaccgcan

<210> 53

<211> 521

<212> DNA

<213> Trifolium repens

<220>

<221> misc_feature

 $\langle 222 \rangle$ (2)...(2)

<223> Any nucleotide

<220>

<221> misc_feature

<222> (4)..(4)

<223> Any nucleotide

<220>

<221> misc_feature

<222> (8) .. (8)

<223> Any nucleotide

<400> 53

tntngtcnta ttgaagaaac tgctaagatt tttaagatat ggtgagtgta gctgaaattc

gcaaggetea gagggetgaa ggeeetgeaa eeattttgge eattggeaet geaaateeae

caaaccgtgt tgagcagagc acatatcctg atttctactt caaaattaca aacagtgagc

acaagactga gctcaaagag aagttccaac gcatgtgtga caaatccatg atcaagagca

WO 03/031622 67/390 gatacatgta totaacagaa gagattttga aagaaaatco tagtotttgt gaatacatgg caccttcatt ggatgctagg caagacatgg tggtggttga ggtacctaga cttgggaagg aggctgcagt gaaagctatc aaagaatggg gtcaaccaaa gtcaaagatt actcacttaa tcttttgcac cacaagtggt gtagacatgc ctggagctga ttaccaactc acaaaactct taggtetteg eccatatgtg aaaaggtata tgatgtacca a 521 <210> 54 <211> 506 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (2)..(2) <223> Any nucleotide <220> <221> misc_feature <222> (354)..(354) <223> Any nucleotide <220> <221> misc_feature <222> (356)..(356) <223> Any nucleotide <220> <221> misc_feature <222> (368)..(368) <223> Any nucleotide <220> <221> misc_feature <222> (376)..(376) <223> Any nucleotide <220> <221> misc_feature <222> (378)..(378) <223> Any nucleotide <220> <221> misc_feature <222> (386)..(386) <223> Any nucleotide

<220>

<221> misc_feature <222> (434)..(434)

WO 03/031622 PCT/AU02/01345 68/390 <223> Any nucleotide <220> <221> misc_feature <222> (469)..(469) <223> Any nucleotide <220> <221> misc_feature <222> (484)..(484) <223> Any nucleotide <220> <221> misc_feature <222> (491)..(491) <223> Any nucleotide <220> <221> misc feature <222> (503)..(503) <223> Any nucleotide <220> <221> misc_feature <222> (506)..(506) <223> Any nucleotide <400> 54 gngctaaaga tattattaag atatggtgag tgtagctgaa attcgcaagg ctcagagggc tgaaggccct gcaaccattt tggccattgg cactgcaaat ccaccaaacc gtgttgagca gagcacatat cctgatttct acttcaaaat tacaaacagt gagcacaaga ctgagctcaa agagaagttc caacgcatgt gtgacaaatc catgatcaag agcagataca tgtatctaac agaagagatt ttgaaagaaa atcctagtct ttgtgaatac atggcacctt cattggatgc taggcaagac atggtggtgg ttgaggtacc tagacttggg aaggaggctg cagncnaggc cattaaanaa tggggncnac caaagncaaa gattactcac ttaatctttt gcaccacaag tggtgctgac atgnctggtg ctgattacca actcacaaaa ctcttaggnc ttcccccata tgtnaaaagg natatgatgc ccncan 506 <210> 55

<210> 55 <211> 504 <212> DNA <213> Trifolium repens

```
<220>
    <221> misc_feature <222> (3)..(3)
    <223> Any nucleotide
    <220>
    <221> misc_feature
<222> (9)..(11)
<223> Any nucleotides
    <220>
   <221> misc_feature
<222> (14)..(14)
<223> Any nucleotide
   <220>
   <221> misc_feature
   <222> (20)..(20)
<223> Any nucleotide
   <220>
  <221> misc_feature
<222> (53)..(53)
<223> Any nucleotide
  <220>
  <221> misc_feature
<222> (374)..(374)
<223> Any nucleotide
  <220>
  <221> misc_feature
  <222> (395)..(395)
<223> Any nucleotide
 <220>
 <221> misc_feature
<222> (431)..(431)
 <223> Any nucleotide
 <220>
<221> misc_feature
<222> (466)..(467)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (473)..(473)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (504)..(504)
<223> Any nucleotide
```

<400> 55

gtnctaaann nttnttaagn aatggtgagt gtagctgaat tcgcaggctc agnaggctga

aggccctgca accattttgg ccattggcac tgcaaatcca ccaaaccgtg ttgagcagag

cacatateet gatttetaet teaaaattae aaacagtgag cacaagaetg ageteaaaga

gaagttccaa cgcatgtgtg acaaatccat gatcaagagc agatacatgt atctaacaga

agagattttg aaagaaaatc ctagtctttg tgaatacatg gcaccttcat tggatgctag

gcaagacatg gtggtggttg aggtacctag acttgggaag gaggctgcag tcaaggccat

taaagaatgg ggtnaaccaa agtgaaagat tactnactta atcttttgca ccacaagtgg

tgttgacatg nctggtgctg attaccaact cacaaaactc ttaggnnttg gcncatatgt

gaaaaggtct atgatgcacc aacn 504

<210> 56

<211> 782

<212> DNA

<213> Trifolium repens

<400> 56

gataagatat tattaagata tggtgagtgt agctgaaatt cgcaaggctc agagggctga

aggccctgca accattttgg ccattggcac tgcaaatcca ccaaaccgtg ttgagcagag

cacatateet gatttetaet teaaaattae aaacagtgag cacaagaetg ageteaaaga

gaagttccaa cgcatgtgtg acaaatccat gatcaagagc agatacatgt atctaacaga

agagattttg aaagaaaatc ctagtctttg tgaatacatg gcaccttcat tggatgctag

gcaagacatg gtggttggttg aggtacctag acttgggaag gaggctgcag tgaaagctat

caaagaatgg ggtcaaccaa agtcaaagat tactcactta atcttttgca ccacaagtgg

tgtagacatg cctggagctg attaccaact cacaaaactc ttaggtcttc gcccatatgt

gaaaaggtat atgatgtacc aacaaggttg ttttgcagga ggcacggtgc ttcgtttggc 540

aaaagatttg gccgagaaca acaaaggtgc tcgtgtgttg gttgtttgtt ctgaagtcac

tgcagttaca ttccgtggcc cgagtgacac tcacttggac agtcttgttg gacaagcatt gtttggagat ggagcagctg cacttatcgt tggttctgat ccagtgccag aaattgagaa accaatattt gagatggttt ggactgcaca aacaattgct ccagacagtg aaggtgccat tg 782 <210> 57 <211> 597 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (2)..(2) <223> Any nucleotide <220> <221> misc_feature <222> (9)..(10) <223> Any nucleotides <220> <221> misc_feature <222> (12)..(13) <223> Any nucleotides <220> <221> misc_feature <222> (15)..(15) <223> Any nucleotide <220> <221> misc_feature <222> (19)..(20) <223> Any nucleotides <400> 57 tnaagatann tnntnagann tggtgagtgt agcagaaatt cgcaaggctc agagggctga aggecetgea accattttgg ceattggeae tgeaaateea ecaaacegtg ttgageagag cacatatcct gatttctact tcaaaattac aaacagtgag cacaagactg agctcaaaga gaagttccaa cgcatgtgtg acaaatccat gatcaagagc agatacatgt atctaacaga agagattttg aaagaaaatc ctagtctttg tgaatacatg gcaccttcat tggatgctag acaagacatg gtggtggttg aggtacctag acttgggaag gaggctgcag tcaaggctat

caaagaatgg ggtcaaccaa aatctaagat tacacatttg atcttttgca ccacaagtgg

tgtagacatg cctggtgctg attaccaact cacaaaactc ttaggacttc gtccatatgt

gaagaggtac atgatgtacc aacaagggtg ctttgcaggt ggggcggttc ttcgtttggc 540

taaagatttg gccgagaaca acaaaggtgc tcgtgtgttg gttgtttgtt ctgaagt

- <210> 58
- <211> 590
- <212> DNA
- <213> Trifolium repens
- <220>
- <221> misc_feature
- <222> (3)..(3)
- <223> Any nucleotide
- <220>
- <221> misc_feature
- <222> (7)..(7)
- <223> Any nucleotide
- <400> 58

ggntcanagg gctgaaggcc ctgcaacctt ttggccgttg gcactgcaaa tccgcaaacc

gtgttgagca gagcacatat cctgatttct acttcaaaat tacaaacagt gagcacaaga

ctgagctcaa agagaagttc caacgcatgt gtgacaaatc catgatcaag agcagataca

tgtatctaac agaagagatt ttgaaagaaa atcctagtct ttgtgaatac atggcacctt

cattggatgc tagacaagac atggtggtgg ttgaggtacc tagacttggg aaggaggccg

cagtcaaggc tatcaaagaa tggggtcaac caaaatctaa gattacacat ttgatctttt 360

gcaccacaag tggtgtagac atgcctggtg ctgattacca actcacaaaa ctcttaggac

ttcgtccata tgtgaagagg tacatgatgt accaacaagg gtgctttgca ggtgggacgg

ttcttcgttt ggctaaagat ttggccgaga acaacaaagg tgctcgtgtg ttggttgttt 540

gttctgaagt aactgcagtc acattccgtg gcccgagtga cactcacttg

- <210> 59
- <211> 618
- <212> DNA

73/390 <213> Trifolium repens <220> <221> misc_feature <222> (13)..(13)<223> Any nucleotide <220> <221> misc_feature <222> (15)..(15) <223> Any nucleotide <220> <221> misc_feature <222> (41)..(41) <223> Any nucleotide <220> <221> misc_feature <222> (58)..(58) <223> Any nucleotide <400> 59 aaggeeetge aanenttttt ggeettggta etgeaaatee ngeaaategt gttgaeenga gtacatatcc tgatttctac ttcaaaatca ctaacagtga gcataagatt gagcttaaag agaaatttca gcgcatgtgt gataaatcta tgatcaagag cagatacatg tatctaacag aagagatttt gaaagaaaat cctagtcttt gtgaatacat ggcaccttca ttggatgcta ggcaagacat ggtggtggtt gaggtaccta gacttgggaa ggaggctgca gtgaaagcta tcaaagaatg gggtcaacca aagtcaaaga ttactcactt aatcttttgc accacaagtg gtgttgacat gcctggtgct gattaccaac tcacaaaact cttaggtctt cgcccatatg tgaagaggta catgatgtac caacaagggt gctttgcagg tgggacggtt cttcgtttgg ccaaggattt ggccgagaac aacaaaggtg ctcgtgtgtt ggttgtttgc tctgaagtaa ccgcagtcac attccgcggc cccagtgaca ctcatttgga cagccttgtt ggacaagcac tatttggaga tggagctg 618 <210> 60 <211> 619 <212> DNA <213> Trifolium repens

```
<220>
  <221> misc_feature
  <222> (13)..(14)
  <223> Any nucleotides
  <220>
  <221> misc_feature
  <222> (39)..(39)
  <223> Any nucleotide
  <400> 60
 ggccctgcaa ccnnttttgg ccttggtact gcaaatccng caaatcgtgt tgaccagagt
 acatatcctg atttctactt caaaatcact aacagtgagc ataaggttga gcttaaagag
 aaatttcagc gcatgtgtga taaatctatg atcaagagca gatacatgta tctaacagaa
 gagattttga aagaaaatcc tagtctttgt gaatacatgg caccttcatt ggatgctagg
 caagacatgg tggtggttga ggtacctaga cttgggaagg aggctgcagt gaaagctatc
 aaagaatggg gtcaaccaaa gtcaaagatt actcacttaa tcttttgcac cacaagtggt
 gttgacatgc ctggtgctga ttaccaactc acaaaactct taggtcttcg cccatatgtg
 aagaggtaca tgatgtacca acaagggtgc tttgcaggtg ggacggttct tcgtttggcc
 480
aaggatttgg ccgagaacaa caaaggtgct cgtgtgttgg ttgtttgctc tgaagtaacc
gcagtcacat tccgcggccc cagtgacact catttggaca gccttgttgg acaagcacta
tttggagatg gagctgctg
619
<210> 61
<211> 559
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (27)..(28)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (559)..(559)
<223> Any nucleotide
<400> 61
```

ataaggctga gcttaaagag aaatttnngc gcatgtgtga taaatctatg atcaagagca

gatacatgta tctaacagaa gagattttga aagaaaatcc tagtctttgt gaatacatgg

caccttcatt ggatgctagg caagacatgg tggtggttga ggtacctaga cttgggaagg

aggctgcagt gaaagctatc aaagaatggg gtcaaccaaa gtcaaagatt actcacttaa

tcttttgcac cacaagtggt gtagacatgc ctggagctga ttaccaactc acaaaactct

taggtetteg eccatatgtg aagaggtaca tgatgtacca acaagggtge tttgcaggtg

ggacggttct tcgtttggcc aaggatttgg ccgagaacaa caaaggtgct cgtgtgttgg

ttgtttgctc tgaagtaacc gcagtcacat tccgcggccc cagtgacact catttggaca

gtcttgttgg acaagcacta ttcggagatg gagctgctgc actcattgtt ggctcagacc 540

cagtaccaga aattgagan 559

<210> 62

<211> 553

<212> DNA

<213> Trifolium repens

<400> 62

atcaagagca gatacatgta tctaacagaa gagattttga aagaaaatcc tagtctgtgt

gagtacatgg caccttcatt ggatgctagg caagacatgg ttgtggttga ggtacctaga

cttggaaagg aggctgcagt caaggccatt aaagaatggg gtcaaccaaa gtcaaagatt

actcacttaa tottttgcac cacaagtggt gtagacatgc ctggtgctga ttaccaactc

acaaaactct taggtcttcg tccatacgtg aagaggtaca tgatgtacca acaagggtgc

tttgcaggtg ggacggtgct tcgtttggcc aaggatttgg ccgagaacaa caaaggtgct

cgtgtgttgg ttgtttgttc tgaagtcacc gcagtcacat tccgtggccc tagtgacact

catttggaca gtcttgttgg acaagcacta tttggagatg gagctgctgc tctcattgtt 480

ggttctgatc cagtaccaga aattgagaag ccaatatttg agatggtatg gaccgcacag

acaattgctc cag 553

WO 03/031622 PCT/AU02/01345

```
<210> 63
  <211> 591
<212> DNA
<213> Trifolium repens
  <220>
  <221> misc_feature
  <222> (5)..(5)
  <223> Any nucleotide
  <220>
  <221> misc_feature
<222> (18)..(18)
  <223> Any nucleotide
  <220>
 <221> misc_feature
<222> (22)..(22)
<223> Any nucleotide
  <220>
  <221> misc_feature
 <222> (33)..(33)
<223> Any nucleotide
 <220>
 <221> misc_feature
<222> (35)..(35)
 <223> Any nucleotide
 <400> 63
 gcttnaagaa tggggacnac cnaaatctaa gantncacat ttgatctttt gcaccacaag
 tggtgtagac atgcctggtg ctgattacca gctcacaaaa ctcttaggtc ttcgcccata
 120
tgtgaagagg tatatgatgt atcaacaagg ttgctttgca ggaggcacgg tgcttcgttt
ggctaaagat ttggccgaga acaacaaagg tgctcgtgtg ctagttgttt gttctgaagt
aacagcagtc acattccgcg gtccaagtga cactcacttg gacagtcttg ttggacaagc
actattcgga gatggagctg ctgctctcat tgttggctca gaccctgtac cagaaatcga
gaaacctata tttgagatgg tatggaccgc acagacaatt gctccggaca gtgaaggtgc
cattgatggt caccttcgtg aagctggact aacatttcat cttcttaaag atgttcctgg
gattgtatca aagaacatta ataaagcatt ggtcgaggct ttccaaccat taggaatttc
tgattacaac tcaatctttt ggattgcaca cccgggtgga cctgcaattc t
```

634

PCT/AU02/01345

77/390

```
<210> 64
  <211>
        634
  <212>
         DNA
  <213> Trifolium repens
  <220>
  <221> misc_feature
  <222> (7)..(7)
  <223> Any nucleotide
  <220>
  <221> misc_feature
<222> (9)..(9)
  <223> Any nucleotide
  <220>
 <221> misc_feature
  <222>
        (18)...(18)
 <223> Any nucleotide
 <220>
 <221> misc_feature
 <222> (26)..(26)
 <223> Any nucleotide
 <400> 64
 tcttcgncna gctggacnaa catttntgct tcttaaagat gttcctgaga ttgtctcaaa
 gaacattgat aaggcattgg ttgaggcatt ccaaccatta aacatctctg attacaattc
 aatcttttgg attgctcatc caggtggtcc tgcaattcta gaccaagttg agataaagtt
 gggcttaaaa cctgaaaaaa tgaaggccac cagagatgta cttagtgaat atggtaacat
gtcaagtgca tgtgtattgt tcatcttaga tgagatgcaa aagaaatcgg ctgaaaatgg
actgaaaacc acaggagaag gacttgactg gggtgtgttg tttggatttg gaccaggact
taccattgaa actgttgttc tacatagtgt ggctatatga gaatgcgaga cttgattgtt
ttgtattgta ttgtattgta ttgtattact tttaatcttg cttgaatttc catttaacaa
taaatatgga gttcaataag taccatcagt gttaaaataa tatatcgtta atagctatta
aaataaatat tgtcctctta actgaaaaaa aaaa
```

```
WO 03/031622
  <210> 65
<211> 132
<212> PRT
 <213> Trifolium repens
  <220>
  <221> MISC_FEATURE
  <222> (3)..(3)
<223> Any amino acid
  <220>
  <221> MISC FEATURE
 <222> (6)..(6)
<223> Any amino acid
```

<220>

<221> MISC_FEATURE <222> (9)..(9)

<223> Any amino acid

<400> 65

Leu Arg Xaa Ala Gly Xaa Thr Phe Xaa Leu Leu Lys Asp Val Pro Glu

Ile Val Ser Lys Asn Ile Asp Lys Ala Leu Val Glu Ala Phe Gln Pro

Leu Asn Ile Ser Asp Tyr Asn Ser Ile Phe Trp Ile Ala His Pro Gly

Gly Pro Ala Ile Leu Asp Gln Val Glu Ile Lys Leu Gly Leu Lys Pro 55

Glu Lys Met Lys Ala Thr Arg Asp Val Leu Ser Glu Tyr Gly Asn Met 70 75

Ser Ser Ala Cys Val Leu Phe Ile Leu Asp Glu Met Gln Lys Lys Ser 90 95

Ala Glu Asn Gly Leu Lys Thr Thr Gly Glu Gly Leu Asp Trp Gly Val

Leu Phe Gly Phe Gly Pro Gly Leu Thr Ile Glu Thr Val Val Leu His 125

Ser Val Ala Ile 130

<210> 66 <211> 491

<212> DNA

<213> Trifolium repens

```
<220>
    <221> misc_feature
    <222> (7)..(7)
    <223> Any nucleotide
    <220>
   <220>
<221> misc_feature
<222> (9)..(9)
<223> Any nucleotide
   <220>
   <221> misc_feature
<222> (18)..(18)
<223> Any nucleotide
   <220>
  <221> misc_feature
<222> (26)..(26)
<223> Any nucleotide
  <220>
  <221> misc_feature
<222> (429)..(429)
  <223> Any nucleotide
  <220>
 <221> misc_feature
<222> (452)..(452)
<223> Any nucleotide
 <220>
 <221> misc_feature
<222> (468)..(468)
<223> Any nucleotide
 <220>
 <221> misc_feature
<222> (480)..(480)
<223> Any nucleotide
 <220>
<221> misc_feature
<222> (482)..(482)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (486)..(486)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (488)..(488)
<223> Any nucleotide
```

80/390 <220> <221> misc_feature <222> (491)..(491)<223> Any nucleotide <400> 66 tettegnena getggaenaa eattintget tettaaagat giteetgaga tigteteaaa gaacattgat aaggcattgg ttgaggcatt ccaaccatta aacatctctg attacaattc aatcttttgg attgctcatc caggtggtcc tgcaattcta gaccaagttg agataaagtt gggcttaaaa cctgaaaaaa tgaaggccac cagagatgta cttagtgaat atggtaacat acttaaaacc acaggagaag gacttgactg gggtgtgttg tttggatttg ggcccggact taccattgaa actgttgttc tacatagtgt ggctatatga gaatgagaga cttgatttgt ttttattgna ttgtattact ttaaatcttg gntgaacttc catttaanaa taagtatggn gntcantntg n 491 <210> 67 <211> 363 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (22)..(22) <223> Any nucleotide <400> 67 gagatgcaca agaaatcggc tnaaaatgga ctgaaaacca caggagaagg acttgactgg ggtgtgttgt ttggatttgg accaggactt accattgaaa ctgttgttct acatagtgtg ttaatcttgc ttgaatttcc atttaacaat aaatatggag ttcaataagt accatcagtg ttaaaataat atatcgttaa tagctattat tttagtgtct gtttcttttt actaaactat attttatttt agtatttgct attgatttga aataaatatt gtcctcttaa ctgaaaaaaa

aaa

360

PCT/AU02/01345 81/390

363 <210> 68 <211> 363 <212> DNA <213> Trifolium repens <400> 68 gagatgccta agaaatcggc tcaaaatgga ctgaaaacca caggagaagg acttgactgg ggtgtgttgt ttggatttgg accaggactt accattgaaa ctgttgttct acatagtgtg ttaatcttgc ttgaatttcc atttaacaat aaatatggag ttcaataagt accatcagtg ttaaaataat atatcgttaa tagctattat tttagtgtct gtttcttttt actaaactat attttatttt agtatttgct attgatttga aataaatatt gtcctcttaa ctgaaaaaaa aaa 363 <210> 69 <211> 897 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (2)..(2) <223> Any nucleotide <220> <221> misc_feature <222> (26)..(26) <223> Any nucleotide <220> <221> misc_feature <222> (33)...(33) <223> Any nucleotide <400> 69 gnttcaatct gttgtgcata aaattncttt gcnatagaaa accatacaca tttgatcttg

caaagaagaa atatgggaga cgaaggtata gtgagaggtg tcacaaagca gacaacccct

gggaaggcta ctatattggc tcttggcaag gcattccctc accaacttgt gatgcaagag

tatttagttg atggttattt tagggacact aattgtgaca atcctgaact taagcagaaa

cttgctagac tttgtaagac aaccacggta aaaacaaggt atgttgttat gaatgaggag

atactaaaga aatatccaga acttgttgtc gaaggcgcct caactgtaaa acaacgttta

gagatatgta atgaggcagt aacacaaatg gcaattgaag cttcccaagt ttgcctaaag

aattggggta gatccttatc ggacataact catgtggttt atgtttcatc tagtgaagct

agattacccg gtggtgacct atacttgtca aaaggactag gactaaaccc taaaattcaa

agaaccatgc tctatttctc tggatgctcg ggaggcgtag ccggccttcg cgttgcgaaa

gacatagctg agaacaaccc tggaagtaga gttttgcttg ctacttctga aactacaatt

attggattca agccaccaag tgttgataga ccttatgatc ttgttggtgt ggcactcttt

ggagatggtg ctggtgctat gataattggc tcagacccaa tacttgaaac tgagactcca 780

ttgtttgagc ttcatacttc agctcaggag tttataccag acacagagaa gaaaatagat

gggcggctga cggaggaggg cataagtttc acgctagcga gggaactgcc gcagata

<210> 70

<211> 275

<212> PRT

<213> Trifolium repens

<400> 70

Gly Lys Ala Thr Ile Leu Ala Leu Gly Lys Ala Phe Pro His Gln Leu 20 25 30

Val Met Gln Glu Tyr Leu Val Asp Gly Tyr Phe Arg Asp Thr Asn Cys 35 40 45

Asp Asn Pro Glu Leu Lys Gln Lys Leu Ala Arg Leu Cys Lys Thr Thr 50 55 60

Thr Val Lys Thr Arg Tyr Val Val Met Asn Glu Glu Ile Leu Lys Lys 65 70 75 80

Tyr Pro Glu Leu Val Val Glu Gly Ala Ser Thr Val Lys Gln Arg Leu 85 90 95

Glu Ile Cys Asn Glu Ala Val Thr Gln Met Ala Ile Glu Ala Ser Gln 105

Val Cys Leu Lys Asn Trp Gly Arg Ser Leu Ser Asp Ile Thr His Val

Val Tyr Val Ser Ser Ser Glu Ala Arg Leu Pro Gly Gly Asp Leu Tyr 140

Leu Ser Lys Gly Leu Gly Leu Asn Pro Lys Ile Gln Arg Thr Met Leu

Tyr Phe Ser Gly Cys Ser Gly Gly Val Ala Gly Leu Arg Val Ala Lys

Asp Ile Ala Glu Asn Asn Pro Gly Ser Arg Val Leu Leu Ala Thr Ser 185

Glu Thr Thr Ile Ile Gly Phe Lys Pro Pro Ser Val Asp Arg Pro Tyr 200

Asp Leu Val Gly Val Ala Leu Phe Gly Asp Gly Ala Gly Ala Met Ile 215

Ile Gly Ser Asp Pro Ile Leu Glu Thr Glu Thr Pro Leu Phe Glu Leu 235

His Thr Ser Ala Gln Glu Phe Ile Pro Asp Thr Glu Lys Lys Ile Asp

Gly Arg Leu Thr Glu Glu Gly Ile Ser Phe Thr Leu Ala Arg Glu Leu

Pro Gln Ile 275

<210> 71

<211> 577

<212> DNA

<213> Trifolium repens

<220>

<221> misc_feature <222> (2)..(2)

<223> Any nucleotide

<220>

<221> misc_feature

<222> (26)..(26) <223> Any nucleotide

<220>

```
84/390
   <221> misc_feature
   <222> (33)...(33)
  <223> Any nucleotide
  <220>
  <221> misc_feature
  <222> (43)..(43)
  <223> Any nucleotide
  <400> 71
  gnttcaatct gttgtgcata aaattncttt gcnatagaaa acnctacaca tttgatcttg
  caaagaagaa atatgggaga cgaaggtata gtgagaggtg tcacaaagca gacaacccct
  gggaaggcta ctatattggc tcttggcaag gcattccctc accaacttgt gatgcaagag
  tgtttagttg atggttattt tagggacact aattgtgaca atcctgaact taagcagaaa
 cttgctagac tttgtaagac aaccacggta aaaacaaggt atgttgttat gaatgaggag
 atactaaaga aatatccaga acttgttgtc gaaggcgcct caactgtaaa acaacgttta
 gagatatgta atgaggcagt aacacaaatg gcaattgaag cttcccaagt ttgcctaaag
 aattggggta gatccttatc ggacataact catgtggttt atgtttcatc tagtgaagct
 agattacccg gtggtgacct atacttgtca aaaggactag gactaaaccc taaaattcaa
 agaaccatgc tctatttctc tggatgctcg ggaggcg
 <210> 72
 <211> 599
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222>
       (12)..(12)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (20)..(20)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (23)..(23)
<223> Any nucleotide
```

WO 03/031622 PCT/AU02/01345

- -----

<220>

<221> misc_feature

<222> (30)...(30)

<223> Any nucleotide

<400> 72

tcaatctgtt gngcattttn ttnctttgcn atagaaaacc atacacattt gatcttgctt

agaagaaata tgggagacga aggtatagtg agaggtgtca caaagcagac aacccctggg

aaggctacta tattggctct tggcaaggca ttccctcacc aacttgtgat gcaagagtgt

ttagttgatg gttattttag ggacactaat tgtgacaatc ctgaacttaa gcagaaactt

gctagacttt gtaagacaac cacggtaaaa acaaggtatg ttgttatgaa tgaggagata

ctaaagaaat atccagaact tgttgtcgaa ggcgcctcaa ctgtaaaaca acgtttagag

atatgtaatg aggcagtaac acaaatggca attgaagctt cccaagtttg cctaaagaat

tggggtagat ccttatcgga cataactcat gtggtttatg tttcatctag tgaagctaga

ttacccggtg gtgacctata cttgtcaaaa ggactaggac taaaccctaa aattcaaaga

accatgetet atttetetgg atgeteggga ggegtageeg geettegegt tgegaaaga

<210> 73

<211> 581

<212> DNA

<213> Trifolium repens

<220>

<221> misc_feature

<222> (10)..(11) <223> Any nucleotides

<220>

<221> misc_feature

<222> (19)..(19)

<223> Any nucleotide

<220>

<221> misc_feature

<222> (26)..(26)

<223> Any nucleotide

<400> 73

tctgttgtgn ntaacattnc tttccnttag aaaactatac acatttgatc ttgcaaagaa

gaaatatggg agacgaaggt atagtgagag gtgtcacaaa gcagacaacc cctgggaagg

PCT/AU02/01345

120

ctactatatt ggctcttggc aaggcattcc ctcaccaact tgtgatgcaa gagtatttag

ttgatggtta ttttagggac actaattgtg acaatcctga acttaagcag aaacttgcta

gactttgtaa gacaaccacg gtaaaaacaa ggtatgttgt tatgaatgag gagatactaa

agaaatatcc agaacttgtt gtcgaaggcg cctcaactgt aaaacaacgt ttagagatat

gtaatgaggc agtaacacaa atggcaattg aagcttccca agtttgccta aagaattggg

gtagatcctt atcggacata actcatgtgg tttatgtttc atctagtgaa gctagattac

ccggtggtga cctatacttg tcaaaaggac taggactaaa ccctaaaatt caaagaacca

tgctctattt ctctggatgc tcgggaggcg tagccggcct t

- <210> 74
- <211> 588
- <212> DNA
- <213> Trifolium repens
- <220>
- <221> misc_feature
- <222> (11)..(11) <223> Any nucleotide
- <220>
- <221> misc_feature
- <222> (13)..(13)
- <223> Any nucleotide
- <220>
- <221> misc_feature
- <222> (25)..(27)
- <223> Any nucleotides
- <220>

- <221> misc_feature
 <222> (36)..(36)
 <223> Any nucleotide
- <400> 74

tctgttgtgc ntnaaattac tttgnnntag aaaacnctac acatttgatc ttgcaaagaa

gaaatatggg agacgaaggt atagtgagag gtgtcacaaa gcagacaacc cctgggaagg

ctactatatt ggctcttggc aaggcattcc ctcaccaact tgtgatgcaa gagtgtttag

ttgatggtta ttttagggac actaattgtg acaatcctga acttaagcag aaacttgcta

gactttgtaa gacaaccacg gtaaaaacaa ggtatgttgt tatgaatgag gagatactaa

agaaatatcc agaacttgtt gtcgaaggcg cctcaactgt aaaacaacgt ttagagatat

gtaatgaggc agtaacacaa atggcaattg aagcttccca agtttgccta aagaattggg

gtagatcctt atcggacata actcatgtgg tttatgtttc atctagtgaa gctagattac 480

ccggtggtga cctatacttg tcaaaaggac taggactaaa ccctaaaatt caaagaacca

tgctctattt ctctggatgc tcgggaggcg tagccggcct tcgcgttg 588

<210> 75

<211> 563

<212> DNA

<213> Trifolium repens

<400> 75

ttaacatttt tttattgtag aaaatataca tttgatctag caaagaagaa atatgggaga

cgaaggtata gtgagaggtg tcacaaggca gccaacccct gggaaggcta ctatattggc

tcttggcaag gcattccctc accaacttgt gatgcaagag tatttagttg atggttattt

tagggacact aattgtgaca atcctaagct taagcagaaa cttgctagac tttgcaagac 240

aaccacagtg aaaacaaggt atgttgttat gaatgaagag atactaaaga aatatccaga

acttactatc ggaggcacct cgacggtaaa acaacattta gagatatgta atgaggcagt

aacacaaatg gcaattgaag cttcccaagt ttgcctaaag aattggggta gacccatatc 420

agacataact catgtggttt atgtttcatc tagtgaagct agattacctg gtggtgacct 480

atacttgtca aaaggactag gactaaaccc taaaattcaa agaaccatgc tctatttctc 540

gggatgctcg ggaggcgtag ccg 563

<210> 76

<211> 603

<212> DNA

<213> Trifolium repens

<220>

<221> misc_feature

WO 03/031622 88/390 <222> (4)..(4) <223> Any nucleotide <400> 76 gcantagaaa accctacaca tttgatcttg caaagaagaa atatgggaga cgaatgtata gtgagaggtg tcacaaagca gacaacccct gggaaggcta ctatattggc tcttggcaag gcattccctc accaacttgt gatgcaagag tatttagttg atggttattt tagggacact aattgtgaca atcctgacct taagcagaaa cttgctagac tttgtaagac aaccacggta aaaacaaggt atgttgttat gaatgaggag atactaaaga aatatccaga acttgttgtc gaaggcgcct caactgtaaa acaacgttta gagatatgta atgaggcagt aacacaaatg 360 gcaattgaag cttcccaagt ttgcctaaag aattggggta gatccttatc ggacataact 420 catgtggttt atgtttcatc tagtgaagct agattacccg gtggtgacct atacttgtca 480 aaaggactag gactaaaccc taaaattcaa agaaccatgc tctatttctc tggatgctcg ggaggcgtag ccggccttcg cgttgcgaaa gacatagctg agaacaaccc tggaagtaga 600 gtt 603 <210> 77 <211> 584 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (1)..(1) <223> Any nucleotide <220> <221> misc_feature
<222> (5)..(5)
<223> Any nucleotide

<220> <221> misc_feature <222> (40)..(40) <223> Any nucleotide

<400> 77 ntccngaact tactgtggaa ggcgcctcga ctgtaaaacn acgtttagag atatgtaatg

aggcagtaac acaaatggca attgaagctt cccaagtttg cctaaagaat tggggtagac

ccttatcaga cataactcat gtggtttatg tttcctctag tgaagctaga ttacccggtg

gtgacctata tttgtcaaaa ggactaggac taaatcctaa aattcaaaga accatgctct

atttctctgg atgctcagga ggcgtagccg gccttcgcgt tgcgaaagac atagctgaga

acaaccctgg aagtagagtt ttgcttgcta cttctgaaac tacaattatt ggattcaagc

caccaagtgt tgatagacct tatgatcttg ttggtgtggc actctttgga gatggtgctg

gtgctatgat aattggctca gacccaatac ttgaaactga gactccattg tttgagcttc 480

atacttcagc tcaggagttt ataccagaca cagagaagaa aatagatggg cggctgacgg

aggagggcat aagtttcacg ctagcgaggg aactgccgca gata 584

<210> 78

<211> 735

<212> DNA

<213> Trifolium repens

<220>

<221> misc_feature

 $\langle 222 \rangle (47) \dots (47)$

<223> Any nucleotide

<400> 78

gtagcaacac acactttgat ttctttttga gtccttgcta cgtggcntta ccaaaaaacg

ttgctaagtc atcaaccatt ccaattcctt aatataacct atcagtactc accatctttt

cttcctccct gctaacttta tacttagaga agatggtgaa agttaatgag atccgccagg

cacagagage tgaaggeest gecaetgtgt tggcaategg caetgeaact cetecaaact

gtgttgatca gagtacatac cccgactact acttccgcat cacaaacagt gagcacaaga

cagageteaa agaaaaatte cagegeatgt gtgacaaate tatgattaag aagagataca

tgcatttgac agaagagatt ttgaaggaga atccaagttt atgtgagtac atggcacctt 420

cattggatgc aagacaagac atggtggttg tggaagtacc aaggctagga aaagaggcag

caacaaaggc aatcaaggaa tggggtcaac ctaagtccaa gattacccac ctcatctttt

PCT/AU02/01345

gcaccacaag tggtgtggac atgcccggtg ccgactatca gcttacaaag cttttaggcc

ttcgtccgca tgtgaagcgt tacatgatgt accaacaagg ttgttttgct ggtggcacgg

tgcttcgttt ggctaaagac ttggctgaaa acaacaaagg tgcccgtgta ttggtggttt

gttcagagat aactg 735

<210> 79

<211> 194

<212> PRT

<213> Trifolium repens

<400> 79

Met Val Lys Val Asn Glu Ile Arg Gln Ala Gln Arg Ala Glu Gly Pro

Ala Thr Val Leu Ala Ile Gly Thr Ala Thr Pro Pro Asn Cys Val Asp

Gln Ser Thr Tyr Pro Asp Tyr Tyr Phe Arg Ile Thr Asn Ser Glu His

Lys Thr Glu Leu Lys Glu Lys Phe Gln Arg Met Cys Asp Lys Ser Met 55

Ile Lys Lys Arg Tyr Met His Leu Thr Glu Glu Ile Leu Lys Glu Asn 75

Pro Ser Leu Cys Glu Tyr Met Ala Pro Ser Leu Asp Ala Arg Gln Asp 90

Met Val Val Glu Val Pro Arg Leu Gly Lys Glu Ala Ala Thr Lys

Ala Ile Lys Glu Trp Gly Gln Pro Lys Ser Lys Ile Thr His Leu Ile 125

Phe Cys Thr Thr Ser Gly Val Asp Met Pro Gly Ala Asp Tyr Gln Leu

Thr Lys Leu Leu Gly Leu Arg Pro His Val Lys Arg Tyr Met Met Tyr

Gln Gln Gly Cys Phe Ala Gly Gly Thr Val Leu Arg Leu Ala Lys Asp 170 175

Leu Ala Glu Asn Asn Lys Gly Ala Arg Val Leu Val Val Cys Ser Glu

180 185 190

Ile Thr

<210> 80 <211> 574 <212> DNA

<213> Trifolium repens

<220>

<221> misc_feature <222> (47)..(47) <223> Any nucleotide

<400> 80

gtagcaacac acactttgat ttctttttga gtccttgcta cgtggcntta ccaaaaaacg

ttgctcactc atcaaccatt ccaattcctt aatataacct atcagtactt accatctttt

cttcctccct gctaacttta gaatcagaga agatggtgaa tgttaatgag atccgccagg

cacagagage tgaaggeest gecactgtgt tggcaategg cactgcaact cetecaaact

gtgtcgatca gagtacatac ccggactact acttccgcat cacaaacagt gagcacaaga

cagageteaa agaaaaatte cagegeatgt gtgacaaate tatgattaag aagagataca

tgcatttgac agaagagatt ttgaaggaga atccaagttt atgtgagtac atggcacctt

cattggatgc aagacaagac atggtggttg tggaagtacc aaggctagga aaagaggcag

caacaaaggc aattaaggaa tggggtcaac ctaagtccaa gattacccac ctcatctttt

gcaccaccag tggtgtcgac atgcccggtg ccgc 574

<210> 81 <211> 597

<212> DNA

<213> Trifolium repens

<400> 81

gtagcaacac acactttgat ttctttttga gtccttgcta cgtggcttta ccaaaaaacg

ttgctaagtc atcaaccatt ccaattcctt aatataacct atcagtactc accatctttt

cttcctccct gctaacttta gactcagaga agatggtgaa tgttaatgag atccgccagg

cacagagage tgaaggeest gecacegtgt tggcaategg cactgcaact cetecaaact

92/390 240 gtgtcgatca gagtacatac ccagactact acttccgcat cacaaacagt gagcacaaga cagageteaa agaaaaatte cagegeatgt gtgacaaate tatgattaag aagagataca tgcatttgac agaagagatt ttgaaggaga atccaagttt atgtgagtac atggcacctt cattggatgc aagacaagac atggtggttg tggaagtacc aaggctagga aaagaggctg caacaaaggc tatcaaggaa tggggtcaac ctaagtccaa gattactcac ctcatcttt gcaccacaag tggtgtggac atgcctggcg ccgactatca gcttacaaag cttttag 597 <210> 82 <211> 616 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> $(70)^{-}$. (70)<223> Any nucleotide <220> <221> misc_feature <222> (616)..(616) <223> Any nucleotide <400> 82 gtagcaacac acactttgat ttctttttga gtccttgcta cgtggcttta ccaaaaaacg ttgctaagtn atcaaccatt ccaattcctt aatataacct atcagtactc accatctttt cttcctccct gctaacttta gactcagaga agatggtgaa tgttaatgag atccgccagg cacagagage tgaaggeeet gecacegtgt tggcaategg caetgeaact cetecaaact

gtgtcgatca gagtacatac ccagactact acttccgcat cacaaacagt gagcacaaga

cagageteaa agaaaaatte cagegeatgt gtgacaaate tatgattaag aagagataca 360

tgcatttgac agaagagatt ttgaaggaga atccaagttt atgtgagtac atggcacctt

cattggatgc aagacaagac atggtggttg tggaagtacc aaggctagga aaagaggctg

caacaaaggc tatcaaggaa tggggtcaac ctaagtccaa gattactcac ctcatcttt

gcaccacaag tggtgtggac atgcctggcg ccgactatca gcttacaaag cttttaggcc ttcgtccgca tgtgan 616 <210> 83 <211> 585 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (1)..(3) <223> Any nucleotides <220> <221> misc_feature <222> (7)..(7) <223> Any nucleotide <220> <221> misc_feature <222> (20)..(20) <223> Any nucleotide <220> <221> misc_feature <222> (37)..(37) <223> Any nucleotide <220> <221> misc_feature <222> (61)..(61) <223> Any nucleotide <220> <221> misc_feature <222> (451)..(451) <223> Any nucleotide <220> <221> misc_feature <222> (507)..(507) <223> Any nucleotide <400> 83 nnncacncac acttttttgn atccctgcta cgtggcntta ccaaaaaacg ttgctaagtc ntcaaccatt ccaattcctt aatataacct atcagtactc accatctttt cttcctccct gctaacttta gactcagaga agatggtgaa tgttaatgag atccgccagg cacagagagc tgaaggccct gccaccgtgt tggcaatcgg cactgcaact cctccaaact gtgttgatca

gagtacatac ccggactact acttccgcat cacaaacagt gagcacaaga cagagctcaa

agaaaaattc cagcgcatgt gtgacaaatc tatgattaag aagagataca tgcatttaac

agaagagatt ttgaaggaga atccaagttt atgtgagtac atggcacctt cattggatgc

aagacaagac atggtggttg tggaagtacc naggctagga aaagaggcag taacaaaggc

aattagggaa tggggtcaac ctaagtncaa gattacccac ctcatctttt gcaccaccag

tggtgtggac atgcccggtg ccgactatca gctcacaaag ctctt 585

<210> 84

<211> 596

<212> DNA

<213> Trifolium repens

<220>

<221> misc_feature

<222> (3)..(3)

<223> Any nculeotide

<220>

<221> misc_feature

<222> (14)..(14) <223> Any nculeotide

<220>

<221> misc_feature

<222> (37)..(37)

<223> Any nculeotide

<400> 84

ttnatcccct aatntagttt tcttctttgt tacttanaga atatggttac agttaatgag

atccgccagg cacagagagc tgaaggccct gcaactgtgt ttgcaatcgg cactgcaact

cctaaaaact gtgttgatca gagtacttac cccgactact atttccgaat cacaaacagc

gaacacaaga ctgaactcaa agaaaaattc cagcgcatgt gtgacaaatc tatgattaag

aagagataca tgcatttgac agaagagatt ttgaaggaga attcaagttt atgtgagtac

atggcacctt cattggatgc aagacaagac atggtggttg tggaagtacc aaggctagga

aaagaggctg caacaaaggc tatcaaggaa tggggtcaac ctaagtccaa gattactcac

ctcatctttt gcaccacaag tggtgtggac atgcctggtg ccgactatca gcttacaaag

480

cttttaggcc ttcgtccgca tgtgaagcgt tatatgatgt accaacaagg ttgttttgct

ggtggcacgg tgcttcgttt ggctaaagac ttggctgaaa acaacaaagg tgcccg 596

- <210> 85
- <211> 618
- <212> DNA
- <213> Trifolium repens
- <220>
- <221> misc_feature
- <222> (3)..(3)
- <223> Any nucleotide
- <220>
- <221> misc_feature
- <222> (6)..(6) <223> Any nucleotide
- <220>
- <221> misc_feature
- <222> (9)..(9)
- <223> Any nucleotide
- <220>
- <221> misc_feature
- <222> (14)..(14)
- <223> Any nucleotide
- <220>
- <221> misc_feature
- <222> (37)..(37)
- <223> Any nucleotide
- <400> 85

ttnatnccnt aatntagttt tcttctttgt tacttanaga atatggttac agttaatgag

atccgccagg cacagagagc tgaaggccct gcaactgtgt ttgcaatcgg cactgcaact

cctaaaaact gtgttgatca gagtacttac cccgactact atttccgaat cacaaacagc

gaacacaaga ctgaactcaa agaaaaattc cagcgcatgt gtgacaaatc tatgattaag 240

aagagataca tgcatttgac agaagagatt ttgaaggaga attcaagttt atgtgagtac

atggcacctt cattggatgc aagacaagac atggtggttg tggaagtacc aaggctagga 360

aaagaggctg caacaaaggc tatcaaggaa tggggtcaac ctaagtccaa gattactcac

ctcatctttt gcaccacaag tggtgtggac atgcctggtg ccgactatca gcttacaaag

cttttaggcc ttcgtccgca tgtgaagcgt tatatgatgt accaacaagg ttgttttgct 540

ggtggcacgg tgcttcgttt ggctaaagac ttggctgaaa acaacaaagg tgcccgtgta 600

ttggtggttt gttcagag 618

<210> 86 <211> 609

<212> DNA

<213> Trifolium repens

<220>

<221> misc_feature

<222> (4)..(4)

<223> Any nucleotide

<220>

<221> misc_feature

<222> (10)...(10)

<223> Any nucleotide

<220>

<221> misc_feature

<222> (32)...(33)

<223> Any nucleotides

<400> 86

tccnataatn tagttttctt ctttgttact tnnagaatat ggttacagtt aatgagatcc 60

gccaggcaca gagagctgaa ggccctgcaa ctgtgtttgc aatcggcact gcaactccta

aaaactgtgt tgatcagagt acttaccccg actactattt ccgaatcaca aacagcgaac 180

acaagactga actcaaagaa aaattccagc gcatgtgtga caaatctatg attaagaaga

gatacatgca tttgacagaa gagattttga aggagaattc aagtttatgt gagtacatgg

caccttcatt ggatgcaaga caagacatgg tggttgtgga agtaccaagg ctaggaaaag

aggetgeaac aaaggetate aaggaatggg gteaacetaa gteeaagatt acteacetea

tcttttgcac cacaagtggt gtggacatgc ctggtgccga ctatcagctt acaaagcttt 480

taggeetteg teegeatgtg aagegttata tgatgtacca acaaggttgt tttgetggtg

gcacggtgct tcgtttggct aaagacttgg ctgaaaacaa caaaggtgcc cgtgtattgg 600

... --- --- --- ---

```
tggtttgtt
   609
  <210> 87
  <211> 571
<212> DNA
  <213> Trifolium repens
  <220>
  <221> misc_feature
<222> (3)..(4)
<223> Any nucleotides
  <220>
  <221> misc_feature
<222> (14)..(14)
<223> Any nucleotide
  <220>
 <221> misc_feature
<222> (18)..(19)
<223> Any nucleotides
  <220>
 <221> misc_feature
<222> (22)..(22)
<223> Any nucleotide
 <220>
 <221> misc_feature
<222> (60)..(60)
<223> Any nucleotide
 <220>
<221> misc_feature
<222> (87)..(87)
<223> Any nucleotide
 <220>
<221> misc_feature
<222> (89)..(89)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (91)..(91)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (247)..(247)
<223> Any nucleotide
<220>
<221> misc_feature
```

WO 03/031622 PCT/AU02/01345

<222> (571)..(571) <223> Any nucleotide

<400> 87

gcnntaacct ttanaatnng anaagatggt gaaagttaat gagatccgcc aggcacagan

agctgaaggc cctgccactg tgttggnant nggcactgca actcctccaa actgtgtcga

tcagagtaca tacccggact actacttccg catcacaaac agtgagcaca agacagagct

caaagaaaaa ttccagcgca tgtgtgacaa atctatgatt aagaagagat acatgcattt

gacagangag attttgaagg agaatccaag tttatgtgag tacatggcac cttcattgga

tgcaagacaa gacatggtgg ttgtggaagt accaaggcta ggaaaagagg cagcaacaaa

ggcaattaag gaatggggcc aacctaagtc caagattacc cacctcatct tttgcaccac

cagtggtgtc gacatgcccg gtgccgacta tcagctcaca aagctcttag gcctgcgtcc

atatgtgaag cgttacatga tgtatcaaca aggttgtttt gctggtggca cggtgcttcg

tttggctaaa gacttggctg aaaacaacaa n 571

<210> 88

<211> 603

<212> DNA

<213> Trifolium repens

<220>

<221> misc_feature

<222> (2)..(4)

<223> Any nucleotides

<220>

<221> misc_feature
<222> (9)..(9)
<223> Any nucleotide

<220>

<221> misc_feature

<222> (13)...(14)

<223> Any nucleotides

<220>

<221> misc_feature

<222> (32)...(32)

<223> Any nucleotide

<220>

```
99/390
  <221> misc_feature
  <222>
        (567)..(567)
  <223> Any nucleotide
 <220>
 <221> misc_feature
 \langle 222 \rangle (594)...(594)
 <223> Any nucleotide
 <400> 88
 tnnntttana atnngagaag atggtgaaag tnaatgagat ccgccaggca cagagagctg
 aaggeeetge caetgtgttg geaateggea etgeaaetee teeaaaetgt gtegateaga
 gtacataccc ggactactac ttccgcatca caaacagtga gcacaagaca gagctcaaag
 aaaaattcca gcgcatgtgt gacaaatcta tgattaagaa gagatacatg catttgacag
 aagagatttt gaaggagaat ccaagtttat gtgagtacat ggcaccttca ttggatgcaa
 gacaagacat ggtggttgtg gaagtaccaa ggctaggaaa agaggcagca acaaaggcaa
 ttaaggaatg gggccaacct aagtccaaga ttacccacct catcttttgc accaccagtg
gtgtcgacat gcccggtgcc gactatcagc tcacaaagct cttaggcctg cgtccatatg
tgaagcgtta catgatgtat caacaaggtt gttttgctgg tggcacggtg cttcgtttgg
ctaaagactt ggctgaaaac aacaaangtg cccgtgtgtt ggtgggttgt tcanagataa
ctg
603
<210> 89
<211> 588
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222>
       (7)...(7)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (12)..(12)
<223> Any nucleotide
<220>
<221> misc_feature
<222>
      (43)..(43)
```

100/390 <223> Any nucleotide <220> <221> misc_feature <222> (68)..(68) <223> Any nucleotide <400> 89 tttgttnatt gnagaatatg gttacagtta atgagatccg ccnggcacaa agagccgaag gecetgence tgtgtttgca ateggeactg caacteetaa aaactgtgtt gateagagta cttaccccga ctactatttc cgaatcacaa acagcgaaca caagactgag ctcaaagaaa aattccagcg catgtgtgac aaatctatga ttaagaagag atacatgcat ttgacagaag agattttgaa ggagaatcca agtttatgtg agtacatggc accttcattg gatgcaagac aagacatggt ggtagtggaa gtaccaaggc taggaaaaga ggcagcaaca aaggcaatta aagaatgggg tcaacctaag tccaagatta cccacctcat cttttgcacc accagtggtg tggacatgcc cggtgccgac tatcagctca caaagctctt aggcctgcgt ccatatgtga agegttacat gatgtatcaa caaggttgtt ttgctggtgg caeggtactt egtttggcta aagacttggc tgaaaacaac aaaggtgccc gtgtgttggt ggtttgtt 588 <210> 90 250 <211> <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (17)..(17) <223> Any nucleotide <220> <221> misc_feature <222> (35)..(35) <223> Any nucleotide <220> <221> misc_feature <222> (48)..(49) <223> Any nucleotides <220>

<221> misc_feature

PCT/AU02/01345 101/390

```
<222> (165)..(165)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (188)..(188)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (212)..(212)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (224)..(225)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (228)..(228)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (232)..(232)
<223> Any nucleotide
<220>
<221> misc feature
<222> (235)..(235)
<223> Any nucleotide
<220>
<221> misc feature
<222> (240)..(240)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (247)..(247)
<223> Any nucleotide
<220>
<221> misc feature
<222> (250)..(250)
<223> Any nucleotide
<400> 90
taaaactgtg ttgatcngag tacttacccc gactnctatt tccgaatnnc aaacagcgaa
cacaagactg agctcaaaga aaaattccag cgcatgtgtg acaaatctat gattaagaag
120
```

agatacatgc atttgacaga agagattttg aaggagaatc caagnttatg tgagtacatg

gcaccttnat tggatgcaag acaagacatg gnggccgccc accnnccntc cnccncaccn

caacccnccn

250

- <210> 91
- <211> 583
- <212> DNA
- <213> Trifolium repens

<220>

- <221> misc_feature
- <222> (2)..(2) <223> Any nucleotide

<220>

- <221> misc feature
- <222> (47)..(47)
- <223> Any nucleotide

<220>

- <221> misc_feature
- <222> (552)..(552)
- <223> Any nucleotide

<400> 91

gnagcaacac acactttgat ttctttttga atccctgcta cgtggcncac caaaaaacgt

tgctaagtca tcaaccattc caattcctta atataaccta tcagtactca ccatcttttc

ttcctccctg ctaactttag actcagtaga agatggtgaa tgttaatgag atccgccagg

cacagagage tgaaggeest gecacegtgt tggcaategg cactgcaact cetecaaact

gtgttgatca gagtacatac ccggactact acttccgcat cacaaacagt gagcacaaga 300

cagageteaa agaaaaatte cagegeaegt gtaagatatt tatettatae tecatgeatg

gtcactctca catgtacaaa acacttaaga ctaaactgca tatcattttt ttcagggaca 480

aatctatgat taagaagaga tacatgcatt tgacagaaga gattttgaag gagaatccaa

gtttatgtga gnacatggca ccttcttggg atgcaagaca agt 583

<210> 92

<211> 95

<212> PRT

<213> Trifolium repens

<220>

<221> MISC FEATURE

<222> (86)..(86)

<223> Any amino acid

<400> 92

Met Val Asn Val Asn Glu Ile Arg Gln Ala Gln Arg Ala Glu Gly Pro 5

Ala Thr Val Leu Ala Ile Gly Thr Ala Thr Pro Pro Asn Cys Val Asp 30

Gln Ser Thr Tyr Pro Asp Tyr Tyr Phe Arg Ile Thr Asn Ser Glu His

Lys Thr Glu Leu Lys Glu Lys Phe Gln Arg Thr Arg Asp Lys Ser Met

Ile Lys Lys Arg Tyr Met His Leu Thr Glu Glu Ile Leu Lys Glu Asn 70

Pro Ser Leu Cys Glu Xaa Met Ala Pro Ser Trp Asp Ala Arg Gln 85 90

<210> 93

<211> 582

<212> DNA

<213> Trifolium repens

<220>

<221> misc_feature
<222> (2)..(2)
<223> Any nucleotide

<220>

<221> misc feature

<222> (551)..(551) <223> Any nucleotide

<400> 93

gnagcaacac acactttgat ttctttttga atccctgcta cgtggcttac caaaaaacgt

tgctaagtca tcaaccattc caattcctta atataaccta tcagtactca ccatttttc

ttcctccctg ctaactttag actcagagaa gatggtgaat gttaatgaga tccgccaggc

acagagaget gaaggeeetg ecacegtgtt ggeaategge actgeaacte etceaaactg 240

tgttgatcag agtacatacc cggactacta cttccgcatc acaaacagtg agcacaagac

agageteaaa gaaaaattee agegeaegtg taagatattt atettataet eeatgeatgt tcactctcac atgtacaaaa cacttaagac taaactgcat atcattttt tcagggacaa atctatgatt aagaagagat acatgcattt gacagaagag attttgaagg agaatccaag tttatgtgag nacatggcac cttcttggga tgcaagacaa gt 582 <210> 94 <211> 167 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (17)..(17) <223> Any nucleotide <220> <221> misc_feature <222> (34)..(34) <223> Any nucleotide <220> <221> misc_feature <222> (38)..(38) <223> Any nucleotide <400> gtccctgctg cgtggcncac caaaaacgtt gctnagtntg aaccttccat tccttaatat aacctatcag tactcaccat cttttcttcc tccctgctaa ctttagactc agtagaagat ggtgaatgtt aatgagatcc gccaggcaca gagagctgaa ggccctg 167 <210> 95 <211> 613 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (3)..(3) <223> Any nucleotide <220> <221> misc_feature <222> (16)...(16)

WO 03/031622 PCT/AU02/01345

<223> Any nucleotide

<400> 95

gcntaagcct tgattnttgt ttgtttccta acacaagaac tagtgtttgc ttgaatctta

agaaaaaatg cctcaaggtg atttgaatgg aagttcctcg gtgaatggag cacgtgctag

acgtgctcct actcagggaa aggcaacgat acttgcatta ggaaaggctt tccccgccca

agtcctccct caagagtgct tggtggaagg attcattcgc gacactaagt gtgacgatac

ttatattaag gagaaattgg agcgtctttg caaaaacaca actgtaaaaa caagatacac

agtaatgtca aaggagatct tagacaacta tccagagcta gccatagatg gaacaccaac

aataaggcaa aagcttgaaa tagcaaatcc agcagtagtt gaaatggcaa caagagcaag

caaagattgc atcaaagaat ggggaaggtc acctcaagat atcacacaca tagtctatgt

ttcctcgagc gaaattcgtc tacccggtgg tgacctttat cttgcaaatg aactcggctt 540

aaacagcgat gttaatcgcg taatgctcta tttcctcggt tgctacggcg gtgtcactgg

cttacgtgtc gcc 613

<210> 96

<211> 182

<212> PRT

<213> Trifolium repens

<400> 96

Met Pro Gln Gly Asp Leu Asn Gly Ser Ser Ser Val Asn Gly Ala Arg

1 10 15

Ala Arg Arg Ala Pro Thr Gln Gly Lys Ala Thr Ile Leu Ala Leu Gly 20 25 30

Lys Ala Phe Pro Ala Gln Val Leu Pro Gln Glu Cys Leu Val Glu Gly 35

Phe Ile Arg Asp Thr Lys Cys Asp Asp Thr Tyr Ile Lys Glu Lys Leu 50 60

Glu Arg Leu Cys Lys Asn Thr Thr Val Lys Thr Arg Tyr Thr Val Met 70 75 80

Ser Lys Glu Ile Leu Asp Asn Tyr Pro Glu Leu Ala Ile Asp Gly Thr

85 90 95

Pro Thr Ile Arg Gln Lys Leu Glu Ile Ala Asn Pro Ala Val Val Glu 100 1.05

Met Ala Thr Arg Ala Ser Lys Asp Cys Ile Lys Glu Trp Gly Arg Ser 120 125

Pro Gln Asp Ile Thr His Ile Val Tyr Val Ser Ser Ser Glu Ile Arg 135

Leu Pro Gly Gly Asp Leu Tyr Leu Ala Asn Glu Leu Gly Leu Asn Ser 145 155

Asp Val Asn Arg Val Met Leu Tyr Phe Leu Gly Cys Tyr Gly Gly Val 165 170

Thr Gly Leu Arg Val Ala 180

<210> 97

<211> 613

<212> DNA

<213> Trifolium repens

<220>

<221> misc_feature <222> (3)..(3)

<223> Any nucleotide

<220>

<221> misc_feature

<222> (16) ... (16)

<223> Any nucleotide

<400> 97

gcntaagcct tgattnttgt ttgtttccta acacaagaac tagtgtttgc ttgaatctta

agaaaaaatg cctcaaggtg atttgaatgg aagttcctcg gtgaatggag cacgtgctag 120

acgtgctcct actcagggaa aggcaacgat acttgcatta ggaaaggctt tccccgccca

agtcctccct caagagtgct tggtggaagg attcattcgc gacactaagt gtgacgatac 240

ttatattaag gagaaattgg agcgtctttg caaaaacaca actgtaaaaa caagatacac

agtaatgtca aaggagatct tagacaacta tccagagcta gccatagatg gaacaccaac

aataaggcaa aagcttgaaa tagcaaatcc agcagtagtt gaaatggcaa caagagcaag 420

caaagattgc atcaaagaat ggggaaggtc acctcaagat atcacacac tagtctatgt

ttcctcgagc gaaattcgtc tacccggtgg tgacctttat cttgcaaatg aactcggctt

aaacagcgat gttaatcgcg taatgctcta tttcctcggt tgctacggcg gtgtcactgg

cttacgtgtc gcc 613

<210> 98

<211> 570

<212> DNA

<213> Trifolium repens

<220>

<221> misc_feature

(13)..(13) <222>

<223> Any nucleotide

<400> 98

taageettga ttnttgtttg ttteetaaca caagaactag tgtttgettg aatettaaga

aaaaatgcct caaggtgatt tgaatggaag ttcctcggtg aatggagcac gtgctagacg

tgctcctact cagggaaagg caacgatact tgcattagga aaggctttcc ccgcccaggt

cctccctcaa gagtgcttgg tggaaggatt cattcgcgac actaagtgtg acgatactta

tattaaggag aaattggagc gtctttgcaa aaacacaact gtgaaaacaa gatacacagt

aatgtcaaag gagatcttag acaactatcc agagctagcc atagatggaa caccaacaat

aaggcaaaag cttgaaatag caaatccagc agtagttgaa atggcaacaa gagcaagcaa

agattgcatc aaagaatggg gaaggtcacc tcaagatatc acacacatag tctatgtttc

ctcgagcgaa attcgtctac ccggtggtga cctttatctt gcaaatgaac tcggcttaaa

cagcgatgtt aatcgcgtaa tgctctattt 570

<210> 99

<211> 575

<212> DNA

<213> Trifolium repens

<220>

<221> misc_feature

<222> (33)..(33)

<223> Any nucleotide

<400> 99 ttgattcttg tttgtttcct aacacaagaa ctngtgtttg cttgaatctt aagaaaaaat gcctcaaggt gatttgaatg gaagttcctc ggtgaatgga gcacgtgcta gacgtgctcc 120 tactcaggga aaggcaacga tacttgcatt aggaaaggct ttccccgccc aggtcctccc tcaagagtgc ttggtggaag gattcattcg cgacactaag tgtgacgata cttatattaa ggagaaattg gagcgtcttt gcaaaaacac aactgtgaaa acaagataca cagtaatgtc aaaggagatc ttagacaact atccagagct agccatagat ggaacaccaa caataaggca aaagcttgaa atagcaaatc cagcagtagt tgaaatggca acaagagcaa gcaaagattg catcaaagaa tggggaaggt cacctcaaga tatcacacac atagtctatg tttcctcgag 480 cgaaattcgt ctacccggtg gtgaccttta tcttgcaaat gaactcggct taaacagcga tgttaatcgc gtaatgctct atttcctcgg ttgct <210> 100 <211> 573 <212> DNA <213> Trifolium repens <400> 100 gtttgtttcc taacacaaga actagtgttt gcttgaatct taagaaaaaa tgcctcaagg tgatttgaat ggaagttcct cggtgaatgg agcacgtgct agacgtgctc ctactcaggg aaaggcaacg atacttgcat taggaaaggc tttccccgcc caagtcctcc ctcaagagtg cttggtggaa ggattcattc gcgacactaa gtgtgacgat acttatatta aggagaaatt ggagcgtctt tgcaaaaaca caactgtaaa aacaagatac acagtaatgt caaaggagat cttagacaac tatccagagc tagccataga tggaacacca acaataaggc aaaagcttga 360 aatagcaaat ccagcagtag ttgaaatggc aacaagagca agcaaagatt gcatcaaaga atggggaagg tcacctcaag atatcacaca catagtctat gtttcctcga gcgaaattcg tctacccggt ggtgaccttt atcttgcaaa tgaactcggc ttaaacagcg atgttaatcg

cgtaatgctc tatttcctcg gttgctacgg cgg

<210> 101

<211> 607

<212> DNA

<213> Trifolium repens

<400> 101

gtataccaag gttgttttgc tggtggcacg gtacttcgtt tggctaaaga cttggctgaa

aacaacaaag gtgcccgtgt gttggtggtt tgttcagaga taactgcagt tactttccgt 120

ggacccagtg acactcacct tgatagcctt gtggggcaag cattgtttgg agatggtgca

gcagctgtga ttgttggttc agaccctttg ccagaagttg agaagccttt gtttgaattg

gtatggaccg cacaaacaat cgctccagat agtgaaggag ccattgatgg tcaccttcgc

gaagcagggc tgacattcca tctcctcaag gatgttccta gccttgtctc aaataacatt

gagaaagcgc ttgttgatgc ctttcaacct ttgaatattt ctgactacaa ttccatcttt

tggattgcac acccaggcgg accagcaatt cttgaccaag ttgaagctaa gttaggctta

aagccagaga aaatgcaagc cactcgacat gtacttagcg aatatggtaa catgtcaagt

gcgtgtgtgt tatttatctt ggatgagatg aggaggaagt caaaagaaga cggacttgcc

acaacag

607

<210> 102

<211> 202

<212> PRT

<213> Trifolium repens

<400> 102

Val Tyr Gln Gly Cys Phe Ala Gly Gly Thr Val Leu Arg Leu Ala Lys

5 10 15

Asp Leu Ala Glu Asn Asn Lys Gly Ala Arg Val Leu Val Val Cys Ser 20 25 30

Glu Ile Thr Ala Val Thr Phe Arg Gly Pro Ser Asp Thr His Leu Asp 35 40 45

Ser Leu Val Gly Gln Ala Leu Phe Gly Asp Gly Ala Ala Ala Val Ile

Val Gly Ser Asp Pro Leu Pro Glu Val Glu Lys Pro Leu Phe Glu Leu 70

Val Trp Thr Ala Gln Thr Ile Ala Pro Asp Ser Glu Gly Ala Ile Asp 85 90

Gly His Leu Arg Glu Ala Gly Leu Thr Phe His Leu Leu Lys Asp Val 100 105 110

Pro Ser Leu Val Ser Asn Asn Ile Glu Lys Ala Leu Val Asp Ala Phe 120

Gln Pro Leu Asn Ile Ser Asp Tyr Asn Ser Ile Phe Trp Ile Ala His 135

Pro Gly Gly Pro Ala Ile Leu Asp Gln Val Glu Ala Lys Leu Gly Leu 150

Lys Pro Glu Lys Met Gln'Ala Thr Arg His Val Leu Ser Glu Tyr Gly

Asn Met Ser Ser Ala Cys Val Leu Phe Ile Leu Asp Glu Met Arg Arg 185

Lys Ser Lys Glu Asp Gly Leu Ala Thr Thr 195

<210> 103

<211> 607

<212> DNA

<213> Trifolium repens

<220>

<221> misc_feature

<222> (12)...(12)

<223> Any nucleotide

<220>

<221> misc_feature

<222> (46) .. (46)

<223> Any nucleotide

<400> 103

gtataccaag gntgttttgc tggtggcacg gtacttcgtt tggctnaaga cttggctgaa

aacaacaaag gtgcccgtgt gttggtggtt tgttcagaga taactgcagt tactttccgt

ggacccagtg acactcatct tgatagcctt gtggggcaag cattgtttgg agatggtgca

gcagctgtga ttgttggttc agaccctttg ccagaagttg agaagccttt gtttgaattg 240

gtatggaccg cacaaacaat cgctccagat agtgaaggag ccattgatgg tcaccttcgc 300

gaagcagggc tgacattcca tctcctcaag gatgttccta gccttgtctc aaataacatt

gagaaagctc ttgttgatgc ctttcaacct ttgaatatct ccgattacaa ttccatcttt

tggattgcac acccaggcgg accagcaatt cttgaccaag ttgaagctaa gttaggctta

aagccagaga aaatgcaatc cactcgacat gtacttagcg aatatggtaa catgtcgagt

gcgtgtgtgt tatttatctt ggatgagatg aggaggaagt caaaagaaga cggacttgcc

acaacag

607

<210> 104

<211> 591

<212> DNA

<213> Trifolium repens

<220>

<221> misc_feature

<222> (562)..(562)

<223> Any nucleotide

<220>

<221> misc_feature

<222> (587)..(587)

<223> Any nucleotide

<220>

<221> misc_feature

 $\langle 222 \rangle$ (589)...(589)

<223> Any nucleotide

<400> 104

ccaaggttgt tttgctggtg gcacggtact tcgtttggct aaagacttgg ctgaaaacaa

caaaggtgcc cgtgtgttgg tggtttgttc agagataact gcagttactt tccgtggacc

cagtgacact caccttgata gccttgtggg gcaagcattg tttggagatg gtgcagcagc

tgtgattgtt ggttcagacc ctttgccaga agttgagaag cctttgtttg aattggtatg

gaccgcacaa acaatcgctc cagatagtga aggagccatt gatggtcacc ttcgcgaagc

agggctgaca ttccatctcc tcaaggatgt tcctagcctt gtctcaaata acattgagaa

agcgcttgtt gatgcctttc aacctttgaa tatttctgac tacaattcca tcttttggat

tgcacaccca ggcggaccag caattcttga ccaagttgaa gctaagttag gcttaaagcc 480

agagaaaatg caagccactc gacatgtact tagcgaatat ggtaacatgt caagtgcgtg 540

tgtgttattt atcttggatg anatgaggag gaagtcaaaa gaacacngnc t 591

<210> 105

<211> 590

<212> DNA

<213> Trifolium repens

<220>

<221> misc_feature

<222> (55)..(55)

<223> Any nucleotide

<400> 105

ggttgttttg ctggtggcac ggtacttcgt ttggctaaag acttggctga aaacnacaaa 60

ggtgcccgtg tgttggtggt ttgttcagag ataactgcag ttactttccg tggacccagt 120

gacactcacc ttgatagcct tgtggggcaa gcattgtttg gagatggtgc agcagctgtg

attgttggtt cagacccttt gccagaagtt gagaagcctt tgtttgaatt ggtatggacc 240

gcacaaacaa tcgctccaga tagtgaagga gccattgatg gtcaccttcg cgaagcaggg

ctgacattcc atctcctcaa ggatgttcct agccttgtct caaataacat tgagaaagcg

cttgttgatg cctttcaacc tttgaatatt tctgactaca attccatctt ttggattgca 420

cacccaggcg gaccagcaat tcttgaccaa gttgaagcta agttaggctt aaagccagag 480

aaaatgcaag ccactcgaca tgtacttagc gaatatggta acatgtcaag tgcgtgtgtg 540

ttatttatct tggatgagat gaggaggaag tcaaaagaag acggacttgc 590

<210> 106

<211> 510

<212> DNA

<213> Trifolium repens

<220>

<221> misc_feature

<222> (4)..(4)

<223> Any nucleotide

WO 03/031622 PCT/AU02/01345 113/390 <220> <221> misc_feature <222> (10)..(10) <223> Any nucleotide <220> <221> misc_feature <222> (12)..(12) <223> Any nucleotide <220> <221> misc_feature <222> (14)..(14) <223> Any nucleotide <220> <221> misc_feature <222> (397)..(397) <223> Any nucleotide <220> <221> misc_feature <222> (417)..(417)

<223> Any nucleotide

<220>

<221> misc_feature
<222> (437)..(437)
<223> Any nucleotide

<220>

<221> misc_feature
<222> (458)..(458)
<223> Any nucleotide

<220>

<221> misc_feature

<222> (496)..(496) <223> Any nucleotide

<400> 106

aatnacaccn tnanaccttc caattctcgt acctcaccaa tctcattttt attatatatc

ttggtacatc ttttgttacc tccaacaaaa aaatggtgac cgtagaagag attcgtaacg

cccaacgttc aaatggccct gccactatct tagcttttgg cacagccact ccttctaact

gtgtcactca agctgattat cctgattact actttcgtat caccaacagc gaacatatga

ctgatcttaa ggaaaaattc aagcggatgt gtgatagatc aatgataaag aaacgttaca

tgcacctaac agaagacttt ctgaaggaga atccaaatat gtgtgaatac atggcaccat

cactagatgt aagacgagac atagtggttg ttgaagnacc aaagctaggt aaagaancac

caaaaaaaagc catatgngaa tggggacaac caaaatcnaa aatcacacat gcttggtttc

tgaccacttc cggtgntgac atgcccgggg 510

- <210> 107
- <211> 137
- <212> PRT
- <213> Trifolium repens
- <220>

- <221> MISC_FEATURE
 <222> (102)..(102)
 <223> Any amino acid
- <220>

- <221> MISC_FEATURE <222> (114)..(114) <223> Any amino acid
- <220>
- <221> MISC FEATURE
- <222> (121)..(121) <223> Any amino acid

<400> 107

Met Val Thr Val Glu Glu Ile Arg Asn Ala Gln Arg Ser Asn Gly Pro

Ala Thr Ile Leu Ala Phe Gly Thr Ala Thr Pro Ser Asn Cys Val Thr 25

Gln Ala Asp Tyr Pro Asp Tyr Tyr Phe Arg Ile Thr Asn Ser Glu His

Met Thr Asp Leu Lys Glu Lys Phe Lys Arg Met Cys Asp Arg Ser Met

Ile Lys Lys Arg Tyr Met His Leu Thr Glu Asp Phe Leu Lys Glu Asn 70 75

Pro Asn Met Cys Glu Tyr Met Ala Pro Ser Leu Asp Val Arg Arg Asp 90

Ile Val Val Val Glu Xaa Pro Lys Leu Gly Lys Glu Pro Lys Lys Ala 110

Ile Xaa Glu Trp Gly Gln Pro Lys Xaa Lys Ile Thr His Ala Trp Phe 120

```
Leu Thr Thr Ser Gly Asp Met Pro Gly
       130
                                135
  <210> 108
  <211> 240
  <212> DNA
  <213> Trifolium repens
 <220>
 <221> misc_feature
 <222> (10)..(10)
 <223> Any nucleotide
 <220>
 <221> misc_feature
<222> (129)..(129)
<223> Any nucleotide
 <220>
 <221> misc_feature
<222> (162)..(162)
<223> Any nucleotide
 <220>
<221> misc_feature
<222> (184)..(184)
<223> Any nucleotide
 <220>
<221> misc_feature
<222> (194)..(194)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (217)..(218)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (231)..(231)
<223> Any nucleotide
<400> 108
gacaaatgcn tgtggttgga atgggatccg cacctgattt tacatgtaag aaagacacaa
aagatgcaat cgttgaagcc atcaaacaag gttatagaca ctttgatact gctgctgctt
atggctcana acaagctctt ggtgaaggtt tgaaagaagc anttgaactt ggtcttgtca
ctanagaaga gctntttgtt acttctaaac tttgggnnac tgaaaatcat nctaaccttg
```

<210> 109

<211> 79

<212> PRT

<213> Trifolium repens

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Any amino acid

<220>

<221> MISC_FEATURE <222> (43)..(43) <223> Any amino acid

<220>

<221> MISC_FEATURE

<222> (54)..(54) <223> Any amino acid

<220>

<221> MISC_FEATURE <222> (61)..(61)

<223> Any amino acid

<220>

<221> MISC_FEATURE
<222> (64)..(64)
<223> Any amino acid

<220>

<221> MISC_FEATURE <222> (72)..(72) <223> Any amino acid

<220>

<221> MISC_FEATURE

<222> (77)..(77) <223> Any amino acid

<400> 109

Gln Met Xaa Val Val Gly Met Gly Ser Ala Pro Asp Phe Thr Cys Lys 10

Lys Asp Thr Lys Asp Ala Ile Val Glu Ala Ile Lys Gln Gly Tyr Arg 25

His Phe Asp Thr Ala Ala Ala Tyr Gly Ser Xaa Gln Ala Leu Gly Glu 40

Gly Leu Lys Glu Ala Xaa Glu Leu Gly Leu Val Thr Xaa Glu Glu Xaa

117/390 Phe Val Thr Ser Lys Leu Trp Xaa Thr Glu Asn His Xaa Asn Leu 70 <210> 110 <211> 604 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (13)...(13) <223> Any nucleotide <400> 110 gtgtagcaga gtnagaaaaa gagagaaaaa aaaacatggc aggaaagaaa atcccagaag tgttattgaa ttcaggacac aaaatgccag tcataggaat gggaacatca gtagacaatc gtccatcaaa tgatgttctt gcttcaatct ttgttgatgc aattgaagtt ggttatcgcc atttegatte tgettetgtg tatggaacag aggaageeat aggaattget ttagcaaaag ctttagaaaa agggcttatt aagagtagag atgaagtttt catcacttca aagccatgga atactgatgc agattatgaa cttattgttc cagctctcaa gaccacattg aaaaagctgg ggacggagta tgtggatctt tatctgatcc attggccagt gagacttaga catgatcttg aaaaccctgt tgttttcacc aaagaagatt tacttccctt tgatatagaa gggacatgga aagctatgga agaatgttat aagttaggct tagcaaagtc tattggtata tgcaattatg gtaccaaaaa actcaccaaa ctcttggaaa cagccaccat tacccctgca gtcaatcagg tgga 604 <210> 111 <211> 189 <212> PRT <213> Trifolium repens <400> 111 Met Ala Gly Lys Lys Ile Pro Glu Val Leu Leu Asn Ser Gly His Lys Met Pro Val Ile Gly Met Gly Thr Ser Val Asp Asn Arg Pro Ser Asn

Asp Val Leu Ala Ser Ile Phe Val Asp Ala Ile Glu Val Gly Tyr Arg

WO 03/031622 PCT/AU02/01345

118/390

35 40 45

His Phe Asp Ser Ala Ser Val Tyr Gly Thr Glu Glu Ala Ile Gly Ile 55

Ala Leu Ala Lys Ala Leu Glu Lys Gly Leu Ile Lys Ser Arg Asp Glu 75

Val Phe Ile Thr Ser Lys Pro Trp Asn Thr Asp Ala Asp Tyr Glu Leu 90

Ile Val Pro Ala Leu Lys Thr Thr Leu Lys Lys Leu Gly Thr Glu Tyr 105

Val Asp Leu Tyr Leu Ile His Trp Pro Val Arg Leu Arg His Asp Leu 120

Glu Asn Pro Val Val Phe Thr Lys Glu Asp Leu Leu Pro Phe Asp Ile 135

Glu Gly Thr Trp Lys Ala Met Glu Glu Cys Tyr Lys Leu Gly Leu Ala 150 155

Lys Ser Ile Gly Ile Cys Asn Tyr Gly Thr Lys Lys Leu Thr Lys Leu 170

Leu Glu Thr Ala Thr Ile Thr Pro Ala Val Asn Gln Val 180

<210> 112 <211> 334 <212> DNA

<213> Trifolium repens

<220>

<221> misc_feature
<222> (10)..(10)
<223> Any nucleotide

<220>

<221> misc_feature <222> (17)..(17) <223> Any nucleotide

<220>

<221> misc_feature <222> (21)..(21)

<223> Any nucleotide

<220>

<221> misc_feature
<222> (246)..(246)
<223> Any nucleotide

```
<220>
 <221> misc_feature
<222> (268)..(268)
 <223> Any nucleotide
 <220>
 <221> misc_feature
<222> (277)..(277)
 <223> Any nucleotide
 <220>
 <221> misc_feature
 <222> (281)..(281)
<223> Any nucleotide
 <220>
 <221> misc feature
 <222> (294)..(294)
<223> Any nucleotide
 <220>
 <221> misc_feature
<222> (328)..(328)
 <223> Any nucleotide
 <220>
<221> misc_feature
<222> (330)..(330)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (334)..(334)
<223> Any nucleotide
<400> 112
gtgtagcagn attaganaaa natataaaaa aaaacatggc aggaaagaaa atcccagaag
tgttattgaa ttcaggacac aaaatgccag tcataggaat gggaacatca gtagacaatc
120
gtccatcaaa tgatgttctt gcttcaatct ttgttgatgc aattgaagtt ggttatcgcc
atttcgattc tgcttctgtg tatggaacag aggaagccat aggaattgct ttagcaaaag
240
ctttanaaaa agggcttatt aagagtanag atgaagnttt natcacttgc aagncatgga
atactgatgc acattatgaa cttattgntn caan
334
<210> 113
<211> 602
```

```
<212> DNA
 <213> Trifolium repens
 <220>
 <221> misc_feature
 <222> (8)..(8)
<223> Any nucleotide
 <222>
 <220>
 <221> misc_feature
 <222> (14)..(14)
 <223> Any nucleotide
 <220>
 <221> misc_feature
<222> (16)..(16)
 <223> Any nucleotide
 <220>
 <221> misc_feature
 <222>
       (20) ... (20)
<223> Any nucleotide
 <220>
 <221> misc_feature
<222> (22)..(22)
 <223> Any nucleotide
<400> 113
gtagcagngt tagnanaagn gngaaaaaaa aacatggcag gaaagaaaat cccagaagtg
ttattgaatt caggacacaa aatgccagtc ataggaatgg gaacatcagt agacaatcgt
ccatcaaatg atgttcttgc ttcaatcttt gttgatgcaa ttgaagttgg ttatcgccat
ttcgattctg cttctgtgta tggaacagag gaagccatag gaattgcttt agcaaaagct
ttagaaaaag ggcttattaa gagtagagat gaagttttca tcacttcaaa gccatggaat
300
actgatgcag attatgaact tattgttcca gctctcaaga ccacattgaa aaagctgggg
acggagtatg tggatcttta tctgatccat tggccagtga gacttagaca tgatcttgaa
420
aaccctgttg ttttcaccaa agaagattta cttccctttg atatagaagg gacatggaaa
gctatggaag aatgttataa gttaggctta gcaaagtcta ttggtatatg caattatggt
accaaaaaac tcaccaaact cttggaaaca gccaccatta cccctgcagt caatcaggtg
600
ga
602
```

```
<210> 114
 <211> 584
 <212> DNA
 <213> Trifolium repens
 <220>
 <221> misc_feature
<222> (4)..(5)
 <223> Any nucleotides
 <220>
 <221> misc_feature
 <222> (27)..(27)
 <223> Any nucleotide
 <400> 114
 agtnngaaaa agagagaaaa aaaaacntgg caggaaagaa aatcccagaa gtgttattga
 attcaggaca caaaatgcca gtcataggaa tgggaacatc agtagacaat cgtccatcaa
 atgatgttct tgcttcaatc tttgttgatg caattgaagt tggttatcgc catttcgatt
 ctgcttctgt gtatggaaca gaggaagcca taggaattgc tttagcaaaa gctttagaaa
aagggettat taagagtaga gatgaagttt teateaette aaageeatgg aataetgatg
300
cagattatga acttattgtt ccagctctca agaccacatt gaaaaagctg gggacggagt
360
atgtggatct ttatctgatc cattggccag tgagacttag acatgatctt gaaaaccctg
ttgttttcac caaagaagat ttacttccct ttgatataga agggacatgg aaagctatgg
aagaatgtta taagttaggc ttagcaaagt ctattggtat atgcaattat ggtaccaaaa
aactcaccaa actcttggaa acagccacca ttacccctgc agtc
584
<210> 115
<211> 547
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222>
       (4)...(5)
<223> Any nucleotides
<220>
<221> misc feature
\langle 222 \rangle (27)^{-}...(27)
<223> Any nucleotide
```

<400> 115 agtnngaaaa agagagaaaa aaaaacntgg caggaaagaa aatcccagaa gtgttattga attcaggaca caaaatgcca gtcataggaa tgggaacatc agtagacaat cgtccatcaa atgatgttct tgcttcaatc tttgttgatg caattgaagt tggttatcgc catttcgatt ctgcttctgt gtatggaaca gaggaagcca taggaattgc tttagcaaaa gctttagaaa aagggcttat taagagtaga gatgaagttt tcatcacttc aaagccatgg aatactgatg cagattatga acttattgtt ccagctctca agaccacatt gaaaaagctg gggacggagt atgtggatct ttatctgatc cattggccag tgagacttag acatgatctt gaaaaccctg ttgttttcac caaagaagat ttacttccct ttgatataga agggacatgg aaagctatgg aagaatgtta taagttaggc ttagcaaagt ctattggtat atgcaattat ggtaccaaaa aactcac 547 <210> 116 <211> 334 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (295)..(295)<223> Any nucleotide <400> 116 acatggcagg aaagaaaatc ccagaagtgt tattgaattc aggacacaaa atgccagtca taggaatggg aacatcagta gacaatcgtc catcaaatga tgttcttgct tcaatctttg ttgatgcaat tgaagttggt tatcgtcatt tcgattctgc ttctgtttat ggaacagagg aagctatagg aattgcttta gcaaaagctt tagaaaaagg gcttattaag agtagagatg aagttttcat cacttcaaag ccatggaata ctgatgcaga ttatgatctt attgntccag ctctcaagac cacattgaaa aagctgggga caga 334

```
<211> 694
<212> DNA
<213> Trifolium repens
  <220>
  <221> misc_feature
<222> (11)..(11)
  <223> Any nucleotide
  <220>
  <221> misc_feature
<222> (23)..(23)
<223> Any nucleotide
  <220>
  <221> misc_feature
<222> (25)..(25)
<223> Any nucleotide
  <220>
  <221> misc_feature
 <222> (32)..(33)
<223> Any nucleotides
 <220>
 <221> misc_feature <222> (36)..(36)
 <223> Any nucleotide
 <220>
 <221> misc_feature
<222> (43)..(43)
<223> Any nucleotide
 <220>
<221> misc_feature
<222> (48)..(49)
<223> Any nucleotides
 <220>
 <221> misc_feature
<222> (62)..(62)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (94)..(96)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (101)..(101)
<223> Any nucleotide
<220>
<221> misc_feature
```

<222> (106)..(106) <223> Any nucleotide

<400> 117

taagaatgaa ncaattttat ctnanaaaag gnncangcaa gtnagttnna ttcaaacata

gncttaaagt gtgtaacata ttcttaactt aaannntttt nacccnacaa aaaaaaacaa

agacaataac atgggtagtg ttgaaattcc aacaaaggtt cttactaaca cttctagtca

agtgaaaatg cctgtggttg gaatgggatc agctcctgat ttcacatgta agaaagatac

aaaagatgca atcattgaag ccatcaaaca aggttataga cactttgata ctgctgctgc

ttatggctca gaacaagctc ttggtgaagg tttgaaagaa gcaattgaac ttggccttgt

cactagagaa gagctttttg ttacttctaa actttgggtc actgaaaatc atcctcacct

tgttgttcct gctcttcaaa aatctctcaa gactcttcaa ttggagtact tggacttgta

tttgatccat tggccactta gttctcagcc tggaaagttt tcatttccaa ttgatgtggc

agatotottg coatttgatg tgaagggtgt ttgggaatcc atggaagaag gottgaaact

tggactcact aaagctattg gtgttagtaa cttctctgtc aagaaacttc aaaatcttgt

ctcagttgcc accgttcttc ctgcggtcaa tcag

<210> 118

<211> 188

<212> PRT

<213> Trifolium repens

<400> 118

Met Gly Ser Val Glu Ile Pro Thr Lys Val Leu Thr Asn Thr Ser Ser 1 10 15

Gln Val Lys Met Pro Val Val Gly Met Gly Ser Ala Pro Asp Phe Thr

Cys Lys Lys Asp Thr Lys Asp Ala Ile Ile Glu Ala Ile Lys Gln Gly 35 40 45

Tyr Arg His Phe Asp Thr Ala Ala Ala Tyr Gly Ser Glu Gln Ala Leu 50 60

Gly Glu Gly Leu Lys Glu Ala Ile Glu Leu Gly Leu Val Thr Arg Glu

65 70 . 75 80

Glu Leu Phe Val Thr Ser Lys Leu Trp Val Thr Glu Asn His Pro His 90

Leu Val Val Pro Ala Leu Gln Lys Ser Leu Lys Thr Leu Gln Leu Glu

Tyr Leu Asp Leu Tyr Leu Ile His Trp Pro Leu Ser Ser Gln Pro Gly

Lys Phe Ser Phe Pro Ile Asp Val Ala Asp Leu Leu Pro Phe Asp Val 135

Lys Gly Val Trp Glu Ser Met Glu Glu Gly Leu Lys Leu Gly Leu Thr 155

Lys Ala Ile Gly Val Ser Asn Phe Ser Val Lys Lys Leu Gln Asn Leu 165

Val Ser Val Ala Thr Val Leu Pro Ala Val Asn Gln 185

<210> 119

<211> 576

<212> DNA

<213> Trifolium repens

<220>

<221> misc_feature
<222> (11)..(11)
<223> Any nucleotide

<220>

<221> misc_feature
<222> (33)..(33)
<223> Any nucleotide

<220>

<221> misc_feature

<222> (36)..(36) <223> Any nucleotide

<220>

<221> misc_feature <222> (48)..(48)

<223> Any nucleotide

<220>

<221> misc_feature <222> (62)..(62) <223> Any nucleotide

126/390 <220> <221> misc_feature <222> (65)..(65) <223> Any nucleotide <220> <221> misc_feature <222> (95)...(95)<223> Any nucleotide <400> 119 taagaatgaa ncaattttat cttataaaag gtncangcaa gttagttnct attaaacata gnctnaaagt gtgtaacata ttcttaactt aaacnatttt cacccaacaa aaaaaaacaa 120 agacaataac atgggtagtg ttgaaattcc aacaaaggtt cttactaaca cttctagtca 180 agtgaaaatg cctgtggttg gaatgggatc agctcctgat ttcacatgta agaaagatac aaaagatgca atcattgaag ccatcaaaca aggttataga cactttgata ctgctgctgc ttatggctca gaacaagctc ttggtgaagg tttgaaagaa gcaattgaac ttggtcttgt cactagagaa gagctttttg ttgcttctaa actttgggtc actgaaaatc atcctcatct 420 tgttgttcct gctcttcaaa aatctctcaa gactcttcaa ttggagtact tggacttgta tttgattcac tggccactta gttctcagcc cggaaagttt tcatttccaa ttgaggtggc 540 agatetettg ceatttgatg tgaagggtgt ttgggg 576 <210> 120 <211> 524 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (4)..(6) <223> Any nucleotides <220> <221> misc_feature <222> (13) ... (14)<223> Any nucleotides <220>

<221> misc_feature <222> (17)..(17) <223> Any nucleotide WO 03/031622 PCT/AU02/01345

. _ _ . _ . _ . _ . _

```
<220>
<221> misc_feature
<222> (24)..(24)
<223> Any nucleotide
<220>
 <221> misc_feature
<222> (29)..(30)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (33)..(33)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (36)..(36)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (43)..(43)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (46)..(46)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (55)..(55)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (76)..(76)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (524)..(524)
<223> Any nucleotide
<400> 120
tctnnnaaaa ggnncangca agtnagttnn tanttnaact agnctnaaag tgtgnaacat
attettaaet taaaenattt teacceaaca aaaaaaaaca aagacaataa catgggtagt
gttgaaattc caacaaaggt tcttactaac acttctagtc aagtgaaaat gcctgtggtt
180
ggaatgggat cagctcctga tttcacatgt aagaaagata caaaagatgc aatcattgaa
```

gccatcaaac aaggttatag acactttgat actgctgctg cttatggctc agaacaagct cttggtgaag gtttgaaaga agcaattgaa cttggtcttg tcactagaga agagcttttt gttgcttcta aactttgggt cactgaaaat catcctcatc ttgttgttcc tgctcttcaa

aaatctctca agactcttca attggagtac ttggacttgt atttgattca ctggccactt

agttctcagc ccggaaagtt ttcatttcca attgaggtgg cagn 524

```
<210> 121
<211> 577
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (2)..(2)
<223> Any nucleotide

<220>
<221> misc_feature
<222> (15)..(15)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (15)..(15)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (15)..(15)
<223> Any nucleotide
```

<220>
<221> misc_feature
<222> (54)..(54)

<223> Any nucleotide <400> 121

gnattcaaac atagnctnaa agtgtgtaac atattcttaa cttaaaacat tttnacccaa

caaaaaaaaa caaagacaac aacatgggta gtgttgaaat tccaacaaag gttcttacta 120

acacttctag tcaagtgaaa atgcctgtgg ttggaatggg atcagctcct gatttcacat 180

gtaagaaaga tacaaaagat gcaatcattg aagccatcaa acaaggttat agacactttg

atattgctgc tgcttatggc tcagaacaag ctcttggtga aggtttgaaa gaagcaattg

aacttggtct tgtcactaga gaagaccttt ttgttacttc taaactttgg gtcactgaaa 360

129/390 atcatcctca ccttgttatt cctgctcttc aaaaatctct caagactctt caattggagt acttggactt gtatttgatc cactggccac ttagttctca gcccggaaag ttttcatttc caattgaggt ggcagatctc ttgccatttg atgtgagggg tgtttggcaa tccatggaag aaggettgaa aettggaete aetaaageta ttggtgt 577 <210> 122 <211> 597 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (13)..(13) <223> Any nucleotide <220> <221> misc_feature <222> (16)..(16) <223> Any nucleotide <220> <221> misc_feature <222> (29)..(29) <223> Any nucleotide <220> <221> misc_feature <222> (47)..(47) <223> Any nucleotide <220> <221> misc_feature <222> (52)..(52) <223> Any nucleotide <220> <221> misc_feature <222> (57)..(57) <223> Any nucleotide <220> <221> misc_feature <222> (597)..(597) <223> Any nucleotide <400> 122 attcaaacat agnctnaaag tgtgtaacnt attcttaact taaaacnttt tnacccnaca

aaaaaaaaca aagacaacaa catgggtagt gttgaaattc caacaaaggt tcttactaac

WO 03/031622 PCT/AU02/01345

```
acttctagtc aagtgaaaat gcctgtggtt ggaatgggat cagctcctga tttcacatgt
  aagaaagata caaaagatgc aatcattgaa gccatcaaac aaggttatag acactttgat
  attgctgctg cttatggctc agaacaagct cttggtgaag gtttgaaaga agcaattgaa
  cttggtcttg tcactagaga agaccttttt gttacttcta aactttgggt cactgaaaat
 catcctcacc ttgttattcc tgctcttcaa aaatctctca agactcttca attggagtac
 ttggacttgt atttgatcca ctggccactt agttctcagc ccggaaagtt ttcatttcca
 attgaggtgg cagatetett gecatttgat gtgaggggtg tttggcaate catggaagaa
 ggcttgaaac ttggactcac taaagctatt ggtgtcagta acttctctgt caagaan
 <210> 123
 <211> 293
<212> DNA
<213> Trifolium repens
 <220>
 <221> misc_feature
 <222> (17)..(17)
 <223> Any nucleotide
 <220>
 <221> misc_feature
<222> (51)..(51)
 <223> Any nucleotide
 <220>
<221> misc_feature
<222> (59)..(59)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (224)..(224)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (250)..(250)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (257)..(257)
<223> Any nucleotide
```

```
<220>
 <221> misc_feature
<222> (274)..(277)
<223> Any nucleotides
 <220>
 <221> misc_feature
 <222> (279)..(280)
<223> Any nucleotides
 <220>
 <221> misc_feature
<222> (285)..(285)
 <223> Any nucleotide
 <220>
 <221> misc_feature
<222> (293)..(293)
<223> Any nucleotide
 <400> 123
 ttcaaacata gcctccnagt gtgtaacata ttcttaactt aaaacatttt nacccaacna
 taaaaaacaa agacaacaac atgggtagtg ttgaaattcc aacaaaggtt cttactaaca
gttctagtca agtgaaaatg cctgtggttg gaatgggatc agctcctgac ttcacatgta
agaaagacac aaaagatgca atcattgaag ccatcaaaca aggntataga cactttgaaa
 240
ctgctgctgn ttatgcntca caacaagctc ttgnnnnann cttcnatgcc ccn
293
<210> 124
<211> 636
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (4)..(4)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (12)..(12)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (86)..(86)
<223> Any nucleotide
```

<220>

```
<221> misc_feature
<222> (244)..(244)
     <223> Any nucleotide
    <220>
    <221> misc_feature
<222> (261)..(261)
<223> Any nucleotide
    <220>
   <221> misc_feature
<222> (458)..(458)
<223> Any nucleotide
   <220>
   <221> misc_feature
<222> (485)..(485)
   <223> Any nucleotide
   <220>
  <221> misc_feature
<222> (507)..(507)
<223> Any nucleotide
  <220>
  <221> misc_feature
<222> (515)..(515)
<223> Any nucleotide
  <220>
  <221> misc_feature
  <222> (540)..(540)
<223> Any nucleotide
 <220>
 <221> misc_feature
<222> (545)..(545)
 <223> Any nucleotide
 <220>
<221> misc_feature
<222> (574)..(574)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (577)..(578)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (588)..(588)
<223> Any nucleotide
```

<220>

```
133/390
  <221> misc_feature
  <222> (593)..(593)
<223> Any nucleotide
  <220>
  <221> misc_feature
  <222> (609)..(609)
  <223> Any nucleotide
  <220>
  <221> misc_feature
<222> (630)..(630)
  <223> Any nucleotide
  <400> 124
 ttcnaacata gnctcaaagt gtgtaacata ttcttaactt aaaacatttt cacccaacaa
 aaaaaaacaa agacaacaac atgggnaggg ttgaaattcc aacaaaggtt cttactaaca
 cttctagtca agtgaaaatg cctgtggttg gaatgggatc agctcctgat tttacatgta
 aaaaagacac aaaagatgca atcattgaag ccatcaaaca aggttataga cactttgata
 ctgntgctgc ttatggctca naacaagctc ttggtgaagg tttgaaagaa gcaattgaac
 ttggccttgt cactagaaaa gagctttttg ttacttctaa actttgggtc actgaaaatc
 atcctcacct tgttgttcct gctcttcaaa aatctctcaa gactcttcaa ttggagtact
tggacttgta tttgatccat tggccactta attctcancc tggaaagttt tcatttccca
ttgangtggc aaatctcttg ccatttnatg tgaanggtgt ttgggaatcc atggaaaaan
gcttnaaact tggactcact aaagctattg gtgncannaa cttctctntc aanaaacttc
aaaatcttnt ctcaattgcc accgttcttn ctgcgg
636
<210> 125
<211> 570
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (8)..(8)
<223> Any nucleotide
<222>
<220>
<221> misc_feature
<222> (11)..(11)
```

PCT/AU02/01345

```
<223> Any nucleotide
  <220>
  <221> misc_feature
<222> (21)..(21)
<223> Any nucleotide
  <220>
  <221> misc_feature
  <222> (23)..(23)
  <223> Any nucleotide
 <220>
 <221> misc_feature
<222> (25)..(25)
 <223> Any nucleotide
 <220>
 <221> misc_feature
        (41) ... (42)
 <222>
 <223> Any nucleotides
 <220>
 <221> misc_feature
 <222> (55)..(55)
<223> Any nucleotide
 <400> 125
 aacatagnct naaagtgtgt nananattct taacttaaaa nnttttcacc caacnaaaaa
 aaacaaagac aaaaacatgg gtagtgttga aattccaaca aaggttctta ctaacacttc
tagtcaagtg aaaatgcctg tggttggaat gggatcagca cctgatttca catgtaagaa
agacacaaaa gatgcaatca ttgaagccat caaacaaggt tatagacact ttgatactgc
tgctgcttat ggctcagaac aagctcttgg tggaggtttg aaagaagcaa ttgaacttgg
ccttgtcact agagaagagc tttttgttac ttctaaactt tgggtcactg aaaatcatcc
tcaccttgtt gttcctgctc ttcaaaaatc tctcaagact cttcaattgg agtacttgga
cttgtatttg atccattggc cacttagttc tcagcctgga aagttttcat ttccaattga
tgtggcagat ctcttgccat ttgatgtgaa gggtgtttgg caatccatgg aagaaggctt
gaaacttgga ctcactaaag ctattggtgt
570
```

PCT/AU02/01345

```
<211> 621
   <212> DNA
   <213> Trifolium repens
  <220>
  <221> misc_feature
<222> (5)..(5)
<223> Any nucleotide
  <220>
  <221> misc_feature
<222> (9)..(9)
<223> Any nucleotide
  <220>
 <221> misc_feature
<222> (17)..(18)
<223> Any nucleotides
 <220>
 <221> misc_feature
<222> (21)..(22)
<223> Any nucleotides
 <220>
 <221> misc_feature
 <222> (27)..(27)
<223> Any nucleotide
 <220>
 <221> misc_feature
<222> (32)..(32)
<223> Any nucleotide
 <220>
<221> misc_feature
<222> (38)..(38)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (44)..(44)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (49)..(51)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (62)..(62)
<223> Any nucleotide
```

<400> 126 acatngctna agtgtgnnaa nnattcntaa cntaaacnat tttnacccnn nacaaaaaaa

60 136/390

<220>

<221> misc_feature <222> (43)..(43) <223> Any nucleotide

cnaagacaat aacatgggta gtgttgaaat tccaacaaag gttcttacta acacttctag tcaagtgaaa atgcctgtgg ttggaatggg atcagctcct gatttcacat gtaagaaaga tacaaaagat gcaatcattg aagccatcaa acaaggttat agacactttg atactgctgc tgcttatggc tcagaacaag ctcttggtga aggtttgaaa gaagcaattg aacttggcct tgtcactaga gaagagcttt ttgttacttc taaactttgg gtcactgaaa atcatcctca tcttgttgtt cctgctcttc aaaaatctct caagactctt caattggagt acttggactt gtatttgatc cattggccac ttagttctca gcctggaaag ttttcatttc caattgatgt ggcagatctc ttgccatttg atgtgaaggg tgtttgggaa tccatggaag aaggcttgaa acttggactc actaaagcta ttggtgttag taacttctct gtcaagaaac ttcaaaatct tgtctcagtt gccaccgttc t 621 <210> 127 <211> 573 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (8)..(8)<223> Any nucleotide <220> <221> misc_feature <222> (16)..(16) <223> Any nucleotide <220> <221> misc_feature <222> (19) ... (19) <223> Any nucleotide <220> <221> misc_feature <222> (36)..(38) <223> Any nucleotides

```
<220>
 <221> misc_feature
<222> (48)..(48)
<223> Any nucleotide
  <220>
  <221> misc_feature
 <222> (61)..(61)
<223> Any nucleotide
 <220>
 <221> misc_feature
 <222> (573)..(573)
 <223> Any nucleotide
 <400> 127
 catagctnaa gtgtgnaana atttcttaac taaaannntt ttnacccnac aaaaaaaaac
 naagacaaaa acatgggtag tgttgaaatt ccaacaaagg ttcttactaa cagttctagt
 120
 caagtgaaaa tgcctgtggt tggaatggga tcagcacctg atttcacatg taagaaagac
 acaaaagatg caatcattga agccatcaaa caaggttata gacactttga tactgctgct
 gcttatggct cagaacaagc tcttggtgaa ggtttgaaag aagcaattga acttggcctt
 gtcactagag aagagctttt tgttacttct aaactttggg tcactgaaaa tcatcctcac
cttgttgttc ctgctcttca aaaatctctc aagactcttc aattggagta cttggacttg
tatttgatcc attggccact tagttctcag cctggaaagt tttcatttcc aattgatgtg
gcagatctct tgccatttga tgtgaagggt gtttgggaat ccatggaaga aggcttgaaa
cttggactca ctaaagctat tggtgttagt aan
573
<210> 128
<211> 583
<212> DNA
<213> Trifolium repens
<220>
<221> misc feature
<222> (4)..(4)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (16)..(17)
```

```
<223> Any nucleotides
  <222> (19)..(20)
<223> Any nucleotides
  <220>
  <221> misc_feature
  <222> (26)..(26)
  <223> Any nucleotide
  <220>
 <221> misc_feature
<222> (31)..(31)
<223> Any nucleotide
 <220>
 <221> misc_feature
<222> (36)..(38)
<223> Any nucleotides
 <220>
 <221> misc_feature
 <222> (43)..(43)
 <223> Any nucleotide
 <220>
 <221> misc_feature
<222> (48)..(48)
 <223> Any nucleotide
 <220>
<221> misc_feature
<222> (61)..(61)
<223> Any nucleotide
 <220>
<221> misc_feature
<222> (79)..(79)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (81)..(81)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (83)..(84)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (239)..(239)
```

<223> Any nucleotides

<400> 128 catngctaaa gtgtgnnann tattcntaac ntaaannntt ttnacccnac aaaaaaaac naagacaata acatgggtng ngnngaaatt ccaacaaagg ttcttactaa cacttctagt caagtgaaaa tgcctgtggt tggaatggga tcagctcctg atttcacatg taagaaagat acaaaagatg caatcattga agccatcaaa caaggttata gacactttga tactgctgnt gcttatggct cagaacaagc tcttggtgaa ggtttgaaag aagcaattga acttggcctt gtcactagag aagagetttt tgttacttet aaaetttggg teactgaaaa teateeteae 360 cttgttattc ctgctcttca aaaatctctc aagactcttc aattggagta cttggacttg tatttgatcc attggccact tagttctcag cctggaaagt tttcatttcc aattgatgtg gcagatctct tgccatttga tgtgaaggt gtttgggaat ccatggaaga aggcttgaaa cttggactca ctaaagctat tggtgttagt aacttctctg tcc 583 <210> 129 <211> 597 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (4)..(4) <223> Any nucleotide <220> <221> misc_feature <222> (8)..(8) <223> Any nucleotide <220> <221> misc_feature <222> (16)..(16) <223> Any nucleotide <220> <221> misc_feature <222> (18)..(18) <223> Any nucleotide

<220> <221> misc_feature <222> (21)..(21) <223> Any nucleotide

<220>

<221> misc_feature <222> (36)..(38)

<223> Any nucleotides

<220>

<221> misc_feature

<222> (48)..(48) <223> Any nucleotides

<220>

<221> misc_feature

<222> (61)..(61)

<223> Any nucleotides

<220>

<221> misc_feature

<222> (67)..(67)

<223> Any nucleotides

<400> 129

catngctnaa gtgtgnanca natttctaac taaaannntt ttcacccnac aaaaaaaaac

naagacnaaa acatgggtag tgttgaaatt ccaacaaagg ttcttactaa cagttctagt 120

caagtgaaaa tgcctgtggt tggaatggga tcagcacctg atttcacatg taagaaagac

acaaaagatg caatcattga agccatcaaa cagggttata gacactttga tactgctgct 240

gcttatggct cagaacaagc tcttggtgaa ggtttgaaag aagcaattga acttggtctt

gtcactagag aagacctttt tgttacttct aaactttggg tcactgaaaa tcatcctcat

cttgttgttc ctgctcttca aaaatctctc aagactcttc aattggagta cttggacttg 420

tatttgatcc attggccact tagttctcag cctggaaagt tttcatttcc aattgatgtg

gcagatctct tgccatttga tgtgaagggt gtttgggaat ccatggaaga aggcttgaaa

cttggactca ctaaagctat tggtgttagt aacttctctg tcaagaaact tcaaaat

<210> 130

<211> 597

<212> DNA

<213> Trifolium repens

<220>

```
<221> misc_feature
 <222> (16)..(17)
<223> Any nucleotides
 <220>
 <221> misc_feature
 <222> (19)..(19)
 <223> Any nucleotide
 <220>
<221> misc_feature
<222> (28)..(28)
 <223> Any nucleotide
<220>
<221> misc_feature
<222> (36)...(38)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (48)..(48)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (55)..(55)
<223> Any nucleotide
<220>
<221> misc_feature <222> (61)..(61)
<223> Any nucleotide
<400> 130
catagctaaa gtgtgnnana atttcttnac taaaannntt ttcacccnac aaaanaaaac
naagacaaaa acatgggtag tgttgaaatt ccaacaaagg ttcttactaa cacttctagt
caagtgaaaa tgcctgtggt tggaatggga tcagcacctg atttcacatg taagaaagac
acaaaagatg caatcattga agccatcaaa caaggttata gacactttga tactgctgct
240
gcttatggct cagaacaagc tcttggtgga ggtttgaaag aagcaattga acttggcctt
gtcactagag aagagctttt tgttacttct aaactttggg tcactgaaaa tcatcctcac
360
cttgttgttc ctgctcttca aaaatctctc aagactcttc aattggagta cttggacttg
tatttgatcc attggccact tagttctcag cctggaaagt tttcatttcc aattgatgtg
480
```

142/390

gcagatetet tgccatttga tgtgaagggt gtttggcaat ecatggaaga aggettgaaa cttggactca ctaaagctat tggtgttagt aacttctctg tcaagaaact tcaaaat <210> 131 <211> 574 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (2)..(2) <223> Any nucleotide <220> <221> misc_feature
<222> (26)..(28)
<223> Any nucleotides <220> <221> misc_feature <222> (33)..(33) <223> Any nucleotide <220> <221> misc_feature
<222> (38)..(38)
<223> Any nucleotide <220> <221> misc_feature
<222> (51)..(51)
<223> Any nucleotide <220> <221> misc_feature <222> (57)..(57) <223> Any nucleotide <220> <221> misc_feature <222> (83)..(83) <223> Any nucleotide <220> <221> misc_feature <222> (519)..(519) <223> Any nucleotide <220> <221> misc_feature <222> (540)..(540) <223> Any nucleotide

PCT/AU02/01345

```
<220>
 <221> misc_feature
<222> (559)..(561)
 <223> Any nucleotides
 <220>
 <221> misc feature
 <222> (568)..(568)
 <223> Any nucleotide
 <220>
 <221> misc_feature
 <222> (572)..(572)
 <223> Any nucleotide
 <220>
 <221> misc_feature
<222> (574)..(574)
 <223> Any nucleotide
 <400> 131
gngtgtaaca tattcttaac ttaaannntt ttnacccnac aaaaaaaaac naagacnata
acatgggtag tgttgaaatt ccnacaaagg ttcttactaa cacttctagt caagtgaaaa
tgcctgtggt tggaatggga tcagctcctg atttcacatg taagaaagat acaaaagatg
caatcattga agccatcaaa caaggttata gacactttga tactgctgct gcttatggct
240
cagaacaagc tcttggtgaa ggtttgaaag aagcaattga acttggcctt gtcactagag
aagagetttt tgttaettet aaactttggg teactgaaaa teateeteae ettgttgtte
360
ctgctcttca aaaatctctc aagactcttc aattggagta cttggacttg tatttgatcc
420
attggccact tagttctcag cctggaaagt tttcatttcc aattgatgtg gcagatctct
tgccatttga tgtgaagggt gtttgggaat ccatggaana aggcttgaaa cttggactcn
ctaaagctat tggtgttann nacttctntg tnan
574
<210> 132
<211> 578
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature <222> (2)..(2)
<223> Any nucleotide
```

```
<220>
 <221> misc_feature
 <222> (14)..(14)
 <223> Any nucleotide
 <220>
 <221> misc_feature <222> (26)..(27)
 <223> Any nucleotides
 <220>
 <221> misc_feature
 <222> (33)..(33)
<223> Any nucleotide
<220>
 <221> misc_feature
 <222> (37)..(37)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (578)..(578)
<223> Any nucleotide
<400> 132
gngtgtaaca tatncttaac ttaaannatt ttnaccnaac aaaaaaaac aaagacaata
60
acatgggtag tgttgaaatt ccaacaaagg ttcttactaa cacttctagt caagtgaaaa
tgcctgtggt tggaatggga tcagctcctg atttcacatg taagaaagat acaaaagatg
caatcattga agccatcaaa caaggttata gacactttga tactgctgct gcttatggct
cagaacaagc tcttggtgaa ggtttgaaag aagcaattga acttggcctt gtcactagag
aagagetttt tgttaettet aaactttggg teactgaaaa teateeteac ettgttgtte
ctgctcttca aaaatctctc aagactcttc aattggagta cttggacttg tatttgatcc
420
attggccact tagttctcag cctggaaagt tttcatttcc aattgatgtg gcagatctct
480
tgccatttga tgtgaagggt gtttgggaat ccatggaaga aggcttgaaa cttggactca
ctaaagctat tggtgttagt aacttctctg tcaagaan
578
<210> 133
<211> 600
<212> DNA
```

```
<213> Trifolium repens
 <220>
 <221> misc_feature
 <222>
         (6)...(6)
 <223> Any nucleotide
 <220>
 <221> misc_feature
 <222> (8)..(12)
 <223> Any nucleotides
 <220>
 <221> misc_feature
 <222> (26)..(28)
 <223> Any nucleotides
 <220>
 <221> misc_feature
<222> (33)..(33)
<223> Any nucleotide
 <220>
 <221> misc_feature
 <222> (37)..(38)
<223> Any nucleotides
 <220>
<221> misc_feature
<222> (48)..(48)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (51)..(51)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (57)..(59)
<223> Any nucleotides
<400> 133
gtgtgnannn nntttctaac taaaannntt ttnaccnnac aaaaaatnaa ngacacnnna
acatgggtag tgttgaaatt ccaacaaagg ttcttactaa cagttctagt caagtgaaaa
tgcctgtggt tggaatggga tcagcacctg atttcacatg taagaaagac acaaaagatg
caatcattga agccatcaaa caaggttata gacactttga tactgctgct gcttatggct
cagaacaagc tcttggtgaa ggtttgaaag aagcaattga acttggcctt gtcactagag
300
```

aagagetttt tgttacttet aaactttggg teactgaaaa teateeteac ettgttgtte 360 ctgctcttca aaaatctctc aagactcttc aattggagta cttggacttg tatttgatcc attggccact tagttctcag cccgaaaagt tttcatttcc aattgatgtg gcagatctct 480 tgccatttga tgtgaagggt gtttgggaat ccatggaaga aggcttgaaa cttggactca ctaaagctat tggtgtcagt aacttctctg tcaagaaact tcaaaatctt gtctcagttg <210> 134 <211> 612 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (1)..(1) <223> Any nucleotide <220> <221> misc_feature <222> (6)..(6) <223> Any nucleotide <220> <221> misc_feature <222> (13)..(14) <223> Any nucleotides <220> <221> misc_feature <222> (19)..(19) <223> Any nucleotide <220> <221> misc_feature <222> (23)..(24) <223> Any nucleotides <220> <221> misc_feature <222> (27)..(27) <223> Any nucleotide <220> <221> misc_feature <222> (37)..(37) <223> Any nucleotide <220>

<221> misc_feature <222> (43)..(43)

<223> Any nucleotide <220> <221> misc_feature <222> (46)..(46) <223> Any nucleotide <220> <221> misc_feature <222> (69)..(69) <223> Any nucleotide <400> 134 nttctnacta aannttttna ccnnacnaaa aaaaacnaag acnatnacat gggtagtgtt gaaattccna caaaggttct tactaacact tctagtcaag tgaaaatgcc tgtggttgga 120 atgggatcag ctcctgattt cacatgtaag aaagatacaa aagatgcaat cattgaagcc 180 atcaaacaag gttatagaca ctttgatact gctgctgctt atggctcaga acaagctctt ggtgaaggtt tgaaagaagc aattgaactt ggccttgtca ctagagaaga gctttttgtt 300 acttctaaac tttgggtcac tgaaaatcat cctcaccttg ttgttcctgc tcttcaaaaa 360 tctctcaaga ctcttcaatt ggagtacttg gacttgtatt tgatccattg gccacttagt 420 tctcagcctg gaaagttttc atttccaatt gatgtggcag atctcttgcc atttgatgtg aagggtgttt gggaatccat ggaagaaggc ttgaaacttg gactcactaa agctattggt gttagtaact tctctgtcaa gaaacttcaa aatcttgtct cagttgccac cgttcttcct 600 gcggtcaatc ag 612 <210> 135 <211> 610 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (7)...(7)<223> Any nucleotide <220> <221> misc_feature <222> (30)..(30) <223> Any nucleotide

<220> <221> misc_feature <222> (41)..(41) <223> Any nucleotide <220> <221> misc_feature <222> (67)..(67) <223> Any nucleotide <400> 135 gcacacnttc ttgacttacc aattgtaatn cataataatt ntaaacatgt caaagacagt ttgtgtnacc ggagccagcg gagccatcgg ttcatgggtg gttcgcctcc tcctcgaacg cggctacatt gtccacgcca ccatccaaga tctcgaggat gagaacgaga caaaacattt 180 ggaagcaatg gaaggagcaa agggtcatct caaatttttc gaaatggatc ttcttaacaq cgactctatt gcggccgccg tgaaaggttg tgccggagtt atacatcttg catgtcctaa catcattggt gaagtcaaag accccgagaa gcaaattttg gaaccggcaa ttcaaggaac ggttaatgtg ttgaaggtgg caaaggaagc aggggtggag cgtgtggtgg cgacatcgtc 420 gatctccgcc atcataccga gtcctaattg gccagctgat aagattaagg gagaagattg ttggacagac cttgattatt gcaaggaaaa gaagttatac taccccattg caaaqacact 540 agcagaaaaa gctggttggg aatttgctaa agagaccggt tttgatgttg ttatgattaa 600 ccctggtact 610 <210> 136 <211> 188 <212> PRT <213> Trifolium repens <220> <221> MISC FEATURE <222> (7)..(7) <223> Any amino acid

<400> 136

Trp Val Val Arg Leu Leu Glu Arg Gly Tyr Ile Val His Ala Thr

25

30

20

Ile Gln Asp Leu Glu Asp Glu Asn Glu Thr Lys His Leu Glu Ala Met

Glu Gly Ala Lys Gly His Leu Lys Phe Phe Glu Met Asp Leu Leu Asn

Ser Asp Ser Ile Ala Ala Ala Val Lys Gly Cys Ala Gly Val Ile His

Leu Ala Cys Pro Asn Ile Ile Gly Glu Val Lys Asp Pro Glu Lys Gln

Ile Leu Glu Pro Ala Ile Gln Gly Thr Val Asn Val Leu Lys Val Ala 105

Lys Glu Ala Gly Val Glu Arg Val Val Ala Thr Ser Ser Ile Ser Ala 115 120

Ile Ile Pro Ser Pro Asn Trp Pro Ala Asp Lys Ile Lys Gly Glu Asp

Cys Trp Thr Asp Leu Asp Tyr Cys Lys Glu Lys Lys Leu Tyr Tyr Pro

Ile Ala Lys Thr Leu Ala Glu Lys Ala Gly Trp Glu Phe Ala Lys Glu 170

Thr Gly Phe Asp Val Val Met Ile Asn Pro Gly Thr 180 185

<210> 137

<211> 327 <212> DNA <213> Trifolium repens

<220>

<221> misc_feature

<222> (30)..(30)

<223> Any nucleotide

<220>

<221> misc_feature
<222> (41)..(41)
<223> Any nucleotide

<220>

<221> misc_feature
<222> (67)..(67)
<223> Any nucleotide

150/390

```
<220>
<221> misc_feature
<222> (255)..(255)
<223> Any nucleotide
 <220>
 <221> misc feature
 <222> (271)..(271)
 <223> Any nucleotide
 <220>
 <221> misc_feature
<222> (287)..(287)
 <223> Any nucleotide
 <220>
 <221> misc_feature
<222> (291)..(291)
<223> Any nucleotide
 <220>
 <221> misc_feature
 <222> (313)..(313)
<223> Any nucleotide
 <220>
 <221> misc_feature
 <222> (317)..(319)
 <223> Any nucleotides
 <220>
 <221> misc_feature
<222> (326)..(327)
 <222> (320)...(32), <223> Any nucleotides
 <400> 137
 gcacaccttc ttgacttacc aattgtaatn cataataatt ntaaacatgt caaagacagt
 ttgtgtnacc ggagccagcg gagccatcgg ttcatgggtg gttcgcctcc tcctcgaacg
 cggctacatt gtccacgcca ccatccaaga tctcgaggat gagaacgaga caaaacattt
 180
 ggaagcaatg gaaggagcaa agggtcatct caaatttttc gaaatggatc ttcttaacag
 cgactctatt gcggncgccg tgaaaggttg ngccggagtt atacatnttg nctgtcctac
 300
 ccccttggg gangagnnng cacccnn
 327
 <210>
         138
 <211> 349
 <212> DNA
 <213> Trifolium repens
```

<220> <221> misc_feature <222> (3)..(3) <223> Any nucleotide <220> <221> misc_feature
<222> (7)..(7)
<223> Any nucleotide <220> <221> misc_feature <222> (30)..(30) <223> Any nucleotide <220> <221> misc feature <222> (67)..(67) <223> Any nucleotide <220> <221> misc_feature
<222> (287)..(287)
<223> Any nucleotide <220> <221> misc_feature <222> (314)..(314) <223> Any nucleotide <220> <221> misc_feature
<222> (316)..(316)
<223> Any nucleotide <220> <221> misc_feature <222> (320)..(320) <223> Any nucleotide <220> <221> misc_feature
<222> (324)..(324) <223> Any nucleotide <220> <221> misc_feature
<222> (328)..(328)
<223> Any nucleotide <220> <221> misc_feature
<222> (333)..(333)
<223> Any nucleotide

<220> <221> misc_feature <222> (341)..(341) <223> Any nucleotide <220> <221> misc_feature
<222> (346)..(346)
<223> Any nucleotide <220> <221> misc_feature <222> (348)..(349) <223> Any nucleotides <400> 138 gcncacnttc ttgacttacc aattgtaatn cataatattt ataaacatgt caaagacagt ttgtgtnacc ggagccagcg gagccatcgg ttcatgggtg gttcgcctcc tcctggaacg cggctacatc gtccacgcca ccatccaaga tctcgaggat gagaacgaga caaaacattt ggaagcaatg gaaggggcaa agggtcatct taaatttttc gaaatggatc ttcttaacag tgactctatt gcggccgccg tgaaaggttg tgccggagtt atacatnttg catgtgctaa 300 catcattgct gaangnaaan accncganaa cgngattttg naaccngnn 349 <210> 139 <211> 592 <212> DNA <213> Trifolium repens <220> <221> misc_feature $\langle 222 \rangle$ (7)...(7) <223> Any nucleotide <220> <221> misc_feature <222> (20)..(20) <223> Any nucleotide <220> <221> misc_feature
<222> (30)..(30)
<223> Any nucleotide <220> <221> misc feature <222> (41)..(41)

<223> Any nucleotide

```
<220>
 <221> misc_feature
 <222> (481)..(481)
<223> Any nucleotide
<220>
<221> misc feature
<222> (505)..(505)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (542)..(542)
<223> Any nucleotide
<400> 139
gcacacnttc ttgacttacn aattgtaatn cataataatt ntaaacatgt caaaggcagt
ttgtgtcacc ggagccagcg gagccattgg ttcatgggtg gttcgcctcc tcctccaacg
cggctacatt gtccacgcca ccatccaaga tctcgaggat gagaacgaga caaaacattt
ggaagcaatg gaaggagcaa agggtcatct caaatttttt gaaatggatc ttcttaacag
cgactctatt gcggccgccg tgaaaggttg tgccggagtt atacatcttg catgtcctaa
300
catcattggt gaagtcaaag accccgagaa gcaaattttg gaaccggcaa ttcaaggaac
ggttaatgtg ttgaaggtgg caaaggaagc aggggtggag cgtgtggtgg cgacatcgtc
420
gatctccgcc atcataccga gtcctaattg gccagctgat aagattaagg gagaagattg
ntggacagac cttgattatt gcaangaaaa gaagttatac taccccattg caaagacatt
ancagaaaaa gctggttggg aatttgctaa agagaccggt tttgatgttg tt
592
<210> 140
<211> 594
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222>
      (7)..(7)
<223> Any nucleotide
<220>
<221> misc_feature
<222>
       (30) . (30)
```

<223> Any nucleotide <220> <221> misc_feature <222> (41)..(41) <223> Any nucleotide <400> 140 gcacacnttc ttgacttacc aattgtaatn cataataatt ntaaacatgt caaaqacagt ttgtgtcacc ggagccagcg gagccatcgg ttcatgggtg gttcgcctcc tcctcgaacg cggctacatt gtccacgcca ccatccaaga tctcgaggat gagaacgaga caaaacattt 180 ggaagcaatg gaaggagcaa agggtcatct caaatttttc gaaatggatc ttctcaacag 240 cgactctatt gcggccgccg tgaaaggttg tgccggagtt atacatcttg catqtcctaq catcattggt gaagtcaaag accccgagaa gcaaattttg gaaccggcaa ttcaaggaac 360 ggttaatgtg ttgaaggtgg caaaggaagc aggggtggag cgtgtggtgg cgacatcgtc gatctccgcc atcataccga gtcctaattg gccagctgat aagattaagg gagaagattg ttggacagac cttgattatt gcaaggaaaa gaagttatac taccccattg caaagacact 540 agcagaaaaa gctggttggg aatttgctaa agagaccggt tttgatgttg ttat 594 <210> 141 <211> 583 <212> DNA <213> Trifolium repens <220> <221> misc feature <222> (4)..(4) <223> Any nucleotide <220> <221> misc_feature <222> $(14)^{-}$...(14)<223> Any nucleotide <220> <221> misc_feature <222> (18)..(18) <223> Any nucleotide <220> <221> misc_feature

```
<222> (28)..(28)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (49)..(50)
<223> Any nucleotides
<400> 141
gccncttctt gacncacnaa ttgtaatnca taataattat aaacatgtnn aagacagttt
gtgtcactgg agccagcgga gccatcggtt catgggtggt tcgcctcctc ctccaacgcg
gctacattgt ccacgccacc atccaagatc tcgaggatga gaacgagaca aaacatttgg
180
aagcaatgga aggagcaaag ggtcatctca aatttttcga aatggatctt cttaacagcg
actctattgc ggccgccgtg aaaggttgtg ccggagttat acatcttgca tgtcctaaca
300
tcattggtga agtcaaagac cccgagaagc aaattttgga accggcaatt caaggaacgg
ttaatgtgtt gaaggtggca aaggaagcag gggtggagcg tgtggtggcg acatcgtcga
tctctgccat cataccgagt cctaattggc cagctgataa gattaaggga gaagattgtt
ggacagacct tgattattgc aaggaaaaga agttatacta ccccattgca aagacactag
540
cagaaaaagc tggttgggaa tttgctagag agaccggttt tgt
583
<210> 142
<211>
      608
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (4)..(4)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (18)...(18)
<223> Any nucleotide
<220>
<221> misc_feature
<222>
      (28)..(28)
```

<220>

<223> Any nucleotide

```
<221> misc_feature
<222> (39)..(39)
<223> Any nucleotide
<220>
<221> misc feature
<222> (49)..(49)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (65)..(65)
<223> Any nucleotide
<400> 142
gctncttctt gacttacnaa ttgtaatnca taataattnt aaacatgtna aagacagttt
gtgtnaccgg agccagcgga gccatcggtt catgggtggt tcgcctcctc ctcgaacgcg
gctacattgt ccacgccacc atccaagatc tcgaggatga gaacgagaca aaacatttgg
aagcaatgga aggagcaaag ggtcatctca aatttttcga aatggatctt ctcaacagcg
actctattgc ggccgccgtg aaaggttgtg ccggagttat acatcttgca tgtcctagca
tcattggtga agtcaaagac cccgagaagc aaattttgga accggcaatt caaggaacgg
ttaatgtgtt gaaggtggca aaggaagcag gggtggagcg tgtggtggcg acatcgtcga
420
tctccgccat cataccgagt cctaattggc cagctgataa gattaaggga gaagattgtt
ggacagacct tgattattgc aaggaaaaga agttatacta ccccattgca aagacactag
540
cagaaaaagc tggttgggaa tttgctaaag agaccggttt tgatgttgtt atgattaacc
ctggtact
608
<210> 143
<211> 571
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (2)..(2)
<223> Any nucleotide
<220>
<221> misc feature
<222> (11)..(11)
```

157/390

```
<223> Any nucleotide
 <220>
 <221> misc feature
<222> (25)..(25)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (36)..(36)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (47)..(47)
<222> (4/)..(±/) <223> Any nucleotide
<220>
<221> misc_feature
<222>
       (62)..(63)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (72)..(72)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (537)..(537)
<223> Any nucleotide
<400> 143
cnttcttgac ntaccaattg taatncataa taattntaaa catgtcnaag gcagtttgtg
tnnccggagc cngcggagcc attggttcat gggtggttcg cctcctcctc caacgcggct
acattgtcca cgccaccatc caagatctcg aggatgagaa cgagacaaaa catttggaag
caatggaagg agcaaagggt catctcaaat tttttgaaat ggatcttctt aacagcgact
240
ctattgcggc cgccgtgaaa ggttgtgccg gagttataca tcttgcatgt cctaacatca
ttggtgaagt caaagacccc gagaagcaaa ttttggaacc ggcaattcaa ggaacggtta
360
atgtgttgaa ggtggcaaag gaagcagggg tggagcgtgt ggtggcgaca tcgtcgatct
420
ccgccatcat accgagtcct aattggccag ctgataagat taagggagaa gattgttgga
cagaccttga ttattgcaag gaaaagaagt tatactaccc cattgcaaag acattancag
540
```

aaaaagctgg ttgggaattt gctaaagaga c 571 <210> 144 <211> 586 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (2)..(2) <223> Any nucleotide <220> <221> misc_feature <222> (15)..(15) <223> Any nucleotide <220> <221> misc feature <222> (25)..(25) <223> Any nucleotide <400> 144 cnttcttgac ttacnaattg taatncataa tatttataaa catgtcaaag acagtttgtg tcaccggagc cagcggagcc atcggttcat gggtggttcg tctcctcctg gaacgcggct 120 acatcgtcca cgccaccatc caagatctcg aggatgagaa cgagacaaaa catttggaag caatggaagg ggcaaagggt tatcttaaat ttttcgaaat ggatcttctt aacagtgact ctattgcggc cgccgtgaaa ggttgtgccg gagttataca tcttgcatgt cctaacatca ttggtgaagt caaagacccc gagaagcaaa ttttggaacc ggcgattcaa ggaacggtta 360 acgtgttgaa ggtggcaaag gaagcagggg tggagcgtgt ggtggcgacg tcatcgatct 420 ccgccatcat accgagtcct aattggccag ctgataagat taagggagaa gattgttgga cggaccttga ttattgcaag gaaaagaagt tacactaccc catcgcaaag acactagcag 540 aaaaagctgg ttgggaattt gctaaagaga ccggttttga tgttgt 586 <210> 145 <211> 328 <212> DNA <213> Trifolium repens

<220>

WO 03/031622 PCT/AU02/01345

```
<221> misc_feature
<222> (10)..(10)
<223> Any nucleotide
 <220>
 <221> misc_feature
<222> (19)..(19)
<223> Any nucleotide
 <220>
 <221> misc_feature
<222> (24)..(24)
<223> Any nucleotide
 <220>
 <221> misc_feature
 <222> (31)..(31)
<223> Any nucleotide
 <220>
 <220>
<221> misc_feature
<222> (35)..(37)
<223> Any nucleotides
<220>
 <221> misc_feature
<222> (41)..(41)
<223> Any nucleotide
 <220>
 <221> misc_feature
 <222> (45)..(45)
<223> Any nucleotide
 <220>
 <221> misc_feature
 <222> (61)..(61)
 <223> Any nucleotide
 <220>
 <221> misc_feature <222> (71)..(71)
 <223> Any nucleotide
 <220>
 <221> misc_feature
 <222> (249)..(249)
<223> Any nucleotide
 <220>
 <221> misc_feature
 <222> (289)..(289)
 <223> Any nucleotide
```

<220>

```
<221> misc_feature
<222> (310)..(310)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (315)..(315)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (320)..(320)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (326)..(326)
<223> Any nucleotide
<220>
<221> misc_feature
       (328)...(328)
<222>
<223> Any nucleotide
<400> 145
tttcttgacn tacccattnt tatncataat nattnnnaac ntgtnaaaga cagtttgtgt
naccggagcc ngcggagcca tcggttcatg ggtggttcgc ctcctcctcg aacgcggcta
cattgtccac gccaccatcc aagatctcga ggatgagaac gagacaaaac atttggaagc
180
aatggaagga gcaaagggtc atctcaaatt ttttgaaatg gatcttctta acagcgactc
tattgcggnc gccgtgaaag gttgtgccgg agttatacat cttgcatqng ctaacatcat
300
tggggaagcn aaagnactcn ataagnan
328
<210> 146
<211> 232
<211> 252 <212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (1)..(1)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (3)..(3)
<223> Any nucleotide
```

WO 03/031622 PCT/AU02/01345

```
<220>
 <221> misc_feature
<222> (12)..(12)
 <223> Any nucleotide
 <220>
 <221> misc_feature
<222> (14)..(14)
 <223> Any nucleotide
 <220>
 <221> misc_feature
<222> (21)..(22)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (39)..(39)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (60)..(60)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (69)..(69)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (154)..(154)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (156)..(156)
<223> Any nucleotide
<220>
<220>
<221> misc_feature
<222> (178)..(178)
<223> Any nucleotide
<220>
<220>
<221> misc_feature
<222> (186)..(186)
<223> Any nucleotide
<220>
<221> misc feature
<222> (232)..(232)
<223> Any nucleotide
```

<400> 146 ngngtttgtg tnanctgagc nngcggagcc ctcggttant gggtggttcg cctcctctn ccacgcggnt acattgtcca cgccaccatc caagatctcg aggatgagaa cgagacaaaa catttggaag caatggaagg agcaaagggt catntnaaat ttttcgaaat ggatcttntt 180 aacagngact ctattgcggc cgccgtgaaa ggttgtgccg gagttataca tn 232 <210> 147 <211> 623 <212> DNA <213> Trifolium repens <220> <221> misc feature <222> (11)..(11) <223> Any nucleotide <220> <221> misc_feature <222> (14)..(14) <223> Any nucleotide <400> 147 ataaaaccaa nctncaaaac tgattggaac tcagaaaaat agaagaaaag agatgcctga gttttgtgtt acagggggca ctggcttcat agcagcctac ctagtgaaag ccttattaga aaagggtcac acagtaagga ctactgtaag aaacccagat gatttggaga aggttggtta 180 tctaactgaa ctaagtgaag acaaagagag attgaagatt ttaaaagcag atctattggt ggaagggagt tttgatgagg cagtgagtgg tgttgatggt gtgtttcata cagcttcccc tgttcttgtt ccacatgatg acaacattca ggttactttg attgatccat gtataaaagg 360 aacacaaaat gtgcttaact catgcatcaa agcaaaggtg aaacgtgtgg tgttaacatc ttcatgctct tccataagat accgtgacga tgtgcaacaa atttctcctc ttaatgaatc 480 tcattggagt gattctgaat actgcaaacg ctataacctg tggtatgcat atgcaaagac tttaggagaa aaagaagcat ggaggattgc aaaggaaagt ggaattgatc tagttgtagt taacccctct tttgttggtg gtc 623

<210> 148

<211> 190 <212> PRT

<213> Trifolium repens

<400> 148

Met Pro Glu Phe Cys Val Thr Gly Gly Thr Gly Phe Ile Ala Ala Tyr

Leu Val Lys Ala Leu Leu Gļu Lys Gly His Thr Val Arg Thr Thr Val

Arg Asn Pro Asp Asp Leu Glu Lys Val Gly Tyr Leu Thr Glu Leu Ser

Glu Asp Lys Glu Arg Leu Lys Ile Leu Lys Ala Asp Leu Leu Val Glu

Gly Ser Phe Asp Glu Ala Val Ser Gly Val Asp Gly Val Phe His Thr

Ala Ser Pro Val Leu Val Pro His Asp Asp Asn Ile Gln Val Thr Leu 90

Ile Asp Pro Cys Ile Lys Gly Thr Gln Asn Val Leu Asn Ser Cys Ile 100 105

Lys Ala Lys Val Lys Arg Val Val Leu Thr Ser Ser Cys Ser Ser Ile

Arg Tyr Arg Asp Asp Val Gln Gln Ile Ser Pro Leu Asn Glu Ser His 135

Trp Ser Asp Ser Glu Tyr Cys Lys Arg Tyr Asn Leu Trp Tyr Ala Tyr

Ala Lys Thr Leu Gly Glu Lys Glu Ala Trp Arg Ile Ala Lys Glu Ser 170

Gly Ile Asp Leu Val Val Val Asn Pro Ser Phe Val Gly Gly 185

<210> 149 <211> 570 <212> DNA

<213> Trifolium repens

<220>

<221> misc_feature

<222> (11)..(11)

<223> Any nucleotide

164/390

```
<220>
<221> misc_feature
<222> (14)..(14)
<223> Any nucleotide
<220>
<221> misc_feature
<222>
       (32)..(32)
<223> Any nucleotide
<400> 149
ataaaaccaa nctncaaaac tgattggaac tnagaaaaat agaagaaaag agatgcctga
gttttgtgtt acaggggca ctgggttcat agcagcctac ctagtgaaag ccttattaga
120
aaagggtcac acagtaagga ctactgtaag aaacccagat gatttggaga aggttggtta
180
tctaactgaa ctaagtgaag acaaagagag attgaagatt ttaaaagcag atctattggt
ggaagggagt tttgatgagg cagtgagtgg tgttgatggt gtgtttcata cagcttcccc
tgttcttgtt ccacatgatg acaatattca ggttactttg attgatccat gtataaaagg
360
aacacaaaat gtgcttagct catgcatcaa agcaaaggtg aaacgtgtgg tgttaacatc
ttcatgctct tccataagat accgtgacga tgtgcaacaa atttcaccac ttaatgaatc
480
tcattggagt gattctgaat actgcaaacg ctataacctg tggtatgcat atgcaaagac
attaggagaa aaagaagcat ggaggattgc
570
<210> 150
<211> 572
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (2)..(2)
<223> Any nucleotide
<220>
<221> misc_feature
<222>
      (8)..(9)
<223> Any nucleotides
<400> 150
gnacctcnna aaaatagaag aaaagagatg cctgagtttt gtgttacagg gggcactggg
ttcatagcag cctacctagt gaaagcccta ttagaaaagg gtcacacagt aaggactact
```

120

gtaagaaacc cagatgattt ggagaaggtt ggttatctaa ctgaactaag tgaagacaaa 180

gagagattga agattttaaa agcagatcta ttggtggaag ggagttttga tgaggcagtg 240

agtggtgttg atggtgttt tcatacagct tcccctgttc ttgttccaca tgatgacaat 300

attcaggtta ctttgattga tccatgtata aaaggaacac agaatgtgct taactcatgc 360

atcaaagcaa aggtgaaacg tgtggtgtta acatcctcat gctcttccat aagataccgt

gacgatgtgc aacaaatttc tcctcttaat gaatctcatt ggagtgattc tgattactgc 480

aaacgctata acctgtggta tgcatatgca aagactttag gagaaaaaga agcatggagg 540

attgcaaagg aaagtgggat taatctagtt gt 572

<210> 151

<211> 572

<212> DNA

<213> Trifolium repens

<400> 151

ggaaagagat gcctgagttt tgtgttacag ggggcactgg cttcatagca gcttacctag

tgaaagcctt attagaaaag ggtcacacag taaggactac tgtaagaaac ccagatgatt 120

tggagaaggt tggttatcta actgaactta gtgaagacaa agagagattg aagattttaa 180

aagcagatct attggtggaa gggagttttg atgaggcagt gagtggtgtt gatggtgtt 240

ttcatacagc ttcccctgtt cttgttccac atgatgacaa cattcaggtt actttgattg 300

atccatgtat aaaaggaaca caaaatgtgc ttaactcatg catcaaagca aaggtgaaac

gtgtggtgtt aacatcttca tgctcttcca taagataccg tgacgatgtg caacaaattt 420

ctcctcttaa tgaatctcat tggagtgatt ctgaatactg caaacgctat aacctgtggt

atgcatatgc aaagacttta ggagaaaaag aagcatggag gattgcaaag gaaagtggaa 540

ttgatctagt tgtagttaac ccctcttttg tt 572

<210> 152

<211> 574

```
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (40)..(40)
<223> Any nucleotide
<400> 152
gagatgcctg agttttgtgt tacagggggc actggcttcn tagcagctta cctagtgaaa
gccttattag aaaagggtca cacagtaagg actactgtaa gaaacccaga tgctttggag
aaggttggtt atctaactga acttagtgaa gacaaagaga gattgaagat tttaaaagca
gatctattgg tggaagggag ttttgatgag gcagtgagtg gtgttgatgg tgtgtttcat
240
acagetteee etgttettgt tecacatgat gacaacatte aggttaettt gattgateea
tgtataaaag gaacacaaaa tgtgcttaac tcatgcatca tagcaaaggt gaaacgtgtg
gtgttaacat cttcatgctc ttccataaga taccgtgacg atgtgcaaca aatttctcct
420
cttaatgaat ctcattggag tgattctgaa tactgcaaac gctataacct gtggtatgca
tatgcaaaga ctttaggaga aaaagaagca tggaggattg caaaggaaag tggaattgat
ctagttgtag ttaacccctc ttttgttggt ggtc
574
<210> 153
<211> 641
<212> DNA
<213> Trifolium repens
<220>
<221> misc feature
\langle 222 \rangle (2)...(2)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (8)..(8)
<223> Any nucleotide
<220>
<221> misc_feature
<222>
      (28)..(28)
<223> Any nucleotide
<220>
<221> misc_feature
```

```
<222> (505)..(505)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (565)..(565)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (608)..(608)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (615)..(616)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (626)..(628)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (632)..(632)
<223> Any nucleotide
<220>
<221> misc feature
<222> (641)..(641)
<223> Any nucleotide
<400> 153
gngaaganct agtttgcgta acccgganca acggtttcat cggaacatgg ctagttaaaa
ccctactcca aaaacactac aaaattcacg ccacaatctt ccccaattcc aacgcatctc
120
 atttcttcac actccacccg gaagctcaat cccggatcac aattttccct gtcgatatcc
 tegactecae egeogtette teegetatea ataactgete aggtgtettt catgeegett
 240
 ctccatgtac cctcgaagat ccaactgatc cgcaaaaaga gcttctagaa cctgctgtac
 aaggaaccct aaatgttcta gaagcatcca gcgcgcaggt accaaaccct aattggccgg
 agaaaaaggc gatcgatgag gcgtcgtgga cggatgttga gtactgtaaa ttgagaggga
 420
 agtggtatct ggtgtcgaaa acggaggcgg agaaggcggc ttgggatttt cgagagaaaa
 480
 atggtggtgt tgatgtgggg gcggntcatc cggggacttg tttgggagag ttgatacaga
```

540

aggagttgaa tgcgagttca gcggntttac agaggttgat gatggggagt gaggatactc

aagagtgnta ttggnngggg ggctgnnnat gntaaagatg n 641

<210> 154 <211> 206 <212> PRT

<213> Trifolium repens

<220>

<221> MISC_FEATURE

<222> (2)..(2) <223> Any amino acid

<220>

<221> MISC FEATURE

<222> (9)..(9)

<223> Any amino acid

<220>

<221> MISC_FEATURE <222> (168)..(168)

<223> Any amino acid

<220>

<221> MISC_FEATURE

<222> (201)..(201) <223> Any amino acid

<220>

<221> MISC FEATURE

<222> (204)..(204)

<223> Any amino acid

<400> 154

Glu Xaa Leu Val Cys Val Thr Arg Xaa Asn Gly Phe Ile Gly Thr Trp

Leu Val Lys Thr Leu Leu Gln Lys His Tyr Lys Ile His Ala Thr Ile 20

Phe Pro Asn Ser Asn Ala Ser His Leu Phe Thr Leu His Pro Glu Ala

Gln Ser Arg Ile Thr Ile Phe Pro Val Asp Ile Leu Asp Ser Thr Ala

Val Phe Ser Ala Ile Asn Asn Cys Ser Gly Val Phe His Ala Ala Ser 75

WO 03/031622 PCT/AU02/01345 169/390

Pro Cys Thr Leu Glu Asp Pro Thr Asp Pro Gln Lys Glu Leu Leu Glu 90

Pro Ala Val Gln Gly Thr Leu Asn Val Leu Glu Ala Ser Ser Ala Gln 100 105

Val Pro Asn Pro Asn Trp Pro Glu Lys Lys Ala Ile Asp Glu Ala Ser 115 120

Trp Thr Asp Val Glu Tyr Cys Lys Leu Arg Gly Lys Trp Tyr Leu Val 130

Ser Lys Thr Glu Ala Glu Lys Ala Ala Trp Asp Phe Arg Glu Lys Asn 145

Gly Gly Val Asp Val Gly Ala Xaa His Pro Gly Thr Cys Leu Gly Glu

Leu Ile Gln Lys Glu Leu Asn Ala Ser Ser Ala Leu Gln Arg Leu Met 180

Met Gly Ser Glu Asp Thr Gln Glu Xaa Tyr Trp Xaa Gly Gly

<210> 155 <211> 822

<212> DNA

<213> Trifolium repens

<220>

<221> misc_feature
<222> (3)..(3)
<223> Any nucleotide

<220>

<221> misc_feature

<222> (17)..(17)

<223> Any nucleotide

<220>

<221> misc_feature

<222> (26)..(26)

<223> Any nucleotide

<220>

<221> misc_feature
<222> (574)..(574)
<223> Any nucleotide

<220>

<221> misc_feature <222> (601)..(601) <223> Any nucleotide

```
<220>
<221> misc_feature
<222> (614)..(614)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (619)..(619)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (692)..(693)
<223> Any nucleotides
<220>
 <221> misc_feature
<222> (729)..(730)
<223> Any nucleotides
 <220>
<221> misc_feature
<222> (743)..(743)
<223> Any nucleotide
 <220>
 <221> misc_feature
<222> (752)..(752)
<223> Any nucleotide
 <220>
 <221> misc_feature
<222> (756)..(757)
<223> Any nucleotides
  <220>
  <221> misc_feature
  <222> (777)..(777)
<223> Any nucleotide
  <220>
  <221> misc_feature
  <222> (779)..(780)
<223> Any nucleotides
  <220>
  <221> misc_feature
<222> (789)..(789)
<223> Any nucleotide
  <220>
  <221> misc_feature
<222> (794)..(794)
<223> Any nucleotide
```

```
<220>
<221> misc_feature
<222> (797)..(797)
<223> Any nucleotide
<220>
<221> misc feature
<222> (812)..(813)
<223> Any nucleotides
<400> 155
gcnttgatca gcgtatnaac acacangtet teeettgage tetgtttete cacatgtega
agetagtttg egteacegge ggeageggat geateggtte atggetagte cateteette
120
agcatctaga agctetegaa ggageacaaa ctaateteeg tetetteeag ategatetee
240
ttaactacga cacaatcctc gctgctgtcc gcggttgcgt cggaattttc cacctcgctt
caccttgcac tgtagacaaa gttcatgatc ctcagaagga gcttttggat cctgcaatta
aagggacttt gaatgtgctt actgcagcta aggaagtagg ggtgaagcgt gtggttgtta
420
cctcgtctgt ctcggcgatt actcctagtc ctgattggcc ttctgatgtt gttaaaagag
aggattgttg gactgatgtt gaatattgca agaaaaaaga gttggggtat ccgttgtcca
540
aaacattggc tgaaaaagct gcgtgggatt tttncaaaga aaatggtttg gatgttgttg
nggtgaatcc cggnactgng atgggtcctg tttttccacc acggcataat gcaagcatgc
tcatgccttg ggaaactttt ttgaaggctg gnnctgaaac atttgaagac tattttatgg
gattggccnn ctttaaagat gtngcattgg cncatnnttt ggggtatgag aacaaanann
ctttgggana catnggnggg ttgaaactat cnntccttac gg
822
<210> 156
<211> 256
<212> PRT
<213> Trifolium repens
<220>
<221> MISC_FEATURE
<222> (174)..(174)
<223> Any amino acid
```

<220> <221> MISC_FEATURE <222> (183)..(183) <223> Any amino acid <220> <221> MISC_FEATURE
<222> (187)..(187)
<223> Any amino acid <220> <221> MISC_FEATURE <222> (189)..(189) <223> Any amino acid <220> <221> MISC_FEATURE <222> (213)..(214) <223> Any amino acids <220> <221> MISC_FEATURE
<222> (226)..(226)
<223> Any amino acid <220> <220>
<221> MISC_FEATURE
<222> (230)..(230)
<223> Any amino acid <220> <221> MISC_FEATURE
<222> (233)..(233)
<223> Any amino acid <220> <221> MISC_FEATURE <222> (235)..(235) <223> Any amino acid <220> <221> MISC_FEATURE <222> (242)..(243) <223> Any amino acids <220> <221> MISC_FEATURE
<222> (246)..(248)
<223> Any amino acids <220> <221> MISC_FEATURE <222> (253)..(254) <223> Any amino acids <400> 156

Met Ser Lys Leu Val Cys Val Thr Gly Gly Ser Gly Cys Ile Gly Ser 1 10 15

Trp Leu Val His Leu Leu Leu Arg Gly Tyr Thr Val His Ala Thr 20 25 30

Val Gln Asn Leu Asn Asp Glu Asn Glu Thr Lys His Leu Glu Ala Leu
35 40 45

Glu Gly Ala Gln Thr Asn Leu Arg Leu Phe Gln Ile Asp Leu Leu Asn 50 60

Tyr Asp Thr Ile Leu Ala Ala Val Arg Gly Cys Val Gly Ile Phe His 65 70 75 80

Leu Ala Ser Pro Cys Thr Val Asp Lys Val His Asp Pro Gln Lys Glu 85 90 95

Leu Leu Asp Pro Ala Ile Lys Gly Thr Leu Asn Val Leu Thr Ala Ala 100 105 110

Lys Glu Val Gly Val Lys Arg Val Val Val Thr Ser Ser Val Ser Ala 115 120 125

Ile Thr Pro Ser Pro Asp Trp Pro Ser Asp Val Val Lys Arg Glu Asp 130 135 140

Cys Trp Thr Asp Val Glu Tyr Cys Lys Lys Lys Glu Leu Gly Tyr Pro 145 150 155

Leu Ser Lys Thr Leu Ala Glu Lys Ala Ala Trp Asp Phe Xaa Lys Glu
165 170 175

Asn Gly Leu Asp Val Val Xaa Val Asn Pro Xaa Thr Xaa Met Gly Pro 180 185 190

Val Phe Pro Pro Arg His Asn Ala Ser Met Leu Met Pro Trp Glu Thr 195 200 205

Phe Leu Lys Ala Xaa Xaa Glu Thr Phe Glu Asp Tyr Phe Met Gly Leu 210 215 220

Ala Xaa Phe Lys Asp Xaa Ala Leu Xaa His Xaa Leu Gly Tyr Glu Asn 225 230 235 240

Lys Xaa Xaa Leu Gly Xaa Xaa Xaa Gly Leu Lys Leu Xaa Xaa Leu Thr 245 250 255

```
<210> 157
<211> 535
<212> DNA
<213> Trifolium repens
<220>
<221> misc feature
\langle 222 \rangle (3)...(3)
<223> Any nucleotide
<220>
<221> misc_feature <222> (17)..(17)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (26)..(26)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (52)..(52)
<223> Any nucleotide
<400> 157
genttgatea gegtatnaae acacangtet teeettgage tetgtttete encatgtega
agctagtttg cgtcaccggc ggcagcggat gcatcggttc atggctagtc catctccttc
tcctccqcqq ctacactqtt cacqccaccg tccaaaatct caatgatgag aacgaaacga
180
agcatctaga agctctcgaa ggagcacaaa ctaatctccg tctcttccag atcgatctcc
ttaactacga cacaatcctc gctgctgtcc gcggttgcgt cggaattttc cacctcgctt
300
 caccttgcac tgtagacaaa gttcatgatc ctcagaagga gcttttggat cctgcaatta
 aagggacttt gaatgtgctt actgcagcta aggaagtagg ggtgaagcgt gtggttgtta
 cctcgtctgt ctcggcgatt actcctagtc ctgattggcc ttctgatgtt gttaaaagag
 aggattgttg gactgatgtt gaatattgca agaaaaaaga gttgtggtat ccgtt
 535
 <210> 158
 <211> 801
 <212>
        DNA
 <213> Trifolium repens
```

<220>

WO 03/031622 PCT/AU02/01345

```
<221> misc_feature
<222> (1)..(1)
<223> Any nucleotide
 <220>
<221> misc_feature
<222> (5)..(6)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (62)..(62)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (553)..(553)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (580)..(580)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (593)..(593)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (598)..(598)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (671)..(672)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (708)..(709)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (722)..(722)
<223> Any nucleotide
<220>
<221> misc feature
<222> (731)..(731)
<223> Any nucleotide
<220>
```

```
<221> misc_feature
<222> (735)..(736)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (756)..(756)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (758)..(759)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (768)..(768)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (773)..(773)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (776)..(776)
<223> Any nucleotide
<220>
<221> misc_feature
<222>
      (791)..(792)
<223> Any nucleotides
<400> 158
nacanntctt cccttgagct ctgtttctcc acatgtcgaa gctagtttgc gtcaccggcg
gnggcggatg catcggttca tggctagtcc atctccttct cctccgcggc tacactqttc
180
gagcacaaac taatctccgt ctcttccaga tcgatctcct taactacgac acaatcctcq
240
ctgctgtccg cggttgcgtc ggaattttcc acctcgcttc accttgcact gtagacaaag
ttcatgatcc tcagaaggag cttttggatc ctgcaattac agggactttg aatgtgctta
360
ctgcagctaa ggaagtaggg gtgaagcgtg tggttgttac ctcgtctgtc tcggcgatta
420
ctcctagtcc tgattggcct tctgatgttg ttaaaagaga ggattgttgg actgatgttg
480
```

aatattgcaa gaaaaaagag ttggggtatc cgttgtccaa aacattggct gaaaaagctg

cgtgggattt ttncaaagaa aatggtttgg atgttgttgn ggtgaatccc ggnactgnga 600

tgggtcctgt ttttccacca cggcataatg caagcatgct catgccttgg gaaacttttt

tgaaggctgg nnctgaaaca tttgaagact attttatggg attggccnnc tttaaagatg 720

tngcattggc ncatnntttg gggtatgaga acaaanannc tttggganac atnggngggt 780

tgaaactatc nntccttacg g 801

<210> 159

<211> 582

<212> DNA

<213> Trifolium repens

<400> 159

gtcacttatg aaatggaaca caaaggtgga gacaaagtat gtgtgacagg ggcatcaggc

tttttagcat cttggcttat taagaaactt cttttgtctg gctatcaagt cattggaaca

gttagagatt tagggaagaa gaagaaagtt gaacatttat ggaaattgga aggagcaaca 180

gaaagactag aactaatcca agctgattta atggaagaaa atagtttcga caaagcgatc 240

atgggatgca aaggtgtctt ccacattgcc tctccagtac tcaatcatat atcagataat 300

cctaaggcgg aaatcttgga accggcagtc caaggtacgc taaatgtgtt gcgttcttgt 360

aagaggaacc ccgatcttgt tcgagtggtg ctagcctcat catcttcggc tgttagagta 420

agagetgatt ttgatccaag cataccaatt gatgaatcat cttggagete cttggaattg 480

tgcgagaaac tcaaggcatg gtacccaatg tcaaagacaa tggcagaaaa agcagcttgg 540

gaatatagca aagagaatgg aatagactta gtgactattt tc 582

<210> 160

<211> 190

<212> PRT

<213> Trifolium repens

<400> 160

Met Glu His Lys Gly Gly Asp Lys Val Cys Val Thr Gly Ala Ser Gly
1 10 15

WO 03/031622 PCT/AU02/01345 178/390

Phe Leu Ala Ser Trp Leu Ile Lys Lys Leu Leu Leu Ser Gly Tyr Gln 30 25

Val Ile Gly Thr Val Arg Asp Leu Gly Lys Lys Lys Val Glu His

Leu Trp Lys Leu Glu Gly Ala Thr Glu Arg Leu Glu Leu Ile Gln Ala

Asp Leu Met Glu Glu Asn Ser Phe Asp Lys Ala Ile Met Gly Cys Lys

Gly Val Phe His Ile Ala Ser Pro Val Leu Asn His Ile Ser Asp Asn

Pro Lys Ala Glu Ile Leu Glu Pro Ala Val Gln Gly Thr Leu Asn Val 105 100

Leu Arg Ser Cys Lys Arg Asn Pro Asp Leu Val Arg Val Val Leu Ala 115

Ser Ser Ser Ser Ala Val Arg Val Arg Ala Asp Phe Asp Pro Ser Ile 135 130

Pro Ile Asp Glu Ser Ser Trp Ser Ser Leu Glu Leu Cys Glu Lys Leu

Lys Ala Trp Tyr Pro Met Ser Lys Thr Met Ala Glu Lys Ala Ala Trp 170 165

Glu Tyr Ser Lys Glu Asn Gly Ile Asp Leu Val Thr Ile Phe 185 180

<210> 161 <211> 572 <212> DNA <213> Trifolium repens

<220>

<221> misc_feature

<222> (2)..(2) <223> Any nucleotide

<220>

<221> misc_feature

 $\langle 222 \rangle$ (4) ... (5)

<223> Any nucleotides

<220>

<221> misc_feature
<222> (9)..(9)

<223> Any nucleotide

```
<220>
<221> misc_feature <222> (11)..(11)
<223> Any nucleotide
<220>
<221> misc_feature <222> (13)..(13)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (24)..(24)
<223> Any nucleotide
<220>
<221> misc feature
<222> (39)..(39)
<223> Any nucleotide
<220>
<221> misc_feature <222> (47)..(47)
<223> Any nucleotide
<400> 161
tncnngctnc ntncgggcag agantttccc tgacctatnt gttactnaag aatatttcta
120
gtttgtgtca ccggtggtgc tggttatatt ggttctcttt tagtcaaaaa gcttttggaa
aagggttaca ccgttcatgc tactcttaga aacttgaagg acgaatccaa agtagatttt
ttgagaggct ttccacatgc agatactaga cttatgttat ttgaagctga tatatacaaa
tcagatgaat tttggcccgc aattcaaggt tgtgagtttg tttttcacct tgctactcct
tttcaacatc aaactgattc tcagtttaag agcatagagg aagctgcaat agcaggggta
420
aaaagcatag ctgaaaattg cataaaatca ggaacagtga gaaaattgat atacactgga
actgtaattg cttcttcttc tctgaaagat gatggaagtg gctacaaaga cttcattgat
540
gaaacttgtt ggacacctct ccatcttcct ct
572
 <210> 162
```

<211> 156

<212> PRT

<213> Trifolium repens

<400> 162

Met Glu Arg Ser Cys Lys Val Cys Val Thr Gly Gly Ala Gly Tyr Ile

Gly Ser Leu Leu Val Lys Lys Leu Leu Glu Lys Gly Tyr Thr Val His

Ala Thr Leu Arq Asn Leu Lys Asp Glu Ser Lys Val Asp Phe Leu Arg 40

Gly Phe Pro His Ala Asp Thr Arg Leu Met Leu Phe Glu Ala Asp Ile 55

Tyr Lys Ser Asp Glu Phe Trp Pro Ala Ile Gln Gly Cys Glu Phe Val 70

Phe His Leu Ala Thr Pro Phe Gln His Gln Thr Asp Ser Gln Phe Lys 85

Ser Ile Glu Glu Ala Ala Ile Ala Gly Val Lys Ser Ile Ala Glu Asn 100 105

Cys Ile Lys Ser Gly Thr Val Arg Lys Leu Ile Tyr Thr Gly Thr Val

Ile Ala Ser Ser Ser Leu Lys Asp Gly Ser Gly Tyr Lys Asp Phe 130 135

Ile Asp Glu Thr Cys Trp Thr Pro Leu His Leu Pro 150

<210> 163 <211> 714 <212> DNA

<213> Trifolium repens

<220>

<221> misc_feature

<222> (4)..(4) <223> Any nucleotide

<220>

<221> misc_feature

<222> (131)..(131)

<223> Any nucleotide

<220>

<221> misc_feature <222> (147)..(147)

<223> Any nucleotide

<400> 163 gccnttgcct actactaaac tatatattat tattattat tatgatgata catagtgaca ttaataattg gaagggagaa taaatagttg aaaaacacac agttggagtg tttttgttgt taaagaagct ngaaaatgga ggaagcnaca aagatggtga aaaagagtgg acaaattgtt cctactgcca aatactgtgt tacaggagca acaggctata ttggttcatg gcttgttgaa gctcttcttc aaagaggttg cactgttcat gctactgtta gagatcctga aaaatcgtta cacctcctgt cgttgtggaa aggtagtgac caattgagaa ttttccgtgc ggatttgcaa gaagaaggaa gtttcgatga tgccgtaaaa ggatgtattg gtgtgttcca tgttgcagct 420 tcaatgcaat tcaatattag tgacaaagaa aacactgagg actttgttga agcaaatata attgaccctg caatcaaagg aaccataaat cttctcaaat catgcttgaa atcaaattca gtgaaaaggg ttgttttcac atcttccata agtactatta ctgctaaaga caacgacgga 600 aaatggaaac ctattgttga tgaatcttgc caaacaaaaa ctgagattct gtggaataca caaccaagtg gatgggttta tgcactttca aagcttcatg cagaagaagc ggct 714 <210> 164 <211> 187 <212> PRT <213> Trifolium repens <400> 164 Met Val Lys Lys Ser Gly Gln Ile Val Pro Thr Ala Lys Tyr Cys Val Thr Gly Ala Thr Gly Tyr Ile Gly Ser Trp Leu Val Glu Ala Leu Leu 20 25 30 Gln Arg Gly Cys Thr Val His Ala Thr Val Arg Asp Pro Glu Lys Ser 35 45 Leu His Leu Leu Ser Leu Trp Lys Gly Ser Asp Gln Leu Arg Ile Phe 50 55

Arg Ala Asp Leu Gln Glu Glu Gly Ser Phe Asp Asp Ala Val Lys Gly

75

Cys Ile Gly Val Phe His Val Ala Ala Ser Met Gln Phe Asn Ile Ser 90

Asp Lys Glu Asn Thr Glu Asp Phe Val Glu Ala Asn Ile Ile Asp Pro 105

Ala Ile Lys Gly Thr Ile Asn Leu Leu Lys Ser Cys Leu Lys Ser Asn 115 120 125

Ser Val Lys Arg Val Val Phe Thr Ser Ser Ile Ser Thr Ile Thr Ala

Lys Asp Asn Asp Gly Lys Trp Lys Pro Ile Val Asp Glu Ser Cys Gln 145 150 155

Thr Lys Thr Glu Ile Leu Trp Asn Thr Gln Pro Ser Gly Trp Val Tyr 165 170

Ala Leu Ser Lys Leu His Ala Glu Glu Ala Ala 180 185

<210> 165

<211> 289

<212> DNA

<213> Trifolium repens

<220>

<221> misc_feature

<222> (4)..(4)

<223> Any nucleotide

<400> 165

gccnttgcct actactaaac tatatattat tattatatta tatgatgata catagtgaca

ttaataattg gaagggagaa taaatagttg aaaaacacac agttggagtg tttttgttgt

taaagaagct ataaaatgga ggaaacaaca aagatggtga aaaatagtgg acaaattgtt

cctatagcca aatactgtgt cacaggagcc acaggctata ttggttcatg gcttgttgaa

gctcttcttc aaagaggttg cactgttcat gctactgtta gagatcctg 289

<210> 166

<211> 591 <212> DNA <213> Trifolium repens

<220>

<221> misc_feature

<222> (8)..(8)

<223> Any nucleotide

```
<220>
<221> misc_feature
<222> (23)..(24)
<223> Any nucleotides
<400> 166
agaagctnga aaatggagga agnnacaaag atggtgaaaa agagtggaca aattgttcct
actgccaaat actgtgttac aggagcaaca ggctatattg gttcatggct tgttgaaqct
cttcttcaaa gaggttgcac tgttcatgct actgttagag atcctgaaaa atcgttacac
ctcctgtcgt tgtggaaagg tagtgaccaa ttgagaattt tccgtgcgga tttgcaagaa
gaaggaagtt tcgatgatgc cgtaaaagga tgtattggtg tgttccatgt tgcagcttca
300
atgcaattca atattagtga caaagaaaac actgaggact ttgttgaagc aaatataatt
gaccetgeaa teaaaggaac cataaatett eteaaateat gettgaaate aaatteagtg
420
aaaagggttg ttttcacatc ttccataagt actattactg ctaaagacaa cgacggaaaa
tggaaaccta ttgttgatga atcttgccaa acaaaaactg agattctgtg gaatacacaa
ccaagtggat gggtttatgc actttcaaag cttcatgcag aagaagcggc t
591
<210> 167
<211> 572
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (3)..(3)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (19)..(19)
<223> Any nucleotide
<400> 167
ctngaaaatg gaggaagcna caaagatggt gaaaaagagt ggacaaattg ttcctactgc
caaatactgt gttacaggag caacaggcta tattggttca tggcttgttg aagctcttct
tcaaagaggt tgcactgttc atgctactgt tagagatect gaaaaategt tacaceteet
180
```

gtcgttgtgg aaaggtagtg accaattgag aattttccgt gcggatttgc aagaagaagg 240 aagtttcgat gatgccgtaa aaggatgtat tggtgtgttc catgttgcag cttcaatgca 300 attcaatatt agtgacaaag aaaacactga qqactttqtt qaaqcaaata taattqaccc tgcaatcaaa ggaaccataa atcttctcaa atcatgcttg aaatcaaatt cagtgaaaag ggttgttttc acatcttcca taagtactat tactgctaaa gacaacgacg gaaaatggaa acctattgtt gatgaatett gecaaacaaa aactgagatt etgtggaata cacaaccaag tggatgggtt tatgcacttt caaagcttca tg 572 <210> 168 <211> 976 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (2)..(3) <223> Any nucleotides <220> <221> misc_feature
<222> (5)..(5)
<223> Any nucleotide <220> <221> misc_feature <222> (16)..(16) <223> Any nucleotide <220> <221> misc_feature <222> (22)..(22) <223> Any nucleotide <220> <221> misc_feature <222> (25)..(25) <223> Any nucleotide <400> 168 gnngngtctt ccgttnaatt tnagnctata ttgaaaagga aaaaaagagt agagaagtga agtgaagtga aaacatacat gggttccgaa tcagaaatag tttgtgttac cggagcttca

ggtttcatcg gatcgtggct tgttatgaga cttatagagc gtggctacac ggttcgagcc

180

accepttcgcg acccagataa catgaagaag gtgaagcatt tggtggaact gccgggtgca 240

aaaagcaaat tgtctctttg gaaggctgat cttgataaag aggggagttt tgatgaagca 300

attaaagggt gcacaggagt ttttcatgtt gctacaccaa tggattttga atccaaggac 360

cctgagaatg aagtgataaa gcctacaata aatggattaa tagacatact gaaagcatgc 420

gaaaaggcaa aaacagttag aaaattggtt ttcacatcat cggctggaac tgtggacgtt 480

actgaacatc caaagtctat tattgatgaa acatgctgga gtgacgttga cttttgccgt 540

agagtcaaga tgaccggttg gatgtatttt gtttcaaaga ccctagcaga gcaagaagct 600

tggaagtatt cgaaagagca caacatagac tttgtctcca tcattccacc tcttgttgtt 660

ggcccctttc ttatggcctc aatgccacct agtctaatca ctgctctttc tcttatcaca 720

ggaaatgagg cccattactc aatcataaag caagggcaat acgtccattt agatgacctt 780

tgtcttgctc atatatttct gtatgagaat ccaaaagctc aagggagata catttgctgt 840

tcacatgaag caaccattca tcaagttgca aaacttatta aagaaaaata cccagagttc 900

aatgtcccaa caaaattcaa tgatatccca gatgaattgg aaattattaa attttctaaa 960

aagaagatca cagact 976

<210> 169

<211> 299

<212> PRT

<213> Trifolium repens

<400> 169

Met Gly Ser Glu Ser Glu Ile Val Cys Val Thr Gly Ala Ser Gly Phe 1 10 15

Ile Gly Ser Trp Leu Val Met Arg Leu Ile Glu Arg Gly Tyr Thr Val 20 25 30

Arg Ala Thr Val Arg Asp Pro Asp Asn Met Lys Lys Val Lys His Leu 35 40

Val Glu Leu Pro Gly Ala Lys Ser Lys Leu Ser Leu Trp Lys Ala Asp 50 55 60

WO 03/031622 PCT/AU02/01345 186/390

Leu A 65	Asp	Lys	Glu	Gly	Ser 70	Phe	Asp	Glu	Ala	Ile 75	Lys	Gly	Cys	Thr	Gly 80
Val F	?he	His	Val	Ala 85	Thr	Pro	Met	Asp	Phe 90	Glu	ser	Lys	Asp	Pro 95	Glu
Asn G	3lu	Val	Ile 100	Lys	Pro	Thr	Ile	Asn 105	Gly	Leu	Ile	Asp	Ile 110	Leu	Lys
Ala (Cys	Glu 115	Lys	Ala	Lys	Thr	Val 120	Arg	Lys	Leu	Val	Phe 125	Thr	Ser	Ser
Ala (31y 130	Thr	Val	Asp	Val	Thr 135	Glu	His	Pro	Lys	Ser 140	Ile	Ile	Asp	Glu
Thr (Cys	Trp	Ser	Asp	Val 150	Asp	Phe	Cys	Arg	Arg 155	Val	Lys	Met	Thr	Gly 160
Trp 1	Met ·	Tyr	Phe	Val 165	Ser	Lys	Thr	Leu	Ala 170	Glu	Gln	Glu	Ala	Trp 175	Lys
Tyr 8	Ser	Lys	Glu 180	His	Asn	Ile	Asp	Phe 185	Val	Ser	Ile	Ile	Pro 190	Pro	Leu
Val '	Val	Gly 195	Pro	Phe	Leu	Met	Ala 200	Ser	Met	Pro	Pro	Ser 205	Leu	Ile	Thr
Ala :	Leu 210	Ser	Leu	Ile	Thr	Gly 215	Asn	Glu	Ala	His	Tyr 220	Ser	Ile	Ile	Lys
Gln (225	Gly	Gln	Tyr	Val	His 230	Leu	Asp	Asp	Leu	Cys 235	Leu	Ala	His	Ile	Phe 240
Leu	Tyr	Glu	Asn	Pro 245		Ala	Gln	Gly	Arg 250		Ile	Cys	Cys	Ser 255	
Glu .	Ala	Thr	Ile 260	His	Gln	Val	Ala	Lys 265		Ile	Lys	Glu	Lys 270		Pro
Glu	Phe	Asn 275		Pro	Thr	Lys	Phe 280		Asp	Ile	Pro	Asp 285		Leu	Glu

290 295

Ile Ile Lys Phe Ser Lys Lys Lys Ile Thr Asp

<210> 170 <211> 586 <212> DNA <213> Trifolium repens

WO 03/031622 187/390 <220> <221> misc_feature <222> (2)..(3) <223> Any nucleotides <220> <221> misc_feature <222> (16)..(16) <223> Any nucleotide <220> <221> misc feature <222> (22)..(22) <223> Any nucleotide <220> <221> misc_feature <222> (25)..(25) <223> Any nucleotide <220> <221> misc_feature <222> (53)..(55) <223> Any nucleotides <220> <221> misc_feature <222> (57)..(58) <223> Any nucleotides <400> 170 gnnttgtctt ccgttnaatt tnagnctata ttgaaaaaga aaaaaagagt agnnnannga agtgaagtga aaacatacat gggttccgaa tcagaaatag tttgtgttac cggagcttca tgtttcatcg gatcgtggct tgttatgaga cttatagagc gtggctacac ggttcgagcc 180 accettegeg acceagataa catgaagaag gtgaagcatt tggtggaact geegggtgea aaaagcaaat tgtctctttg gaaggctgat cttgataaag aggggagttt tgatgaagca 300 attaaagggt gcacaggagt ttttcatgtt gctacaccaa tggattttga atccaaggac

cctgagaatg aagtgataaa gcctacaata aatggattaa tagacatact gaaagcatgc

gaaaaggcaa aaacagttaa aaaattggtt ttcacatcat cggctggaac tgtggacgtt

actgaacatc caaagtctat tattgatgaa acatgctgga gtgacgttga cttttgccgt

agagtcaaga tgaccggttg gatgtatttt gtttcaaaga ccctag

```
<210> 171
<211> 569
<212> DNA
<213> Trifolium repens
<220>
<221> misc feature
<222>
      (24)..(24)
<223> Any nucleotide
<220>
<221> misc feature
      (209)..(209)
<222>
<223> Any nucleotide
<400> 171
ttttgtctta aatccaattt cagnctaaat tgaaaaggaa aaaaagagga gagaagtcaa
ctggagtgaa aatatacatg ggttctgaat cggaaatagt ttgtgttacc ggagcttcag
120
gtttcatcgg gtcgtggctt gttatgagac ttatggagca tggctacact gttcgagcca
ccgttcgtga cccagataac atgaagaang tgaagcattt gctggaactg ccaggtgcaa
aaagcaaatt gtctctttgg aaggctgatc ttgataaaga ggggagtttt gatgaagcaa
ttaaagggtg cacaggagtt tttcatgttg ctacaccaat ggattttgag tccaaggacc
ctgagaatga agtgataaag cctacaataa acggattaat agacatactg aaagcatgcg
420
aaaaggcaaa aacagttaga aaattggttt tcacatcatc ggctggaact gtggacgtta
ctgaacatcc aaagtctatt attgatgaaa catgctggag tgacgttgac ttttgccgta
gagtcaaaat gaccggttgg atgtatttt
569
<210> 172
<211> 493
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (2)..(2)
<223> Any nucleotide
<220>
<221> misc_feature <222> (13)..(13)
```

```
<223> Any nucleotide
<220>
<221> misc_feature
<222> (19)..(19)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (22)..(22)
<223> Any nucleotide
<220>
<221> misc_feature <222> (50)..(52)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (54)..(55)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (69)..(69)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (102)..(102)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (123)..(123)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (154)..(154)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (161)..(161)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (322)..(322)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (418)..(418)
```

```
<223> Any nucleotide
<220>
<221> misc_feature
<222> (464)..(464)
<223> Any nucleotide
<220>
<221> misc_feature
      (493)...(493)
<222>
<223> Any nucleotide
<400> 172
gngtcttccg ttnaatttna gnctatattg aaaaagaaaa aaagagtagn nnanngaagt
gaagtgaana catacatggg ttccgaatca gaaatagttt gngttaccgg agcttcatgt
ttnatcggat cgtggcttgt tatgagactt atanagcgtg nctacacggc tcgagccacc
1.80
gttcgcgacc cagataacat gaagaaggtg aagcatttgg tggaactgcc gggtgcaaaa
agcaaattgt ctctttggaa ggctgatctt gataaagagg ggagttttga tgaagcaatt
300
aaagggtgca caggagtttt tnatgttgct acaccaatgg attttgaatc caaggaccct
gagaatgaag tgataaagcc tacaataaat ggattaatag acatactgaa agcatgcnaa
aaggcaaaaa cagttaaaaa attggttttc acatcatcgg ctgnaactgt ggacgttact
gaacatccaa agn
493
<210> 173
<211> 580
<212> DNA
<213> Trifolium repens
<220>
<221> misc feature
<222> (2)..(2)
<223> Any nucleotide
<220>
<221> misc_feature <222> (13)..(13)
<223> Any nucleotide
<220>
<221> misc_feature
<222>
       (19)..(19)
<223> Any nucleotide
```

191/390 <220> <221> misc_feature <222> (22)..(22) <223> Any nucleotide <220> <221> misc_feature
<222> (54)..(55)
<223> Any nucleotides <220> <221> misc feature <222> (57)..(59) <223> Any nucleotides <220> <221> misc_feature <222> (539)..(539) <223> Any nucleotide <220> <221> misc_feature <222> (546)..(546) <223> Any nucleotide <220> <221> misc_feature (576) .. (576)<222> <223> Any nucleotide <400> 173 gngtcttccg ttnaatttna gnctatattg aaaaagaaaa aaagagtaga gaanngnnnt gaagtgaaaa catacatggg ttccgaatca gaaatagttt gtgttaccgg agcttcatgt 120 ttcatcggat cgtggcttgt tatgagactt atagagcgtg gctacacggt tcgagccacc gttcgcgacc cagataacat gaagaaggtg aagcatttgg tggaactgcc gggtgcaaaa 240 agcaaattgt ctctttggaa ggctgatctt gataaagagg ggagttttga tgaagcaatt aaagggtgca caggagtttt tcatgttgct acaccaatgg attttgaatc caaggaccct gagaatgaag tgataaagcc tacaataaat ggattaatag acatactgaa agcatgcgaa 420 aaggcaaaaa cagttaaaaa attggttttc acatcatcgg ctggaactgt ggacgttact

gaacatccaa agtctattat tgatgaaaca tgctggagtg acgttgactt ttgccgtana

gtcaanatga ccggctggat gtattttgtt tcaaanaccc

```
<210> 174
<211> 581
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (2)..(2)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (13)..(13)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (22)..(22)
<223> Any nucleotide
<220>
<221> misc_feature
\langle 222 \rangle (36) ... (36)
<223> Any nucleotide
<220>
<221> misc_feature <222> (50)..(52)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (54)..(55)
<223> Any nucleotides
<400> 174
gngtcttccg ttnaatttaa gnctatattg aaaagnaaaa aaagagtagn nnannqaaqt
gaagtgaaaa catacatggg ttccgaatca gaaatagttt gtgttaccgg agcttcaggt
120
ttcatcggat cgtggcttgt tatgagactt atagagcgtg gctacacggt tcgagccacc
gttcgcgacc cagataacat gaagaaggtg aagcatttgg tggaactgcc gggtgcaaaa
agcaaattgt ctctttggaa ggctgatctt gataaagagg ggagttttga tgaagcaatt
300
aaagggtgca caggagtttt tcatgttgct acaccaatgg attttgaatc caaggaccct
360
gagaatgaag tgataaagcc tacaataaat ggattaatag acatactgaa agcatgcgaa
```

aaggcaaaaa cagttagaaa attggttttc acatcatcgg ctggaactgt ggacgttact gaacatccaa agtctattat tgatgaaaca tgctggagtg acgttgactt ttgccgtaga 540 gtcaagatga ccggttggat gtattttgtt tcaaagaccc t <210> 175 <211> 592 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (2)...(2)<223> Any nucleotide <220> <221> misc_feature <222> (13)..(13) <223> Any nucleotide <220> <221> misc_feature <222> (16)..(16) <223> Any nucleotide <220> <221> misc_feature <222> (22)..(22) <223> Any nucleotide <220> <221> misc_feature <222> (36)..(36) <223> Any nucleotide <220> <221> misc_feature <222> (50)..(52) <223> Any nucleotides <220> <221> misc_feature <222> (54)..(55) <223> Any nucleotides <400> 175 gngtcttccg ttnaanttaa gnctatattg aaaagnaaaa aaagagtagn nnanngaagt 60 gaagtgaaaa catacatggg ttccgaatca gaaatagttt gtgttaccgg agcttcaggt ttcatcggat cgtggcttgt tatgagactt atagagcgtg gctacacggt tcgagccacc 180

gttcgcgacc cagataacat gaagaaggtg aagcatttgg tggaactgcc gggtgcaaaa 240 agcaaattgt ctctttggaa ggctgatctt gataaagagg ggagttttga tgaagcaatt 300 aaagggtgca caggagtttt tcatgttgct acaccaatgg attttgaatc caaggaccct 360 gagaatgaag tgataaagcc tacaataaat ggattaatag acatactgaa agcatgcgaa aaggcaaaaa cagttagaaa attggttttc acatcatcgg ctggaactgt ggacgttact 480 gaacatccaa agtctattat tgatgaaaca tgctggagtg acgttgactt ttgccgtaga 540 gtcaagatga ccggttggat gtattttgtt tcaaagaccc tagcagagca ag 592 <210> 176 <211> 598 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (2)..(2)<223> Any nucleotide <220> <221> misc_feature $\langle 222 \rangle$ (13)...(13) <223> Any nucleotide <220> <221> misc_feature <222> (19)..(19) <223> Any nucleotide <220> <221> misc_feature <222> (22)...(22)<223> Any nucleotide <400> 176 gngtcttccg ttnaatttna gnctatattg aaaaagaaaa aaagagtaga gaagtgaagt gaagtgaaaa catacatggg ttctgaatca gaaatagttt gtgttaccgg agcatcaggt 120 ttcatcggat cgtggcttgt tatgagactt atagagcgtg gctacacggt tcgagccact gttcgcgacc cagataacat gaagaaggtg aagcatttgg tggaactgcc gggtgcaaaa 240 agcaaattgt ctctttggaa ggctgatctt gataaagagg ggagttttga tgaagcaatt

300

aaagggtgca caggagtttt tcatgttgct acaccaatgg attttgaatc caaggaccct

gagaatgaag tgataaagcc tacaataaat ggattaatag acatactgaa agcatgcgaa 420

aaggcaaaaa cagttaaaaa attggttttc acatcatcgg ctggaactgt ggacgttact

gaacatccaa agtctattat tgatgaaaca tgctggagtg acgttgactt ttgccgtaga 540

gtcaagatga ccggttggat gtattttgtt tcaaagaccc tagcagagca agaagctt 598

```
<210>
      177
```

- <211> 576
- <212> DNA
- <213> Trifolium repens

<220>

- <221> misc_feature
- <222> (9)..(9) <223> Any nucleotide

<220>

- <221> misc_feature
- <222> (12)..(12)
- <223> Any nucleotide

<220>

- <221> misc_feature <222> (18)..(18)
- <223> Any nucleotide

<220>

- <221> misc_feature
- <222> (21)..(21)
- <223> Any nucleotide

<400> 177

ggtcttccnt tnaattcnag ncgaaattga aaaggaaaaa aagaggagag aagtgaactg

aagtgaaaat atacatgggt teegaategg aaatagtttg tgttaeegga getteaggtt 120

tcatcgggtc gtggcttgtt atgagactta tggagcgcgg ctacacggtt cgagccactg 180

ttcgcgaccc agataacatg aagaaggtga agcatttgat ggaactgccg ggtgcaaaaa

gcaaattgtc tctttggaag gctgatcttg ataaagaggg gagttttgat gaagcaatta 300

aagggtgcac aggagttttt catgttgcta caccaatgga ttttgaatcc aaggaccctg 360

agaacgaagt gataaagcct acaataaatg gactaataga catactgaga gcatgtgaaa

aggcaaaaac aattagaaga ttggttttca catcatcagc tggaactgtg qacqtaactg

aacactcaaa atcaattgtt gatgaaacat gttggagtga cgttgacttt tgccgtagag 540

tcaaaatgac cggttggatg tattttgttt caaaga 576

<210> 178 <211> 587

<212> DNA

<213> Trifolium repens

<220>

<221> misc_feature

<222> (12)..(12)

<223> Any nucleotide

<220>

<221> misc feature

<222> (21)..(21)

<223> Any nucleotide

<400> 178

ggtcttccgt tnaatttaag nctatattga aaaagaaaaa aagagtagag aagtgaagtg

aagtgaaaac atacatgggt tctgaatcag aaatagtttg tgttaccgga gcatcaggtt

tcatcggatc gtggcttgtt atgagactta tagagcgtgg ctacacggtt cgagccactg

ttcgcgaccc agataacatg aagaaggtga agcatttggt ggaactgccg ggtgcaaaaa

gcaaattgtc tctttggaag gctgatcttg ataaagaggg gagttttgat gaagcaatta 300

aagggtgcac aggagttttt catgttgcta caccaatgga ttttgaatcc aaggaccctg

agaatgaagt gataaagcct acaataaatg gattaataga catactgaaa gcatgcgaaa 420

aggcaaaaac agttaaaaaa ttggttttca catcatcggc tggaactgtg gacgttactg 480

aacatccaaa gtctattatt gatgaaacat gctggagtga cgttgacttt tgccgtagag 540

tcaagatgac cggttggatg tattttgttt caaagaccct agcagag 587

<210> 179

<211> 630

<212> DNA

<213> Trifolium repens

```
<220>
<221> misc_feature
<222> (12)..(13)
<223> Any nucleotides
<220>
<221> misc_feature <222> (21)..(21)
<223> Any nucleotide
<400> 179
ggtcttccgt tnnatttaag nctatattga aaaagaaaaa aagagtagag aagtgaagtg
aagtgaaaac atacatgggt tctgaatcag aaatagtttg tgttaccgga gcatcaggtt
tcatcggatc gtggcttgtt atgagactta tagagcgtgg ctacacggtt cgagccactg
ttcgcgaccc agataacatg aagaaggtga agcatttggt ggaactgccg ggtgcaaaaa
gcaaattgtc tctttggaag gctgatcttg ataaagaggg gagttttgat gaagcaatta
300
aagggtgcac aggagttttt catgttgcta caccaatgga ttttgaatcc aaggaccctg
360
agaatgaagt gataaagcct acaataaatg gattaataga catactgaaa gcatgcgaaa
aggcaaaaac agttaaaaaa ttggttttca catcatcggc tggaactgtg gacgttactg
480
aacatccaaa gtctattatt gatgaaacat gctggagtga cgttgacttt tgccgtagag
tcaagatgac cggttggatg tattttgttt caaagaccct agcagagcaa gaagcttgga
600
agtattctaa agagcacaac atagattttg
630
<210> 180
      579
<211>
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (7)..(8)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (11)..(11)
<223> Any nucleotide
```

<220>

```
<221> misc_feature
       (17)...(17)
<222>
<223> Any nucleotide
<220>
<221> misc_feature
<222> (20)..(20)
<223> Any nucleotide
<400> 180
gtcttcnntt naattcnagn cgaaattgaa aaggaaaaaa agaggagaga agtgaactga
agtgaaaata tacatgggtt ccgaatcgga aatagtttgt gttaccggag cttcaggttt
catcgggtcg tggcttgtta tgagacttat ggagcgcggc tacacggttc gagccactgt
tcgcgaccca gataacatga agaaggtgaa gcatttgatg gaactgccgg gtgcaaaaag
caaattgtct ctttggaagg ctgatcttga taaagagggg agttttgatg aagcaattaa
300
agggtgcaca ggagtttttc atgttgctac accaatggat tttgaatcca aggaccctga
gaacgaagtg ataaagccta caataaatgg actaatagac atactgagag catgtgaaaa
420
ggcaaaaaca attagaagat tggttttcac atcatcagct ggaactgtgg acgtaactga
480
acactcaaaa tcaattgttg atgaaacatg ttggagtgac gttgactttt gccgtagagt
caaaatgacc ggttggatgt attttgtttc aaagaccct
<210> 181
<211> 604
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature <222> (12)..(12)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (17)..(17)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (20)..(20)
<223> Any nucleotide
```

WO 03/031622 199/390 <220> <221> misc_feature <222> (34)..(34) <223> Any nucleotide <220> <221> misc_feature <222> (52)..(53) <223> Any nucleotides <220> <221> misc_feature <222> (55)..(57)<223> Any nucleotides <400> 181 gtcttccgtt cnatttnagn ctatattgaa aagnaaaaaa agagtagaga anngnnntga agtgaaaaca tacatgggtt ccgaatcaga aatagtttgt gttaccggag cttcaggttt 120 categgateg tggettgtta tgagaettat agagegtgge tacaeggtte gageeacegt tcgcgaccca gataacatga agaaggtgaa gcatttggtg gaactgccgg gtgcaaaaag caaattgtct ctttggaagg ctgatcttga taaagagggg agttttgatg aagcaattaa 300 agggtgcaca ggagtttttc atgttgctac accaatggat tttgaatcca aggaccctga gaatgaagtg ataaagccta caataaatgg attaatagac atactgaaag catgcgaaaa ggcaaaaaca gttagaaaat tggttttcac atcatcggct ggaactgtgg acgttactga 480 acatccaaag tctattattg atgaaacatg ctggagtgac gttgactttt gccgtagagt 540 caagatgacc ggttggatgt attttgtttc aaagacccta gcagagcaag aagcttggaa 600 gtat 604 <210> 182 <211> 586 <212> DNA <213> Trifolium repens <220>

<221> misc_feature <222> (10)..(10) <223> Any nucleotide

<400'> 182 ggtcttcttn aatccagcta aattgaaaag gaaaaaaaga ggagagaagt gaactggagt 60

gaaaatatac atgggttctg aatcggaaat agtttgtgtt accggagctt caggtttcat 120

cgggtcgtgg cttgttatga gacttatgga gcgtggctac actgttcgag ccaccgttcg 180

tgacccagat aacatgaaga aggtgaagca tttgctggaa ctgccgggtg caaaaagcaa $240\,$

attgtctctt tggaaggctg atcttgataa agaggggagt tttgatgaag caattaaagg

gtgcacagga gtttttcatg ttgctacacc aatggatttt gaatccaagg accctgagaa 360

tgaagtgata aagcctacaa taaacggatt aatagacata ctgaaagcat gcgaaaaggc 420

aaaaacagtt agaaaattgg ttttcacatc atcggctgga actgtggacg ttactgaaca 480

tccaaagtct attattgatg aaacatgctg gagtgacgtt gacttttgcc gtagagtcaa 540

aatgaccggt tggatgtatt ttgtttcaaa gaccctagca gagcag 586

<210> 183

<211> 586

<212> DNA

<213> Trifolium repens

<220>

<221> misc_feature

<222> (2)..(2)

<223> Any nucleotide

<220>

<221> misc_feature

<222> (11)...(11)

<223> Any nucleotide

<400> 183

gnagagaagt nacctggagt gaaaatatac atgggttctg aatcggaaat agtttgtgtt 60

accggagctt caggtttcat cgggtcgtgg cttgttatga gacttatgga gcgtggctac 120

actgttcgag ccaccgttcg tgacccagat aacatgaaga aggtgaagca tttgctggaa 180

ctgccgggtg caaaaagcaa attgtctctt tggaaggctg atcttgataa agaggggagt 240

tttgatgaag caattaaagg gtgcacagga gtttttcatg ttgctacacc aatggatttt 300

gagtccaagg accctgagaa tgaagtgata aagcctacaa taaacggatt aatagacata 360

ctgaaagcat gcgaaaaggc aaaaacagtt agaaaattgg ttttcacatc atcggctqqa

actgtggacg ttactgaaca tccaaagtct attattgatg aaacatgctg gagtgacgtt 480

gacttttgcc gtagagtcaa aatgaccggt tggatgtatt ttgtttcaaa gaccctagca 540

gagcaagaag cttggaagta ttcgaaagag cacaacatag actttg 586

<210> 184

570 <211>

<212> DNA

<213> Trifolium repens

<220>

<221> misc feature

<222>

<222> (10)..(11) <223> Any nucleotides

<220>

<221> misc_feature

<222> $(23)^{-}$. (23)

<223> Any nucleotide

<400> 184

tactgaaagn ntgcgaaaag gcnaaaacag ttagaaaatt ggttttcaca tcatcggctg

gaactgtgga cgttactgaa catccaaagt ctattattga tgaaacatgc tggaqtgacq

ttgacttttg ccgtagagtc aaaatgaccg gttggatgta ttttgtttca aagaccctag 180

cagagcaaga agcttggaag tattcgaaag agcacaacat agactttqtc tccatcattc

cacctettgt tgttggcccc tttcttatgg cctcaatgcc acctagtcta atcactgctc 300

tttctcttat cacaggaaat gaggcccatt actcaatcat aaagcaaqqq caatacqtcc 360

atttagatga cctttgtctt gctcatatat ttctgtatga gaatccaaaa gctcaaggga

gatacatttg ctgttcacat gaagcaacca ttcatcaagt tgcaaaactt attaaagaaa

aatacccaga gttcaatgtc ccaacaaaat tcaatgatat cccagatgaa ttggaaatta 540

ttaaattttc taaaaagaag atcacagact 570

<210> 185

<211> 833

<212> DNA

<213> Trifolium repens

<220> <221> misc feature <222> (3)..(3) <223> Any nucleotide <220> <221> misc_feature <222> (34)..(34)<223> Any nucleotide <400> 185 ggncataaaa actgcactag tgtgtataag tttnttagtg aaaaaagagt gtgtaaatta 60 acatcatggc tagtatcaaa caaattggaa acaagaaagc atgtgtgatt ggtggcactg gttttgttgc atctatgttg atcaaacagt tacttgaaaa gggttatgct gttaatacta ctgttagaga cccagatagt cctaagaaaa tatctcacct agtggcactg caaagtttgg gggaactgaa tctatttaga gcagacttaa cagttgaaga agattttgat gctcctatag caggatgtga gcttgttttt caacttgcta cacctgtgaa ctttgcttct caagatcctg agaatgacat gataaagcca gcaatcaaag gtgtgttgaa tgtgttgaaa gcaagtgcaa gagcaaaaga agtcaaaaga gttatcttaa catcttcggc agccgcggtg actataaatg 480 aactcaaagg gacaggtcat gttatggatg aaaccaactg gtcagatgtt gaatttctga acactgcaaa gccacccact tggggttatc ctgcttcaaa aatgctagct gaaaaggctg 600 catggaaatt tgctgaagaa aatgacattg atctaatcac tgtgatacct agtttaacaa ctggtccttc tctcacacca gatatcccat ctagtgttgg cttggcaatg tctctaataa 720 caggcaatga tttcctcata aatgctctga aaggaatgca atttctgtcg ggttcgttat ccatcactca tgttgaggat atttgccgag ctcatatatt tctggcagag aag 833 <210> 186 <211> 256 <212> PRT <213> Trifolium repens <400> 186 Met Ala Ser Ile Lys Gln Ile Gly Asn Lys Lys Ala Cys Val Ile Gly

Gly Thr Gly Phe Val Ala Ser Met Leu Ile Lys Gln Leu Leu Glu Lys 20 25 30

Gly Tyr Ala Val Asn Thr Thr Val Arg Asp Pro Asp Ser Pro Lys Lys 35 40 45

Ile Ser His Leu Val Ala Leu Gln Ser Leu Gly Glu Leu Asn Leu Phe 50 . 55 . 60

Arg Ala Asp Leu Thr Val Glu Glu Asp Phe Asp Ala Pro Ile Ala Gly 65 70 75 80

Cys Glu Leu Val Phe Gln Leu Ala Thr Pro Val Asn Phe Ala Ser Gln $85 \ \ 90 \ \ 95$

Asp Pro Glu Asn Asp Met Ile Lys Pro Ala Ile Lys Gly Val Leu Asn 100 105 110

Val Leu Lys Ala Ser Ala Arg Ala Lys Glu Val Lys Arg Val Ile Leu 115 120 125

Thr Ser Ser Ala Ala Ala Val Thr Ile Asn Glu Leu Lys Gly Thr Gly 130 135 140

His Val Met Asp Glu Thr Asn Trp Ser Asp Val Glu Phe Leu Asn Thr 145 150 160

Ala Lys Pro Pro Thr Trp Gly Tyr Pro Ala Ser Lys Met Leu Ala Glu 165 170 175

Lys Ala Ala Trp Lys Phe Ala Glu Glu Asn Asp Ile Asp Leu Ile Thr 180 185 190

Val Ile Pro Ser Leu Thr Thr Gly Pro Ser Leu Thr Pro Asp Ile Pro 195 200 205

Ser Ser Val Gly Leu Ala Met Ser Leu Ile Thr Gly Asn Asp Phe Leu 210 215 220

Ile Asn Ala Leu Lys Gly Met Gln Phe Leu Ser Gly Ser Leu Ser Ile 225 230 235 240

Thr His Val Glu Asp Ile Cys Arg Ala His Ile Phe Leu Ala Glu Lys 245 250 255

<210> 187

<211> 576

<212> DNA

<213> Trifolium repens

```
<220>
<221> misc_feature
<222> (3)..(3)
<223> Any nucleotide
<220>
<221> misc feature
<222> (34)..(34)
<223> Any nucleotide
<400> 187
ggncataaaa actgcactag tgtgtataag tttnatagtg aaaaaagagt gtgtaaatta
acatcatggc tagtatcaaa caaattggaa acaagaaagc atgtgtgatt ggtggcactg
gttttgttgc atctatgttg atcaaacagt tacttgaaaa gggttatgct gttaatacta
180
ctgttagaga cccagatagt cctaagaaaa tatctcacct agtggcactg caaagtttgg
gggaactgaa tctatttaga gcagacttaa cagttgaaga agattttgat gctcctatag
300
caggatgtga gcttgttttt caacttgcta cacctgtgaa ctttgcttct caagatcctg
agaatgacat gataaagcca gcaatcaaag gtgtgttgaa tgtgttgaaa gcaagtgcaa
gagcaaaaga agtcaaaaga gttatcttaa catcttcggc agccgcggtq actataaatq
aactcaaagg gacaggtcat gttatggatg aaaccaactg gtcagatgtt gaatttctga
540
acactgcaaa gccacccact tggggttatc ctgctt
576
<210> 188
<211> 580
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (3)..(3)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (5)..(5)
<223> Any nucleotide
<220>
<221> misc_feature
<222>
       (34)..(35)
<223> Any nucleotides
```

<220> <221> misc feature <222> (580)..(580) <223> Any nucleotide <400> 188 ggncntaaaa actgcactag tgtgtataag tttnntagtg aaaaaagagt gtgtaaatta acatcatggc tagtatcaaa caaattggaa acaagaaagc atgtgtgatt ggtggcactg gttttgttgc atctatgttg atcaaacagt tacttgaaaa gggttatgct gttaatacta 180 ctgttagaga cccagatagt cctaagaaaa tatctcacct agtggcactg caaagtttgg gggaactgaa tctatttaga gcagacttaa cagttgaaga agattttgat gctcctatag caggatgtga gcttgttttt caacttgcta cacctgtgaa ctttgcttct caaqatcctq 360 agaatgacat gataaagcca gcaatcaaag gtgtgttgaa tgtgttgaaa gcaagtgcaa gagcaaaaga agtcaaaaga gttatcttaa catcttcggc agccgcggtg actataaatg aactcaaagg gacaggtcat gttatggatg aaaccaactg gtcagatgtt gaatttctga 540 acactgcaaa gccacccact tggggttatc ctgcttcaan 580 <210> 189 <211> 578 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (14)..(14)<223> Any nucleotide <220> <221> misc_feature <222> (29)..(30) <223> Any nucleotides <400> 189 taaaaactgt actngtgtgt ataagtttnn tagtgaaaaa agagtgtgta aattaacatc

atggctagta tcaaacaaat tggaaacaag aaagcatgtg tgattggtgg cactggtttt

gttgcatcta tgttgatcaa acagttactt gaaaagggtt atgctgttaa tactactgtt 180

agagacccag atagtcctaa gaaaatatct cacctagtgg cactgcaaag tttgggggaa ctgaatctat ttagagcaga cttaacagtt gaagaagatt ttgatgctcc tatagcagqa tgtgagcttg tttttcaact tgctacacct gtgaactttg cttctcaaga tcctgagaat 360 gacatgataa agccagcaat caaaggtgtg ttgaatgtgt tgaaagcaag tgcaaqagca aaagaagtca aaagagttat cttaacatct tcggcagccg cggtgactat aaatgaactc aaagggacag gtcatgttat ggatgaaacc aactggtcag atgttqaatt tctqaacact gcaaagccac ccacttgggg ttatcctgct tcaaaaat 578 <210> 190 <211> 619 <212> DNA<213> Trifolium repens <400> 190 taaaaactgc actagtgtgt ataagtttct tggtgaaaaa agagtttgta aattaacatc atggctagta tcaaacaaat tggaaacaag aaagcatgtg tgattqqtqq cactqqtttt gttgcatcta tgttgatcaa gcagttactt gaaaagggtt atgctgttaa tactaccqtt agagacccag atagccctaa gaaaatatct cacctagtgg cactgcaaag tttgggggaa ctgaatctat ttagagcaga cttaacagtt gaagaagatt ttgatgctcc tataqcaqqa 300 tgtgaacttg tttttcaact tgctacacct gtgaactttg cttctcaaga tcctgagaat 360 gacatgataa agccagcaat caaaggtgtg ttgaatgtgt tgaaagcaat tgcaagagca aaagaagtta aaagagttat cttaacatct tcggcagccg cggtgactat aaatqaactc aaagggacag gtcatgttat ggatgaaacc aactggtctg atgttgaatt tctcaacact gcaaaaccac ccacttgggg ttatcctgcc tcaaaaatgc tagctgaaaa ggctgcatgg 600 aaatttgctg aagaaaatg 619 <210> 191 <211> 619

<212> DNA

```
<213> Trifolium repens
<22.0>
<221> misc_feature
<222> (12)..(12)
<223> Any nucleotide
<220>
<221> misc_feature <222> (14)..(14)
<223> Any nucleotide
<220>
<221> misc_feature
<222>
      (45)..(45)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (53)..(53)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (59)..(59)
<223> Any nucleotide
<220>
<221> misc_feature
      (614)...(614)
<222>
<223> Any nucleotide
<400> 191
gacctcgtgt gnantagttt cttggtgaaa aaagagtttg taaantaaca tcntqqctnq
tatcaaacaa attggaaaca agaaagcatg tgtgattggt ggcactggtt ttgttgcatc
tatgttgatc aagcagttac ttgaaaaggg ttatgctgtt aatactaccq ttaqaqaccc
180
agatagccct aagaaaatat ctcacctagt ggcactgcaa agtttggggg aactgaatct
atttagagca gacttaacag ttgaagaaga ttttgatgct cctatagcag gatgtgaact
tgtttttcaa cttgctacac ctgtgaactt tgcttctcaa gatcctgaga atgacatgat
aaagccagca atcaaaggtg tgttgaatgt gttgaaagca attgcaagag caaaagaagt
420
taaaagagtt atcttaacat cttcggcagc cgcggtgact ataaatgaac tcaaagggac
480
aggtcatgtt atggatgaaa ccaactggtc tgatgttgaa tttctcaaca ctgcaaaacc
540
```

acccacttgg ggttatcctg cctcaaaaat gctagctgaa aaggctgcat ggaaatttgc

tgaagaaaat gacnttgat 619

- <210> 192
- <211> 586
- <212> DNA
- <213> Trifolium repens
- <220>
- <221> misc feature
- <222> (2)..(2)
- <223> Any nucleotide
- <220>
- <221> misc_feature
- <222> (4)..(4)
- <223> Any nucleotide
- <220>
- <221> misc_feature
- <222> (23)..(23)
- <223> Any nucleotide
- <400> 192
- gngnacctga atctatttag agnagactta acagttgaag aagattttga tgctcctata 60
- gcaggatgtg agcttgttt tcaacttgct acacctgtga cctttgcttc tcaagatcct
- gagaatgaca tgataaagcc agcaatcaaa ggtgtgttga atgtgttgaa agcaagtgca 180
- agagcaaaag aagtcaaaag agttatctta acatcttcgg cagccgcggt gactataaat
- gaactcaaag ggacaggtca tgttatggat gaaaccaact ggtcaggtgt tgaatttctg 300
- aacactgcaa agccacccac ttggggttat cctgcttcaa aaatgctagc tgaaaaggct 360
- gcatggaaat ttgctgaaga aaatgacatt gatctaatca ctgtgatacc tagtttaaca 420
- actggtcctt ctctcacacc agatatccca tctagtgttg gcttggcaat gtctctaata 480
- acaggcaatg atttcctcat aaatgctctg aaaggaatgc aatttctgtc gggttcgtta
- tocatcactc atgitgagga tatttgccga gctcatatat ttctgg 586.
- <210> 193
- <211> 567
- <212> DNA
- <213> Trifolium repens

<220> misc_feature <221> <222> (55)..(55) <223> Any nucleotide <400> 193 ttaacagttg aagaagattt tgatgctcct atagcaggat gtgagcttgt ttttnaactt gctacacctg tgacctttgc ttctcaagat cctgagaatg acatgataaa gccagcaatc aaaggtgtgt tgaatgtgtt gaaagcaagt gcaagagcaa aagaagtcaa aagagttatc ttaacatctt cggcagccgc ggtgactata aatgaactca aagggacagg tcatgttatg gatgaaacca actggtcaga tgttgaattt ctgaacactg caaagccacc cacttggggt 300 tatcctgctt caaaaatgct agctgaaaag gctgcatgga aatttgctga agaaaatgac attgatctaa tcactgtgat acctagttta acaactggtc cttctctcac accagatatc 420 ccatctagtg ttggcttggc aatgtctcta ataacaggca atgatttcct cataaatgct ctgaaaggaa tgcaatttct gtcgggttcg ttatccatca ctcatgttga ggatatttgc 540 cgagctcata tatttctggc agagaag <210> 194 <211> 597 <212> DNA <213> Trifolium repens <400> 194 ggaaccaatt tgtcggactt ttttcccggg ttggcccgat tcgatttgca gggtgtqgtq aaagagatgg atgtcttggt tccacgtttt gatagcatat ttgaaaaaat gattggtgaa 120 cgtaagaaga aggaagtgga ggggaaagaa aatgaaagta aggattttct gcagtttttg ttgaatttga aggatgaggg tgattctaag actccattca caattaccca tgttaaggct ctactcatgg acatggttgt gggtggatca gacacatcct ccaacacaat tgagtttgca 300 ttggcagaaa tgatgaacaa cccagaagta atgaggaagg ttcaagagga attagaagat gtagttggga aagataactt agtagaagag tctcacattc ataagctacc ctacttgcat 420

gcagtgatga aagaaacact tcgtttacac ccagcacttc cacttttagt ccctcactgt

ccaagtgaaa ccaccaatgt tggaggctac acaattccaa agggatctcg tgtgtttgtq 540

aacgtttggg ctattcatag agacccttcc atttgggaga aaccactaga atttgat

<210> 195 <211> 199 <212> PRT <213> Trifolium repens

<400> 195

Gly Thr Asn Leu Ser Asp Phe Phe Pro Gly Leu Ala Arg Phe Asp Leu

Gln Gly Val Val Lys Glu Met Asp Val Leu Val Pro Arg Phe Asp Ser 25

Ile Phe Glu Lys Met Ile Gly Glu Arg Lys Lys Glu Val Glu Gly

Lys Glu Asn Glu Ser Lys Asp Phe Leu Gln Phe Leu Leu Asn Leu Lys 55

Asp Glu Gly Asp Ser Lys Thr Pro Phe Thr Ile Thr His Val Lys Ala 70

Leu Leu Met Asp Met Val Val Gly Gly Ser Asp Thr Ser Ser Asn Thr 85 90

Ile Glu Phe Ala Leu Ala Glu Met Met Asn Asn Pro Glu Val Met Arg 100

Lys Val Gln Glu Glu Leu Glu Asp Val Val Gly Lys Asp Asn Leu Val 115 120

Glu Glu Ser His Ile His Lys Leu Pro Tyr Leu His Ala Val Met Lys 130

Glu Thr Leu Arg Leu His Pro Ala Leu Pro Leu Leu Val Pro His Cys 145 150

Pro Ser Glu Thr Thr Asn Val Gly Gly Tyr Thr Ile Pro Lys Gly Ser

Arg Val Phe Val Asn Val Trp Ala Ile His Arg Asp Pro Ser Ile Trp 185

Glu Lys Pro Leu Glu Phe Asp

195

<210> 196 700 <211> <211> 700 <212> DNA <213> Trifolium repens <220> <221> misc feature <222> (2)..(2) <223> Any nucleotide <220> <221> misc feature <222> (10)..(10) <223> Any nucleotide <220> <221> misc_feature
<222> (22)..(22)
<223> Any nucleotide <220> <221> misc feature <222> (698)..(698) <223> Any nucleotide <400> 196 gnaatccacn aatctcttga antaatacca tttctttaca agaacttaac catggtgatg atcactcaat accaaacctt cctttacaaa gaactttcta tatccttttt cattttcttg ataacccatt tcatcataag ttttctcttc aaaaaaaatc tcaaaaaact tccaccaqqc 180 ccaaaaggtt ttccagttgt tggtgcactc ccactaatgg gatccatgcc tcatgttacc 240 ctattcaaaa tgtcacaaaa atatggtccc ataatgtacc taaaaatggg atcaaataac atggttgtag catcaactcc ttcttcagcc aaagcatttc tcaaaacact tgacctaaat ttctccaata gaccgccgaa cgctggcgca actcacctag cttatgattc acaagacttg gttttcgccg actatggatc taggtggaaa ttacttagga aactaagtaa cttgcacatg 480 ctcggcggaa aagccctcga aaattggtcg aaagttcgtg agattgaaat gggtcacatg attogtacaa tgtacgattg tagcaagaaa gacgaatcog ttgttgtggc cgaaatgttg 600 acatatgcta tggccaatat gataggtcaa gttatattga gtcgtcgcgt gttcgagaca 660

aaaggtagtg actcaaatga atttaaggat atggttgntg

<210> 197 <211> 216 <212> PRT <213> Trifolium repens

<220>

<221> MISC FEATURE

<222> (216)..(216)

<223> Any amino acid

<400> 197

Met Val Met Ile Thr Gln Tyr Gln Thr Phe Leu Tyr Lys Glu Leu Ser

Ile Ser Phe Phe Ile Phe Leu Ile Thr His Phe Ile Ile Ser Phe Leu

Phe Lys Lys Asn Leu Lys Lys Leu Pro Pro Gly Pro Lys Gly Phe Pro

Val Val Gly Ala Leu Pro Leu Met Gly Ser Met Pro His Val Thr Leu

Phe Lys Met Ser Gln Lys Tyr Gly Pro Ile Met Tyr Leu Lys Met Gly

Ser Asn Asn Met Val Val Ala Ser Thr Pro Ser Ser Ala Lys Ala Phe

Leu Lys Thr Leu Asp Leu Asn Phe Ser Asn Arg Pro Pro Asn Ala Gly 105 110

Ala Thr His Leu Ala Tyr Asp Ser Gln Asp Leu Val Phe Ala Asp Tyr 115

Gly Ser Arg Trp Lys Leu Leu Arg Lys Leu Ser Asn Leu His Met Leu

Gly Gly Lys Ala Leu Glu Asn Trp Ser Lys Val Arg Glu Ile Glu Met

Gly His Met Ile Arg Thr Met Tyr Asp Cys Ser Lys Lys Asp Glu Ser 165 170

Val Val Val Ala Glu Met Leu Thr Tyr Ala Met Ala Asn Met Ile Gly 185

Gln Val Ile Leu Ser Arg Arg Val Phe Glu Thr Lys Gly Ser Asp Ser

213/390

195 200 205

Asn Glu Phe Lys Asp Met Val Xaa 210

<210> 198

<211> 584

<212> DNA

<213> Trifolium repens

<220>

<221> misc_feature

<222> (2)..(2)

<223> Any nucleotide

<220>

<221> misc feature

<222> (10)..(10) <223> Any nucleotide

<220>

<221> misc_feature

<222> (27)...(27)

<223> Any nucleotide

<400> 198

gnaatccacn aatctcttga attaatncca tttctttaca agaacttaac catggtgatg

atcactcaat accaaacctt ccttttcaaa gaactttcta tctccttttt cattttcttg

ataacccgtt tcatcataag ttttctcttc aaaaaaaatc tcaaaaaact tccaccaggc

ccaaagggtt ttccagttgt tggtgcactc ccactaatqg qatccatqcc tcatqttacc

ctattcaaaa tgtcacaaaa atatggtccc ataatgtacc taaaaatggg atcaaatagc 300

atggttgtag catcaactcc ttcttcagcc aaagcatttc tcaaaacact tgacctaaat

ttctccaata gaccgccgaa cgctggcgcg actcacctag cttatgattc acaagacttg

gttttcgccg actatggatc taggtggaaa ttacttagga aactaagtaa cttgcacatg

ctcggcggaa aagccctcga agattggtcg aaagttcgtg agattgaaat gggtcacatg

attcgtacaa tgtatgattg tagcaagaaa gacgaatccg ttgt 584

<210> 199

<211> 694 <212> DNA

<213> Trifolium repens

<220> <221> misc_feature <222> (2)..(2) <223> Any nucleotide <220> <221> misc_feature <222> (16)..(16) <223> Any nucleotide <220> <221> misc feature <222> (20)..(21) <223> Any nucleotides <220> <221> misc_feature <222> (692)..(692) <223> Any nucleotide <400> 199 gncaaatctc ttgcantaan nccatttctt tacaagaact taaccatggt gatgatcact caacaccaaa ccttccttta caaagaactt tctatatcct ttttcatttt cttqataacc catttcatca ttagttttct cttcaaaaaa aatctcaaaa aacttccacc aggcccaaaa ggttttccag ttgttggtgc actcccacta atgggatcca tqcctcatqt taccctattc aaaatgtcac aaaaatatgg tcctataatg tacctaaaaa tgggatcaaa taacatqqtt gtagcatcaa ctccttcttc agccaaagca tttctcaaaa cacttgacct aaatttctcc 360 aataggccgg cgaacgctgg cgcaactcac ctagcttatg atccacaaga cttggttttc gccgactatg gatctaggtg gaaattactt aggaaactaa gtaacttgca catgctcggc ggaaaagccc ttgaaaattg gtcgaaagtt cgtgagattg aaatgggtca catgattcgt 540 acaatgtacg attgtagcaa gaaagacgaa tccgttgttg tggccgaaat gttgacatat gctatggcca atatgatagg tcaagttata ttgagtcgtc gcgtgttcga gacaaaaggt 660 agtgactcaa atgaatttaa ggatatggtt gntg 694 <210> 200

<211> 580 <212> DNA

```
<213> Trifolium repens
<220>
<221> misc_feature
<222> (2)..(2)
<223> Any nucleotide
<220>
<221> misc_feature
\langle 222 \rangle (14)^{-}. (14)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (16)..(16)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (44)..(44)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (55)..(56)
<223> Any nucleotides
<400> 200
cnaatctett gaantnatac catttettta caagaactta acentggtga tgatnnetca
ataccaaacc ttccttttca aagaactttc tatctccttt ttcattttct tgataacccg
tttcatcata agtcttctct tcaaaaaaaa tctcaaaaaa cttccaccag gcccaaaggg
180
ttttccagtt gttggtgcac tcccactaat gggatccatg cctcatgtta ccctattcaa
aatgtcacaa aaatatggtc ccataatgta cctaaaaatg ggatcaaata acatggttgt
300
agcatcaact ccttcttcag ccaaagcatt tctcaaaaca cttgacctaa atttctccaa
tagaccgccg aacgctggcg cgactcacct agcttatgat tcacaagact tggttttcgc
cgactatgga tctaggtgga aattgcttag gaaactaagt aacttgcaca tgctcggcgg
480
aaaagccctc gaagattggt cgaaagttcg cgagattgag atgggtcaca tgattcgtac
aatgtacgat tgtagcaaga aagacgaata tgttgttgtg
580
<210> 201
```

<211> 574

```
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature <222> (8)..(8)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (12)..(12)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (40)..(40)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (51)..(52)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (56)..(56)
<223> Any nucleotide
<220>
<221> misc feature
<222> (569)..(569)
<223> Any nucleotide
<220>
<221> misc_feature
\langle 222 \rangle (572)...(572)
<223> Any nucleotide
<400> 201
tctcttgnaa tnataccatt tctttacaag aacttaaccn tggtgatgat nnctcnatac
caaaccttcc tttacaaaga actttctata tcctttttca ttttcttgat aacccatttc
atcattagtt ttctcttcaa aaaaaatctc aaaaaacttc caccaggccc aaaaggtttt
ccagttgttg gtgcactccc actaatggga tccatgcctc atgttaccct attcaaaatg
tcacaaaaat atggtcctat aatgtaccta aaaatgggat caaataacat ggttgtagca
300
tcaactcctt cttcagccaa agcatttctc aaaacacttg acctaaattt ctccaatagg
ccggcgaacg ctggcgcaac tcacctagct tatgattcac aagacttggt tttcgccgac
420
```

tatggatcta ggtggaaatt acttaggaaa ctaagtaact tgcacatgct cggcggaaaa 480

gcccttgaaa attggtcgaa agttcgtgag attgaaatgg gtcacatgat tcgtacaatg 540

tacgattgta gcaagaaaga cgaatccgnt gntg 574

```
<210> 202
<211> 1261
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (7)..(7)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (31)..(31)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (43)..(43)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (92)..(93)
<223> Any nucleotides
<220>
<221> misc_feature <222> (96)..(96)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (957)..(957)
```

<400> 202

<223> Any nucleotide

gcacacntct atttattct acttaaacct nacaaaaaat aanacccaca aaacacaaac 60

accacaaaca ccaaaaccga gtccgtttcc tnntcnaaca tggcaccaag ccaaactcta 120

agttatetet cacaacaaaa cactettgag teaagttteg ttagggaaga agatgagegt 180

CCaaaagttg cctacaataa cttcagcaac gagattccaa tcatttctct tgctggaatt 240

gatgaggttg atggtcgtag aacagagata tgtaacaaga ttgttgaagc ttgtgagaat

300

tggggtattt ttcaggttgt tgatcatggt gttgatacaa aacttgtttc tgagatgacc 360

cgttttgcta gagagttttt tgctttgcca ccggaagaga agctccggtt tgacatgtcc 420

ggtggtaaaa agggtggttt cattgtctct agtcatctcc aaggagaagc agtgaaggat 480

tggagagagc tagtgacata tttttcatac ccaattaaac aaagagatta ttcaaggtgg 540

ccagacaagc cagaaggatg gaaagaggta acagaaaaat acagtgaaaa cctaatgaat 600

ttagcttgca aactattgga agttttatca gaagcaatgg gtttagaaaa agaagctcta 660

acaaaagcat gtgttgatat ggatcaaaaa gttgttataa attattaccc aaaatgccct 720

gaacctgacc tcacacttgg ccttaaacgt cacactgacc ctggcacaat tactcttttg 780

cttcaagatc aagttggtgg ccttcaagct accaaagata atggtaagac gtggattaca 840

gttcaaccag ttgaaggtgc ttttgttgtt aatcttggag accatggtca ctatctaagt 900

aatggacggt tcaaaaatgc tgaccaccaa gcagtggtga attcgaacta cagccgntta 960

tcaatagcaa catttcaaaa tccagctccc gatgcaactg tatacccttt gaagattaga 1020

gagggtgaaa aatctgtgtt ggaagaacca atcacttttg ctgaaatgta tagaaggaag 1080

atgaccaaag accttgaaat tgctaggatg aagaagttgg ctaaggaaca acaacttagg 1140

gacttggagg agaacaagac taaatatgag gccaaacctt tgaatgagat ctttgcttaa 1200

ttaattagtc ttaatttaaa taattaataa attttagact taatttacat ataataattt 1260

t 1261

<210> 203

<211> 366

<212> PRT

<213> Trifolium repens

<220>

<221> MISC_FEATURE

<222> (286)..(286)

<223> Any amino acid

<400> 203

							21	9/390							
Met 1	Ala	Pro	Ser	Gln 5	Thr	Leu	Ser	Tyr	Leu 10	Ser	Gln	Gln	Asn	Thr 15	Leu
Glu	Ser	Ser	Phe 20	Val	Arg	Glu	Glu	Asp 25	Glu	Arg	Pro	Lys	Val 30	Ala	Tyr
Asn	Asn	Phe 35	Ser	Asn	Glu	Ile	Pro 40	Ile	Ile	Ser	Leu	Ala 45	Gly	Ile	Asp
Glu	Val 50	Asp	Gly	Arg	Arg	Thr 55	Glu	Ile	Cys	Asn	Lys 60	Ile	Val	Glu	Ala
Сув 65	Glu	Asn	Trp	Gly	Ile 70	Phe	Gln	Val	Val	Asp 75	His	Gly	Val	Asp	Thr 80
	Leu			85					90					95	
	Pro		100					105					110	-	_
Gly	Phe	Ile 115	Val	Ser	Ser	His	Leu 120	Gln	Gly	Glu	Ala	Val 125	Lys	Asp	Trp
Arg	Glu 130	Leu	Val	Thr	Tyr	Phe 135	Ser	Tyr	Pro	Ile	Lys 140	Gln	Arg	Asp	Tyr
145	Arg				150					155					160
	Ser			165					170					175	
	Glu		180					185					190	_	
	Met	195		•			200					205			
Pro	Asp 210	Leu	Thr	Leu	Gly	Leu 215	Lys	Arg	His	Thr	Asp 220	Pro	Gly	Thr	Ile
225	Leu				230					235					240
Asn	Gly	Lys	Thr	Trp 245	Ile	Thr	Val	Gln	Pro 250	Val	Glu	Gly	Ala	Phe 255	Val

Val Asn Leu Gly Asp His Gly His Tyr Leu Ser Asn Gly Arg Phe Lys

265

270

220/3

260

Asn Ala Asp His Gln Ala Val Val Asn Ser Asn Tyr Ser Xaa Leu Ser 275 280 285

Ile Ala Thr Phe Gln Asn Pro Ala Pro Asp Ala Thr Val Tyr Pro Leu 290 295 300

Lys Ile Arg Glu Gly Glu Lys Ser Val Leu Glu Glu Pro Ile Thr Phe 305 310 315 320

Ala Glu Met Tyr Arg Arg Lys Met Thr Lys Asp Leu Glu Ile Ala Arg 325 330 335

Met Lys Lys Leu Ala Lys Glu Gln Gln Leu Arg Asp Leu Glu Glu Asn 340 345 350

Lys Thr Lys Tyr Glu Ala Lys Pro Leu Asn Glu Ile Phe Ala 355 360 365

<210> 204

<211> 586

<212> DNA

<213> Trifolium repens

<220>

<221> misc feature

<222> (7)..(7)

<223> Any nucleotide

<400> 204

gcacacntct atttattct acttaaacct cacaaaaaat aaacccacaa cacacaaaca 60

ccaaaaacag agcaccgttt ccatcatcaa acatggcacc aagccaaact ctaagttatc 120

tctcacaaca aaacactctc gagtcaagtt tcgttaggga agaagatgag cgtccaaaag 180

ttgcctacaa taacttcagc aacgagattc caatcatttc tcttgctgga attgatgagg

ttgatggtcg tagaacagag atatgtaaca agattgttga agcttgtgag aattggggta 300

tttttcaggt tgttgatcat ggtgttgata caaaacttgt ttctgagatg acccgttttg 360

ctagagagtt ttttgctttg ccaccggaag agaagctccg gtttgacatg tccggtggta 420

aaaagggtgg tttcattgtc tctagtcatc ttcaaggaga agcagtgaag gattggagag 480

agctagtgac atatttttca tacccaatta aacaaagaga ttattcaagg tggccagaca 540

agccagaagg atggaaagag gtaacagaaa aatacagtga aaacct

<210> 205 <211> 597 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (2)..(2)<223> Any nucleotide <220> <221> misc feature <222> (5)..(5) <223> Any nucleotide <220> <221> misc_feature <222> (7)..(7)<223> Any nucleotide <220> <221> misc_feature <222> (31)..(31)<223> Any nucleotide <400> 205 gcacngntct atttattct acttaaacct naaaaataaa cccacaacac aaaccaaaaa cagagcaccg tttccatcat caaacatggc accaagccaa accctaagtt atctctcaca 120 acaaaagact cttgagtcaa gtttcgttag ggaagaagat gagcgtccaa aagttgccta caataacttc agcaacgaga ttccaatcat ttctcttgct ggaattgatg aggttgatgg 240 tcgcagaaca gagatatgta acaagattgt tgaagcttgt gagaattggg gtatttttca 300 ggttgttgat catggtgttg atacaaagct tgtttctgag atgactcgtt ttgctagaga gttttttgct ttgccgccgg aagagaaget ccggtttgac atgtccggtg gtaaaaaggg tggtttcatt gtctctagtc atctccaagg agaagcagtg aaaqattqqa qaqaqctaqt 480 gacatatttt tcatacccaa ttaaacaaag agattattca aggtggccag acaagccaga 540

agaatggaaa gaagtaacag aaaaatacag tgaaaaccta atgaatttaq cttgcag

```
<211> 605
 <212> DNA
 <213> Trifolium repens
 <220>
<221> misc feature
<222> (6)..(6)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (30)..(30)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (42)..(42)
<223> Any nucleotide
<220>
<221> misc_feature
<222>
       (71)...(71)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (90)..(92)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (94)..(95)
<223> Any nucleotides
<400> 206
cacacntcta tttattcta cttaaacctn acaaaaata anacccacaa cacacaaaca
ccaaaaacag nagcaccgtt tccatcatcn nnannaacat ggcaccaagc caaactctaa
gttatctctc acaacaaaac actctcgagt caagtttcgt tagggaagaa gatgagcgtc
caaaagttgc ctacaataac ttcagcaacg agattccaat catttctctt gctggaattg
240
atgaggttga tggtcgtaga acagagatat gtaacaagat tgttgaagct tgtgagaatt
ggggtatttt tcaggttgtt gatcatggtg ttgatacaaa acttgtttct gagatgaccc
gttttgctag agagtttttt gctttgccac cggaagagaa gctccggttt gacatgtccg
420
gtggtaaaaa gggtggtttc attgtctcta gtcatcttca aggagaagca gtgaaggatt
480
ggagagaget agtgacatat ttttcatacc caattaaaca aagagattat tcaaggtggc
```

540 cagacaagcc agaaggatgg aaagaggtaa cagaaaaata cagtgaaaac ctaatgaatt tagct 605 <210> 207 <211> 492 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (10)..(10) <223> Any nucleotide <220> <221> misc_feature <222> (19)..(19) <223> Any nucleotide <220> <221> misc_feature <222> (29)..(30) <223> Any nucleotides <220> <221> misc_feature
<222> (38)..(38)
<223> Any nucleotide <220> <221> misc_feature $\langle 222 \rangle$ (40)...(41)<223> Any nucleotides <220> <221> misc_feature <222> (55)..(55) <223> Any nucleotide <220> <221> misc_feature
<222> (58)..(58)
<223> Any nucleotide <220> <221> misc_feature <222> (60)..(60) <223> Any nucleotide <220>

<221> misc_feature
<222> (68)..(68)
<223> Any nucleotide

```
<220>
<221> misc_feature
<222> (70)..(70)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (75)..(75)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (436)..(436)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (439)..(439)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (450)..(450)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (452)..(452)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (455)..(455)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (459)..(459)
<223> Any nucleotide
<220>
<220>
<221> misc_feature
<222> (469)..(469)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (471)..(471)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (473)..(473)
<223> Any nucleotide
```

```
<220>
<221> misc_feature
<222> (490)..(492)
<223> Any nucleotides
<400> 207
tcccctctan ttatttctnc ttaaacctnn caaaaatnan nacccacaac acacnaanan
caccaaanan acagnagtac cgtttccatc atcaaacatg gcaccaagcc aaactctaag
ttatctctca caacaaaaca ctctcgagtc aagtttcgtt agggaagaag atgagcgtcc
aaaagttgcc tacaataact tcagcaacga gattccaatc atttctcttg ctggaattga
240
tgaggttgat ggtcgtagaa cagagatatg taacaagatt gttgaagctt gtgagaattg
gggtattttt caggttgttg atcatggtgt tgatacaaaa cttgtttctg agatgacccg
360
ttttgctaga gagttttttg ctttgccacc ggaagagaag ctccggtttg acatgtccgg
tggtaaaaag ggtggnttna ttgtctgtan tngtntccna ggacaaccng ngnaggattg
cagagagctn nn
492
<210> 208
<211> 690
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (11)..(11)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (34)..(34)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (36)..(36)
<223> Any nucleotide
<220>
<221> misc_feature <222> (49)..(49)
       (49)...(49)
<223> Any nucleotide
```

<400> 208 gttaacacac nccaacacaa acaccaaaaa cagnancacc gtttccatnc atcaaacatg 60 gcaccaagcc aaactctaag ttatctctca caacaaaaca ctctcgagtc aagtttcgtt agggaagaag atgagcgtcc aaaagttqcc tacaataact tcaqcaacqa qattccaatc 180 atttctcttg ctggaattga tgaggttgat ggtcgtagaa cagagatatg taacaagatt gttgaagctt gtgagaattg gggtattttt caggttgttg atcatggtgt tgatacaaaa cttgtttctg agatgacccg ttttgctaga gagttttttg ctttgccacc ggaaqaqaaq ctccggtttg acatgtccgg tggtaaaaag ggtggtttca ttgtctctag tcatctccaa 420 ggagaagcag tgaaggattg gagagagcta gtgacatatt tttcataccc aattaaacaa 480 agagattatt caaggtggcc agacaagcca gaaggatgga aagaggtaac agaaaaatac agtgaaaacc taatgaattt aqcttqcaaa ctattqqaaq ttttatcaqa aqcaatqqqt ttagaaaaag aagctctaac aaaagcatgt gttgatatgg atcaaaaagt tgttataaat tattacccaa aatgccctga acctgacctt 690 <210> 209 <211> 573 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (2)..(2)<223> Any nucleotide <220> <221> misc_feature <222> (33)..(33) <223> Any nucleotide <220> <221> misc feature <222> (41)..(41) <223> Any nucleotide <220> <221> misc_feature (43)...(43)<222>

<223> Any nucleotide

<400> 209 gnaacccaca acacacaaac accaaaacag agnccgtttc ntnatcaaac atggcaccaa gccaaactct aagttatctc tcacaacaaa acactctcga gtcaagtttc gttagggaag aagatgagcg tccaaaagtt gcctacaata acttcagcaa cgagattcca atcatttctc 180 ttgctggaat tgatgaggtt gatggtcgta gaacagagat atgtaacaag attgttgaag cttgtgagaa ttggggtatt tttcaggttg ttgatcatgg tgttgataca aaacttgttt 300 ctgagatgac ccgttttgct agagagtttt ttgctttgcc accggaagag aagctccggt 360 ttgacatgtc cggtggtaaa aagggtggtt tcattgtctc tagtcatctc caaggagaag 420 cagtgaagga ttggagagag ctagtgacat atttttcata cccaattaaa caaagagatt attcaaggtg gccagacaag ccagaaggat ggaaagaggt aacagaaaaa tacagtgaaa acctaatgaa tttagcttgc aagctattgg aag 573 <210> 210 <211> 716 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (6)..(6) <223> Any nucleotide <220> <221> misc feature <222> (10)..(10) <223> Any nucleotide <220> <221> misc_feature <222> (28)..(28) <223> Any nucleotide <220> <221> misc_feature <222> (30)..(30) <223> Any nucleotide <220> <221> misc_feature <222> (43)..(43)

<223> Any nucleotide

```
<220>
<221> misc_feature
<222> (47)...(47)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (576)..(576)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (619)..(619)
<223> Any nucleotide
<220>
<221> misc feature
<222> (702)..(702)
<223> Any nucleotide
<220>
<221>
       misc feature
<222> (714)..(714)
<223> Any nucleotide
<400> 210
cacacnaacn ccaaacacca aaaacagnan caccgtttcc atncatncaa acatggcacc
aagccaaact ctaagttatc tctcacaaca aaacactctt gagtcaagtt tcgttaggga
agaagatgag cgtccaaaag ttgcctacaa taacttcagc aacgagattc caatcatttc
180
tcttgctgga attgatgagg ttgatggtcg tagaacagag atatgtaaca agattgttga
240
agcttgtgag aattggggta tttttcaggt tgttgatcat ggtgttgata caaaacttgt
ttctgagatg acccgttttg ctagagagtt ttttgctttg ccaccggaag agaagctccg
gtttgacatg tccggtggta aaaagggtgg tttcattgtc tctagtcatc tccaaggaga
420
agcagtgaag gattggagag agctagtgac atatttttca tacccaatta aacaaagaga
480
ttattcaagg tggccagaca agccagaagg atggaaagag gtaacagaaa aatacagtga
aaacctaatg aatttagctt gcaaactatt ggaagnttta tcagaagcaa tgggtttaga
600
aaaagaagct ctaacaaang catgtgttga tatggatcaa aaagttgtta taaattatta
```

cccaaaatgc cctgaacctg acctcccact tgccctaaac gncacactga cccnga

```
<210> 211
<211>
      721
<212> DNA
<213> Trifolium repens
<220>
<221> misc feature
<222> (4)..(4)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (7)..(7)
<223> Any nucleotide
<220>
<221> misc_feature <222> (28)..(28)
<223> Any nucleotide
<220>
<221> misc feature
<222> (30)..(30)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (43)..(43)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (721)..(721)
<223> Any nucleotide
<400> 211
cacnacnacc acaaacacca aaaacagnan caccgtttcc atncatcaaa catggcacca
agccaaactc taagttatct ctcacaacaa aacactcttg agtcaagttt cgttagggaa
gaagatgagc gtccaaaagt tgcctacaat aacttcagca acgagattcc aatcatttct
180
cttgctggaa ttgatgaggt tgatggtcgt agaacagaga tatgtaacaa gattgttgaa
gcttgtgaga attggggtat ttttcaggtt gttgatcatg gtgttgatac aaaacttgtt
300
tttgacatgt ccggtggtaa aaagggtggt ttcattgtct ctagtcatct ccaaggagaa
420
```

gcagtgaagg attggagaga gctagtgaca tatttttcat acccaattaa acaaagagat

tattcaaggt ggccagacaa gccagaagga tggaaagagg taacagaaaa atacagtgaa

aacctaatga atttagcttg caaactattg gaagttttat cagaagcaat gggtttagaa

aaagaagctc taacaaaagc atgtgttgat atggatcaaa aagttgttat aaattattac

ccaaaatgcc ctgaacctga cctcacactt ggccttaaac gtcacactga ccctggcaca 720

n 721

- <210> 212
- <211> 453
- <212> DNA
- <213> Trifolium repens

<220>

- <221> misc_feature
- <222> (6)..(6) <223> Any nucleotide

<220>

- <221> misc_feature
- <222> (79)..(79)
- <223> Any nucleotide

<220>

- <221> misc_feature <222> (173)..(173)
- <223> Any nucleotide

<220>

- <221> misc_feature
 <222> (215)..(215)
 <223> Any nucleotide

<220>

- <221> misc feature
- <222> (220)..(220) <223> Any nucleotide

<220>

- <221> misc_feature
- <222> (235)..(235)
- <223> Any nucleotide

<220>

- <221> misc_feature <222> (245)..(245)
- <223> Any nucleotide

```
<220>
<221> misc_feature
<222> (257)..(257)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (283)..(284)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (303)..(303)
<223> Any nucleotide
<220>
<220>
<221> misc_feature
<222> (307)..(307)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (311)..(311)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (317)..(317)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (322)..(322)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (336)..(336)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (346)..(346)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (361)..(361)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (366)..(367)
<223> Any nucleotides
```

```
<220>
<221> misc_feature <222> (375)..(375)
<223> Any nucleotide
<220>
<220>
<221> misc_feature
<222> (393)..(393)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (397)..(397)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (399)..(399)
<223> Any nucleotide
 <220>
<221> misc_feature
<222> (401)..(401)
<223> Any nucleotide
 <220>
 <221> misc_feature
<222> (407)..(407)
<223> Any nucleotide
 <220>
 <221> misc_feature
<222> (411)..(411)
<223> Any nucleotide
 <220>
 <221> misc_feature
 <222> (422)..(422)
<223> Any nucleotide
  <220>
 <221> misc_feature
<222> (425)..(425)
<223> Any nucleotide
  <220>
 <221> misc_feature
<222> (430)..(432)
<223> Any nucleotides
  <220>
 <221> misc_feature
<222> (437)..(437)
<223> Any nucleotide
```

233/390 <220> <221> misc_feature
<222> (445)..(445)
<223> Any nucleotide <220> <221> misc feature <222> (447)..(448) <223> Any nucleotides <220> <221> misc feature $\langle 222 \rangle (450) \dots (453)$ <223> Any nucleotides <400> 212 ccacancaca caaacaccaa aaacagaagc accgtttcca tcatcaaaca tggcaccaag 60 ccaaactcta agttatctng gacaacaaaa cactctcgag tcaagtttcg ttagggaaga agatgaccgt ccaaaagttg cctacaatac cttcagcacc gagattccaa tcntttctct tgctggaatt gatgaggttg atggccgaaa aacanaaatn tttaccaaga ttggnggggc ttqtnaaaat tqqqqtnttt ttcaggttgg tgatcatggg gtnnaacaaa acttgtttcc canaaanccc nttttgntaa anagtttttt gctttncccc cggaanaaaa cctccggttt nacttnnccg ggggnaaaaa agggggggt ttnattngnc nttaagnccc nccccaaggg 420 anaancccan nnaaggnttt ggaanannen nnn 453 <210> 213 <211> 267 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (4)..(4) <223> Any nucleotide <220> <221> misc feature <222> (10)..(10) <223> Any nucleotide <220> <221> misc_feature <222> (15)..(15)

<223> Any nucleotide

```
<220>
<221> misc_feature <222> (23)..(23)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (30)..(30)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (45)..(46)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (48)..(49)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (208)..(208)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (210)..(210)
<223> Any nucleotide
 <220>
<221> misc_feature
<222> (215)..(215)
<223> Any nucleotide
 <220>
<221> misc_feature
<222> (226)..(227)
<223> Any nucleotides
 <220>
 <221> misc_feature
<222> (231)..(231)
<223> Any nucleotide
 <220>
 <221> misc_feature
<222> (245)..(245)
<223> Any nucleotide
 <220>
 <221> misc feature
 <222> (250)..(250)
```

<223> Any nucleotide

<220> <221> misc_feature <222> (253)..(253) <223> Any nucleotide <220> <221> misc_feature
<222> (260)..(260)
<223> Any nucleotide <220> <221> misc_feature <222> (265)..(265) <223> Any nucleotide <220> <221> misc feature <222> (267)..(267) <223> Any nucleotide <400> 213 gaancccacn aacancaaac acncaaaaan agagaccgtt tcctnntnna acatggcacc aagccaaact ctaagttatc tctcacaaca aaacactctt gagtcaagtt tcgttaggga agaagatgag cgtccaaaag ttgcctacaa taacttcagc aacgagattc caatcatttc tcttgctgga attgatgagg ttgatggncn cacancacac atctgnncca nattgctgga acctngcgan agncgccctn cctcncn 267 <210> 214 <211> 580 <212> DNA <213> Trifolium repens <220> <221> misc_feature
<222> (2)..(2)
<223> Any nucleotide <220> <221> misc_feature <222> (38)..(38) <223> Any nucleotide

<400> 214
gnaccacaca aacacccaaa acagagcacc gtttcctnat caacaatggc accaagccaa
60

actotaagtt atototoaca acaaaacact otogagtoaa gtttogttag ggaagaagat 120

gagegteeaa aagttgeeta caataaette agcaacgaga ttecaateat ttetettget 180 ggaattgatg aggttgatgg tcgtagaaca gagatatgta acaagattgt tgaagcttgt gagaattggg gtatttttca ggttgttgat catggtgttg atacaaaact tgtttctgag atgacccgtt ttgctagaga gttttttgct ttgccaccgg aagagaagct ccggtttgac atgtccggtg gtaaaaaggg tggtttcatt gtctctagtc atcttcaagg agaagcagtg aaggattgga gagagctagt gacatatttt tcatacccaa ttaaacaaag agattattca 480 aggtggccag acaagccaga aggatggaaa gaggtaacag aaaaatacag tgaaaaccta 540 atgaatttag cttgcaagct attggaagtt ttatcagaag 580 <210> 215 <211> 586 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (31)..(31) <223> Any nucleotide <220> <221> misc_feature <222> (33)..(33) <223> Any nucleotide <220> <221> misc_feature <222> (586)..(586) <223> Any nucleotide <400> 215 ggcacacaaa ccaaaacgag cccgtttcct ntnaacatgg caccaagcca aaccctaagt 60 tatctctcca acaaaagact cttgagtcaa gtttcgttag ggaagaagat gagcgtccaa aagttgccta caataacttc agcaacgaga ttccaatcat ttctcttgct ggaattgatg 180 aggttgatgg tcgcagaaca gagatatgta acaagattgt tgaagcttgt gagaattggg gtatttttca ggttgttgat catggtgttg atacaaagct tgtttctgag atgactcgtt 300 ttgctagaga gttttttgct ttgccgccgg aagagaagct ccggtttgac atgtccggtg 360

gtaaaaaggg tggtttcatt gtctctagtc atctccaagg agaagcagtg aaagattgga 420

gggagctagt gacatatttt tcatacccaa ttaaacaaag agattattca aggtggccag 480

acaagccaga aggatggaaa gaagtaacag aaaaatacag tgaaaaccta atgaatttag 540

cttgcaagct attggaagtt ttatcagaag caatgggatt agaaan 586

```
<210> 216
<211> 450
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (26)..(26)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (37)..(37)
<223> Any nucleotide
<220>
<221> misc_feature <222> (96)..(96)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (363)..(363)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (390)..(390)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (403)..(403)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (410)..(410)
<223> Any nucleotide
```

<221> misc_feature
<222> (416)..(417)
<223> Any nucleotides

<220>

<220> <221> misc_feature $\langle 222 \rangle$ $(421) \dots (421)$ <223> Any nucleotide <220> <221> misc_feature <222> (436)..(436) <223> Any nucleotide <220> <221> misc_feature <222> (438)..(438) <223> Any nucleotide <220> <221> misc feature <222> (450)..(450) <223> Any nucleotide <400> 216 tctaacacaa acacccaaaa cagagnaccg tttcctntcc aacatggcac caagccaaac tctaagttat ctctcaccac aaaacactct tgagtnaagt ttcgttaggg aagaagatga gcgtccaaaa gttgcctaca ataacttcag caacgagatt ccaatcattt ctcttgctgg 180 aattgatgag gttgatggtc gtagaacaga gatatgtaac aagattgttg aagcttgtga gaattggggt atttttcagg ttgttgatca tggtgttgat acaaaacttg tttctgagat 300 gacccgtttt gctagagagt tttttgcttt gccaccggaa gagaagctcc ggtttgacat 360 gtncggtggt aaaaagggtg gtttcattgn ctctagtcat ctncaaggan aagcanngaa ngattggaga gagctngnga catattttn <210> 217 <211> 681 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (2)...(2)<223> Any nucleotide

<220> <221> misc_feature <222> (24)..(24)

PCT/AU02/01345

<223> Any nucleotide

<220>

<221> misc_feature

<222> (26)..(26) <223> Any nucleotide

<220>

<221> misc feature

<222> (39)..(39)

<223> Any nucleotide

<220>

<221> misc_feature
<222> (43)..(43)
<223> Any nucleotide

<220>

<221> misc feature

<222> (644)..(644) <223> Any nucleotide

<400> 217

cncaacacaa acaccaaaaa cagnancacc gtttccatnc atncaaacat ggcaccaagc

caaactctaa gttatctctc acaacaaaac actcttgagt caagtttcgt tagggaagaa

gatgagcgtc caaaagttgc ctacaataac ttcagcaacg agattccaat catttctctt

gctggaattg atgaggttga tggtcgtaga acagagatat gtaacaagat tgttgaagct 240

tgtgagaatt ggggtatttt tcaggttgtt gatcatggtg ttgatacaaa acttgtttct

gagatgaccc gttttgctag agagtttttt gctttgccac cggaagagaa gctccggttt

gacatgtccg gtggtaaaaa gggtggtttc attgtctcta gtcatctcca aggagaagca 420

gtgaaggatt ggagagagct agtgacatat ttttcatacc caattaaaca aagagattat

tcaaggtggc cagacaagcc agaaggatgg aaagaggtaa cagaaaaata cagtgaaaac 540

ctaatgaatt tagcttgcaa actattggaa gttttatcag aagcaatggg tttagaaaaa

gaagctctaa caaaagcatg tgttgatatg gatcaaaaag ttgntataaa ttattaccca 660

aaatgccctg aacctgacct c 681

```
240/390
<211> 582
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (2)..(3)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (15)..(15)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (21)..(21)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (25)..(25)
<223> Any nucleotide
<220>
<221> misc feature
<222> (43)..(43)
<223> Any nucleotide
<220>
<221> misc_feature
      (47) . . (47)
<222>
<223> Any nucleotide
<400> 218
gnnaatccac aacancaaac nccanaaacg agcccgtttc ctnctcnaac atggcaccaa
gccaaactct aagttatctc tcacaacaaa acactctcga gtcaagtttc gttagggaag
120
aagatgagcg tccaaaagtt gcctacaata acttcagcaa cgagattcca atcatttctc
ttgctggaat tgatgaggtt gatggtcgaa gaacagagat atgtaacaag attgttgaag
240
cttgtgagaa ttggggtatt tttcaggttg ttgatcatgg tgttgataca aaacttgttt
ctgagatgac ccgttttgct agagagtttt ttgctttgcc accggaagag aagctccggt
360
ttgacatgtc cggtggtaaa aagggtggtt tcattgtctc tagtcatctc caaggagaag
cagtgaagga ttggagagag ctagtgacat atttttcata cccaattaaa caaagagatt
480
attcaaggtg gccagacaag ccagaaggat ggaaagaggt aacagaaaaa tacagtgaaa
```

540

acctaatgaa tttagcttgc aaactattgg aagttttatc ag

<210> 219 <211> 610

<212> DNA

<213> Trifolium repens

<220>

<221> misc_feature

<222> (31)..(31) <223> Any nucleotide

<220>

<221> misc_feature

<222> (41)..(41)

<223> Any nucleotide

<400> 219

gaaccccaca acacccaaac ccaaaacgag nccgtttcct ntcaacatgg caccaagcca

aactctaagt tatctctcac aacaaaacac tctcgagtca agtttcgtta gggaagaaga

tgagcgtcca aaagttgcct acaataactt cagcaacgag attccaatca tttctcttgc 180

tggaattgat gaggttgatg gtcgtagaac agagatatgt aacaagattg ttgaagcttg 240

tgagaattgg ggtatttttc aggttgttga tcatggtgtt gatacaaaac ttgtttctga

gatgacccgt tttgctagag agttttttgc tttgccaccg gaagagaagc tccggtttga 360

catgtccggt ggtaaaaagg gtggtttcat tgtctctagt catctccaag gagaagcagt 420

gaaggattgg agagagctag tgacatattt ttcataccca attaaacaaa gagattattc 480

aaggtggcca gacaagccag aaggatggaa agaggtaaca gaaaaataca gtgaaaacct 540

aatgaattta gcttgcaagc tattggaagt tttatcagaa gcaatgggtt tagaaaaaga 600

agctctaaca

610

<210> 220

<211> 593

<212> DNA

<213> Trifolium repens

<220>

<221> misc_feature

<222> (16)..(16)

242/390 <223> Any nucleotide <220> <221> misc_feature <222> (23)..(23) <223> Any nucleotide <220> <221> misc_feature <222> (41)..(42) <223> Any nucleotides <220> <221> misc_feature <222> (45)..(45) <223> Any nucleotide <220> <221> misc feature <222> (593)..(593) <223> Any nucleotide <400> 220 aaccccacga caccanaacc canaaacgag cccgtttcct nntcnaacat qgcaccaaqc caaactctaa gttatctctc acaacaaaac actctcgagt caagtttcgt tagggaagaa 120 gatgagcgtc caaaagttgc ctacaataac ttcagcaacg agattccaat catttctctt 180 gctggaattg atgaggttga tggtcgtaga acagagatat gtaacaagat tgttgaagct 240 tgtgagaatt ggggtatttt tcaggttgtt gatcatggtg ttgatacaaa acttgtttct gagatgaccc gttttgctag agagtttttt gctttgccac cqqaaqaqaa qctccqqttt 360 gacatgtccg gtggtaaaaa gggtggtttc attgtctcta gtcatcttca aggagaagca 420 gtgaaggatt ggagagagct agtgacatat ttttcatacc caattaaaca aagagattat tcaaggtggc cagacaagcc agaaggatgq aaaqaqqtaa caqaaaaata caqtqaaaac 540 ctaatgaatt tagcttgcaa gctattggaa gttttatcag aagcaatggg ttn 593 <210> 221 <211> 236 <212> DNA <213> Trifolium repens <220>

misc feature

<221>

```
<222> (5)..(5)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (10)..(10)
<223> Any nucleotide
 <220>
<221> misc_feature
<222> (18)..(18)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (26)..(26)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (41)..(41)
<223> Any nucleotide
<220>
<221> misc_feature <222> (43)..(43)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (203)..(206)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (209)..(209)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (213)..(213)
<223> Any nucleotide
<220>
<220>
<221> misc_feature
<222> (216)..(217)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (224)..(225)
<223> Any nucleotides
<220>
<221> misc_feature
```

```
<222> (234)..(236)
 <223> Any nucleotides
 <400> 221
 gcacnaacan cacaaacncc caaaangaga ccgtttcctc ntnaaacatg gcaccaagcc
aaactctaag ttatctctca caacaaaaca ctctcgagtc aagtttcgtt agggaagaag
atgagegtee aaaagttgee tacaataact teageaacga gatteeaate atttetettg
ctggaattga tgaggttgat ggnnnnggna ccnggnnatg tggnnagagg acgnnn
<210> 222
<211> 273
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (4)..(4)
<223> Any nucleotide
<220>
<221> misc_feature <222> (9)..(10)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (13)..(13)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (34)..(34)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (36)..(36)
<223> Any nucleotide
<220>
<221> misc_featuré
<222> (151)..(151)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (198)..(198)
<223> Any nucleotide
```

<220>

```
<221> misc_feature
<222> (205)..(205)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (255)..(255)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (270)..(270)
<223> Any nucleotide
<220>
<221> misc feature
<222> (273)..(273)
<223> Any nucleotide
<400> 222
acancaccnn acnccaaaac gagtccgttc cctntnaaca tggcaccaag ccaaactcta
agttatetet cacaacaaaa cactetegag teaagttteg ttagggaaga agatgagegt
ccaaaagttg cctacaataa cttcagcaac nagattccaa tcatttctct tgctggaatt
gatgaggttg atggtcgnag aacanagata tgtaacaaga ttgttgaagc ttgtgagaat
tggggtattt ttcangttgt tgatcatggn gtn
<210> 223
<211> 572
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature <222> (3)..(4)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (8)..(8)
<223> Any nucleotide
<220>
<221> misc_feature
\langle 222 \rangle (16)...(16)
<223> Any nucleotide
<220>
<221> misc_feature <222> (18)..(18)
```

<223> Any nucleotide <220> <221> misc_feature <222> (39)..(39) <223> Any nucleotide <220> <221> misc_feature <222> (41)..(42) <223> Any nucleotides <400> 223 genneaanca caaacnenaa aacgageace gttteetant nnaacatgge accaageeaa actictaagtt atcticticaca acaaaaaacc gtcgagtcaa gtttcgttag ggaagaagat gagcgtccaa aagttgccta caataacttc agcaacgaga ttccaatcat ttctcttgct 180 ggaattgatg aggttgatgg tcgcagaaca gagatatgta acaagattgt tgaagcttgt gagaattggg gtatttttca ggttgttgat catggtgttg atacaaagct tgtttctqaq atgactcgtt ttgctagaga gttttttgct ttgccgccgg aagagaagct ccggtttgac atgtccggtg gtaaaaaggg tggtttcatt gtctctagtc atctccaagg agaagcagtg aaagattgga gagagctagt gacatatttt tcatacccaa ttaaacaaag agattattca aggtggccag acaagccaga aggatggaaa gaagtaacag aaaaatacag tgaaaaccta atgaatttag cttgcaagct attggaagtt tt 572 <210> 224 <211> 575 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (2)..(2) <223> Any nucleotide <220> <221> misc_feature <222> (10)..(10) <223> Any nucleotide <220> <221> misc feature

```
<222> (12)..(12)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (16)..(16)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (20)..(20)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (38)..(38)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (41)...(42)
<223> Any nucleotides
<220>
<221> misc_feature <222> (54)..(54)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (77)..(78)
<223> Any nucleotides
<220>
<221> misc_feature
\langle 222 \rangle (99) ... (99)
<223> Any nucleotide
<400> 224
gnacccacan cnaacnccan aaacgagccc gtttcctnct nnaacatggc accnagccaa
actctaagtt atctctnnca acaaaacact cttgagtcna gtttcgttag ggaagaagat
gagcgtccaa aagttgccta caataacttc agcaacgaga ttccaatcat ttctcttgct
180
ggaattgatg aggttgatgg tcgtagaaca gagatatgta acaagattgt tgaagcttgt
240
gagaattggg gtatttttca ggttgttgat catggtgttg atacaaaact tgtttctgag
atgacccgtt ttgctagaga gttttttgct ttgccaccgg aagagaagct ccggtttgac
360
atgtccggtg gtaaaaaggg tggtttcatt gtctctagtc atctccaagg agaagcagtg
```

aaggattgga gagagctagt gacatatttt tcatacccaa ttaaacaaag agattattca 480

aggtggccag acaagccaga aggatggaaa gaggtaacag aaaaatacag tgaaaaccta $540\,$

atgaatttag cttgcaaact attggaagtt ttatc 575

- <210> 225
 <211> 596
 <212> DNA
 <213> Trifolium repens
 <220>
 <221> misc_feature
 <222> (10)..(11)
 <223> Any nucleotides

 <220>
 <221> misc_feature
- <223> Any nucleotide <220>

(15)..(15)

<222>

<221> misc_feature <222> (26)..(26) <223> Any nucleotide

<400> 225 ccacaacacn naacnccaaa acgagnccgt ttcctctcaa catggcacca agccaaactc 60

taagttatet eteacaacaa aacaeteteg agteaagttt egttagggaa gaagatgage 120

gtccaaaagt tgcctacaat aacttcagca acgagattcc aatcatttct cttgctggaa 180

ttgatgaggt tgatggtcgt agaacagaga tatgtaacaa gattgttgaa gcttgtgaga 240

attggggtat ttttcaggtt gttgatcatg gtgttgatac aaaacttgtt tctgagatga 300

cccgttttgc tagagagttt tttgctttgc caccggaaga gaagctccgg tttgacatgt 360

ccggtggtaa aaagggtggt ttcattgtct ctagtcatct ccaaggagaa gcagtgaagg

attggagaga gctagtgaca tatttttcat acccaattaa acaaagagat tattcaaggt 480

ggccagacaa gccagaagga tggaaagagg taacagaaaa atacagtgaa aacctaatga 540

atttagcttg caaactattg gaagttttat cagaagcaat gggtttagaa aaagag 596

```
<210> 226
<211> 612
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (9)..(9)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (13)..(13)
<223> Any nucleotide
<220>
<221> misc_feature <222> (36)..(36)
<223> Any nucleotide
<400> 226
cacaacacne aenecaaaac gagecegttt cetetnaaca tggcaccaag ccaaacteta
agttatctct ccaacaaaac actcttgagt caagtttcgt tagggaagaa gatgagcgtc
caaaagttgc ctacaataac ttcagcaacg agattccaat catttctctt gctggaattg
atgaggttga tggtcgtaga acagagatat gtaacaagat tgttgaagct tgtgagaatt
ggggtatttt tcaggttgtt gatcatggtg ttgatacaaa acttgtttct gagatgaccc
300
gttttgctag agagtttttt gctttgccac cggaagagaa gctccggttt gacatgtccg
gtggtaaaaa gggtggtttc attgtctcta gtcatctcca aggagaagca gtgaaggatt
420
ggagagaget agtgacatat ttttcatacc caattaaaca aagagattat tcaaggtggc
480
cagacaagcc agaaggatgg aaagaggtaa cagaaaaata cagtgaaaac ctaatgaatt
tagcttgcaa actattggaa gttttatcag aagcaatggg tttagaaaaa gaagctctaa
600
caaaagcatg tg
612
<210> 227
<211>
       535
<212> DNA
<213> Trifolium repens
<220>
<221> misc feature
```

```
<222> (32)..(32)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (69)..(69)
<223> Any nucleotide
<400> 227
acaacacaaa cccaaaacga gcccgtttcc tntcaacatg gcaccaagcc aaactctaag
ttatctctnc aacaaaacac tcttgagtca agtttcgtta gggaagaaga tgagcgtcca
aaagttgcct acaataactt cagcaacgag attccaatca tttctcttgc tggaattgat
gaggttgatg gtcgtagaac agagatatgt aacaagattg ttgaagcttg tgagaattgg
240
ggtatttttc aggttgttga tcatggtgtt gatacaaaac ttgtttctga gatgacccgt
tttgctagag agttttttgc tttgccaccg gaagagaagc tccggtttga catgtccggt
ggtaaaaagg gtggtttcat tgtctctagt catctccaag gagaagcagt gaaggattgg
agagagctag tgacatattt ttcataccca attaaacaaa gagattattc aaggtggcca
gacaagccag aaggatggaa agaggtaaca gaaaaataca gtgaaaacct aatgc
535
<210> 228
<211> 559
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222>
      (23)...(23)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (33)..(33)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (559)..(559)
<223> Any nucleotide
<400> 228
gcaacacaaa caccaaaacg agnccgtttc ctntcaacat ggcaccaagc caaactctaa
60
```

gttatctctc ccacaaaaca ctcttgagtc aagtttcgtt agggaagaag atgagcgtcc 120 aaaagttgcc tacaataact tcagcaacga gattccaatc atttctcttg ctggaattga tgaggttgat ggtcgtagaa cagagatatg taacaagatt gttgaagctt gtgagaattg gggtattttt caggttgttg atcatggtgt tgatacaaaa cttgtttctg agatgacccg 300 ttttgctaga gagttttttg ctttgccacc ggaagagaag ctccggtttg acatgtccgg tggtaaaaag ggtggtttca ttgtctctag tcatctccaa ggagaagcag tgaaggattg gagagagcta gtgacatatt tttcataccc aattaaacaa agagattatt caaggtggcc 480 agacaagcca gaaggatgga aagaggtaac agaaaaatac agtgaaaacc taatgaattt agcttgcaaa ctattggan <210> 229 <211> 565 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (3)..(3) <223> Any nucleotide <400> 229 geneaacaca aaccaaaacg agecegttte etateaacat ggeaccaage caaaccetaa gttatctctc acaacaaaag actcttgagt caagtttcgt tagggaagaa gatgagcgtc 120 caaaagttgc ctacaataac ttcagcaacg agattccaat catttctctt gctggaattg atgaggttga tggtcgcaga acagagatat gtaacaagat tgttgaagct tgtgagaatt ggggtatttt tcaggttgtt gatcatggtg ttgatacaaa gcttgtttct gagatgactc 300 gttttgctag agagtttttt gctttgccgc cggaagagaa gctccggttt gacatgtccg gtggtaaaaa gggtggtttc attgtctcta gtcatctcca aggagaagca gtgaaagatt ggagagaget agtgacatat ttttcatacc caattaaaca aagagattat tcaaggtggc 480 cagacaagcc agaaggatgg aaagaagtaa cagaaaaata cagtgaaaac ctaatgaatt 540

WO 03/031622 252/390 tagcttgcaa gctattggaa gtttt <210> 230 <211> 591

<213> Trifolium repens

<220>

<212> DNA

<221> misc_feature <222> (6)..(6) <223> Any nucleotide

<220>

<221> misc_feature

<222> (12)..(12) <223> Any nucleotide

<220>

<221> misc_feature

<222> (16)..(16) <223> Any nucleotide

<220>

<221> misc_feature <222> (32)..(32)

<223> Any nucleotide

<220>

<221> misc_feature <222> (34)..(34)

<223> Any nucleotide

<220>

<221> misc_feature

<222> (38)..(38) <223> Any nucleotide

<220>

<221> misc_feature
<222> (74)..(74)
<223> Any nucleotide

<220>

<221> misc_feature <222> (591)..(591)

<223> Any nucleotide

<400> 230

caacancaaa cnccanaaac gagcccgttt cntnctcnaa catggcacca agccaaactc

taagttatct ctcncaacaa aacactctcg agtcaagttt cgttagggaa gaagatgagc

gtccaaaagt tgcctacaat aacttcagca acgagattcc aatcatttct cttgctggaa

ttgatgaggt tgatggtcga agaacagaga tatgtaacaa gattgttgaa gcttgtgaga attggggtat ttttcaggtt gttgatcatg gtgttgatac aaaacttgtt tctgagatga 300 cccgttttgc tagagagttt tttgctttgc caccggaaga gaagctccgg tttgacatgt ccggtggtaa aaagggtggt ttcattgtct ctagtcatct ccaaggagaa gcagtgaagg attggagaga gctagtgaca tatttttcat acccaattaa acaaagagat tattcaaggt ggccagacaa gccagaagga tggaaagagg taacagaaaa atacagtgaa aacctaatga atttagcttg caaactattg gaagttttat cagaagcaat gggtttagaa n 591 <210> 231 <211> 609 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (14)..(14) <223> Any nucleotide <220> <221> misc_feature <222> (66)..(66) <223> Any nucleotide <220> <221> misc_feature <222> (76)..(76) <223> Any nucleotide <220> <221> misc_feature <222> (84)..(84) <223> Any nucleotide <220> <221> misc_feature <222> (94)..(95) <223> Any nucleotides <220> <221> misc_feature <222> (98)..(98) <223> Any nucleotide

<400> 231

gcagttatct ctcncaacaa aacactctcg agtcaagttt cgttagggaa gaagatgagc gtacancaaa caccanaaac gagnccgttt cctnntcnaa catggcacca agccaaactc 120 taccaaaagt tgcctacaat aacttcagca acgagattcc aatcatttct cttgctggaa ttgatgaggt tgatggtcgt agaacagaga tatgtaacaa gattgttgaa gcttgtgaga attggggtat ttttcaggtt gttgatcatg gtgttgatac aaaacttgtt tctgagatga cccgttttgc tagagagttt tttgctttgc caccggaaga gaagctccgg tttgacatgt ccggtggtaa aaagggtggt ttcattgtct ctagtcatct tcaaggagaa gcagtgaagg attggagaga gctagtgaca tattttcat acccaattaa acaaagagat tattcaaggt ggccagacaa gccagaagga tggaaagagg taacagaaaa atacagtgaa aacctaatga 540 atttagcttg caagctattg gaagttttat cagaagcaat gggtttagaa aaagaagctc taacaaaag 609 <210> 232 <211> 597 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (11)...(11) <223> Any nucleotide <220> <221> misc_feature <222> (15)..(16) <223> Any nucleotides <220> <221> misc_feature <222> (24)..(24) <223> Any nucleotide <220> <221> misc_feature <222> (26)..(27) <223> Any nucleotides <220> <221> misc feature <222> (29)..(29)

<223> Any nucleotide

<400> 232 aacccaaaac ngagnnccgt ttcntnntna acatggccca gccaaactct aagttatctc tccaacaaaa cactctcgag tcaagtttcg ttagggaaga agatgagcgt ccaaaaqttq 120 cctacaataa cttcagcaac gagattccaa tcatttctct tgctggaatt gatgaggttg 180 atggtcgtag aacagagata tgtaacaaga ttgttgaagc ttgtgagaat tggggtattt ttcaggttgt tgatcatggt gttgatacaa aacttgtttc tgagatgacc cgttttgcta gagagttttt tgctttgcca ccggaagaga agctccggtt tgacatgtcc ggtggtaaaa 360 agggtggttt cattgtctct agtcatctcc aaggagaagc agtgaaggat tggaqagagc 420 tagtgacata tttttcatac ccaattaaac aaagagatta ttcaaggtgg ccagacaagc cagaaggatg gaaagaggta acagaaaaat acagtgaaaa cctaatgaat ttaqcttqca agctattgga agttttatca gaagcaatgg gtttagaaaa agaagctcta acaaaag 597 <210> 233 <211> 418 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (10)..(10) <223> Any nucleotide <220> <221> misc feature <222> (25)..(25) <223> Any nucleotide <220> <221> misc feature <222> (29)..(29) <223> Any nucleotide

<220>
<221> misc_feature
<222> (31)..(31)
<223> Any nucleotide

<220> <221> misc_feature

```
<222> (354)..(354)
<223> Any nucleotide
<220>
<221> misc feature
<222> (361)..(361)
<223> Any nucleotide
<220>
<221> misc feature
<222> (369)..(369)
<223> Any nucleotide
<220>
<221> misc_feature <222> (378)..(378)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (387)..(387)
<223> Any nucleotide
<220>
<221> misc_feature <222> (410)..(410)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (412)..(412)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (415)..(415)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (418)..(418)
<223> Any nucleotide
<400> 233
accccacctn aaaccgagac cgttncctnt naacatggca ccaagccaaa ctctaagtta
tctctcacaa caaaacactc ttgagtcaag tttcgttagg gaagaagatg agcgtccaaa
120
aqttqcctac aataacttca gcaacgagat tccaatcatt tctcttgctg gaattgatga
ggttgatggt cgtagaacag agatatgtaa caagattgtt gaagcttgtg agaattgggg
240
tatttttcag gttgttgatc atggtgttga tacaaaactt gtttctgaga tgacccgttt
```

tgctagagag ttttttgctt tgccaccgga agagaagctc cggtttgaca tgtncggtgg

naaaaaggnt ggctccantg cctgtancca tctccaagga gaaccacccn angantgn 418

<210> 234

<211> 570

<212> DNA

<213> Trifolium repens

<220>

<221> misc_feature

<222> (3)..(4)

<223> Any nucleotides

<220>

<221> misc_feature

<222> (13)..(13) <223> Any nucleotide

<220>

<221> misc_feature

<222> (31)..(32)

<223> Any nucleotides

<400> 234

gennaaacac canaaacgag cccgtttcct nntcgaacat ggcaccaagc caaactctaa

gttatctctc acaacaaaac actcttgagt caagtttcgt tagggaagaa gatgagcgtc

caaaagttgc ctacaataac ttcagcaacg agattccaat catttctctt gctggaattg 180

atgaggttga tggtcgtaga acagagatat gtaacaagat tgttgaagct tgtgagaatt

ggggtatttt tcaggttgtt gatcatggtg ttgatacaaa acttgtttct gagatgaccc 300

gttttgctag agagtttttt gctttgccac cggaagagaa gctccggttt gacatgtccg 360

gtggtaaaaa gggtggtttc attgtctcta gtcatctcca aggagaagca gtgaaggatt

ggagagagct agtgacatat ttttcatacc caattaaaca aagagattat tcaaggtggc 480

cagacaagcc agaaggatgg aaagaggtaa cagaaaaata cagtgaaaac ctaatgaatt

tagcttgcaa actattggaa gttttatcag 570

<210> 235

<211> 608

```
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222>
      (30)..(30)
<223> Any nucleotide
<400> 235
caacaccacc caaaacgagc ccgtttcctn tcaacatggc accaagccaa actctaaqtt
atctctcaca acaaaacact cttgagtcaa gtttcgttag ggaagaagat gagcgtccaa
120
aagttgccta caataacttc agcaacgaga ttccaatcat ttctcttgct ggaattgatg
180
aggttgatgg tcgtagaaca gagatatgta acaagattgt tgaagcttgt gagaattggg
gtatttttca ggttgttgat catggtgttg atacaaaact tgtttctgag atgacccgtt
300
ttgctagaga gttttttgct ttgccaccgg aagagaagct ccggtttgac atgtccqqtq
gtaaaaaggg tggtttcatt gtctctagtc atctccaagg agaagcagtg aaggattgga
420
gagagctagt gacatatttt tcatacccaa ttaaataaag agattattca aggtggccag
acaagccaga aggatggaaa gaggtaacag aaaaatacag tgaaaaccta atgaatttag
cttgcaaact attggaagtt ttatcagaag caatgggttt agaaaaagaa gctctaacaa
aagcatgt
608
<210> 236
<211> 602
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222>
      (12)...(12)
<223> Any nucleotide
<220>
<221> misc_feature
<222>
      (16)..(16)
<223> Any nucleotide
<220>
<221> misc feature
<222>
      (28)..(28)
```

<223> Any nucleotide

259/390

```
<220>
<221> misc_feature
<222> (506)..(506)
<223> Any nucleotide
<220>
<221> misc feature
      (536<del>)</del>..(536)
<222>
<223> Any nucleotide
<220>
<221> misc_feature
<222> (569)..(569)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (597)..(597)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (599)..(599)
<223> Any nucleotide
<220>
<221> misc feature
<222> (601)..(601)
<223> Any nucleotide
<400> 236
caaaccaaaa cngagnccgt ttcctatnaa catggcacca agccaaactc taagttatct
ctcacaacaa aaaaccgtcg agtcaagttt cgttagggaa gaagatgagc gtccaaaagt
120
tgcctacaat aacttcagca acgagattcc aatcatttct cttgctggaa ttgatgaggt
180
tgatggtcgc agaacagaga tatgtaacaa gattgttgaa gcttgtgaga attggggtat
ttttcaggtt gttgatcatg gtgttgatac aaagcttgtt tctgagatga ctcgttttgc
tagagagttt tttgctttgc cgccggaaga gaagctccgg tttgacatgt ccggtggtaa
360
aaagggtggt ttcattgtct ctagtcgtct ccaaggagaa gcagtgaaag attggagaga
420
gctagtgaca tatttttcat acccaattaa acaaagagat tattcaaggt ggccagacaa
gccagaagga tggaaagaag taacanaaaa atacagtgaa aacctaatga atttancttg
540
caagctattg gaagttttat cacaagcant gggattacaa aaagaagctg ttacaananc
```

600 nt 602 <210> 237 <211> 536 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (1)..(1) <223> Any nucleotide <220> <221> misc_feature
<222> (14)..(14)
<223> Any nucleotide <220> <221> misc_feature
<222> (22)..(22)
<223> Any nucleotide <220> <221> misc_feature
<222> (24)..(24)
<223> Any nucleotide <220> <220>
<221> misc_feature
<222> (155)..(155)
<223> Any nucleotide <220> <221> misc_feature
<222> (271)..(271)
<223> Any nucleotide <220> <221> misc feature <222> (314)..(314) <223> Any nucleotide <220> <221> misc_feature
<222> (388)..(388)
<223> Any nucleotide <220> <221> misc_feature
<222> (395)..(395)
<223> Any nucleotide

<220>

```
261/390
<221> misc_feature
<222> (401)..(401)
<223> Any nucleotide
<220>
<221> misc feature
<222> (499)..(499)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (533)..(533)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (536)..(536)
<222> (530)...(530)
<223> Any nucleotide
<400> 237
nacccaaaac gagnccgttt cntnctcaac atggctccta gccaaactct aagttatctc
tcccacaaaa cactcttgag tcagtttcgt tagggaagaa gatgagcgtc caaaagttgc
120
ctacaataac ttcagcaacg agattccaat cattnctctt gctggaattg atgaggttga
tggtcgcaga acagagatat gtaacaagat tgttgaagct tgtgagaatt ggggtatttt
tcaggttgtt gatcatggtg ttgatacaaa ncttgtttct gagatgaccc gttttgctag
agagtttttt gctntgccac cggaagagaa gctccggttt gacatgtccg gtggtaaaaa
360
gggtggtttc attgtctcta gtcatctnca agganaagca ntgaaggatt ggagagagct
agtgacatat ttttcatacc caattaaaca aagagattat tcaaggtggc cagacaagcc
agaaggatgg aaagaggtna cagaaaaata cagcgaaaac ctaatgaatt tanctn
536
<210> 238
<211> 572
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (12)..(12)
<223> Any nucleotide
<220>
<221> misc feature
<222> (21)..(21)
```

PCT/AU02/01345

262/390

<220>

<223> Any nucleotide

<221> misc_feature <222> (25)..(26)

<223> Any nucleotides

<220>

<221> misc_feature

<222> (28)..(28) <223> Any nucleotide

<220>

<221> misc_feature

<222> (30)..(30) <223> Any nucleotide

<220>

<221> misc_feature

 $\langle 222 \rangle$ (39)...(39)

<223> Any nucleotide

<220>

<221> misc_feature <222> (87)..(87)

<223> Any nucleotide

<400> 238

caaaccaaaa cngagcccgt nttcnntntn aacatggcna ccagccaaac cctaagttat

ctctcacaac aaaagactct tgagtcnagt ttcgttaggg aagaagatga gcgtccaaaa 120

gttgcctaca ataacttcag caacgagatt ccaatcattt ctcttgctgg aattgatgag

gttgatggtc gcagaacaga gatatgtaac aagattgttg aagcttgtga gaattggggt

atttttcagg ttgttgatca tggtgttgat acaaagcttg tttctgagat gactcgtttt

gctagagagt tttttgcttt gccgccggaa gagaagctcc ggtttgacat gtccgqtggt

aaaaagggtg gtttcattgt ctctagtcat ctccaaggag aagcagtgaa agattggagg 420

gagctagtga catatttttc atacccaatt aaacaaagag attattcaag gtggccagac

aagccagaag gatggaaaga agtaacagaa aaatacagtg aaaacctaat gaatttagct 540

tgcaagctat tggaagtttt atcagaagca at 572

WO 03/031622 PCT/AU02/01345

```
<211> 573
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (7)...(7)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (15)..(15)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (23)..(23)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (25)..(26)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (28)..(29)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (38)..(38)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (41)..(41)
<223> Any nucleotide
<220>
<221> misc feature
<222> (65)..(65)
<223> Any nucleotide
<400> 239
aacaccnaca cgagnccgtt tcntnntnna acatggcncc nagccaaact ctaagttatc
totoncaaca aaacactoto gagtoaagtt togttaggga agaagatgag ogtocaaaag
120
ttgcctacaa taacttcagc aacgagattc caatcatttc tcttgctgga attgatgagg
ttgatggtcg aagaacagag atatgtaaca agattgttga agcttgtgag aattggggta
240
```

tttttcaggt tgttgatcat ggtgttgata caaaacttgt ttctgagatg acccgttttg

ctagagagtt ttttgctttg ccaccggaag agaagctccg gtttgacatg tccggtggta 360

aaaagggtgg tttcattgtc tctagtcatc tccaaggaga agcagtgaag gattggagag 420

agctagtgac atatttttca tacccaatta aacaaagaga ttattcaagg tggccagaca 480

agccagaagg atggaaagag gtaacagaaa aatacagtga aaacctaatg aatttagctt 540

gcaaactatt ggaagtttta tcagaagcaa tgg

```
<210> 240
<211> 573
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (8)..(8)
<223> Any nucleotide

<220>
<221> misc_feature
<222> Any nucleotide

<220>
<221> misc_feature
<222> (14)..(14)
<223> Any nucleotide
```

<220>

<222> (23)..(24) <223> Any nucleotides

<221> misc_feature
<222> (26)..(26)
<223> Any nucleotide

<220>

<221> misc_feature

<222> (28)..(28) <223> Any nucleotide

<220>

<221> misc_feature

<222> (37)..(37)

<223> Any nucleotide

<400> 240

aaccaaancc gagnccgttt ccnntntnaa catggcncca agccaaaccc taagttatct 60

ctcacaacaa aagactcttg agtcaagttt cgttagggaa gaagatgagc gtccaaaagt 120

tgcctacaat aacttcagca acgagattcc aatcatttct cttgctggaa ttgatgaggt 180

tgatggtcgc agaacagaga tatgtaacaa gattgttgaa gcttgtgaga attggggtat 240

ttttcaggtt gttgatcatg gtgttgatac aaagcttgtt tctgagatga ctcgttttgc

tagagagttt tttgctttgc cgccggaaga gaagctccgg tttgacatgt ccggtggtaa

aaagggtggt ttcattgtct ctagtcatct ccaaggagaa gcagtgaaag attggaggga 420

gctagtgaca tatttttcat acccaattaa acaaagagat tattcaaggt ggccagacaa 480

gccagaagga tggaaagaag taacagaaaa atacagtgaa aacctaatga atttagcttg 540

caagctattg gaagttttat cagaagcaat ggg 573

```
<210> 241
```

<213> Trifolium repens

<220>

<221> misc_feature

<222> (9)..(9) <223> Any nucleotide

<220>

<221> misc_feature

<222> (14)..(14)

<223> Any nucleotide

<220>

<221> misc_feature <222> (19)..(19)

<223> Any nucleotide

<220>

<221> misc_feature <222> (23)..(24) <223> Any nucleotides

<220>

<221> misc_feature

<222> (28)..(28)

<223> Any nucleotide

<220>

<221> misc_feature

 $\langle 222 \rangle$ (37)...(37)

<223> Any nucleotide

<211> 584

<212> DNA

```
<220>
<221> misc_feature
      (40) ... (40)
<222>
<223> Any nucleotide
<400> 241
aaccaaaanc gagnccgtnt tcnntatnaa catggcnccn agccaaaccc taagttatct
ctcacaacaa aagactcttg agtcaagttt cgttagggaa gaagatgagc gtccaaaagt
tgcctacaat aacttcagca acgagattcc aatcatttct cttgctggaa ttgatgaggt
tgatggtcgc agaacagaga tatgtaacaa gattgttgaa gcttgtgaga attggggtat
240
ttttcaggtt gttgatcatg gtgttgatac aaagcttgtt tctgagatga ctcgttttgc
tagagagttt tttgctttgc cgccggaaga gaagctccgg tttgacatgt ccggtggtaa
aaagggtggt ttcattgtct ctagtcatct ccaaggagaa gcagtgaaag attggagaga
420
gctagtgaca tatttttcat acccaattaa acaaagagat tattcaaggt ggccagacaa
gccagaagga tggaaagaag taacagaaaa atacagtgaa aacctaatga atttagcttg
caagctattg gaagttttat cagaagcaat gggattagaa aaag
584
<210> 242
<211> 529
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (2)..(2)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (6)..(6)
<223> Any nucleotide
<220>
<221> misc_feature
<222>
      (8)..(8)
<223> Any nucleotide
<220>
<221> misc feature
<222> (12)..(15)
<223> Any nucleotides
```

```
<220>
<221> misc_feature <222> (18)..(18)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (23)..(23)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (27)..(27)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (33)..(33)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (35)..(35)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (49)..(49)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (103)..(103)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (332)..(333)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (354)..(354)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (368)..(368)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (385)..(385)
<223> Any nucleotide
```

268/390 <220> <221> misc_feature <222> (413)..(413) <223> Any nucleotide <220> <221> misc_feature <222> (425)..(425) <223> Any nucleotide <220> <221> misc_feature <222> (428)..(428) <223> Any nucleotide <220> <221> misc feature <222> (488)..(488) <223> Any nucleotide <220> <221> misc_feature <222> (515)..(515) <223> Any nucleotide <220> <221> misc_feature <222> (517)..(517) <223> Any nucleotide <220> <221> misc_feature <222> (522)..(522) <223> Any nucleotide <400> 242 tngatntntc tnnnnacnaa agnctcntca gtnangtttc gttgggaang aagatgagcg tccaaaagtt gcctacaata acttcagcaa cgagattcca atnatttctc ttgctggaat tgatgaggtt gatggtcgca gaacagagat atgtaacaag attgttgaag cttgtgagaa 180 ttggggtatt tttcaggttg ctgatcatgg tgttgataca aagcttgttt ctgagatgac togttttgct agagagtttt ttgctttgcc gccggaagag aagctccggt ttgacatgtc cggtggtaaa aagggtggtt tcattgtctc tnntcatctc caaggagaag cagngaaaga 360

ttggaganag ctagtgacat atttntcata cccaattaaa caaagagatt atncaaggtg

gtcanacnag ccagaaggat ggaaagaagt aacagaaaaa tacagtgaaa acctaatgaa

420

tttacctngc aaqctattgg aagttttata ataancnatg gnattaaga

<210> 243

<211> 698

<212> DNA

<213> Trifolium repens

<220>

480

<221> misc_feature

<222> (3)..(3)

<223> Any nucleotide

<220>

<221> misc_feature

<222> (9)..(10) <223> Any nucleotides

<220>

<221> misc feature

<222> (17)..(17)

<223> Any nucleotide

<220>

<221> misc_feature <222> (26)..(26)

<223> Any nucleotide

<220>

<221> misc_feature

<222> (685)..(685) <223> Any nucleotide

<400> 243

gtnaccagnn tgttganctt gtgagnattg gggtattttt caggttgttg atcatggtgt

tgatacaaga cttgtttctg agatgacccg ttttgctaga gagttttttg ctttgccacc 120

ggaagagaag ctccggtttg acatgtccgg tggtaaaaag ggtggtttca ttgtctctag

tcatctccaa ggagaagcag tgaaggattg gagagagcta gtgacatatt tttcataccc

aattaaacaa aqaqattatt caaqqtqqcc aqacaaqcca qaagqatqqa aagagqtaac 300

agaaaaatac agtgaaaacc taatgaattt agcttgcaaa ctattggaag ttttatcaga

agcaatgggt ttagaaaaag aagctctaac aaaagcatgt gttgatatgg atcaaaaagt 420

tgttataaat tattacccaa aatgccctga acctgacctc acacttggcc ttaaacgtca 480

cactgaccct ggcacaatta ctcttttgct tcaagatcaa gttggtggtc ttcaagctac

caaagataat ggtaagacgt ggattacagt tcaaccagtt gaaggtgctt ttgttgttaa 600

tcttqqaqac catqqtcact atctaagtaa tggacggttc aaaaatgctg accatcaagc

agtggtgaat tcgaactaca gccgnttatc aatagcaa

- <210> 244
- <211> 579
- <212> DNA
- <213> Trifolium repens
- <220>
- <221> misc_feature
- <222> (4)..(4)
- <223> Any nucleotide
- <220>
- <221> misc_feature
- <222> (20)..(20) <223> Any nucleotide
- <220>
- <221> misc_feature
- <222> (29)..(29)
- <223> Any nucleotide
- <220>
- misc_feature <221>
- (83)...(83)<222>
- <223> Any nucleotide

<400> 244

atcnaaaagt tgtgataaan tattacccna aatgccctga acctgacctc acacttggcc

ttaaacgcca cactgaccct ggnacaatta ctcttttgct tcaagatcaa gttggtggcc 120

ttcaagctac caaagataat ggtaagacgt ggattacagt tcaaccagtt gaaggtgctt

ttqttqttaa tcttqqaqac catqqtcatt atctaaqtaa tqqacqgttc aaaaatgctg 240

accaccaagc agtggtgaat tcgaactaca gccgtttatc aatagcaaca tttcaaaatc

cagetecega tgeaactgta taccetttga agattagaga gggtgaaaaa tetgtgttgg 360

aaqaaccaat cacttttgct gaaatgtata gaaggaagat gaccaaagac cttgaaattg

ctaggatgaa gaagttggct aaggaacaac aacttaggga cttggaggag aacaagacta 480

aatatgagge caaacetttg aatgagatet ttgettaatt aattagtett aatttaaata 540

attaataaat tttagactta atttacatat aataatttt 579

<210> 245

<211> 601

<212> DNA

<213> Trifolium repens

<220>

<221> misc_feature

<222> (2)..(2)

<223> Any nucleotide

<220>

<221> misc_feature

<222> (22)..(22)

<223> Any nucleotide

<220>

<221> misc_feature

<222> (30)..(30)

<223> Any nucleotide

<400> 245

gnagcataac ataaaccctg tncccgattn atgtaacaca atctcccctt ttcttattac

aagtaaaata ccataacaca ataatatgaa taccataatc ttgaatcata caaacaacct 120

tggatcaaac aaaacaacaa ccatggttga tctagaaaca gaaccaagtt caccatttat

tcaatcccca gaacacagac caaaatcctc aataatcatt gctgaaggta tccctctaat 240

tgatctcact cctataaact acaaagatga aatcatcacc aacccacttt ccattgaaga

cttagtcaaa gaaataggca aagcatgtaa agaatggggt ttctttcaag tgattaatca

caaagttcct ttggataaac gtgaaaggat tgaagaatct tcaaagaagt tttttgaact 420

tagtttggag gaaaaactta aggtgagaag agatgaagtt aatttgcttg gttattttga 480

agctgagcat acaaaaaatg ttagggactg gaaggaaatt tatgatttta atgtgcaaca 540

accaactttt ataccacctt cggatgacca aagttttcag tttcaatggg aaaatcgatg 600

g 601 <210> 246 <211> 172

<212> PRT

<213> Trifolium repens

<400> 246

Met Asn Thr Ile Ile Leu Asn His Thr Asn Asn Leu Gly Ser Asn Lys 10

Thr Thr Thr Met Val Asp Leu Glu Thr Glu Pro Ser Ser Pro Phe Ile

Gln Ser Pro Glu His Arg Pro Lys Ser Ser Ile Ile Ile Ala Glu Gly 40

Ile Pro Leu Ile Asp Leu Thr Pro Ile Asn Tyr Lys Asp Glu Ile Ile 50

Thr Asn Pro Leu Ser Ile Glu Asp Leu Val Lys Glu Ile Gly Lys Ala

Cys Lys Glu Trp Gly Phe Phe Gln Val Ile Asn His Lys Val Pro Leu

Asp Lys Arg Glu Arg Ile Glu Glu Ser Ser Lys Lys Phe Phe Glu Leu

Ser Leu Glu Glu Lys Leu Lys Val Arg Arg Asp Glu Val Asn Leu Leu 120 115

Gly Tyr Phe Glu Ala Glu His Thr Lys Asn Val Arg Asp Trp Lys Glu 135

Ile Tyr Asp Phe Asn Val Gln Gln Pro Thr Phe Ile Pro Pro Ser Asp

Asp Gln Ser Phe Gln Phe Gln Trp Glu Asn Arg Trp

<210> 247 <211> 585 <212> DNA <213> Trifolium repens

<220>

<221> misc_feature

<222> (13)..(13)

<223> Any nucleotide

<400> 247

ttacccaaca atnatgtgtg actgatgtta gtgtaccagg aaagatggga gaggtggatc

cagetttett caaateeaga aaataggeea aaaettteea taateeaage tgaaggaatt 120

cctgtaatca atctctccc attaattcac cacacagttc aagactcctc tgccattgaa 180

agettagtca aagaaatagg aaatgettge aaggaatggg gtttetteea agtaacaaac 240

catggtgtcc ctctaaatct aaggctcaga ctcgaggaag ctaccaaagt tttctttgca 300

cagagtttgg aggagaagag gaagcttacc gtagatgata acagtttgcc tggttatcat 360

gatacagage acaccaagaa tgtcagagac tggaaagaag tgtttgattt tttatccaaa 420

gaccccactt tgattcctct gaattctgat gaacatgatg atcgagtcac tcaatggact 480

aatccatccc ctcaatatcc tccaaacttc aaagttattt tggaagagta tattaaagag 540

atggaaaagc taggctttaa gttgctagag cttatagctt tgagc 585

<210> 248

<211> 187

<212> PRT

<213> Trifolium repens

<400> 248

Met Leu Val Tyr Gln Glu Arg Trp Glu Arg Trp Ile Gln Leu Ser Ser 1 10 15

Asn Pro Glu Asn Arg Pro Lys Leu Ser Ile Ile Gln Ala Glu Gly Ile 20 25 30

Pro Val Ile Asn Leu Ser Pro Leu Ile His His Thr Val Gln Asp Ser 35 40 45

Ser Ala Ile Glu Ser Leu Val Lys Glu Ile Gly Asn Ala Cys Lys Glu 50 60

Trp Gly Phe Phe Gln Val Thr Asn His Gly Val Pro Leu Asn Leu Arg 65 70 75 80

Leu Arg Leu Glu Glu Ala Thr Lys Val Phe Phe Ala Gln Ser Leu Glu 85 90 95

Glu Lys Arg Lys Leu Thr Val Asp Asp Asn Ser Leu Pro Gly Tyr His
100 105 110

Asp Thr Glu His Thr Lys Asn Val Arg Asp Trp Lys Glu Val Phe Asp 115 120 125

Phe Leu Ser Lys Asp Pro Thr Leu Ile Pro Leu Asn Ser Asp Glu His 130 135 Asp Asp Arg Val Thr Gin Trp Thr Asn Pro Ser Pro Gln Tyr Pro Pro Asn Phe Lys Val Ile Leu Glu Glu Tyr Ile Lys Glu Met Glu Lys Leu Gly Phe Lys Leu Leu Glu Leu Ile Ala Leu Ser 185 <210> 249 <211> 604 <212> DNA <213> Trifolium repens <400> 249 gggaatggtg gaggcgaatg tgaccctagg gctgatgaat tagtaatggt agttgagctt atggcgttag ctggagtttt caatattggt gattttgttc ctgctttgga atggttagat 120 attcaaggtg tacaaggaaa aatgaagaaa ttacataaaa gatttgatgc atttttaact agcattattg aagatcacat gatttccaag agtgagaagc ataatgactt attgagtacg ttgttatcac taaaagaaaa agttgatgag gatggtgaca aacttaatga tactgagatc aaagcattac tettgaacat gttcacaget ggaacagaca catcatcaag cacaacagag tgggctattg ctgaactaat aaaaaatcca aaactaatga ttcgtgttca aaatgagttg gacactgttg tgggccgaga caagcttgta actgaacaag acttggccca tcttccttac ttagaggctg taataaagga gacatttcgt ctccatccat caacccctct ttctcccca 540 cgtgttgcaa caaatagttg tgaaatcctc gactatcaca ttcccaaagg tgcaactctc 600 ttgg

604

<210> 250

<211> 201 <212> PRT

<213> Trifolium repens

<400> 250

Gly Asn Gly Gly Glu Cys Asp Pro Arg Ala Asp Glu Leu Val Met 7 10

- Val Val Glu Leu Met Ala Leu Ala Gly Val Phe Asn Ile Gly Asp Phe 20 25 30
- Val Pro Ala Leu Glu Trp Leu Asp Ile Gln Gly Val Gln Gly Lys Met
 35 40 45
- Lys Lys Leu His Lys Arg Phe Asp Ala Phe Leu Thr Ser Ile Ile Glu 50 60
- Asp His Met Ile Ser Lys Ser Glu Lys His Asn Asp Leu Leu Ser Thr 65 70 75 80
- Leu Leu Ser Leu Lys Glu Lys Val Asp Glu Asp Gly Asp Lys Leu Asn 85 90 95
- Asp Thr Glu Ile Lys Ala Leu Leu Leu Asn Met Phe Thr Ala Gly Thr 100 105 110
- Asp Thr Ser Ser Ser Thr Thr Glu Trp Ala Ile Ala Glu Leu Ile Lys 115 120 125
- Asn Pro Lys Leu Met Ile Arg Val Gln Asn Glu Leu Asp Thr Val Val 130 135 140
- Gly Arg Asp Lys Leu Val Thr Glu Gln Asp Leu Ala His Leu Pro Tyr 145 150 155
- Leu Glu Ala Val Ile Lys Glu Thr Phe Arg Leu His Pro Ser Thr Pro 165 170 175
- Leu Ser Leu Pro Arg Val Ala Thr Asn Ser Cys Glu Ile Leu Asp Tyr 180 185 190
- His Ile Pro Lys Gly Ala Thr Leu Leu 195 200
- <210> 251
- <211> 581
- <212> DNA
- <213> Trifolium repens
- <400> 251
- gggaatggtg gaggcgaatg tgaccctagg gctgatgaat ttaagtaatg gtagttgagc
- ttatggcgtt agctggagtt ttcaatattg gtgattttgt tcctgctttg gaatggttag 120
- atattcaagg tgtacaagga aaaatgaaga aattacataa aagatttgat gcatttttaa 180
- ctagcattat tgaagatcac atgatttcca agagtgagaa gcataatgac ttattgagta

cgttgttatc actaaaagaa aaagttgatg aggatggtga caaacttaat gatactgaga 300

tcaaagcatt actcttgaac atgttcacag ctggaacaga cacatcatca agcacaacag 360

agtgggctat tgctgaacta ataaaaaatc caaaactaat gattcgtgtt caaaatgagt 420

tggacactgt tgtgggccga gacaagcttg taactgaaca agacttggcc catcttcctt 480

acttagagge tgtaataaag gagacattte gteteeatee ateaaceeet etttetetee 540

cacgtgttgc aacaaatagt tgtgaaatcc tcgactatca c 581

<210> 252

<211> 603

<212> DNA

<213> Trifolium repens

<220>

<221> misc_feature

<222> (44)..(44)

<223> Any nucleotide

<400> 252

aatggtggag gtgaatgtga ccctagggct gatgaattta agtnatggta gttgagctta

tggcgttagc tggagttttc aatattggtg attttgttcc tgctttggaa tggttagata 120

ttcaaggtgt acaaggaaaa atgaagaaat tacataaaag atttgatgca tttttaacta 180

gcattattga agatcacatg atttccaaga gtgagaagca taatgactta ttgagtacgt 240

tgttatcact aaaagaaaaa gttgatgagg atggtgacaa acttaatgat actgagatca 300

aagcattact cttgaacatg ttcacagctg gaacagacac atcatcaagc acaacagagt 360

gggctattgc tgaactaata aaaaatccaa aactaatgat tcgtgttcaa aatgagttgg

acactgttgt gggccgagac aagcttgtaa ctgaacaaga cttggcccat cttccttact

tagaggctgt aataaaggag acatttcgtc tccatccatc aacccctctt tctctcccac 540

gtgttgcaac aaatagttgt gaaatcctcg actatcacat tcccaaaggt gcaactctct 600

tgg

603

```
<210> 253
<211> 621
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (2)..(2)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (38)..(38)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (40)..(40)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (44)..(44)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (47)..(47)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (58)..(58)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (91)..(91)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (104)..(105)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (120)..(120)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (124)..(124)
<223> Any nucleotide
```

<220>

<221> misc_feature

<222> (566)..(566)

<223> Any nucleotide

<220>

<221> misc_feature

<222> (598)..(598)

<223> Any nucleotide

<400> 253

gnaggaaatt tcaactaaat attgccttta attctttntn atanatnttt gaatttcntt 60

ctccctaaaa attctatagc taccacatca ncacaacata acannaatta agaaatattn 120

tatntactat tttaagatat ggaagtagta gcagcagcaa tcacaaaaaa caatggcaag 180

attgattcat tttgcttgaa tcatgctaat gctaataaca tgaaagtgaa tggtgctgat 240

cctttgaatt ggggtgtggc tgctgaggca atgaagggaa gtcacttgga tgaggtgaag 300

cgtatggtgg aggaataccg gaaaccggtt gtccgtcttg gtggcgagac actgacgatt 360

tctcaggtgg ctgccattgc tgcacacgat ggtgcaacgg tggagctatc ggaatctgct 420

agagccggcg ttaaggcgag cagtgactgg gttatggaga gtatgaacaa aggtacagac 480

agttatggtg tcactacagg gttcggcgct acctcgcacc gccgaaccaa acaaggtggt 540

gctttgcaga aagagctcat aaggtntttt gaatgcagga atatttggaa atggaacntg

agacaaagcc acacactacc c 621

<210> 254

<211> 159

<212> PRT

<213> Trifolium repens

<400> 254

Met Glu Val Val Ala Ala Ala Ile Thr Lys Asn Asn Gly Lys Ile Asp 1 5 10 15

Ser Phe Cys Leu Asn His Ala Asn Ala Asn Asn Met Lys Val Asn Gly

Ala Asp Pro Leu Asn Trp Gly Val Ala Ala Glu Ala Met Lys Gly Ser 35 40 45

His Leu Asp Glu Val Lys Arg Met Val Glu Glu Tyr Arg Lys Pro Val 55

Val Arg Leu Gly Gly Glu Thr Leu Thr Ile Ser Gln Val Ala Ala Ile 70

Ala Ala His Asp Gly Ala Thr Val Glu Leu Ser Glu Ser Ala Arg Ala 85

Gly Val Lys Ala Ser Ser Asp Trp Val Met Glu Ser Met Asn Lys Gly 100 105

Thr Asp Ser Tyr Gly Val Thr Thr Gly Phe Gly Ala Thr Ser His Arg

Arg Thr Lys Gln Gly Gly Ala Leu Gln Lys Glu Leu Ile Arg Phe Glu 135

Cys Arg Asn Ile Trp Lys Trp Asn Arg Gln Ser His Thr Leu Pro 155

<210> 255

<211> 582

<212> DNA

<213> Trifolium repens

<220>

<221> misc_feature
<222> (2)..(3)
<223> Any nucleotides

<220>

<221> misc_feature

<222> (11)..(11) <223> Any nucleotide

<220>

<221> misc_feature

<222> (38)..(38) <223> Any nucleotide

<220>

<221> misc_feature
<222> (40)..(40)
<223> Any nucleotide

<220>

<221> misc_feature
<222> (44)..(44)
<223> Any nucleotide

<220>

<221> misc_feature

 $\langle 222 \rangle (47) ... (47)$

```
<223> Any nucleotide
<220>
<221> misc feature
<222> (91)..(91)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (104)..(105)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (120)..(120)
<223> Any nucleotide
<220>
<221> misc feature
<222> (124)..(124)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (154)..(154)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (405)..(405)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (516)..(516)
<223> Any nucleotide
<220>
<221> misc feature
<222> (549)..(549)
<223> Any nucleotide
<400> 255
gnnggaaatt ncaactaaat attgccttta attctttntn atanatnttt gaatttcctt
ctccctaaaa attctatagc taccacatca ncacaacata acannaatta agaaatattn
120
tatntactat tttaagatat ggaagtagta gcancagcaa tcacaaaaaa caatggcaag
attgattcat tttgcttgaa tcatgctaat gctaataaca tgaaagtgaa tggtgctgat
 cctttgaatt ggggtgtggc tgctgaggca atgaagggaa gtcacttgga tgaggtgaag
300
```

cgtatggtgg aggaataccg gaaaccggtt gtccgtcttg gtggcgagac gctgacgatt 360 teteaggtgg etgecattge tgeacaegat ggtgeaaegg tgganetate ggaatetget agagccggcg ttaaggcgag cagtgactgg gttatggaga gcatgaacaa aggtacagac 480 agttatggtg tcactacggg gttcggcgct acctcncacc gccgaaccaa acaaggtggt gctttgcana aagagctcat aagctaattt gcttgtgtca at 582 <210> 256 <211> 621 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (2)..(2) <223> Any nucleotide <220> <221> misc_feature
<222> (24)..(24)
<223> Any nucleotide <220> <221> misc_feature
<222> (40)..(40)
<223> Any nucleotide <220> <221> misc_feature <222> (44)..(44) <223> Any nucleotide <220> <221> misc_feature
<222> (47)..(47)
<223> Any nucleotide <220> <221> misc_feature <222> (58)..(58) <223> Any nucleotide <220> <221> misc feature <222> (91)..(91) <223> Any nucleotide <220>

<221> misc_feature

```
<222>
       (104)..(105)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (120)..(120)
<223> Any nucleotide
<220>
<221> misc feature
<222> (124)..(124)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (131)..(131)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (566)..(566)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (598)..(598)
<223> Any nucleotide
<220>
<221> misc feature
<222>
      (605)..(605)
<223> Any nucleotide
<400> 256
gnaggaaatt acaactaaat attnccttta attctttatn atanatnttt gaatttcntt
ctccctaaaa attctatagc taccacatca ncacaacata acannaatta agaaatattn
tatntactat nttaagatat ggaagtagta gcagcagcaa tcacaaaaaa caatggcaag
180
attgattcat tttgcttgaa tcatgctaat gctaataaca tgaaagtgaa tggtgctgat
cctttgaatt ggggtgtggc tgctgaggca atgaagggaa gtcacttgga tgaggtgaag
300
cgtatggtgg aggaataccg gaaaccggtt gtccgtcttg gtggcgagac actaaccatt
360
tctcaggtgg ctgccattgc tgcacacgat ggtgcaacgg tggagctatc ggaatctgct
agagccggcg ttaaggcaag cagtgactgg gttatggaga gtatgaacaa aggtaccgac
480
agctacggtg tcccaacagg gttcggcgct acctcgcacc gccgaaccaa acaaggtggt
```

<223> Any nucleotide

540 gctttgcaga aagagctcat aaggtntttt gaatgctgga atatttggaa atggaacntg agtcnaagcc acacactacc c 621 <210> 257 <211> 600 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (20)..(21) <223> Any nucleotides <220> <221> misc feature <222> (28)..(28) <223> Any nucleotide <220> <221> misc_feature <222> (33)..(33) <223> Any nucleotide <220> <221> misc_feature
<222> (42)..(42)
<223> Any nucleotide <220> <221> misc_feature
<222> (48)..(48)
<223> Any nucleotide <220> <221> misc_feature <222> (57)..(57) <223> Any nucleotide <220> <221> misc_feature
<222> (127)..(128)
<223> Any nucleotides <220> <221> misc_feature
<222> (556)..(556)
<223> Any nucleotide <220> <221> misc feature <222> (592)..(592)

<400> 257 tcaagaaatt acactctttn nttctttnta atntttgttt tnatttcntt ctctctncaa atactatagt taccaaaaca taacaaagta acacttatta ctagctatta tttgtatcaa tttaagnnat ggaagtagta gcagcagcaa tcacaaaaaa caacggaaag attgattcat tttgcttgaa tcatgctaat gctaataaca tgaaagtgaa tggtgctgat cctttgaatt ggggtgtggc tgctgaggca atgaaaggaa gtcacttgga tgaggtgaag tgtatggtgg 300 aggagtatcg aaaaccggtt gtccgtcttg gtggcgagac actgacgatt tctcaagtgg 360 ctgccattgc tgcacacgat ggtgcgacgg tggagctatc ggaatctgct agagccggcg ttaaggcgag cagtgactgg gttatggaaa gtatgaacaa aggtactgac agttatggtg tcactacagg gttcggcgct acctcgcacc gccgaaccaa acaaggtggt gctttgcaga aagagctcat aaggtntttt gaatgcagga atatttggaa atggaacttg anacaaatcc 600 <210> 258 <211> 693 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (2)..(2) <223> Any nucleotide <220> <221> misc_feature <222> (9)..(9) <223> Any nucleotide <220> <221> misc_feature <222> (14)..(14) <223> Any nucleotide <220> <221> misc_feature <222> (47)..(47) <223> Any nucleotide

<220>

<221> misc_feature <222> (52)..(52)

<223> Any nucleotide <220> <221> misc_feature <222> (60)..(60) <223> Any nucleotide <220> <221> misc_feature <222> (86)..(86) <223> Any nucleotide <220> <221> misc_feature <222> (95)..(95) <223> Any nucleotide <400> 258 gnaggaaana attntattgt tattatttcc ccccacacaa cggaaanaat tntattgttn cttatttccc cccacacaac ataacnaata cattntcctc tcctctcatc acaattatta 120 gccatgctga agcaactttt tgcgtgacca aaagtgttgg tgatccactc aactggggtg cagccgcgga gtcgttgatg gggagtcatt tggatgaggt gaagcgtatg gtggaggaat 300 accgtaatcc attggttaaa attggcggcg agacgcttac cattgctcag gtggctggaa 360 ttgcttctca tgatagtggt gtgagggtgg agctgtctga gtccgccagg gccggcgtta aggcgagtag tgattgggtg atggacagca tgaacaatgg gactgatagt tatggtgtta ccaccggttt cggcgccacc tctcaccgga gaaccaagca gggtggtgcc ttgcagaagg agctaattag gtttttgaat gctggaatat ttggcaatgg tacagaatct aactgtacac 600 taccacaca agcaaccaga gctgcaatgc ttgtgagaat caacactctt cttcaagagg aatatttctt gaatggcctt tgtaaatttt tgg 693 <210> 259 <211> 177 <212> PRT <213> Trifolium repens <400> 259

WO 03/031622 PCT/AU02/01345 286/390

Met Glu Gly Ile Thr Asn Gly His Ala Glu Ala Thr Phe Cys Val Thr

Lys Ser Val Gly Asp Pro Leu Asn Trp Gly Ala Ala Glu Ser Leu 20

Met Gly Ser His Leu Asp Glu Val Lys Arg Met Val Glu Glu Tyr Arg 40

Asn Pro Leu Val Lys Ile Gly Gly Glu Thr Leu Thr Ile Ala Gln Val

Ala Gly Ile Ala Ser His Asp Ser Gly Val Arg Val Glu Leu Ser Glu 70

Ser Ala Arg Ala Gly Val Lys Ala Ser Ser Asp Trp Val Met Asp Ser

Met Asn Asn Gly Thr Asp Ser Tyr Gly Val Thr Thr Gly Phe Gly Ala 105

Thr Ser His Arg Arg Thr Lys Gln Gly Gly Ala Leu Gln Lys Glu Leu

Ile Arg Phe Leu Asn Ala Gly Ile Phe Gly Asn Gly Thr Glu Ser Asn 130 135

Cys Thr Leu Pro His Thr Ala Thr Arg Ala Ala Met Leu Val Arg Ile 145

Asn Thr Leu Leu Gln Glu Glu Tyr Phe Leu Asn Gly Leu Cys Lys Phe

Leu

<210> 260 <211> 592 <212> DNA <213> Trifolium repens

<220>

<221> misc_feature
<222> (2)..(2)
<223> Any nucleotide

<220>

<221> misc_feature

<222> (9)..(9)

<223> Any nucleotide

<220>

<221> misc_feature <222> (14)..(14) <223> Any nucleotide <220> <221> misc_feature <222> (53)..(53) <223> Any nucleotide <220> <221> misc_feature
<222> (60)..(60)
<223> Any nucleotide <220> <221> misc_feature
<222> (77)..(77)
<223> Any nucleotide <220> <221> misc_feature <222> (86)..(87) <223> Any nucleotides <220> <221> misc_feature <222> (92)..(92) <223> Any nucleotide <220> <221> misc_feature <222> (96)..(96) <223> Any nucleotide <220> <221> misc_feature <222> (99)..(99) <223> Any nucleotide <220> <221> misc_feature <222> (101)..(102) <223> Any nucleotides <220> <221> misc_feature
<222> (105)..(106)
<223> Any nucleotides <220> <221> misc_feature
<222> (128)..(128)
<223> Any nucleotide

<220>

<221> misc_feature <222> (592)..(592)

<400> 260

<223> Any nucleotide

gnaggaaana attntattgt tattatttcc ccccacacaa cataacaaat acnattattn

ctctcctctc atcacanatt attacnnttt cntacnacnc nnctnncctc tcaactatta 120

ttaactangc ataatggagg gaattaccaa tggccagctg ctttcaaaaa aaaaccaatg

gccatgctga aacaactttt tgcgtgacca aaagtgttgg tgatccactc aactggggtg 240

cagccgcgga gtcgttgacg ggtagtcatt tggatgaggt gaagcgtatg gtggaggagt 300

accgtaatcc gttggttaaa attggcggcg agacgcttac cattgctcag gtggctggaa 360

ttgcttctca tgatagtggt gtgagggtgg agctgtccga gtccgcaagg gccggcgtta

aggcgagtag tgattgggtg atggatagca tgaacaatgg gactgatagt tacggtgtta

ccaccggttt tggtgccacc tctcaccgga gaaccaagca gggtggtgcc ttgcagaagg

agctaattag gtttttgaat gctggaatat ttggcaatgg tacagaatct an 592

<210> 261

<211> 618

<212> DNA

<213> Trifolium repens

<220>

<221> misc_feature <222> (8)..(8)

<223> Any nucloetide

<220>

<221> misc_feature

<222> (13)..(13) <223> Any nucloetide

<220>

<221> misc_feature

<222> (21)..(22)

<223> Any nucloetides

<220>

<221> misc_feature

<222> (56)..(56)

<223> Any nucloetide

<221> misc_feature

<220> <221> misc_feature <222> (91)..(92) <223> Any nucloetides <400> 261 gaggaaanaa ttntattgtt nntttttcct acccacacaa cataacaaat acattntcct ctcctctcat cacaattatt actttctaca nncccccctc tcaagtatta ttaactaaca taatggaggg aattaccaat ggccatgctg aagcaacttt ttgcgtgacc aaaagtgttg gtgatccact caactggggt gcagccgcgg agtcgttgat ggggagtcat ttggatgagg 240 tgaagcgtat ggtggaggaa taccgtaatc cattggttaa aattggcggc gagacgctta 300 ccattgctca ggtggctgga attgcttctc atgatagtgg tgtgagggtg gagctgtctg agtccgcgag ggccggcgtt aaggcgagta gtgattgggt gatggacagc atgaacaatg ggactgatag ttatggtgtt accaccggtt tcggtgccac ctctcaccgg agaaccaagc 480 aaggtggtgc cttgcagaag gagctaatta ggtttttgaa tgctggaata tttgqcaatq gtacagaatc taactgtaca ctaccacaca cagcaaccag agctgcaatg cttgtgagaa 600 tcaacactct tcttcaag 618 <210> 262 <211> 654 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (9)..(9) <223> Any nucleotide <220> <221> misc_feature <222> (14)..(14) <223> Any nucleotide <220> <221> misc_feature $\langle 222 \rangle$ (19) ... (19)<223> Any nucleotide <220>

WO 03/031622 PCT/AU02/01345 290/390

```
<222> (21)..(21)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (38)..(38)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (47)..(47)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (58)..(58)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (60)..(60)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (66)..(66)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (89)..(90)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (167)..(167)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (216)..(216)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (228)..(228)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (245)..(245)
<223> Any nucleotide
<220>
<221> misc_feature
```

```
<222> (338)..(338)
 <223> Any nucleotide
 <220>
<221> misc_feature
<222> (340)..(340)
<223> Any nucleotide
 <220>
 <221> misc_feature
<222> (364)..(364)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (383)..(383)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (398)..(398)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (410)..(410)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (437)..(437)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (440)..(440)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (565)..(565)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (580)..(580)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (583)..(583)
<223> Any nucleotide
<220>
<221> misc_feature
```

292/390 <222> (601)..(602) <223> Any nucleotides <220> <221> misc feature <222> (608)..(608) <223> Any nucleotide <220> <221> misc_feature <222> (617)..(618) <223> Any nucleotides <400> 262 ccttgaatna ttgntttgnc ncacccaaca caacatanac aaatacnatt tcttgctncn ctactngcat cacaattatt actttctann caccccctc tcaactatta ttaactaaca 120 taatggaggg aattactaat ggccatgctg aagcaacttt ttgcgtnacc aaaagtgttg gtgatccact caactggggt gcagccgcgg agtcgntgat ggggagtnat ttggatgagg tgaancgtat ggtggaggaa taccgtaatc cattggttaa aattggcggc gagacgctta 300 ccattgctca ggtggctgga attgcttctc atgatagngn tgtgagggtg gagctgtctg agtnegecag ggeeggegtt aangegagta gtgattgngt gatggacagn atgaacaatg ggactgatag ttatggngtn accaccggtt tcggcgccac ctctcaccgg agaaccaagc 480 agggtggtgc cttgcaaaag gagctaatta tgtttttgaa tgctggaata tttggcaatg gtacagaatc taactgtaca cttcnacaca cagcaaccan agntgcattg ctttggtgca 600 nnatcacnct tcttctnnag gaatatttct tgaatggcct ttgtaaattt ttgg <210> 263 <211> 590 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (6)..(6) <223> Any nucleotide

<220> <221>

<222>

misc_feature

(13)..(13) <223> Any nucleotide

```
<220>
<221> misc_feature <222> (19)..(21)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (37)..(37)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (45)..(45)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (54)..(54)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (66)..(66)
<223> Any nucleotide
<220>
<221> misc feature
<222> (66)..(66)
<223>
<220>
<221> misc feature
<222> (89)..(90)
<223> Any nucleotides
<400> 263
ggaaanaatt atnttgttnn ntttttcccc ccacacnaca taacnaatac attntcttct
cctctnatca caattattac tttctacann ccccctctc aactattatt aactaacata
atggagggaa ttactaatgg ccatgctgaa gcaacttttt gcgtgaccaa aagtgttggt
gatccactca actggggtgc agccgcggag tcgttgatgg ggagtcattt ggatqaqqtq
240
aagcgtatgg tggaggaata ccgtaatcca ttggttaaaa ttggcggcga gacgcttacc
300
attgctcagg tggctggaat tgcttctcat gatagtggtg tgagggtgga gctgtctgag
tccgccaggg ccggcgttaa ggcgagtagt gattgggtga tggacagcat gaacaatggg
420
```

actgatagtt atggtgttac caccggtttc ggcgccacct ctcaccggag aaccaagcag 480

ggtggtgcct tgcagaagga gctaattagg tttttgaatg ctggaatatt tggcaatggt 540

acagaatcta actgtacact accacacag gcaaccagag ctgcaatgct

<210> 264

<211> 616

<212> DNA

<213> Trifolium repens

<220>

<221> misc_feature

<222> (6)..(6)

<223> Any nucleotide

<220>

<221> misc_feature

<222> (29)..(29)

<223> Any nucleotide

<220>

<221> misc_feature

<222> (54)..(54)

<223> Any nucleotide

<400> 264

ggaaanaatt atattgttcc ttatttccnc ccacacaaca taacaaatac attntcctct

cctctcatca caattattac tttctacacc ccccctctc aactattatt aactaacata

atggagggaa ttaccaatgg ccatgctgaa gcaacttttt gcgtgaccaa aagtgttggt

gatecaetea aetggggtge ageegeggag tegttgatgg ggagteattt ggatgaggtg 240

aagcgtatgg tggaggaata ccgtaatcca ttggttaaaa ttggcggcga gacgcttacc

attgctcagg tggctggaat tgcttctcat gatagtggtg tgagggtgga gctgtctgag 360

tccgccaggg ccggcgttaa ggcgagtagt ggttgggtga tggacagcat gaacaatggg 420

actgatagtt atggtgttac cactggtttc ggcgccacct ctcaccggag aaccaagcag 480

ggtggtgcct tgcagaagga gctaattagg tttttgaatg ccggaatatt tggcaatggt 540

acagaatcta actgtacact accacacaca gcaaccagag ctgcaatgct tgtgagaatc

aacactcttc ttcaag

616

```
<210> 265
<211> 441
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (5)..(5)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (10)..(10)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (12)..(12)
<223> Any nucleotide
<220>
<221> misc_feature <222> (18)..(18)
<223> Any nucleotide
<220>
<220>
<221> misc_feature
<222> (28)..(28)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (44)..(44)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (86)..(87)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (354)..(355)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (402)..(402)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (426)..(426)
<223> Any nucleotide
```

296/390 <220> <221> misc_feature $\langle 222 \rangle$ (430)...(430)<223> Any nucleotide <220> <221> misc_feature <222> (434)..(434) <223> Any nucleotide <220> <221> misc_feature <222> (437)..(437) <223> Any nucleotide <220> <221> misc_feature $\langle 222 \rangle$ (440) ... (441)<223> Any nucleotides <400> 265 gaaanaattn tnttgttnat tatttccncc cacacaacat aacnaataca ttattctctc ctctcatcac aattattact ttctanncac cctcctctca actattatta actagcataa tggagggaat taccaatggc catgctgaaa caactttttg cgtgaccaaa agtgttggtg atccactcaa ctggggtgca gccgcggagt cgttgacggg gagtcatttg gatgaggtga agcgtatggt ggaggagtac cgtaatccgt tggctaaaat tggcggcgag acgcttacca 300 ttgctcaggt ggctggaatt gcttctcatg atagtggtgt gagggtggag ctgnncgagt ccgcaagggc cggcgttaag gcgagtactg attgggtgat gnataacatg aacaatggga ctgatnggtn cggngcnacn n 441 <210> 266 <211> 567 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (5)..(5)<223> Any nucleotide

<220>
<221> misc_feature
<222> (10)..(10)
<223> Any nucleotide

<220> <221> misc_feature <222> (12)..(12) <223> Any nucleotide <220> <221> misc_feature <222> (53)..(53) <223> Any nucleotide <400> 266 gaaanaattn tnttgttcct tatttccccc cacacaacat aacaaataca ttntcctctc ctctcatcac aattattact ttctacaccc cccctctca actattatta actaacataa tggagggaat taccaatggc catgctgaag caactttttg cgtgaccaaa agtgttqqtq 180 atccactcaa ctggggtgca gccgcggagt cgttgatggg gagtcatttg gatgaggtga agcgtatggt ggaggaatac cgtaatccat tggttaaaat tggcggcgag acgcttacca 300 ttgctcaggt ggctggaatt gcttctcatg atagtggtgt gagggtggag ctgtctgagt ccgccagggc cggcgttaag gcgagtagtg gttgggtgat ggacagcatg aacaatggga ctgatagtta tggtgttacc actggtttcg gcgccacctc tcaccggaga accaagcagg 480 gtggtgcctt gcagaaggag ctaattaggt ttttgaatgc cggaatattt qqcaatqqta cagaatctaa ctgtacacta ccacacc 567 <210> 267 <211> 532 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (2)..(2) <223> Any nucleotide <220>

<220>
<221> misc_feature
<222> (8)..(8)

<221> misc_feature <222> (6)..(6) <223> Any nucleotide

```
<223> Any nucleotide
  <220>
<221> misc_feature
<222> (13)..(13)
<223> Any nucleotide
   <220>
  <220>
<221> misc_feature
<222> (17)..(17)
<223> Any nucleotide
   <220>
  <221> misc_feature
<222> (30)..(30)
<223> Any nucleotide
  <220>
  <221> misc_feature
<222> (35)..(35)
<223> Any nucleotide
   <220>
  <221> misc_feature
<222> (38)..(39)
  <223> Any nucleotides
   <220>
  <221> misc_feature
<222> (41)..(42)
<223> Any nucleotides
   <220>
   <221> misc_feature
   <222> (48)..(51)
<223> Any nucleotides
  <220>
  <221> misc_feature
  <222> (53)..(53)
<223> Any nucleotide
   <220>
  <220>
<221> misc_feature
<222> (63)..(63)
<223> Any nucleotide
   <220>
  <221> misc_feature
<222> (72)..(72)
<223> Any nucleotide
   <220>
   <221> misc feature
```

<222> (78)..(78)

<223> Any nucleotide

<220>

<221> misc_feature

<222>

<222> (94)..(94) <223> Any nucleotide

<400> 267

anatananaa tentatntte teteetetan taaenatnnt nnetttennn neneeeteet

ctnaactatt antaactngc ataatggagg gaantaccaa tggccatgct gaaacaactt

tttgcgtgac caaaagtgtt ggtgatccac tcaactgggg tgcagccgcg gagtcgtcga

cggggagtca tttggatgag gtgaagcgta tggtggagga gtaccgtaat ccgttggtta

aaattggcgg cgagacgctt accattgctc aggtggctgg aattgcttct catgatagtg

gtgtgagggt ggagctgtcc gagtccgcaa gggccggcgt taaggcgagt agtgattggg

tgatggatag catgaacaat gggactgata gttacggtgt taccaccggt tttggtgcca 420

cctctcaccg gagaaccaag cagggtggtg ccttgcagaa ggagctaatt aggtttttga

atgctggaat atttggcaat ggtacagaat ctaactttac actaccacac ac 532

<210> 268

<211> 579

<212> DNA <213> Trifolium repens

<400> 268

aacaagatcg ttatgcctta gaacttcacc tcaatggctt ggtcctttqa ttgaagtgat

aagattttca accaaatcaa ttgaaagaga aattaactcg gtcaacgaca accctttgat 120

cgatgtttca aggaacaagg ccattcatgg tggtaacttt caaggaacac ctattggagt 180

ttcaatggat aacacacgtt tagctcttgc ttcaattggt aaactcatgt ttgctcaatt 240

ctctgaactt gttaatgatt tttacaacaa cgggttgcct tcgaatctta ctgctagtag

gaacccgagc ttggactatg gtttcaaggg atcggaaatt gccatggctt cgtattgttc

cgagttacaa tatcttgcta atcctgtcac cacccatgtc caaagtgccg agcaacacaa 420

ccaagatgtt aactctttgg gtttgatttc atctagaaaa acaaatgaag ctattgagat

480

tctcaagctc atgtcttcca ctttcttgat tgcattatgt caagcaatcg acttaaggca 540

cttggaggaa aatctcagga acaccgtcaa gaacacggt 579

<210> 269

<211> 192

<212> PRT

<213> Trifolium repens

<400> 269

Thr Arg Ser Leu Cys Leu Arg Thr Ser Pro Gln Trp Leu Gly Pro Leu 1 5 10 15

Ile Glu Val Ile Arg Phe Ser Thr Lys Ser Ile Glu Arg Glu Ile Asn 20 25 30

Ser Val Asn Asp Asn Pro Leu Ile Asp Val Ser Arg Asn Lys Ala Ile 35 40 45

His Gly Gly Asn Phe Gln Gly Thr Pro Ile Gly Val Ser Met Asp Asn 50 55 60

Thr Arg Leu Ala Leu Ala Ser Ile Gly Lys Leu Met Phe Ala Gln Phe 65 70 75 80

Ser Glu Leu Val Asn Asp Phe Tyr Asn Asn Gly Leu Pro Ser Asn Leu 85 90 95

Thr Ala Ser Arg Asn Pro Ser Leu Asp Tyr Gly Phe Lys Gly Ser Glu
100 105 110

Ile Ala Met Ala Ser Tyr Cys Ser Glu Leu Gln Tyr Leu Ala Asn Pro 115 120 125

Val Thr Thr His Val Gln Ser Ala Glu Gln His Asn Gln Asp Val Asn 130 140

Ser Leu Gly Leu Ile Ser Ser Arg Lys Thr Asn Glu Ala Ile Glu Ile 145 150 155 160

Leu Lys Leu Met Ser Ser Thr Phe Leu Ile Ala Leu Cys Gln Ala Ile 165 170 175

Asp Leu Arg His Leu Glu Glu Asn Leu Arg Asn Thr Val Lys Asn Thr 180 185 190

<210> 270 <211> 591

```
<212> DNA
<213>
      Trifolium repens
<220>
<221> misc_feature
<222>
      (8)..(8)
<223> Any nucleotide
<220>
<221> misc_feature
<222>
       (15)..(15)
<223> Any nucleotide
<220>
<221> misc_feature
<222>
      (41)..(41)
<223> Any nucleotide
<220>
<221> misc_feature
<222>
      (66)..(66)
<223> Any nucleotide
<400> 270
ggtcaatnca gcttnggaga tctagtcccc ctttcttact ntgctggttt actaactgga
agaccnaatt ctaaagctca tgggcctaca ggagaagtac ttaatgcaaa agaagctttt
caattggctg gaatcaatac cgagttcttt gaattacaac caaaagaagg tcttgcactt
180
gttaatggaa ctgctgttgg ttctggttta gcttctattg ttcttttga ggctaacata
ttggcggtgt tgtctgaagt tctatcggca attttcgctg aagttatgca agggaagccc
300
gaatttactg atcatttgac acataagttg aagcaccacc ctggtcaaat tgaggctgct
360
gctattatgg aacacatttt ggatgggagt gcttatgtta aagacgcgaa gaagttgcat
gagatggacc ctttacagaa gccaaagcaa gatagatatg cacttagaac ttcaccacaa
tggcttggtc ctttgattga agtgattaga ttttcaacca agtcaattga gagagagatc
aactctgtca atgacaaccc tttgattgat gtttcgagaa acaaggcttt g
591
<210>
      271
<211>
      197
<212>
      PRT
<213> Trifolium repens
<220>
```

<221>

MISC_FEATURE

<222> (3)..(3) <223> Any amino acid

<220>

<221> MISC_FEATURE

<222> (5)..(5) <223> Any amino acid

<220>

<221> MISC_FEATURE <222> (14)..(14)

<223> Any amino acid

<220>

<221> MISC_FEATURE <222> (22)..(22) <223> Any amino acid

<400> 271

Gly Gln Xaa Ser Xaa Gly Asp Leu Val Pro Leu Ser Tyr Xaa Ala Gly

Leu Leu Thr Gly Arg Xaa Asn Ser Lys Ala His Gly Pro Thr Gly Glu

Val Leu Asn Ala Lys Glu Ala Phe Gln Leu Ala Gly Ile Asn Thr Glu

Phe Phe Glu Leu Gln Pro Lys Glu Gly Leu Ala Leu Val Asn Gly Thr 50 55

Ala Val Gly Ser Gly Leu Ala Ser Ile Val Leu Phe Glu Ala Asn Ile 70

Leu Ala Val Leu Ser Glu Val Leu Ser Ala Ile Phe Ala Glu Val Met 85

Gln Gly Lys Pro Glu Phe Thr Asp His Leu Thr His Lys Leu Lys His

His Pro Gly Gln Ile Glu Ala Ala Ile Met Glu His Ile Leu Asp 115

Gly Ser Ala Tyr Val Lys Asp Ala Lys Lys Leu His Glu Met Asp Pro

Leu Gln Lys Pro Lys Gln Asp Arg Tyr Ala Leu Arg Thr Ser Pro Gln

Trp Leu Gly Pro Leu Ile Glu Val Ile Arg Phe Ser Thr Lys Ser Ile 170

Glu Arg Glu Ile Asn Ser Val Asn Asp Asn Pro Leu Ile Asp Val Ser 180 185 190

Arg Asn Lys Ala Leu 195

- <210> 272
- <211> 592
- <212> DNA
- <213> Trifolium repens
- <220>
- <221> misc_feature
- <222> (2)..(3)
- <223> Any nucleotides
- <220>

- <221> misc_feature <222> (11)..(11) <223> Any nucleotide
- <220>
- <221> misc_feature
- <222> (18)..(18) <223> Any nucleotide
- <220>
- <221> misc_feature
- <222> (22)..(22)
- <223> Any nucleotide
- <220>
- <221> misc_feature <222> (30)..(30)
- <223> Any nucleotide
- <220>

- <221> misc_feature
 <222> (37)..(37)
 <223> Any nucleotide
- <220>
- <221> misc_feature
- <222> (508)..(508) <223> Any nucleotide
- <220>
- <221> misc_feature <222> (579)..(579)
- <223> Any nucleotide
- <220>
- <221> misc_feature <222> (585)..(585)

<221> MISC_FEATURE

<223> Any nucleotide , <220> <221> misc feature <222> (592)..(592) <223> Any nucleotide <400> 272 gnnggaaatt ncaactcnat tntttctttn tataatnttt gaatttcctt ctctctcaaa 60 ttctatagct actctaccac atcacacaac ataacaaatt aagaaatatt cattactata ctattaagat atggaagtag tagcagcagc aatcacaaaa aacaacggca agattgattc 180 attttgcttg aatcatgcta atgctaataa catgaaagtg aatgatgctg atcctttgaa 240 ttggggtgtg gctgctgagg caatgaaggg aagtcacttg gatgaggtga aacgtatggt ggaggagtac cggaagccga ttgtccgtct tggtggcgag acgctgacga tttctcaggt ggctgccatt gctgcacacg atggtgcgat ggttgagctg tcggaatctg ctagagccgg cgttaaggca agcagtgatt gggttatgga gagtatgaac aaaggtactg acagttatgg tgtcaccaca gggttcggcg ctacctcnca ccgccgaacc aaacaaggtg gtgctttaca 540 gaaagggctc ataaggtttt tgaatgctgg aatatttgna aatgnaactg an 592 <210> 273 <211> 154 <212> PRT <213> Trifolium repens <220> <221> MISC FEATURE <222> (126)..(126) <223> Any amino acid <220> <221> MISC FEATURE <222> (150)..(150) <223> Any amino acid <220> <221> MISC_FEATURE <222> (152)..(152) <223> Any amino acid <220>

<222> (154)..(154) <223> Any amino acid

<400> 273

Met Glu Val Val Ala Ala Ile Thr Lys Asn Asn Gly Lys Ile Asp 10

Ser Phe Cys Leu Asn His Ala Asn Ala Asn Asn Met Lys Val Asn Asp

Ala Asp Pro Leu Asn Trp Gly Val Ala Ala Glu Ala Met Lys Gly Ser

His Leu Asp Glu Val Lys Arg Met Val Glu Glu Tyr Arg Lys Pro Ile 55

Val Arg Leu Gly Glu Thr Leu Thr Ile Ser Gln Val Ala Ala Ile

Ala Ala His Asp Gly Ala Met Val Glu Leu Ser Glu Ser Ala Arg Ala

Gly Val Lys Ala Ser Ser Asp Trp Val Met Glu Ser Met Asn Lys Gly

Thr Asp Ser Tyr Gly Val Thr Thr Gly Phe Gly Ala Thr Xaa His Arg 115 120

Arg Thr Lys Gln Gly Gly Ala Leu Gln Lys Gly Leu Ile Arg Phe Leu 135

Asn Ala Gly Ile Phe Xaa Asn Xaa Thr Xaa 150

<210> 274 <211> 566 <212> DNA <213> Trifolium repens

<220>

<221> misc_feature <222> (2)..(2)

<223> Any nucleotide

<220>

<221> misc_feature <222> (12)..(12)

<223> Any nucleotide

<220>

<221> misc_feature <222> (19)..(19)

```
<223> Any nucleotide
  <220>
 <221> misc_feature
<222> (164)..(165)
<223> Any nucleotides
 <220>
 <221> misc_feature
<222> (168)..(168)
<223> Any nucleotide
 <220>
 <221> misc_feature
<222> (186)..(186)
<223> Any nucleotide
 <220>
 <221> misc_feature
 <222> (239)..(239)
<223> Any nucleotide
 <220>
 <221> misc_feature
 <222> (259)..(259)
<223> Any nucleotide
 <220>
<221> misc_feature
<222> (295)..(296)
<223> Any nucleotides
 <220>
<220>
<221> misc_feature
<222> (301)..(301)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (384)..(384)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (435)..(435)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (469)..(469)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (498)..(499)
```

307/390 <223> Any nucleotides <220> <221> misc_feature <222> (511)..(511) <223> Any nucleotide <220> <221> misc feature $\langle 222 \rangle$ (517)...(517)<223> Any nucleotide <220> <221> misc_feature <222> (522)..(522) <223> Any nucleotide <220> <221> misc_feature <222> (529)..(530) <223> Any nucleotides <220> <221> misc feature <222> (545)..(545) <223> Any nucleotide <220> <221> misc_feature <222> (553)..(553) <223> Any nucleotide <400> 274 cnattgttag tngtttccnc ccacccacat aacaaataca taattctctc ctctgatcac aattattact ttactacacc ctcctctcaa ctattattaa ctagcataat ggagggaatt accaatggcc atgctgaaac aacttttagc gtgaccaaaa gtgnnggnga tccactcaac tggcgngcag ccgcggagtc gtcgacgggg agtcatttgg atgaggtgaa gcgtatggng 240 gaggagtacc gtaatccgnt ggttaaaatt ggcggcgaga cgcttaccat tgctnnggta 300 nctggaattg cttctcatga tagtggagtg agggtggagc tgtccgagtt cgcaagggcc ggcgttaagg cgagtagtga ttgngtgatg gatagcatga acaatgggac tgatagttac 420 ggtgttacca ccgcntttgg tgccacctgt caccggagaa ccaagccang gtggtgcctt

gcagaaggag ctaaattnng gtgttttgaa ngctggnaat antttggcnn tggttcagaa

540

atctnaactt gtncacttac cacacc 566

```
<210> 275
<211> 152
<212> PRT
<213> Trifolium repens
<220>
<221> MISC_FEATURE
<222> (19)..(20)
<223> Any amino acids
<220>
<221> MISC_FEATURE
<222> (26)..(26)
<223> Any amino acid
<220>
<221> MISC FEATURE
<222> (44)..(44)
<223> Any amino acid
<220>
<221> MISC_FEATURE
<222> (51)..(51)
<223> Any amino acid
<220>
<221> MISC_FEATURE
<222> (63)..(63)
<223> Any amino acid
<220>
<221> MISC_FEATURE
<222> (65)..(65)
<223> Any amino acid
<220>
<221> MISC FEATURE
<222> (92)..(92)
<223> Any amino acid
<220>
<221> MISC_FEATURE
<222> (109)..(109)
<223> Any amino acid
<220>
<221> MISC_FEATURE
<222> (121)..(121)
<223> Any amino acid
<220>
```

<221> MISC_FEATURE

<222> (130)..(131) <223> Any amino acids

<220>

<221> MISC_FEATURE
<222> (135)..(135)
<223> Any amino acid

<220>

<221> MISC_FEATURE

<222> (137)..(138) <223> Any amino acids

<220>

<221> MISC FEATURE

<222> (141)..(141)

<223> Any amino acid

<220>

<221> MISC_FEATURE <222> (146)..(146)

<223> Any amino acid

<220>

<220>
<221> MISC_FEATURE
<222> (149)..(149)
<223> Any amino acid

<400> 275

Met Glu Gly Ile Thr Asn Gly His Ala Glu Thr Thr Phe Ser Val Thr 5

Lys Ser Xaa Xaa Asp Pro Leu Asn Trp Xaa Ala Ala Ala Glu Ser Ser 25 20

Thr Gly Ser His Leu Asp Glu Val Lys Arg Met Xaa Glu Glu Tyr Arg

Asn Pro Xaa Val Lys Ile Gly Gly Glu Thr Leu Thr Ile Ala Xaa Val

Xaa Gly Ile Ala Ser His Asp Ser Gly Val Arg Val Glu Leu Ser Glu

Phe Ala Arg Ala Gly Val Lys Ala Ser Ser Asp Xaa Val Met Asp Ser

Met Asn Asn Gly Thr Asp Ser Tyr Gly Val Thr Thr Xaa Phe Gly Ala

Thr Cys His Arg Arg Thr Lys Pro Xaa Trp Cys Leu Ala Glu Gly Ala 120 115

WO 03/031622 PCT/AU02/01345 310/390

```
Lys Xaa Xaa Cys Phe Glu Xaa Trp Xaa Xaa Phe Gly Xaa Gly Ser Glu
                                                            140
                                 135
Ile Xaa Thr Cys Xaa Leu Thr Thr
145
                           150
<210> 276
<211> 188
<212> DNA
<213> Trifolium repens
<220>
<220>
<221> misc_feature
<222> (2)..(2)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (12)..(12)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (19)..(19)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (26)..(26)
<223> Any nucleotide
 <220>
<221> misc_feature
<222> (34)..(34)
<223> Any nucleotide
 <220>
 <221> misc_feature
<222> (40)..(40)
<223> Any nucleotide
 <220>
 <221> misc_feature
 <222> (43)..(43)
 <223> Any nucleotide
 <220>
 <221> misc_feature
<222> (73)..(73)
<223> Any nucleotide
 <220>
 <221> misc_feature
 <222> (165)..(165)
```

```
<223> Any nucleotide
<220>
<221> misc_feature
<222> (168)..(168)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (172)..(173)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (175)..(175)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (178)..(179)
<223> Any nucleotides
<220>
<221> misc feature
<222> (186)..(186)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (188)..(188)
<223> Any nucleotide
<400> 276
cnattqttaq tnqtttccnc ccaccnacat aacnaatacn tanttctctc ctctqatcac
60
aattattact ttnctacacc ctcctctcaa ctattattaa ctagcataat ggagggaatt
accaatggcc atgctgaaac aactttttgc gtgaccaaaa gtgtnggnga tnnantgnnc
tgtcgngn
188
<210> 277
<211> 541
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (139)..(139)
<223> Any nucleotide
<220>
<221> misc_feature
```

WO 03/031622 PCT/AU02/01345

```
<222>. (214)..(214)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (234)..(234)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (270)..(271)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (276)..(276)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (359)..(359)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (410)..(410)
<223> Any nucleotide
<220>
<221> misc feature
<222> (444)..(444)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (473)..(474)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (486)..(486)
<223> Any nucleotide
<220>
<221> misc feature
<222> (492)..(492)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (497)..(497)
<223> Any nucleotide
<220>
```

<221> misc_feature

```
<222> (504)..(505)
<223> Any nucleotides
<220>
<221> misc_feature
<222>
      (520)...(520)
<223> Any nucleotide
<220>
<221> misc_feature
<222>
      (528)..(528)
<223> Any nucleotide
<400> 277
ctcaactatt attaactagc ataatggagg gaattaccaa tggccatgct gaaacaactt
ttatcgtgac caaaagtgnt ggtgatccac tcaactgggg tgcagccgcg gagtcgtcga
180
cggggagtca tttggatgag gtgaagcgta tggnggagga gtaccgtaat ccgntggtta
aaattggcgg cgagacgctt accattgctn nggtanctgg aattgcttct catgatagtg
gagtgagggt ggagctgtcc gagttcgcaa gggccggcgt taaggcgagt agtgattgng
360
tgatggatag catgaacaat gggactgata gttacggtgt taccaccgcn tttggtgcca
cctgtcaccg gagaaccaag ccanggtggt gccttgcaga aggagctaaa ttnnggtgtt
480
ttgaangctg gnaatanttt ggcnntggtt cagaaatctn aacttgtnca cttaccacac
540
C
541
<210> 278
<211> 1185
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (19)..(19)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (35)..(35)
<223> Any nucleotide
```

```
<221> misc_feature
<222> (40)..(40)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (444)..(444)
<223> Any nucleotide
<220>
<221> misc_feature
<222>
      (482)..(483)
<223> Any nucleotides
<220>
<221> misc feature
<222> (485)..(485)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (552)..(552)
<223> Any nucleotide
<220>
<221> misc feature
       (596)..(596)
<222>
<223> Any nucleotide
<400> 278
gtaagagttg agaaaaaana ccaataaagt aaacnctatn tagaaagaga gtcaaaaatg
gctgaaggaa aaggaagggt ttgtgttact ggaggaacag gttttcttgg ttcatggatc
120
atcaagagtc ttcttgaaaa tggatactct gttaatacca ctattagagc tgatccagaa
180
cgtaagaggg atgtaagctt cctaacaaat ctacccggcg catccgaaag gctacatttc
ttcaacgccg atctagacga cccagagagt ttcaacgaag caattgaagg ttgtgtcggg
atattccaca ccgcttcacc aatcgatttc gccgtgagtg agccagaaga aatagtgaca
aaaagaacag tggatggagc attaggaatt ttaaaagcat gtqtqaattc aaaqacaqtq
aagagattta tttacacttc aagnggttct gctgtttcat tcaatggaaa aaacaaagat
480
gnntnggatg agagtgattg gagtgatgtt gatttgctta gaagtgttaa accatttggt
tggagttatg gngtgttcaa gactttggct gagaaagcag tgcttgaatt tggtcnacaa
600
```

aatgggattg atgttgttac tttgattctt ccttttattg ttggaggttt tgtttgtccc 660

aagetteetg attetgttga gaaagetett gttttggtae taggeaaaaa ggaacaaatt

ggtattataa gtttccacat ggtacatgta gatgatgtgg ctagagcaca tatctatcta 780

cttgagaatc ctgttccagg aggtagatat aattgttcac cattctttgt atctattgaa

gaaatgtcac agcttctctc agccaaatat ccagaatatc aaatactatc agtagatgag 900

ttgaaggaaa ttaaaggggc aagattgcca gatttgaact cgaagaagct cgtggacgct

ggttttgagt ttaagtatag tgtcgatgat atgttcgatg atgcgattca atgctgcaag 1020

gaaaaaggct atctctaagc atgtatttga aaattccatg aagttgagaa aacaataatg 1080

tgcctaaaat caatgatggc taatgagatg tacaagttta tgcattaagt tatttgtgat

caatcaaata atgaaataat ctgttcattt ttccgaaaaa aaaaa 1185

- <210> 279
- <211> 326
- <212> PRT
- <213> Trifolium repens
- <220>
- <221> MISC FEATURE
- <222> (129)..(129)
- <223> Any amino acid
- <220>
- <221> MISC_FEATURE
- <222> (142)...(143)
- <223> Any amino acids
- <220>
- <221> MISC_FEATURE
- <222> (165)..(165) <223> Any amino acid
- <220>
- <221> MISC_FEATURE
- <222> (180)...(180)
- <223> Any amino acid

<400> 279

Met Ala Glu Gly Lys Gly Arg Val Cys Val Thr Gly Gly Thr Gly Phe

316/390															
Leu	Gly	Ser	Trp 20	Ile	Ile	Lys	Ser	Leu 25	Leu	Glu	Asn	Gly	Tyr 30	Ser	Val
Asn	Thr	Thr 35	Ile	Arg	Ala	Asp	Pro 40	Glu	Arg	Lys	Arg	Asp 45	Val	Ser	Phe
Leu	Thr 50	Asn	Leu	Pro	Gly	Ala 55	Ser	Glu	Arg	Leu	His 60	Phe	Phe	Asn	Ala
Asp 65	Leu	Asp	Asp	Pro	Glu 70	Ser	Phe	Asn	Glu	Ala 75	Ile	Glu	Gly	Cys	Val 80
Gly	Ile	Phe	His	Thr 85	Ala	Ser	Pro	Ile	Asp 90	Phe	Ala	Val	Ser	Glu 95	Pro
Glu	Glu	Ile	Val 100	Thr	Lys	Arg	Thr	Val 105	Asp	Gly	Ala	Leu	Gly 110	Ile	Leu
Lys	Ala	Cys 115	Val	Asn	Ser	Lys	Thr 120	Val	Lys	Arg	Phe	Ile 125	Tyr	Thr	Ser
Xaa	Gly 130	Ser	Ala	Val	Ser	Phe 135	Asn	Gly	Lys	Asn	Lys 140	Asp	Xaa	Xaa	Asp
Glu 145	Ser	Asp	Trp	Ser	Asp 150	Val	Asp	Leu	Leu	Arg 155	Ser	Val	Lys	Pro	Phe 160
Gly	Trp	Ser	Tyr	Xaa 165	Val	Phe	Lys	Thr	Leu 170	Ala	Glu	Lys	Ala	Val 175	Leu
Glu	Phe	Gly	Xaa 180	Gln	Asn	Gly	Ile	Asp 185	Val	Val	Thr	Leu	Ile 190	Leu	Pro
Phe	Ile	Val 195	Gly	Gly	Phe	Val	Cys 200	Pro	Lys	Leu	Pro	Asp 205	Ser	Val	Glu
Lys	Ala 210	Leu	Val	Leu	Val	Leu 215	Gly	Lys	Lys	Glu	Gln 220	Ile	Gly	Ile	Ile
Ser 225	Phe	His	Met	Val	His 230	Val	Asp	Asp	Val	Ala 235	Arg	Ala	His	Ile	Tyr 240
Leu	Leu	Glu	Asn	Pro 245	Val	Pro	Gly	Gly	Arg 250	Tyr	Asn	Cys	Ser	Pro 255	Phe
Phe	Val	Ser	Ile 260	Glu	Glu	Met	Ser	Gln 265	Leu	Leu	Ser	Ala	Lys 270	Tyr	Pro
Glu	Tyr	Gln 275	Ile	Leu	Ser	Val	Asp 280	Glu	Leu	Lys	Glu	Ile 285	Lys	Gly	Ala

WO 03/031622 PCT/AU02/01345 317/390

Arg Leu Pro Asp Leu Asn Ser Lys Lys Leu Val Asp Ala Gly Phe Glu 290 295 300 Phe Lys Tyr Ser Val Asp Asp Met Phe Asp Asp Ala Ile Gln Cys Cys 310 315 Lys Glu Lys Gly Tyr Leu <210> 280 <211> 493 <212> DNA <213> Trifolium repens <220> <221> misc_feature
<222> (22)..(22)
<223> Any nucleotide <220> <221> misc_feature <222> (35)..(35) <223> Any nucleotide <220> <221> misc_feature <222> (40)..(40) <223> Any nucleotide <220> <221> misc_feature
<222> (444)..(444) <223> Any nucleotide <220> <220>
<221> misc_feature
<222> (467)..(467)
<223> Any nucleotide <220> <221> misc_feature
<222> (473)..(473)
<223> Any nucleotide <220> <221> misc_feature
<222> (482)..(483)
<223> Any nucleotides <220> <221> misc_feature <222> (485)..(487) <223> Any nucleotides

```
<220>
<221> misc_feature
<222> (492)..(492)
<223> Any nucleotide
<400> 280
gtagtagttg agaaaaaata cnaataaagt aaacnctatn tagaaagaga gtcaaaaatg
gctgaaggaa aaggaagggt ttgtgttact ggaggaacag gttttcttgg ttcatggatc
atcaagagtc ttcttgaaaa tggatactct gttaatacca ctattagagc tgatccagaa
cgtaagaggg atgtaagctt cctaacaaat ctacccggcg catccgaaag gctacatttc
240
ttcaacgccg atctagacga cccagagagt ttcaacgaag caattgaagg ttgtgtcggg
atattccaca ccgcttcacc aatcgatttc gccgtgagtg agccagaaga aatagtgaca
360
aaaagaacag tggatggagc attaggaatt ttaaaagcat gtgtgaattc aaagacagtg
aagagattta tttacacttc aagnggttct gctgtttcat tcaatgnaaa aancaaaqat
480
gnntnnnatg ana
493
<210> 281
<211> 601
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (16)..(17)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (32)..(32)
<223> Any nucleotide
<220>
<221> misc_feature <222> (37)..(37)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (50)..(51)
<223> Any nucleotides
```

<221> misc_feature <222> (552)...(552)<223> Any nucleotide <400> 281 agagttgaga aaaaanncca ataaagtaaa cnctatntag aaagagagtn naaaatggct gaaggaaaag gaagggtttg tgttactgga ggaacaggtt ttcttggttc atggatcatc 120 aagagtcttc ttgaaaatgg atactctgtt aataccacta ttagagctga tccagaacgt aagagggatg taagcttcct aacaaatcta cccggcgcat ccgaaaggct acatttcttc aacgccgatc tagacgaccc agagagtttc aacgaagcaa ttgaaggttg tgtcgggata 300 ttccacaccg cttcaccaat cgatttcgcc gtgagtgagc cagaagaaat agtgacaaaa agaacagtgg atggagcatt aggaatttta aaagcatgtg tgaattcaaa gacagtgaag agatttattt acacttcaag tggttctgct gtttcattca atggaaaaaa caaagatgtt 480 ttggatgaga gtgattggag tgatgttgat ttgcttagaa gtgttaaacc atttggttgg agttatggtg tnttcaagac tttggctgag aaagcagtgc ttgaatttgg tcaacaaaat 600 601 <210> 282 <211> 613 <212> DNA <213> Trifolium repens <220> <221> misc feature <222> (2)..(2) <223> Any nucleotide <220> <221> misc_feature <222> (45)..(46)<223> Any nucleotides <400> 282 gngtgtttaa gactttagct gagaaagcag tgcttgaatt tggtnnacaa aatgggattg atgttgttac tttgattctt ccttttattg ttggaggttt tgtttgtcct aagcttcctg attctgttga gaaagctctt gttttggtac taggcaaaaa ggaacaaatt ggtattataa

180

gtttccacat ggtacatgtg gatgatgtgg ctagagcaca tatctatcta cttgagaatc 240 ctgttccagg aggtagatat aattgttcac cattctttgt atctattgaa gaaatgtcac 300 agcttctttc agccaaatat ccagaatatc aaatactatc tgtagatgag ttgaaggaaa 360 ttaaaggggc aaggttgcca gatttgaact cgaagaagct cgtggacgct ggttttgagt ttaagtatag tgtcgatgat atgttcgatg atgcgattca atgctgcaag gaaaaaggct atctctaagc atgtgtttga aaattccatg aagttgagaa aacaatactg tgcctaaaat 540 caatgatggc taatgagatg tacaagttta tgcattaagt tatttgtgat caatcaaata 600 atgaaataat ctg 613 <210> 283 <211> 602 <212> DNA <213> Trifolium repens <220> <221> misc_feature <222> (8)..(8) <223> Any nucleotide <220> <221> misc_feature <222> (20)..(20) <223> Any nucleotide <220> <221> misc_feature <222> (37)..(37) <223> Any nucleotide <400> 283 agaccttngc tgagaaagcn gtgcttgaat ttggtcnaca aaatgggatt gatgttgtta ctttgattct tccttttatt gttggaggtt ttgtttgtcc taagcttcct gattctgttg 120 agaaagctct tgttttggta ctaggcaaaa aggaacaaat tggtattata agtttccaca tggtacatgt ggatgatgtg gctagagcac atatctatct acttgagaat cctgttccag gaggtagata taattgttca ccattctttg tatctattga agaaatgtca cagcttcttt 300

cagccaaata tccagaatat caaatactat ctgtagatga gttgaaggaa attaaagggg

360

caaggttgcc agatttgaac tcgaagaagc tcgtggacgc tggttttgag tttaagtata

gtgtcgatga tatgttcgat gatgcgattc aatgctgcaa ggaaaaaaggc tatctctaag

catgtgtttg aaaattccat gaagttgaga aaacaatact gtgcctaaaa tcaatgatgg 540

ctaatgagat gtacaagttt atgcattaag ttatttgtga tcaatcaaat aatgaaataa 600

tc 602

<210> 284 <211> 575

<212> DNA

<213> Trifolium repens

<220>

<221> misc_feature

<222> (1)..(2)

<223> Any nucleotides

<220>

<221> misc_feature

<222> (13)..(13) <223> Any nucleotide

<220>

<221> misc feature

<222> (15)..(15)

<223> Any nucleotide

<220>

<221> misc_feature

<222> (56)..(56)

<223> Any nucleotide

<220>

<221> misc_feature

(575)..(575) <222>

<223> Any nucleotide

<400> 284

nnttgaattt ggncnacaaa atgggattga tgttgttact ttgattcttc cttttnttgt

tggaggtttt gtttgtccca agcttcctga ttctgttgag aaagctcttg ttttggtact 120

aggcaaaaag gaacaaattg gtattataag tttccacatg gtacatgtag atgatgtggc

tagagcacat atctatctac ttgagaatcc tgttccagga ggtagatata attgttcacc 240

attetttgta tetattgaag aaatgteaca gettetetea gecaaatate cagaatatea 300

aatactatca gtagatgagt tgaaggaaat taaaggtgca agattgccag atttgaactc 360

gaagaagctc gtggacgctg gttttgagtt taagtatagt gtcgatgata tgtttgatga 420

tgcgattcaa tgctgcaagg aaaaaggcta tctctaagca tgtatttgaa aattccatga 480

agttgagaaa acaataatgt gcctaaaatc aatgatggct aatgagatgt acaagtttat 540

gcattaagtt atttgtgatc aatcaaataa tgaan 575

<210> 285
<211> 604
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (1)..(2)
<223> Any nucleotides

<220>
<221> misc_feature
<222> (14)..(15)
<223> Any nucleotides

<220>
<221> misc_feature
<222> (56)..(56)
<223> Any nucleotide

<400> 285
nnttgaattt ggtnnacaaa atgggattga tgttgttact ttgattcttc cttttnttgt

tggaggtttt gtttgtccca agcttcctga ttctgttgag aaagctcttg ttttggtact

aggcaaaaag gaacaaattg gtattataag tttccacatg gtacatgtag atgatgtggc 180

tagagcacat atctatctac ttgagaatcc tgttccagga ggtagatata attgttcacc 240

attetttgta tetattgaag aaatgteaca gettetetea geeaaatate cagaatatea 300

aatactatca gtagatgagt tgaaggaaat taaaggtgca agattgccag atttgaactc

gaagaagctc gtggacgctg gttttgagtt taagtatagt gtcgatgata tgtttgatga 420

tgcgattcaa tgctgcaagg aaaaaggcta tctctaagca tgtatttgaa aattccatga 480

agttgagaaa acaataatgt gcctaaaatc aatgatggct aatgagatgt acaagtttat

gcattaagtt atttgtgatc aatcaaataa tgaaataatc tgttcatttt tccgaaaaaa 600

aaaa

604

<210> 286

<211> 695

<212> DNA

<213> Lolium perenne

<400> 286

gtsywttcga gtttgagaga atggcttcca gggcaaggtg tgtgttactg gggcctctgg

ctttgttgct tcttggcttg tcaaaagact actcgagtcc ggttataatg ttctagggac 120

agtcagagac ccaggcaatc agaagaaggt agcacacctc tggaacttag caggggccaa 180

ggaaaggttg gagcttgtca aagctgacct cttggaagaa gggagcttcg atgatgctgt 240

gatggcctgt gagggtgtct tccacactgc atcacctatc atcaccaaat ctgataccaa

ggaagaaatg cttgattctg caattaacgg cactctaaac gtgctgagat cgtgcaagaa 360

gaateetttt eteaaaaggg ttgtteteac gteateateg teaacegtga ggetgaggga 420

tgaagctgaa ttcccaccca acgtgttgct ggatgaaaca tcatggagct ccgtggagtt 480

ctgtgaaagt atccaggtat ggtatggtgt cgcgaagatc cttgctgaga aatcagcttg 540

ggagttcgcc aaggagaaca acatcgacct agtggctgtt cttccaacgt tcgtgattgg 600

acctaatctc tcgtctgaat taggacccac tgttttagat gtccttggct tatttaaagg

agagacagag aagttcacca tgtttkggaa ggatg

<210> 287

<211> 231

<212> PRT

<213> Lolium perenne

<400> 287

Val Phe Ser Ser Leu Arg Glu Trp Leu Pro Gly Gln Val Cys Val Thr 5 10 15

Gly Ala Ser Gly Phe Val Ala Ser Trp Leu Val Lys Arg Leu Leu Glu

25

30

20

Ser Gly Tyr Asn Val Leu Gly Thr Val Arg Asp Pro Gly Asn Gln Lys 40

Lys Val Ala His Leu Trp Asn Leu Ala Gly Ala Lys Glu Arg Leu Glu

Leu Val Lys Ala Asp Leu Leu Glu Glu Gly Ser Phe Asp Asp Ala Val

Met Ala Cys Glu Gly Val Phe His Thr Ala Ser Pro Ile Ile Thr Lys 85

Ser Asp Thr Lys Glu Glu Met Leu Asp Ser Ala Ile Asn Gly Thr Leu 100 105

Asn Val Leu Arg Ser Cys Lys Lys Asn Pro Phe Leu Lys Arg Val Val 120

Leu Thr Ser Ser Ser Thr Val Arg Leu Arg Asp Glu Ala Glu Phe 130 135

Pro Pro Asn Val Leu Leu Asp Glu Thr Ser Trp Ser Ser Val Glu Phe . 155

Cys Glu Ser Ile Gln Val Trp Tyr Gly Val Ala Lys Ile Leu Ala Glu 1.65

Lys Ser Ala Trp Glu Phe Ala Lys Glu Asn Asn Ile Asp Leu Val Ala

Val Leu Pro Thr Phe Val Ile Gly Pro Asn Leu Ser Ser Glu Leu Gly

Pro Thr Val Leu Asp Val Leu Gly Leu Phe Lys Gly Glu Thr Glu Lys

Phe Thr Met Phe Gly Lys Asp 230

<210> 288 <211> 667 <212> DNA <213> Lolium perenne

<220>

<221> misc_feature <222> (19)..(19)

<223> Any nucleotide

325/390 <400> 288 gtttgagaga atggcttcna gggcaggtgt gtgttactgg ggcctctggc tttgttgctt cttggcttgt caaaagacta ctcgagtccg gttataatgt tctagggaca gtcagagacc caggcaatca gaagaaggta gcacacctct ggaacttagc aggggccaag gaaaggttgg 180 agettgteaa agetgaeete ttggaagaag ggagettega tgatgetgtg atggeetgtg agggtgtctt ccacactgca tcacctatca tcaccaaatc tgataccaag gaagaaatgc ttgattctgc aattaacggc actctaaacg tgctgagatc gtgcaagaag aatccttttc 360 tcaaaagggt tgttctcacg tcatcatcgt caaccgtgag gctgagggat gaagctgaat tcccacccaa cgtgttgctg gatgaaacat catggagctc cgtggagttc tgtgaaagta tecaggiatg giatggigte gegaagatee tigetgagaa ateagetigg gaqtiegeea aggagaacaa catcgaccta gtggctgttc ttccaacgtt cgtgattgga cctaatctct 600 cgtctgaatt aggacccact gttttagatg tccttggctt atttaaagga gagacagaga agttcac 667 <210> 289 <211> 688 <212> DNA <213> Lolium perenne <220> <221> misc feature <222> (23)..(23) <223> Any nucleotide <220> <221> misc_feature <222> (651)..(651) <223> Any nucleotide <400> 289 tcgagtttga gagaatggct tcnagggcag gtgtgtgtta ctggggcctc tggctttgtt gcttcttggc ttgtcaaaag actactcgag tccggttata atgttctagg gacagtcaga gacccaggca atcagaagaa ggtagcacac ctctggaact tagcaggggc caaggaaagg

ttggagcttg tcaaagctga cctcttggaa gaagggagct tcgatgatgc tgtgatggcc

180

240

tgtgagggtg tcttccacac tgcatcacct atcatcacca aatctgatac caaggaagaa

atgettgatt etgeaattaa eggeaeteta aacgtgetga gategtgeaa gaagaateet

tttctcaaaa gggttgttct cacgtcatca tcgtcaaccg tgaggctgag ggatgaagct 420

gaattcccac ccaacgtgtt gctggatgaa acatcatgga gctccgtgga gttctgtgaa

agtatccagg tatggtatgg tgtcgcgaag atccttgctg agaaatcagc ttgggagttc 540

gccaaggaga acaacatcga cctagtggct gttcttccaa cgttcgtgat tggacctaat 600

ctctcgtctg aattaggacc cactgtttta gatgtccttg gcttatttaa nggagagaca

gagaagttca ccatgttttg gaaggatg 688

- <210> 290
- <211> 425
- <212> DNA
- <213> Lolium perenne
- <220>
- <221> misc_feature
- <222> (3)...(3)
- <223> Any nucleotide
- <220>
- <221> misc_feature
- <222> (62)..(62) <223> Any nucleotide
- <220>
- <221> misc feature
- <222> (321)..(321)
- <223> Any nucleotide
- <220>
- <221> misc feature
- <222> (332)..(332)
- <223> Any nucleotide
- <220>
- <221> misc_feature
- <222> (344)..(344) <223> Any nucleotide
- <220>
- <221> misc feature
- <222> (352)..(352)
- <223> Any nucleotide

```
<220>
<221> misc feature
<222> (360)..(360)
<223> Any nucleotide
<220>
<221> misc feature
<222> (363)..(363)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (387)..(387)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (390)..(390)
<223> Any nucleotide
<220>
<221> misc feature
\langle 222 \rangle (396)...(396)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (404)..(404)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (409)..(409)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (423)..(423)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (425)..(425)
<223> Any nucleotide
<400> 290
gtnggcttcc agggccggtg tgtgttactg gggcctctgg ctttgttgct tcttggcttg
60
tnaaagacta ctcgagtccg gttataatgt tctagggaca gtcagagacc caggcaatca
gaagaaggta gcacacctct ggaacttagc aggggccaag gaaaggttgg agcttgtcaa
180
```

agctgacctc ttggaagaag ggagcttcga tgatgctgtg atggcctgtg agggtgtctt ccacactgca tcacctatca tcaccaaatc tgataccaag gaagaaatgc ttgattctgc aattaacggc actctaaacg ngctgagatc gngcaagaag aatncttttc tnaaaagggn 360 tgntctcacg tcatcatcgc caccegngan gctganggat gaanctgant tcccacccaa cgngn 425 <210> 291 <211> 691 <212> DNA <213> Lolium perenne <220> <221> misc feature $(691\overline{)}..(691)$ <222> <223> Any nucleotide <400> 291 gcattcgagt ttgagagaat ggcttccagg gcaggtgtgt gttactgggg cctctggctt tgttgcttcc tggcttgtca aaagacttct cgagtccggt tataatgttc tagggacagt cagagaccca ggcaatcaga agaaggtagc acacctctgg agcttagcag gggccaagga aaggctggag cttgtcagag ctgacctctt ggaagaaggg agcttcgatg atgccgtgat ggcctgtgag ggtgtcttcc acactgcatc acctatcatc accaaatctg ataccaagga 300 agaaatgctt gattctgcaa taaacggcac tctaaacgtg ctgagatcgt gcaagaaqaa teetttete aaaagggttg tteteaegte ateategtea accgtgagge tgagggatga 420 agetgaatte ceaeceaacg tgttgetgga tgaaacatca tggageteeg tggagttetg tgaaagtatc caggtatggt acggtgtcgc aaagatcctt gccgagaaat cagcctggga gtttgccaag gagaacaaca tcgacctagt ggctgttctt ccaacattcg tgattggacc 600 taatctctcg tctgaattag gacccactgt tttagatgtc cttggcttat ttaaaggaga gacagagaag ttcaccatgt ttgggaagga n 691

```
<211> 365
<212> DNA
<213> Lolium perenne
<220>
<221> misc_feature
<222> (29)..(29)
<223> Any nucleotide
<220>
<221> misc feature
<222> (331)..(331)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (346)..(347)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (356)..(356)
<223> Any nucleotide
<220>
<221> misc feature
<222> (365)..(365)
<223> Any nucleotide
<400> 292
gtctttcgag tttgagcaga atggcttcna gggcaggtgt gtgttactgg ggcctctggc
tttgttgctt cctggcttgt caaaagactt ctcgagtccg gttataatgt tctagggaca
120
gtcagagacc caggcaatca gaagaaggta gcacacctct ggagcttagc aggggccaag
180
gaaaggctgg agcttgtcag agctgacctc ttggaagaag ggagcttcga tgatgccgtg
atggcctgtg agggtgtctt ccacactgca tcacctatca tcaccaaatc tgataccaag
gaagaaatgc ttgattctgc aataaacggc nctctaaacg tgctgnnatc cgggtnaaaa
360
aaaan
365
<210> 293
<211>
       524
<212> DNA
<213> Lolium perenne
<220>
<221> misc feature
<222> (169)..(169)
<223> Any nucleotide
```

<400> 293 gteetegeet aegagegeee egaegeeege ggeegetace tetgeategg ggeegtgetg cacegegege acticetaaa getteteaag gacetettee egeagtaete etteaeegee 120 aagtgcgaag acgacggcaa gcccatggcg aagccgtaca agttctccna ccagaggctc agggacctgg gattaaaatt cactccgctg gcggaaagtt tgtacgagac cgtgacgtgc ctgcaaaaaa atggccacct gcctctgccc gctcccatgg cgccaaagcg tgcataccta taatactaca aagacacggc cgggatcgac aagccaagaa acagaggatt ctcccgaggt tcaccatgga attgtgtatt tcacaaagtt tgaattctta ttttttttat tatgaagaaa tacggaaaac caatactgta taccagaggc aagtgtaaca atgtaaatag tcqtqtaaat cttgttcaag aatgaatgat aaagtatttt ttgcaaaaaa aaaa 524 <210> 294 <211> 100 <212> PRT <213> Lolium perenne <220> <221> MISC_FEATURE <222> (57)..(57) <223> Any amino acid <400> 294 Val Leu Ala Tyr Glu Arg Pro Asp Ala Arg Gly Arg Tyr Leu Cys Ile 5 15 Gly Ala Val Leu His Arg Ala His Phe Leu Lys Leu Lys Asp Leu 20 25 Phe Pro Gln Tyr Ser Phe Thr Ala Lys Cys Glu Asp Asp Gly Lys Pro Met Ala Lys Pro Tyr Lys Phe Ser Xaa Gln Arg Leu Arg Asp Leu Gly 50 55 Leu Lys Phe Thr Pro Leu Ala Glu Ser Leu Tyr Glu Thr Val Thr Cys

Leu Gln Lys Asn Gly His Leu Pro Leu Pro Ala Pro Met Ala Pro Lys 85 90 95

```
Arg Ala Tyr Leu
<210> 295
<211>
      524
<212> DNA
<213> Lolium perenne
<220>
<221> misc feature
<222> (306)..(306)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (482)..(482)
<223> Any nucleotide
<220>
<221> misc_feature
       (519)..(519)
<222>
<223> Any nucleotide
<400> 295
gteetegeet acgagegeec egacgeecge ggeegetaec tetgeategg ggeegtgetg
cacegegege acttectaaa getteteaag gacetettee egeagtaete etteaeegee
aagtgcgaag acgacggcaa gcccatggcg aagccgtaca agttctccaa ccagaggctc
180
agggacctgg gattaaaatt cactccgctg gcggaaagtt tgtacgagac cgtgacgtgc
ctgcaaaaaa atggccacct gcctctgccc gctcccgtgg cgccaaagcg tgcataccta
taatantacc aagacacggc cgggatcgac aagccaagaa acagaggatt ctcccgaggt
tcaccatgga attgtgtatt tcagaaagtt tgaattctta ttttttttat tatgaaggaa
tacggataac caatactgta taccagaggc aagtgtaaca atgtaaatag tcgtgtaaat
480
cntgttcaag attgaatgat aaagtatttt ttgcaaaana aaaa
524
       296
<210>
      374
<211>
<212> DNA
<213> Lolium perenne
<220>
<221> misc_feature
<222> (19)..(19)
```

<223> Any nucleotide <220> misc_feature <221> $(25)^{-}$. (26)<222> <223> Any nucleotides <400> 296 aagccgtaca agttctccna ccagnngctc agggacctgg gattaaaatt cactccgctg geggaaagtt tgtacgagac egtgacgtge etgcaaaaaa atggecaeet geetetgeee gctcccatgg cgccaaagcg tgcataccta taatactaca aagacacggc cgggatcgac aagccaagaa acagaggatt ctcccgaggt tcaccatgga attgtgtatt tcacaaagtt tqaattotta tttttttat tatgaagaaa tacggaaaac caatactgta taccagaggc aagtgtaaca atgtaaatag tcgtgtaaat cttgttcaag aatgaatgat aaagtatttt ttqcaaaaaa aaaa 374 <210> 297 <211> 363 <212> DNA <213> Lolium perenne <220> <221> misc_feature <222> (7)..(8) <223> Any nucleotides <220> <221> misc_feature (363)..(363)<222> <223> Any nucleotide <400> 297 gttctcnnac cagaggctca gggacctggg attaaaattc actccgctgg cggaaagttt gtacgagacc gtgacgtgcc tgcaaaaaaa tggccacctg cctctgcccg ctcccatggc gccaaagcgt gcatacctat aatactacaa agacacggcc gggatcgaca agccaagaaa 180 cagaggattc tcccgaggtt caccatggaa ttgtgtattt cacaaagttt gaattcttat tttttttatt atgaagaaat acggaaaacc aatactgtat accagaggca agtgtaacaa tgtaaatagt cgtgtaaatc ttgttcaaga atgaatgata aagtattttt tgcaaaaaaa

360 aan 363 <210> 298 1381 <211> <212> DNA <213> Lolium perenne <220> <221> misc_feature <222> (5)..(5) <223> Any nucleotide <220> <221> misc feature <222> (1280)..(1280) <223> Any nucleotide <220> <221> misc feature <222> (1338)..(1338)<223> Any nucleotide <400> 298 tctcnagaca cactgtgtaa ccacggtagc gagtggcaag actagcagaa agtacggaca tcagctaacc attcctcaac tagaataagc atggctccgg cgatgtccaa ccctctcctc 120 agtgateggg tggeacgete caagaaagte ecatetagee aegttagage ggtgggagae eqeccaqaee teqecaatgt egaceaegag teeggegegg geatteeget categacetg 240 aagcagctcg aaggtccagg gcgccgcagg gtcgtcgagg ccatcggctc cgcgtgcgag aacgatgggt ttttcatggt gacgaatcat ggcatcccag aggcggtcgt ggaggggatg ctgagcgtgg cgagggagtt cttccacctg ccggagtcgg agcggctcaa gtgctactcc 420 gacgacccca agaaggeggt ceggetgteg acgagettea acgtgegeac ggagaaggtg agcaactggc gcgacttcct ccggctgcat tgctaccctc ttgagagctt cgtcgaccag 540 tggccgtcga acccgcccgc cttcaggcaa gtcgtcggca cctactcgac ggaagcgaga 600 gcgctggcgc tgaggctcct ggaggcgata tcggagagcc tagggctgga gagaggccac atggtgaagg ccatggggcg gcacgcgcag cacatggcgg tgaactacta cccgccgtgc

720

ccgcagccgg agctcaccta cggtctgcca gggcacacgg accccaacgc cctcaccatc 780

ctcctcatgg atccccacgt ctccggcctc caggtcctca gggacggcgc caagtggatc 840

gccgtccacc cacgccccaa cgccctggtc atcaacctag gcgaccagct acaggcgctg

agcaacggcg cgtacaagag cgtgtggcac cgggcagtgg tgaacgcgga gcaggagcgt 960

ctgtcggtgg catctttcct gtgcccgtgc aacagcgcgg ttatctgccc cgcgccgagg 1020

ctcgtcggcg acggggagga ccccgtctac cggagctaca cctacgacga gtactacaag 1080

aggttttgga gcaggaacct ggatcaggag cactgcctcg agctcttcag gagtcagcac 1140

tgatgcttga accttgagtt actagctagc tctccttaac agtgcaaatc catggcccaa 1200

gagggccccg attgcatggt tacttatgtt gtttgaactg gtattgctta agtgcctaat 1260

aacattgcta cattctactn ctatcttgtc cgtttaaaat tataagatgg cctaaccttt 1320

ttcttaattg tatgcatnct gaacatattt aagtgtgtgt gttcagacag tttagtctgc 1380

a 1381

<210> 299

<211> 346

<212> PRT

<213> Lolium perenne

<400> 299

Met Ser Asn Pro Leu Leu Ser Asp Arg Val Ala Arg Ser Lys Lys Val 1 5 10 15

Pro Ser Ser His Val Arg Ala Val Gly Asp Arg Pro Asp Leu Ala Asn 20 25 30

Val Asp His Glu Ser Gly Ala Gly Ile Pro Leu Ile Asp Leu Lys Gln 35 40 45

Leu Glu Gly Pro Gly Arg Arg Val Val Glu Ala Ile Gly Ser Ala 50 55 60

Cys Glu Asn Asp Gly Phe Phe Met Val Thr Asn His Gly Ile Pro Glu 65 70 75 80

Ala Val Val Glu Gly Met Leu Ser Val Ala Arg Glu Phe Phe His Leu 85 90 95

WO 03/031622 PCT/AU02/01345 335/390

Pro	Glu	Ser	Glu 100	Arg	Leu	Lys	Cys	Tyr 105	Ser	Asp	Asp	Pro	Lys 110	Lys	Ala
Val	Arg	Leu 115	Ser	Thr	Ser	Phe	Asn 120	Val	Arg	Thr	Glu	Lys 125	Val	Ser	Asn
Trp	Arg 130	Asp	Phe	Leu	Arg	Leu 135	His	Cys	Tyr	Pro	Leu 140	Glu	Ser	Phe	Val
Asp 145	Gln	Trp	Pro	Ser	Asn 150	Pro	Pro	Ala	Phe	Arg 155	Gln	Val	Val	Gly	Thr 160
Tyr	Ser	Thr	Glu	Ala 165	Arg	Ala	Leu	Ala	Leu 170	Arg	Leu	Leu	Glu	Ala 175	Ile
Ser	Glu	Ser	Leu 180	Gly	Leu	Glu	Arg	Gly 185	His	Met	Val	Lys	Ala 190	Met	Gly
Arg	His	Ala 195	Gln	His	Met	Ala	Val 200	Asn	Tyr	Tyr	Pro	Pro 205	Cys	Pro	Gln
Pro	Glu 210	Leu	Thr	Tyr	Gly	Leu 215	Pro	Gly	His	Thr	Asp 220	Pro	Asn	Ala	Leu
Thr 225	Ile	Leu	Leu	Met	Asp 230	Pro	His	Val	Ser	Gly 235	Leu	Gln	Val	Leu	Arg 240
Asp	Gly	Ala	Lys	Trp 245	Ile	Ala	Val	His	Pro 250	Arg	Pro	Asn	Ala	Leu 255	Val
Ile	Asn	Leu	Gly 260	Asp	Gln	Leu	Gln	Ala 265	Leu	Ser	Asn	Gly	Ala 270	Tyr	Lys
Ser	Val	Trp 275	His	Arg	Ala	Val	Val 280	Asn	Ala	Glu	Gln	Glu 285	Arg	Leu	Ser
Val	Ala 290	Ser	Phe	Leu	Cys	Pro 295	Cys	Asn	Ser	Ala	Val 300	Ile	Cys	Pro	Ala
Pro 305	Arg	Leu	Val	Gly	Asp 310	Gly	Glu	Asp	Pro	Val 315	Tyr	Arg	Ser	Tyr	Thr 320
Tyr	Asp	Glu	Tyr	Tyr 325	Lys	Arg	Phe	Trp	Ser 330		Asn	Leu	Asp	Gln 335	Glu
His	Cys	Leu	Glu 340	Leu	Phe	Arg	Ser	Gln 345							

336/390 <210> 300 <211> 755 <212> DNA <213> Lolium perenne <220> <221> misc feature <222> (5)..(5)<223> Any nucleotide <400> tctcnagaca cactgtgtaa ccacggtagc gagtggcaag actagcagaa agtacggaca tcagctaacc attcctcaac tagaataagc atggctccgg cgatgtccaa ccctctcctc 120 agtgatcggg tggcacgctc caagaaagtc ccatctagcc acgttagagc ggtgggagac cgcccagacc tcgccaatgt cgaccacgag tccggcgcgg gcattccgct catcgacctg 240 aagcageteg aaggteeagg gegeegeagg gtegtegagg ceateggete egeqtqeqaq 300 aacgatgggt ttttcatggt gacgaatcat ggcatcccag aggcggtcgt ggaggggatg ctgagcgtgg cgagggagtt cttccacctg ccggagtcgg agcggctcaa gtgctactcc gacgacccca agaaggcggt ccggctgtcg acgagcttca acgtgcgcac ggagaaggtg agcaactggc gcgacttcct ccggctgcat tgctaccctc ttgagagctt cgtcgaccag 540 tggccgtcga acccgcccgc cttcaggcaa gtcgtcggca cctactcgac ggaagcgaga gegetggege tgaggeteet ggaggegata teggagagee tagggetgga gagaggeeae atggtgaagg ccatggggcg gcacgcgcag cacatggcgg tgaactacta cccgccgtgc 720 ccgcagccgg agctcaccta cggtctgcca gggca 755 <210> 301 <211> 780 <212> DNA <213> Lolium perenne <220> <221> misc feature <222> (21)..(21)

<220> <221> misc_feature <222> (778)..(778)

<223> Any nucleotide

<223> Any nucleotide

<400> 301 tctagacaca ctgtgtaacc ncggtagcga gtggcaagac tagcagaaag tacggacatc

agctaaccat tcctcaacta gaataagcat ggctccggcg atgtccaacc ctctcctcag

tgatcgggtg gcacgctcca agaaagtccc atctagccac gttagagcgg tgggagaccg

cccagacete gecaatgteg accaegagte eggegegge atteegetea tegacetgaa 240

gcagetegaa ggtecaggge geegeagggt egtegaggee ateggeteeg egtgegagaa 300

cgatgggttt ttcatggtga cgaatcatgg catcccagag gcggtcgtgg aggggatgct 360

gagcgtggcg agggagttet tecacetgce ggagteggag eggeteaagt getaeteega 420

cgaccccaag aaggcggtec ggetgtcgac gagcttcaac gtgcgcacgg agaaggtgag

caactggcgc gacttcctcc ggctgcattg ctaccctctt gagagcttcg tcgaccagtg

gccgtcgaac ccgcccgcct tcaggcaagt cgtcggcacc tactcgacgg aagcgagagc 600

gctggcgctg aggctcctgg aggcgatatc ggagagccta gggctggaga gaggccacat 660

ggtgaaggcc atggggggc acgcgcagca catggcggtg aactactacc cgccgtgccc 720

gcagccggag ctcacctacg gtctgccagg gcacacggac cccaatgccc tcaccatnct 780

<210> 302

<211> 793

<212> DNA

<213> Lolium perenne

<220>

<221> misc feature

<222> (64)..(64)

<223> Any nucleotide

<220>

<221> misc_feature

<222> (692)..(692)

<223> Any nucleotide

<220>

<221> misc_feature

<222> (750)..(750)

<223> Any nucleotide

<400> 302 ggggaagtcc 60	ggctgctggg	gcttcggctt	ctgggcgcga	tctcgctggg	gctggggctg						
gagngagggt 120	atgtggagaa	ggtgctgggc	gagcaggagc	agcacatggc	cgtgaactac						
tacccgcggt 180	gccccgagcc	ggacctcacc	tacggcctgc	ccaagcacac	ggaccccaac						
gccctcacca 240	tcctcctcat	ggatccccac	gtctccggcc	tccaggtcct	cagggacggc						
gccaagtgga 300	tcgccgtcca	cccacgcccc	aacgccctgg	tcatcaacct	aggcgaccag						
ctacaggcgc 360	tgagcaacgg	cgcgtacaag	agcgtgtggc	accgggcagt	ggtgaacgcg						
gagcaggagc 420	gtctgtcggt	ggcatctttc	ctgtgcccgt	gcaacagcgc	ggttatctgc						
cccgcgccga 480	ggctcgtcgg	cgacggggag	gaccccgtct	accggagcta	cacctacgac						
gagtactaca 540	agaggttttg	gagcaggaac	ctggatcagg	agcactgcct	cgagctcttc						
aggagtcagc 600	actgatgctt	gaaccttgag	ttactagcta	gctctcctta	acagtgcaaa						
tccatggccc 660	aagagggccc	cgattgcatg	gttacttatg	ttgtttgaac	tggtattgct						
taagtgccta 720	ataacattgc	tacattctac	tnctatcttg	tccgtttaaa	attataagat						
ggcctaacct 780	ttttcttaat	tgtatgcatn	ctgaacatat	ttaagtgtgt	gtgttcagac						
agtttagtct 793	gca										
<210> 303 <211> 1395 <212> DNA <213> Lolium perenne											
<400> 303 gaattcgatt 60		aacaacgcag	ı agtacgcggg	gactctcaga	acacactgtg						
taaccacggt 120	agcgagtggc	: aagactagca	gaaagtacgg	acatcagcta	accattcctc	÷					
aactagaata 180	agcatggcto	: cggcgatgtc	: caaccctctc	ctcagtgatc	gggtggcacg						
ctccaagaaa 240 .	gtcccatcta	gccacgttag	ı agcggtggga	gaccgcccag	acctcgccaa						
tgtcgaccac	gagteegge	g cgggcattco	geteategae	ctgaagcago	: tcgaaggtcc						

agggcgccgc agggtcgtcg aggccatcgg ctccgcgtgc gagaacgatg ggtttttcat 360

ggtgacgaat catggcatcc cagaggcggt cgtggagggg atgctgagcg tggcgaggga 420

gttcttccac ctgccggagt cggagcggct caagtgctac tccgacgacc ccaagaaggc 480

ggtccggctg tcgacgagct tcaacgtgcg cacggagaag gtgagcaact ggcgcgactt 540

cctccggctg cattgctacc ctcttgagag cttcgtcgac cagtggccgt cgaacccgcc

cgccttcagg caagtcgtcg gcacctactc gacggaagcg agagcgctgg cgctgaggct 660

cctggaggcg atatcggaga gcctagggct ggagagaggc cacatggtga aggccatggg 720

geggeaegeg cageaeatgg eggtgaaeta etaeeegeeg tgeeegeage eggageteae 780

ctacggtctg ccagggcaca aggaccccaa tgccatcacg ctcctcctgc aggacggcgt 840

ctccggcctg caggtccagc gcgacggccg gtgggtggcc gtcaacccgg tgcccaacgc 900

cctcgtcatc aacatcggcg atcagttaca ggcgctgagc aacgaccgat acaagagcgt

gaaccacaga gtgatcgtca acagcgcgag cgagaggatt tcggtgccga cgttctactg

cccgtcgccg gacacggtgg tcgcgccggc cgacgcgctg gtggacgacg cccaccctcg 1080

ggcctaccag cccttcacgt accaggagta ctacgaggag ttctggaaga tgggccttca 1140

gtcagcaagt tgcctcgaca ggttccgacg gatcgagtga tggacaagac gtgggccgtt 1200

gttatctcct gggccatgag cgttgccgca gccgatgtgt cgccatatgg tggagacgtt 1260

tcctccctcc ggaaaagaaa aataaaacag agtggagacc actagaaccg tcagatagca 1320

tcccaaaaaa aaaaaaaaa aaaaaaaaa aaaagtactc tgcgttgtta ccactgctta 1380

atcactagtg aattc 1395

<210> 304

<211> 348

<212> PRT

<213> Lolium perenne

<400> 304

Met Ala Pro Ala Met Ser Asn Pro Leu Leu Ser Asp Arg Val Ala Arg

1 5 10 15

Ser Lys Lys Val Pro Ser Ser His Val Arg Ala Val Gly Asp Arg Pro 20 25 30

Asp Leu Ala Asn Val Asp His Glu Ser Gly Ala Gly Ile Pro Leu Ile 35 40 45

Asp Leu Lys Gln Leu Glu Gly Pro Gly Arg Arg Arg Val Val Glu Ala 50 55 60

Ile Gly Ser Ala Cys Glu Asn Asp Gly Phe Phe Met Val Thr Asn His 65 70 75 80

Gly Ile Pro Glu Ala Val Val Glu Gly Met Leu Ser Val Ala Arg Glu 85 90 95

Phe Phe His Leu Pro Glu Ser Glu Arg Leu Lys Cys Tyr Ser Asp Asp 100 105 110

Pro Lys Lys Ala Val Arg Leu Ser Thr Ser Phe Asn Val Arg Thr Glu 115 120 125

Lys Val Ser Asn Trp Arg Asp Phe Leu Arg Leu His Cys Tyr Pro Leu 130 135 140

Glu Ser Phe Val Asp Gln Trp Pro Ser Asn Pro Pro Ala Phe Arg Gln 145 150 155 160

Val Val Gly Thr Tyr Ser Thr Glu Ala Arg Ala Leu Ala Leu Arg Leu 165 170 175

Leu Glu Ala Ile Ser Glu Ser Leu Gly Leu Glu Arg Gly His Met Val 180 185 190

Lys Ala Met Gly Arg His Ala Gln His Met Ala Val Asn Tyr Tyr Pro 195 200 205

Pro Cys Pro Gln Pro Glu Leu Thr Tyr Gly Leu Pro Gly His Lys Asp 210 215 220

Pro Asn Ala Ile Thr Leu Leu Leu Gln Asp Gly Val Ser Gly Leu Gln 225 230 235 240

Val Gln Arg Asp Gly Arg Trp Val Ala Val Asn Pro Val Pro Asn Ala 245 250 255

Leu Val Ile Asn Ile Gly Asp Gln Leu Gln Ala Leu Ser Asn Asp Arg 260 265 270

Tyr Lys Ser Val Asn His Arg Val Ile Val Asn Ser Ala Ser Glu Arg 275 280 285

Ile Ser Val Pro Thr Phe Tyr Cys Pro Ser Pro Asp Thr Val Val Ala 290 295 300

Pro Ala Asp Ala Leu Val Asp Asp Ala His Pro Arg Ala Tyr Gln Pro 305 310 315 320

Phe Thr Tyr Gln Glu Tyr Tyr Glu Glu Phe Trp Lys Met Gly Leu Gln 325 330 335

Ser Ala Ser Cys Leu Asp Arg Phe Arg Arg Ile Glu 340 345

<210> 305

<211> 1309

<212> DNA

<213> Trifolium repens

<400> 305

gaattcgatt aagcagtggt aacaacgcag agtacgcggg ataaaaactg cactagtgtg

tataagtttc ttggtgaaaa aagagtttgt aaattaacat catggctagt atcaaacaaa 120

ttggaaacaa gaaagcatgt gtgattggtg gcactggttt tgttgcatct atgttgatca 180

agcagttact tgaaaagggt tatgctgtta atactaccgt tagagaccca gatagcccta 240

agaaaatatc tcacctagtg gcactgcaaa gtttggggga actgaatcta tttagagcag 300

acttaacagt tgaagaagat tttgatgctc ctatagcagg atgtgaactt gtttttcaac 360

ttgctacacc tgtgaacttt gcttctcaag atcctgagaa tgacatgata aagccagcaa 420

tcaaaggtgt gttgaatgtg ttgaaagcaa ttgcaagagc aaaagaagtt aaaagagtta 480

tcttaacatc ttcggcagcc gcggtgacta taaatgaact caaagggaca ggtcatgtta 540

tggatgaaac caactggtct gatgttgaat ttctcaacac tgcaaaacca cccacttggg

gttatcctgc ctcaaaaatg ctagctgaaa aggctgcatg gaaatttgct gaagaaaatg

acattgatct aatcactgtg atacctagtt taacaactgg tccttctctc acaccagata 720

tcccatctag tgttggcttg gcaatgtctc taataacagg caatgatttt ctcataaatg 780

ctttgaaagg aatgcagttt ctgtcgggtt cgttatccat cactcatgtt gaggatattt 840

gccgagctca tatatttctt gcagagaaag aatcagcttc tggtagatac atttgctgtg

ctcacaatac tagtgttccc gagettgcaa agtttctcaa caaacgatat cctcagtata 960

aagttccaac tgaatttgat gattgcccca gcaaggcaaa gttgataatc tcttctgaaa 1020

agcttatcaa agaagggttc agtttcaagc atggtattgc cgaaactttc gaccagactg 1080

tcgagtattt taagactaag ggggcactga agaattagat tttgatattt ctaattcaat 1140

agcaaactct aagcttgtta tgtgtttgtg aagttcagag tgaaatatca aatgaataag 1200

aaaaaaagt actctgcgtt gttaccactg cttaatcact agtgaattc 1309

<210> 306

<211> 338

<212> PRT

<213> Trifolium repens

<400> 306

Met Ala Ser Ile Lys Gln Ile Gly Asn Lys Lys Ala Cys Val Ile Gly 1 10 15

Gly Thr Gly Phe Val Ala Ser Met Leu Ile Lys Gln Leu Leu Glu Lys 20 25 30

Gly Tyr Ala Val Asn Thr Thr Val Arg Asp Pro Asp Ser Pro Lys Lys 35 40 45

Ile Ser His Leu Val Ala Leu Gln Ser Leu Gly Glu Leu Asn Leu Phe 50 55 60

Arg Ala Asp Leu Thr Val Glu Glu Asp Phe Asp Ala Pro Ile Ala Gly 65 70 75 80

Cys Glu Leu Val Phe Gln Leu Ala Thr Pro Val Asn Phe Ala Ser Gln 85 90 95

Asp Pro Glu Asn Asp Met Ile Lys Pro Ala Ile Lys Gly Val Leu Asn 100 105 110

Val Leu Lys Ala Ile Ala Arg Ala Lys Glu Val Lys Arg Val Ile Leu 115 120 125 Thr Ser Ser Ala Ala Ala Val Thr Ile Asn Glu Leu Lys Gly Thr Gly 135

His Val Met Asp Glu Thr Asn Trp Ser Asp Val Glu Phe Leu Asn Thr 155

Ala Lys Pro Pro Thr Trp Gly Tyr Pro Ala Ser Lys Met Leu Ala Glu 170

Lys Ala Ala Trp Lys Phe Ala Glu Glu Asn Asp Ile Asp Leu Ile Thr 185

Val Ile Pro Ser Leu Thr Thr Gly Pro Ser Leu Thr Pro Asp Ile Pro 200

Ser Ser Val Gly Leu Ala Met Ser Leu Ile Thr Gly Asn Asp Phe Leu 215

Ile Asn Ala Leu Lys Gly Met Gln Phe Leu Ser Gly Ser Leu Ser Ile 225 230 235

Thr His Val Glu Asp Ile Cys Arg Ala His Ile Phe Leu Ala Glu Lys 245

Glu Ser Ala Ser Gly Arg Tyr Ile Cys Cys Ala His Asn Thr Ser Val 260 265

Pro Glu Leu Ala Lys Phe Leu Asn Lys Arg Tyr Pro Gln Tyr Lys Val

Pro Thr Glu Phe Asp Asp Cys Pro Ser Lys Ala Lys Leu Ile Ile Ser 290 295 300

Ser Glu Lys Leu Ile Lys Glu Gly Phe Ser Phe Lys His Gly Ile Ala 315

Glu Thr Phe Asp Gln Thr Val Glu Tyr Phe Lys Thr Lys Gly Ala Leu 325 330

Lys Asn

<210> 307 <211> 1005 <212> DNA

<213> Trifolium repens

<400> 307

gaattcgatt aagcagtggt aacaacgcag agtacgcggg gacttaaaca ttgacacaag

344/390

tcccaaataa aaaagatctg aaacaacata gtcaccccat tttttaacat taaactaaaa 120

atatgtegge cateacegea atecaagteg agaacettga attteegget gtggttaett

ctccggccac cggtaagtca tattttcttg gtggtgcagg ggagagaggt ttgactattg 240

aaggaaactt catcaagttc actgccatag gagtatattt ggaagatgta gcagtggctt

cacttgccac taaatggaag ggtaaatcct ctgaggagtt gcttgagact cttgacttct

atagagacat catttcagga ccctttgaaa agttgattcg aggatcgaag attagggaat

tgagtggtcc tgagtactca aggaaggtta atgaaaactg cgtggcacac ttaaaatctg

ttgggactta tggagatgct gaagctgaag ctatgcaaaa atttgttgaa gccttcaagc

ctattaattt tccacctggt gcctctgttt tttacaggca atcacctgat ggaatattag 600

ggcttagttt ctctcaagat gcaagtatac cagaaaagga ggctgcagta atagagaaca

aggcagcttc atcggcagtg ttagaaacta tgattggtga acatgctgtt tctcctgatt

taaagcgttg tttggctgca agattacctg ccttgttgaa cgagggtact ttcaagattg

aatgaaaact gattattatt atctccaaaa gcattgcagc acaagattga gtcatttatg 840

agcatggaca tttttatgtc cacacatgtt taacttttgt atctctcttt agattctcat

960

aaaagtactc tgcgttgtta ccactgctta atcactagtg aattc 1005

<210> 308

<211> 220

<212> PRT

<213> Trifolium repens

<400> 308

Met Ser Ala Ile Thr Ala Ile Gln Val Glu Asn Leu Glu Phe Pro Ala

Val Val Thr Ser Pro Ala Thr Gly Lys Ser Tyr Phe Leu Gly Gly Ala

Gly Glu Arg Gly Leu Thr Ile Glu Gly Asn Phe Ile Lys Phe Thr Ala 45 40

Ile Gly Val Tyr Leu Glu Asp Val Ala Val Ala Ser Leu Ala Thr Lys 50 55 60

Trp Lys Gly Lys Ser Ser Glu Glu Leu Leu Glu Thr Leu Asp Phe Tyr 65 70 75 80

Arg Asp Ile Ile Ser Gly Pro Phe Glu Lys Leu Ile Arg Gly Ser Lys
85 90 95

Ile Arg Glu Leu Ser Gly Pro Glu Tyr Ser Arg Lys Val As
n Glu Asn 100 105 110

Cys Val Ala His Leu Lys Ser Val Gly Thr Tyr Gly Asp Ala Glu Ala 115 120 125

Glu Ala Met Gln Lys Phe Val Glu Ala Phe Lys Pro Ile Asn Phe Pro 130 135 140

Pro Gly Ala Ser Val Phe Tyr Arg Gln Ser Pro Asp Gly Ile Leu Gly 145 150 155 160

Leu Ser Phe Ser Gln Asp Ala Ser Ile Pro Glu Lys Glu Ala Ala Val 165 170 175

Ile Glu Asn Lys Ala Ala Ser Ser Ala Val Leu Glu Thr Met Ile Gly
180 185 190

Glu His Ala Val Ser Pro Asp Leu Lys Arg Cys Leu Ala Ala Arg Leu 195 200 205

Pro Ala Leu Leu Asn Glu Gly Thr Phe Lys Ile Glu 210 215 220

<210> 309

<211> 1105

<212> DNA

<213> Trifolium repens

<400> 309

gaattcacta gtgattaagc agtggtaaca acgcagagta cgcggggaca ttacaactca 60

caacaccttc tccattacca tctatcttct actaagttca acgagatcaa tggcacttcc 120

ttctgtcacc gctttgaata tcgagaacaa tctattccct cctaccgtca caccaccggg 180

atccaccaac aatttcttcc tcggcggtgc aggagagcgg ggtcttcaaa ttcaagacaa 240

atttgtcaaa ttcaccgcta ttggtgttta tctacaggac attgctgttc cttacctcgc 300

cactaaatgg aagggtaaga ctgctcaaga gctaacggaa actgttcctt tcttcaggga

catcgttaca ggtccatttg agaaatttat gcaggtgaca atgatcttgc cattgactgg 420

gcaacaatac tcagagaaag tgtcagaaaa ttgtgtagct atttggaagt ctcttgggat 480

ttataccgac gaagaagcca aagcaattga gaagtttgtt tctgtcttca aagatgaaac 540

attcccacca ggctcctcta tccttttcac agtattaccc aaaggattag gatcactaac 600

gataagtttc tctaaagatg gatccattcc agagaccgag tctgcagtta tagagaataa

gctactctca caagctgtgc ttgagtcgat gataggggcg cacggtgtct cccctgcagc 720

aaaacagagt ttggccacca ggttatccga gttattcaac gaggttggtg atgctagcaa 780

ctgattatat caacaaaacg aaaatgaaag tcctttctgc aataaagacc aagcggaaat 840

tttattttag gtgcactttg aaatgacctc tttggcgact ttttcttgta ctaataataa 900

agagtgtgtt tgtatcatgt tgtaatttta ttttagaaaa agtgaggtaa gaaaggagtc 960

cttatgttta tttcaattat tgaaaaatta tttgcatgta taattgattt caactgatgt 1020

tatttaatca cgttttttct aaaaaaaaa aaaaaaaaa aaaaaaaaa gtactctgcg

ttgttaccac tgcttaatcg aattc 1105

<210> 310

<211> 224

<212> PRT

<213> Trifolium repens

<400> 310

Met Ala Leu Pro Ser Val Thr Ala Leu Asn Ile Glu Asn Asn Leu Phe 1 10 15

Pro Pro Thr Val Thr Pro Pro Gly Ser Thr Asn Asn Phe Phe Leu Gly 20 25 30

Gly Ala Gly Glu Arg Gly Leu Gln Ile Gln Asp Lys Phe Val Lys Phe 35 40 45

Thr Ala Ile Gly Val Tyr Leu Gln Asp Ile Ala Val Pro Tyr Leu Ala 50 60

- Thr Lys Trp Lys Gly Lys Thr Ala Gln Glu Leu Thr Glu Thr Val Pro 65 70 75 80
- Phe Phe Arg Asp Ile Val Thr Gly Pro Phe Glu Lys Phe Met Gln Val
- Thr Met Ile Leu Pro Leu Thr Gly Gln Gln Tyr Ser Glu Lys Val Ser 100 105 110
- Glu Asn Cys Val Ala Ile Trp Lys Ser Leu Gly Ile Tyr Thr Asp Glu
- Glu Ala Lys Ala Ile Glu Lys Phe Val Ser Val Phe Lys Asp Glu Thr 130 140
- Phe Pro Pro Gly Ser Ser Ile Leu Phe Thr Val Leu Pro Lys Gly Leu 145 150 155 160
- Gly Ser Leu Thr Ile Ser Phe Ser Lys Asp Gly Ser Ile Pro Glu Thr 165 170 175
- Glu Ser Ala Val Ile Glu Asn Lys Leu Leu Ser Gln Ala Val Leu Glu 180 185 190
- Ser Met Ile Gly Ala His Gly Val Ser Pro Ala Ala Lys Gln Ser Leu 195 200 205
- Ala Thr Arg Leu Ser Glu Leu Phe Asn Glu Val Gly Asp Ala Ser Asn 210 215 220
- <210> 311
- <211> 1272
- <212> DNA
- <213> Trifolium repens
- <400> 311
- gaattcgatt aagcagtggt aacaacgcag agtacgcggg gattcaaaca tagctcaaag
- aacatgggta gtgttgaaat tccaacaaag gttcttacta acagttctag tcaagtgaaa 180
- atgcctgtgg ttggaatggg atcagcacct gatttcacat gtaagaaaga cacaaaagat 240
- gcaatcattg aagccatcaa acagggttat agacactttg atactgctgc tgcttatggc 300
- tcagaacaag ctcttggtga aggtttgaaa gaagcaattg aacttggtct tgtcactaga 360
- qaagaccttt ttgttacttc taaactttgg gtcactgaaa atcatcctca tcttgttgtt

420

cctgctcttc aaaaatctct caagactctt caattggagt acttggactt gtatttgatc 480

cattggccac ttagttctca gcctggaaag ttttcatttc caattgatgt ggcagatctc 540

ttgccatttg atgtgaaggg tgtttgggaa tccatggaag aaggcttgaa acttggactc 600

actaaagcta ttggtgttag taacttctct gtcaagaaac ttcaaaatct tgtctcagtt 660

gccactgttc ttcctgctgt caatcaagtg gagatgaacc ttgcatggca acaaaagaag 720

cttagagaat tttgcaatgc aaatggaata gtgttaactg cattttcacc attgagaaaa 780

ggtgcaagca ggggaccaaa tgaagttatg gaaaatgata tgcttaaaga gattgcagat 840

gctcatggaa agtctgttgc acaaatttca ttgagatggt tatatgaaca aggagtcact 900

tttgttccca agagctatga taaggaaaga atgggtcaaa atttggctat ctttgattgg 960

acattggcaa aagaagatca tgagaaaatt gatcaaatta agcagaaccg tttgatccct 1020

ggaccaacca agccaggact cagtgaccta tgggatgatg aaatataaag tggaagatgt

taaaagtccc ttaagctcac tcaatatcta tctattgtgt actttttgca tttggggttt 1140

gaaattgagt caccettgtt tetgtatega tttaaaattt aaataateaa ttttteatta 1200

caaaaaaaa aaaaaaaaa agtactctgc gttgttacca ctgcttaatc 1260

actagtgaat tc 1272

<210> 312

<211> 314

<212> PRT

<213> Trifolium repens

<400> 312

Met Gly Ser Val Glu Ile Pro Thr Lys Val Leu Thr Asn Ser Ser Ser 1 10 15

Gln Val Lys Met Pro Val Val Gly Met Gly Ser Ala Pro Asp Phe Thr 20 25 30

Cys Lys Lys Asp Thr Lys Asp Ala Ile Ile Glu Ala Ile Lys Gln Gly
35 40 45

- Tyr Arg His Phe Asp Thr Ala Ala Ala Tyr Gly Ser Glu Gln Ala Leu 50 55 60
- Gly Glu Gly Leu Lys Glu Ala Ile Glu Leu Gly Leu Val Thr Arg Glu 65 70 75 80
- Asp Leu Phe Val Thr Ser Lys Leu Trp Val Thr Glu Asn His Pro His 85 90 95
- Leu Val Val Pro Ala Leu Gln Lys Ser Leu Lys Thr Leu Gln Leu Glu 100 105 110
- Tyr Leu Asp Leu Tyr Leu Ile His Trp Pro Leu Ser Ser Gln Pro Gly 115 120 125
- Lys Phe Ser Phe Pro Ile Asp Val Ala Asp Leu Leu Pro Phe Asp Val 130 135
- Lys Gly Val Trp Glu Ser Met Glu Glu Gly Leu Lys Leu Gly Leu Thr 145 150 155 160
- Lys Ala Ile Gly Val Ser Asn Phe Ser Val Lys Lys Leu Gln Asn Leu 165 170 175
- Val Ser Val Ala Thr Val Leu Pro Ala Val Asn Gln Val Glu Met Asn 180 185 190
- Leu Ala Trp Gln Gln Lys Lys Leu Arg Glu Phe Cys Asn Ala Asn Gly
 195 200 205
- Ile Val Leu Thr Ala Phe Ser Pro Leu Arg Lys Gly Ala Ser Arg Gly 210 215 220
- Pro Asn Glu Val Met Glu Asn Asp Met Leu Lys Glu Ile Ala Asp Ala 225 230 235 240
- His Gly Lys Ser Val Ala Gln Ile Ser Leu Arg Trp Leu Tyr Glu Gln 245 250 255
- Gly Val Thr Phe Val Pro Lys Ser Tyr Asp Lys Glu Arg Met Gly Gln 260 265 270
- Asn Leu Ala Ile Phe Asp Trp Thr Leu Ala Lys Glu Asp His Glu Lys 275 280 285
- Ile Asp Gln Ile Lys Gln Asn Arg Leu Ile Pro Gly Pro Thr Lys Pro 290 295 300
- Gly Leu Ser Asp Leu Trp Asp Asp Glu Ile

305 . 310

<210> 313

<211> 1548

<212> DNA

<213> Trifolium repens

<400> 313

gaattegatt aageagtggt ateaaegeag agtaegeggg gaeaaeaaet ataaetteet

gttattaacc aattgagttc aaattacata catagcagga actatactaa agatatcaac 120

atggttagtg tttctgaaat tcgcaaggct caaagggctg aaggccctgc aactattttg

gccattggta ctgcaaatcc agcaaatcgt gttgaccaga gtacatatcc tgatttctac 240

ttcaaaatca ctaacagtga gcataaggtt gagcttaaag agaaatttca gcgcatgtgt 300

gataaatcta tgatcaagag cagatacatg tatctaacag aagagatttt gaaagaaaat 360

cctagtcttt gtgaatacat ggcaccttca ttggatgcta ggcaagacat ggtggtggtt 420

gaggtaccta gacttgggaa ggaggctgca gtgaaagcta tcaaagaatg gggtcaacca 480

aagtcaaaga ttactcactt aatcttttgc accacaagtg gtgttgacat gcctggtgcc 540

gattaccaac tcacaaaact cttaggtctt cgcccatatg tgaagaggta catgatgtac 600

caacaagggt gctttgcagg tgggacggtt cttcgtttgg ccaaggattt ggccgagaac 660

aacaaaggtg ctcgtgttt ggttgtttgc tctgaagtaa ccgcagtcac attccgcggc 720

cccagtgaca ctcatttgga cagtcttgtt ggacaagcac tattcggaga tggagctgct

gcactcattg ttggctcaga cccagtacca gaaattgaga agccaatatt tgagatggtt

tggaccgcac agacaattgc tccagatagt gaaggtgcca ttgatggtca tcttcgtgaa 900

gctggactaa catttcatct tcttaaagat gttcctggga ttgtctcaaa gaacattgat

aaggcattgg ttgaggcatt ccaaccatta aacatctctg attacaattc aatcttttgg 1020

attgctcatc caggtggtcc tgcaattcta gaccaagttg agataaagtt gggcttaaaa 1080

cctgaaaaaa tgaaggccac cagagatgta cttagtgaat atggtaacat gtcaagtgca 1140

tgtgtattgt tcatcttaga tgagatgaga aagaaatcgg ctgaaaatgg acttaaaacc 1200

acaggagaag gacttgactg gggtgtgttg tttggatttg ggcccggact taccattgaa 1260

actgttgttc tacatagtgt ggctatatga gaatgagaga cttgatttgt ttttattgta 1320

ttgtattgta ttactttaaa tcttggttga acctccattt taagaataaa tatggagttc 1380

aatatggacc atcctgttaa aataatatat cgttaatagc tattatttta gtgtctgttt 1440

aaaaaaagta ctctgcgttg ttaccactgc ttaatcacta gtgaattc 1548

<210> 314

<211> 389

<212> PRT

<213> Trifolium repens

<400> 314

Met Val Ser Val Ser Glu Ile Arg Lys Ala Gln Arg Ala Glu Gly Pro 1 5 10 15

Ala Thr Ile Leu Ala Ile Gly Thr Ala Asn Pro Ala Asn Arg Val Asp 20 25 30

Gln Ser Thr Tyr Pro Asp Phe Tyr Phe Lys Ile Thr Asn Ser Glu His 35 40 45

Lys Val Glu Leu Lys Glu Lys Phe Gln Arg Met Cys Asp Lys Ser Met 50 55 60

Ile Lys Ser Arg Tyr Met Tyr Leu Thr Glu Glu Ile Leu Lys Glu Asn 65 70 75 80

Pro Ser Leu Cys Glu Tyr Met Ala Pro Ser Leu Asp Ala Arg Gln Asp 85 90 95

Met Val Val Glu Val Pro Arg Leu Gly Lys Glu Ala Ala Val Lys 100 \$105\$

Ala Ile Lys Glu Trp Gly Gln Pro Lys Ser Lys Ile Thr His Leu Ile 115 120 125

Phe Cys Thr Thr Ser Gly Val Asp Met Pro Gly Ala Asp Tyr Gln Leu 130 135 140

Thr Lys Leu Gly Leu Arg Pro Tyr Val Lys Arg Tyr Met Met Tyr

145	150	155	160

Gln Gln Gly Cys Phe Ala Gly Gly Thr Val Leu Arg Leu Ala Lys Asp

Leu Ala Glu Asn Asn Lys Gly Ala Arg Val Leu Val Val Cys Ser Glu 180 185 190

Val Thr Ala Val Thr Phe Arg Gly Pro Ser Asp Thr His Leu Asp Ser 195 200 205

Leu Val Gly Gln Ala Leu Phe Gly Asp Gly Ala Ala Ala Leu Ile Val 210 220

Gly Ser Asp Pro Val Pro Glu Ile Glu Lys Pro Ile Phe Glu Met Val 225 230 235 240

Trp Thr Ala Gln Thr Ile Ala Pro Asp Ser Glu Gly Ala Ile Asp Gly 245 250 255

His Leu Arg Glu Ala Gly Leu Thr Phe His Leu Leu Lys Asp Val Pro 260 265 270

Gly Ile Val Ser Lys Asn Ile Asp Lys Ala Leu Val Glu Ala Phe Gln 275 280 285

Pro Leu Asn Ile Ser Asp Tyr Asn Ser Ile Phe Trp Ile Ala His Pro 290 295 300

Gly Gly Pro Ala Ile Leu Asp Gln Val Glu Ile Lys Leu Gly Leu Lys 305 310 315 320

Pro Glu Lys Met Lys Ala Thr Arg Asp Val Leu Ser Glu Tyr Gly Asn 325 330 335

Met Ser Ser Ala Cys Val Leu Phe Ile Leu Asp Glu Met Arg Lys Lys 340 345 350

Ser Ala Glu Asn Gly Leu Lys Thr Thr Gly Glu Gly Leu Asp Trp Gly 355 360 365

Val Leu Phe Gly Phe Gly Pro Gly Leu Thr Ile Glu Thr Val Val Leu 370 375 380

His Ser Val Ala Ile 385

<210> 315 <211> 1447 <212> DNA <213> Trifolium repens

<400> 315

gaattcacta gtgattaagc agtggtaaca acgcagagta cgcggggaac aaaaacaact

acgcatatta tatatata tatatagtct ataattgaaa gaaactgcta aagatattat 120

taagatatgg tgagtgtagc tgaaattcgc aaggctcaga gggctgaagg ccctgcaacc 180

attttggcca ttggcactgc aaatccacca aaccgtgttg agcagagcac atatcctgat 240

ttctacttca aaattacaaa cagtgagcac aagactgagc tcaaagagaa gttccaacgc 300

atgtgtgaca aatccatgat caagagcaga tacatgtatc taacagaaga gattttgaaa 360

gaaaatccta gtctttgtga atacatggca ccttcattgg atgctaggca agacatggtg 420

gtggttgagg tacctagact tgggaaggag gctgcagtca aggccattaa agaatggggt 480

caaccaaagt caaagattac tcacttaatc ttttgcacca caagtggtgt tgacatgcct 540

ggtgctgatt accaactcac aaaactctta ggtcttcgcc catatgtgaa aaggtatatg

atgtaccaac aaggttgttt tgcaggaggc acggtgcttc gtttggcaaa agatttggcc

gagaacaaca aaggtgctcg tgtgctagtt gtttgttctg aagtcaccgc agtcacattt 720

cgcggcccca gtgatactca cttggacagt cttgttggac aagcattgtt tggagatgga 780

gccgctgcac taattgttgg ttctgatcca gtgcctgaaa ttgagaaacc aatatttgag 840

atggtttgga ctgcacaaac aattgctcca gacagtgaag gtgccattga tggtcatctt 900

cgtgaagctg ggctaacatt tcatcttctt aaagatgttc ctgggattgt atcaaagaac 960

attaataaag cattggttga ggctttccaa ccattaggaa tttctgacta caactcaatc 1020

ttttggattg cacacccggg tggacctgca attcttgatc aagtagaaca aaagctagcc 1080

ttgaagcccg aaaagatgag ggccacgagg gaagttctaa gtgaatatgg aaacatgtca 1140

agcgcatgtg tattgttcat cttagatgag atgcggaaga aatcggctca aaatggactt 1200

aagacaactg gagaaggact tgattggggt gtgttgttcg gcttcggacc aggacttacc 1260

attgaaaccg ttgttcttcg tagcgtggct atataagatg tgtgattgtt tttattttaa

tgtattactt ttaatcttgc tgccttgaat ttcgatttaa gaataaataa atatatcttt

tgataaaaaa aaaaaaaaaa aaaaaaaaaa aagtactctg cgttgttacc actgcttaat 1440

cgaattc 1447

<210> 316 <211> 389 <212> PRT <213> Trifolium repens

<400> 316

Met Val Ser Val Ala Glu Ile Arg Lys Ala Gln Arg Ala Glu Gly Pro

Ala Thr Ile Leu Ala Ile Gly Thr Ala Asn Pro Pro Asn Arg Val Glu 2.0

Gln Ser Thr Tyr Pro Asp Phe Tyr Phe Lys Ile Thr Asn Ser Glu His

Lys Thr Glu Leu Lys Glu Lys Phe Gln Arg Met Cys Asp Lys Ser Met

Ile Lys Ser Arg Tyr Met Tyr Leu Thr Glu Glu Ile Leu Lys Glu Asn 70 75

Pro Ser Leu Cys Glu Tyr Met Ala Pro Ser Leu Asp Ala Arg Gln Asp 85

Met Val Val Val Glu Val Pro Arg Leu Gly Lys Glu Ala Ala Val Lys 100

Ala Ile Lys Glu Trp Gly Gln Pro Lys Ser Lys Ile Thr His Leu Ile 115

Phe Cys Thr Thr Ser Gly Val Asp Met Pro Gly Ala Asp Tyr Gln Leu 135 130

Thr Lys Leu Leu Gly Leu Arg Pro Tyr Val Lys Arg Tyr Met Met Tyr 150 145

Gln Gln Gly Cys Phe Ala Gly Gly Thr Val Leu Arg Leu Ala Lys Asp

Leu Ala Glu Asn Asn Lys Gly Ala Arg Val Leu Val Val Cys Ser Glu 180 185

Val Thr Ala Val Thr Phe Arg Gly Pro Ser Asp Thr His Leu Asp Ser 200

Leu Val Gly Gln Ala Leu Phe Gly Asp Gly Ala Ala Ala Leu Ile Val 220 215

Gly Ser Asp Pro Val Pro Glu Ile Glu Lys Pro Ile Phe Glu Met Val 230

Trp Thr Ala Gln Thr Ile Ala Pro Asp Ser Glu Gly Ala Ile Asp Gly 245 250

His Leu Arg Glu Ala Gly Leu Thr Phe His Leu Leu Lys Asp Val Pro

Gly Ile Val Ser Lys Asn Ile Asn Lys Ala Leu Val Glu Ala Phe Gln 280

Pro Leu Gly Ile Ser Asp Tyr Asn Ser Ile Phe Trp Ile Ala His Pro 295

Gly Gly Pro Ala Ile Leu Asp Gln Val Glu Gln Lys Leu Ala Leu Lys 315

Pro Glu Lys Met Arg Ala Thr Arg Glu Val Leu Ser Glu Tyr Gly Asn 325

Met Ser Ser Ala Cys Val Leu Phe Ile Leu Asp Glu Met Arg Lys Lys 350 345

Ser Ala Gln Asn Gly Leu Lys Thr Thr Gly Glu Gly Leu Asp Trp Gly 355

Val Leu Phe Gly Phe Gly Pro Gly Leu Thr Ile Glu Thr Val Val Leu 380 370

Arq Ser Val Ala Ile 385

<210> 317

<211> 2394

<212> DNA <213> Trifolium repens

<400> 317

gaattcgatt aagcagtggt aacaacgcag agtacgcggg gattcaatct gttgtgcata

aaattcactc attgcataga aaaccataca catttgatct tgcaaagaag aaatatggga 120

WO 03/031622 PCT/AU02/01345 356/390

gacgaaggta 180	tagtgagagg	tgtcacaaag	cagacaaccc	ctgggaaggc	tactatattg
gctcttggca 240	aggcattccc	tcaccaactt	gtgatgcaag	agtgtttagt	tgatggttat
tttagggaca 300	ctaattgtga	caatcctgaa	cttaagcaga	aacttgctag	actttgtaag
acaaccacgg 360	taaaaacaag	gtatgttgtt	atgaatgagg	agatactaaa	gaaatatcca
gaacttgttg 420	tcgaaggcgc	ctcaactgta	aaacaacgtt	tagagatatg	taatgaggca
gtaacacaaa 480	tggcaattga	agcttcccaa	gtttgcctaa	agaattgggg	tagatcctta
tcggacataa 540	ctcatgtggt	ttatgtttca	tctagtgaag	ctagattacc	cggtggtgac
ctatacttgt 600	caaaaggact	aggactaaac	cctaaaattc	aaagaaccat	gctctatttc
tctggatgct 660	cgggaggcgt	agccggcctt	cgcgttgcga	aagacgtagc	tgagaacaac
cctggaagta 720	gagttttgct	tgctacttcg	gaaactacaa	ttattggatt	caagccacca
agtgttgata 780	gaccttatga	tettgttggt	gtggcactct	ttggagatgg	tgctggtgca
atgataattg 840	gctcagaccc	ggtatttgaa	actgagacac	cattgtttga	gctgcatact
tcagctcagg 900	agtttatacc	agacaccgag	aagaaaattg	atgggcggct	gacggaggag
ggcataagtt 960	tcacactagc	aagggaactt	ccgcagataa	tcgaagacaa	tgttgaggga
ttctgtaata 1020	aactaattga	tgttgttggg	ttggagaata	. aggagtacaa	taagttgttt
tgggctgtgc 1080	: atccaggtgg	gcctgcgata	ttgaatcgcg	tggagaagcg	g gcttgagttg
tegeegeaga 1140	ı agctgaatgo	tagtagaaaa	gctctaatgg	attatggaaa	tgctagcagc
aatactatts 1200	g tttatgtgct	ggaatatatg	g ctagaagagg	g aaaagaagat	: taaaaaggcg
ggtggaggag 1260	g attctgaatg	gggattgata	a cttgcttttg	g gacctggaat	tacttttgag
gggattctag 1320	g caaggaactt	gtgtgcatga	a agtcttatac	: aattgtgatg	g catgacttat
actcttattt 1380	ctactaatta	ı ttatattaaç	g caaattcaga	acttttaagt	aatgatttaa
tgaagaatad 1440	c ttatagtata	ttgactttat	tcactttcaa	agcaagttt	a tgatcctaag

acatggtaga acttgagcat gtggaatagt tgtaacaaaa actctaagca aatagagact

ttatgtagta taaagcattt ccagacatga taaataatgg tacctcagaa cataaaatat 1560

atttagctat ctttcatccc caactttaca catccaccaa ggtacagaat aagcatatgt 1620

caacacaaaa tgtactctaa gtctaacatg agtaaccaaa catgatgcct gattaagtta 1680

aaagaaaaga aaatctgagg gcatagatct tcaatcacac cactccagag ggaaggcgta

gaacaagctg tccgccgaaa acactgcaat tcaataaata tcattaggac aacagtgcag 1800

agtcatgcgg gaaatgtctt aagtcactgt actaaaaata taggattata ttatgaacta 1860

tactaacctt ttcacataat agtaacagaa atcagctaag atgaatgtct ggacaatttc 1920

tgagataaga accatgacgg ccataagcca taccccaagg caaccaataa atgtccacgg 1980

gtatctaaca cctgttgcaa gaaatagtaa gttattagga gatgtgcggt tacgaaattc 2040

aagctacaca acaaaaggag gccagaacaa cagcaatctt gtaaccagat gacaacaata 2100

aaatgtaaac ttaaagagac cgaacacaca aacattgcaa ctcagatgga attgctgcca 2160

tgtaactagt aggagatttg ggacgtcaaa tcagtatatt atgcaaatac aaggtatgac 2220

cgccttgtct attgtagcat acaacaaacg tacagtgggt ttgtccctct caaaatggca 2280

ggatctttac agcacaatat ttggttttgt catacttata ccataaaaaa aaaaaaaaa 2340

aaaaaaaaaa aaagtactct gcgttgttac cactgcttaa tcactagtga attc 2394

<210> 318

<211> 391

<212> PRT

<213> Trifolium repens

<400> 318

Met Gly Asp Glu Gly Ile Val Arg Gly Val Thr Lys Gln Thr Thr Pro 1 5 10 15

Gly Lys Ala Thr Ile Leu Ala Leu Gly Lys Ala Phe Pro His Gln Leu 20 25 30

Val Met Gln Glu Cys Leu Val Asp Gly Tyr Phe Arg Asp Thr Asn Cys 35 40 45

- Asp Asn Pro Glu Leu Lys Gln Lys Leu Ala Arg Leu Cys Lys Thr Thr 50 55 60
- Thr Val Lys Thr Arg Tyr Val Val Met Asn Glu Glu Ile Leu Lys Lys 65 70 75 80
- Tyr Pro Glu Leu Val Val Glu Gly Ala Ser Thr Val Lys Gln Arg Leu 85 90 95
- Glu Ile Cys Asn Glu Ala Val Thr Gln Met Ala Ile Glu Ala Ser Gln
 100 105 110
- Val Cys Leu Lys Asn Trp Gly Arg Ser Leu Ser Asp Ile Thr His Val
- Val Tyr Val Ser Ser Ser Glu Ala Arg Leu Pro Gly Gly Asp Leu Tyr 130 135 140
- Leu Ser Lys Gly Leu Gly Leu Asn Pro Lys Ile Gln Arg Thr Met Leu 145 150 155 160
- Tyr Phe Ser Gly Cys Ser Gly Gly Val Ala Gly Leu Arg Val Ala Lys
 165 170 175
- Asp Val Ala Glu Asn Asn Pro Gly Ser Arg Val Leu Leu Ala Thr Ser 180 185 190
- Glu Thr Thr Ile Ile Gly Phe Lys Pro Pro Ser Val Asp Arg Pro Tyr 195 200 205
- Asp Leu Val Gly Val Ala Leu Phe Gly Asp Gly Ala Gly Ala Met Ile 210 215 220
- Ile Gly Ser Asp Pro Val Phe Glu Thr Glu Thr Pro Leu Phe Glu Leu 225 230 235 240
- His Thr Ser Ala Gln Glu Phe Ile Pro Asp Thr Glu Lys Lys Ile Asp 245 250 255
- Gly Arg Leu Thr Glu Glu Gly Ile Ser Phe Thr Leu Ala Arg Glu Leu 260 265 270
- Pro Gln Ile Ile Glu Asp Asn Val Glu Gly Phe Cys Asn Lys Leu Ile 275 280 285
- Asp Val Val Gly Leu Glu Asn Lys Glu Tyr Asn Lys Leu Phe Trp Ala

Val His Pro Gly Gly Pro Ala Ile Leu Asn Arg Val Glu Lys Arg Leu 305 310 315 320

Glu Leu Ser Pro Gln Lys Leu Asn Ala Ser Arg Lys Ala Leu Met Asp 325 330 335

Tyr Gly Asn Ala Ser Ser Asn Thr Ile Val Tyr Val Leu Glu Tyr Met 340 345 350

Leu Glu Glu Lys Lys Ile Lys Lys Ala Gly Gly Asp Ser Glu 355 360 365

Trp Gly Leu Ile Leu Ala Phe Gly Pro Gly Ile Thr Phe Glu Gly Ile 370 375 380

Leu Ala Arg Asn Leu Cys Ala 385 390

<210> 319

<211> 1663

<212> DNA

<213> Trifolium repens

<400> 319

gaattcgatt aagcagtggt aacaacgcag agtacgcggg gatagcaaca cacactttga

tttctttttg agtccttgct acgtggcttt accaaaaaac gttgctaagt catcaaccat

tccaattcct taatataacc tatcagtact caccatcttt tcttcctccc tgctaacttt 180

agactcagag aagatggtga atgttaatga gatccgccag gcacagagag ctgaaggccc 240

tgccaccgtg ttggcaatcg gcactgcaac tcctccaaac tgtgtcgatc agagtacata 300

cccagactac tacttccgca tcacaaacag tgagcacaag acagagctca aagaaaaatt 360

ccagcgcatg tgtgacaaat ctatgattaa gaagagatac atgcatttga cagaagagat

catggtggtt gtggaagtac caaggctagg aaaagaggct gcaacaaagg ctatcaagga 540

atggggtcaa cctaagtcca agattactca cctcatcttt tgcaccacaa gtggtgtgga

catgcctggc gccgactatc agcttacaaa gcttttaggc cttcgtccgc atgtgaagcg 660

ttatatgatg taccaacaag gttgtttcgc tggtggtacg gtgcttcgtt tggctaaaga 720

WO 03/031622 360/390 cttggctgaa aacaacaaag gtgcccgtgt gttggtggtt tgttcagaga tcactgcggt tactttccgt ggacccagtg acactcatct tqataqcctt qtqqqqcaaq cattqtttqq 840 agatggtgca gcagctgtga ttgtaggttc agacccatta ccacaagttg agaagccctt gtttgaattg gtatggactg ctcaaacaat ccttccagac agtgaaggag ccattgatgg gcaccttcgt gaagtcgggc tgacattcca tctcctcaag gatgttcctg gactcatctc 1020 aaagaacatt gagaaagctc ttgttgaggc ctttcaacct ttaggtatct ctgattacaa ttctatattt tggatcgcac atcctggtgg acctgcaatt ctggaccaag tggaagccaa 1140 attaagctta aagccagaga aaatgcaagc cacccggcat gtgcttagcg agtatggtaa 1200 catgtcaagt gcatgtgtgt tatttatctt ggatgagatg aggaggaagt caaaagaaga 1260 tggacttgcc acaacaggcg aggggctgga atggggtgta ctattcggtt ttggacccgg actcactgtt gagactgtat tgctccatag tgttgccact taaattgcct agatatgcta 1380 taactatatg cttatttaat tetttgttte tgggggattt tatetteact taetteactg 1440 agcatttgaa taaagtttgt tttaattatt cataatgtaa tatggtgttg cttaatgtac ccatccatat aatatttgta atacatatat taatcaactt gcaatttcat gaaaaaaaaa 1560 aagtactctg cgttgttacc actgcttaat cactagtgaa ttc 1663 <210> 320 <211> 389 <212> PRT <213> Trifolium repens <400> 320 Met Val Asn Val Asn Glu Ile Arg Gln Ala Gln Arg Ala Glu Gly Pro

5 10 15

Ala Thr Val Leu Ala Ile Gly Thr Ala Thr Pro Pro Asn Cys Val Asp 20 25 3.0

Gln Ser Thr Tyr Pro Asp Tyr Tyr Phe Arg Ile Thr Asn Ser Glu His 35 40 45

WO 03/031622 PCT/AU02/01345 361/390

Lys	Thr 50	Glu	Leu	Lys	Glu	Lys 55	Phe	Gln	Arg	Met	Cys 60	Asp	Lys	Ser	Met
Ile 65	Lys	Lys	Arg	Tyr	Met 70	His	Leu	Thr	Glu	Glu 75	Ile	Leu	Lys	Glu	Asn 80
Pro	Ser	Leu	Cys	Glu 85	Tyr	Met	Ala	Pro	Ser 90	Leu	Asp	Ala	Arg	Gln 95	Asp
Met	Val	Val	Val 100	Glu	Val	Pro	Arg	Leu 105	Gly	Lys	Glu	Ala	Ala 110	Thr	Lys
Ala	Ile	Lys 115	Glu	Trp	Gly	Gln	Pro 120	Lys	Ser	Lys	Ile	Thr 125	His	Leu	Ile
Phe	Cys 130	Thr	Thr	Ser	Gly	Val 135	Asp	Met	Pro	Gly	Ala 140	Asp	Tyr	Gln	Leu
Thr 145	Lys	Leu	Leu	Gly	Leu 150	Arg	Pro	His	Val	Lys 155	Arg	Tyr	Met	Met	Tyr 160
Gln	Gln	Gly	Cys	Phe 165	Ala	Gly	Gly	Thr	Val 170	Leu	Arg	Leu	Ala	Lys 175	Asp
Leu	Ala	Glu	Asn 180	Asn	Lys	Gly	Ala	Arg 185	Val	Leu	Val	Val	Cys 190	Ser	Glu
Ile	Thr	Ala 195	Val	Thr	Phe	Arg	Gly 200	Pro	Ser	Asp	Thr	His 205	Leu	Asp	Ser
Leu	Val 210	Gly	Gln	Ala	Leu	Phe 215	Gly	Asp	Gly	Ala	Ala 220	Ala	Val	Ile	Val
Gly 225	Ser	Asp	Pro	Leu	Pro 230		Val	Glu	Lys	Pro 235	Leu	Phe	Glu	Leu	Val 240
Trp	Thr	Ala	Gln	Thr 245	Ile	Leu	Pro	Asp	Ser 250	Glu	Gly	Ala	Ile	Asp 255	Gly
His	Leu	Arg	Glu 260	Val	Gly	Leu	Thr	Phe 265	His	Leu	Leu	Lys	Asp 270	Val	Pro
Gly	Leu	Ile 275	Ser	Lys	Asn	Ile	Glu 280	Lys	Ala	Leu	Val	Glu 285		Phe	Gln
Pro	Leu 290	Gly	Ile	Ser	Asp	Tyr 295	Asn	Ser	Ile	Phe	Trp 300	Ile	Ala	His	Pro

Gly Gly Pro Ala Ile Leu Asp Gln Val Glu Ala Lys Leu Ser Leu Lys 305 310 315

Pro Glu Lys Met Gln Ala Thr Arg His Val Leu Ser Glu Tyr Gly Asn 325 330 335

Met Ser Ser Ala Cys Val Leu Phe Ile Leu Asp Glu Met Arg Arg Lys 340 345 350

Ser Lys Glu Asp Gly Leu Ala Thr Thr Gly Glu Gly Leu Glu Trp Gly

Val Leu Phe Gly Phe Gly Pro Gly Leu Thr Val Glu Thr Val Leu Leu 370 380

His Ser Val Ala Thr 385

<210> 321

<211> 1653

<212> DNA

<213> Trifolium repens

<400> 321

gaattegatt aageagtggt aacaaegeag agtaegeggg aetaageett gatteattgt

ttgtttccat aacacaagaa ctagtgtttg cttgaatctt aagaaaaaat gcctcaaggt 120

gatttgaatg gaagtteete ggtgaatgga geacgtgeta gaegtgetee tactcaggga

aaggcaacga tacttgcatt aggaaaggct ttccccgccc aggtcctccc tcaagagtgc 240

ttggtggaag gattcattcg cgacactaag tgtgacgata cttatattaa ggagaaattg 300

gagegtettt geaaaaacae aactgtgaaa acaagataca cagtaatgte aaaggagate 360

ttagacaact atccagagct agccatagat ggaacaccaa caataaggca aaagcttgaa 420

atagcaaatc cagcagtagt tgaaatggca acaagagcaa gcaaagattg catcaaagaa

tggggaaggt cacctcaaga tatcacaca atagtctatg tttcctcgag cgaaattcgt 540

ctacceggtg gtgaccttta tcttgcaaat gaactegget taaacagega tgttaatege

gtaatgetet attteetegg ttgetaegge ggtgteaetg gettaegtgt egecaaagae 660

atcgccgaaa ataaccctgg tagtagggtg ttactcacaa catccgagac cactattctc 720

ggttttcgac caccgagtaa agctagacct tatgacctcg ttggcgctgc acttttcggt 780

gatggcgccg ctgctgcaat aattggaaca gaccctatat tgaatcaaga atcacctttc 840

atggaattga accatgcagt ccaaaaattc ttgcctgata cacaaaatgt gattgatggt 900

agaatcactg aagagggtat taattttaag cttggaagag accttcctca aaaaattgaa 960

gacaatattg aagaattttg caagaaaatt atggctaaaa gtgatgttaa ggaatttaat 1020

gacttatttt gggctgttca tcctggtggg ccagctatac tcaataagct agaaaatata 1080

ctcaaattga aaagtgataa attggattgt agtaggaagg cattaatgga ttatggaaat

ggaagtgaag aatggggatt aggattggct tttggaccag ggattacttt tgaaggggtt 1260

ctcctccgta gcctttaatc ttgaaataat aattcatatg aaattacttg tcttaagatt 1320

gtgataggaa gatgaatatg tattggatta atattgatat ggtgttattt taagttgatt 1380

ttaaaaaaag tttattaata aagtatgatg taacaattgt tgtttgaatg ttaaaaggga 1440

agtatactat tttaagttct tgaccatact gattttttct ttacacattt tcatatctaa 1500

aattgttcta tgatatcttc attgttgata ctgtaataat ataatatcta atttggctgg 1560

cgttgttacc actgcttaat cactagtgaa ttc 1653

<210> 322

<211> 389

<212> PRT

<213> Trifolium repens

<400> 322

Met Pro Gln Gly Asp Leu Asn Gly Ser Ser Ser Val Asn Gly Ala Arg

1 10 15

Ala Arg Arg Ala Pro Thr Gln Gly Lys Ala Thr Ile Leu Ala Leu Gly
20 25 30

Lys Ala Phe Pro Ala Gln Val Leu Pro Gln Glu Cys Leu Val Glu Gly

Phe Ile Arg Asp Thr Lys Cys Asp Asp Thr Tyr Ile Lys Glu Lys Leu 50 55 60

Glu Arg Leu Cys Lys Asn Thr Thr Val Lys Thr Arg Tyr Thr Val Met 65 70 75 80

Ser Lys Glu Ile Leu Asp Asn Tyr Pro Glu Leu Ala Ile Asp Gly Thr 85 90 95

Pro Thr Ile Arg Gln Lys Leu Glu Ile Ala Asn Pro Ala Val Val Glu 100 105 110

Met Ala Thr Arg Ala Ser Lys Asp Cys Ile Lys Glu Trp Gly Arg Ser

Pro Gln Asp Ile Thr His Ile Val Tyr Val Ser Ser Ser Glu Ile Arg 130 135 140

Leu Pro Gly Gly Asp Leu Tyr Leu Ala Asn Glu Leu Gly Leu Asn Ser 145 150 155 160

Asp Val Asn Arg Val Met Leu Tyr Phe Leu Gly Cys Tyr Gly Gly Val
165 170 175

Thr Gly Leu Arg Val Ala Lys Asp Ile Ala Glu Asn Asn Pro Gly Ser 180 185 190

Arg Val Leu Leu Thr Thr Ser Glu Thr Thr Ile Leu Gly Phe Arg Pro 195 200 205

Pro Ser Lys Ala Arg Pro Tyr Asp Leu Val Gly Ala Ala Leu Phe Gly 210 215 220

Asp Gly Ala Ala Ala Ile Ile Gly Thr Asp Pro Ile Leu Asn Gln 225 230 235 240

Glu Ser Pro Phe Met Glu Leu Asn His Ala Val Gln Lys Phe Leu Pro 245 250 255

Asp Thr Gln Asn Val Ile Asp Gly Arg Ile Thr Glu Glu Gly Ile Asn 260 265 270

Phe Lys Leu Gly Arg Asp Leu Pro Gln Lys Ile Glu Asp Asn Ile Glu 275 280 285

Glu Phe Cys Lys Lys Ile Met Ala Lys Ser Asp Val Lys Glu Phe Asn 290 295 300

Asp Leu Phe Trp Ala Val His Pro Gly Gly Pro Ala Ile Leu Asn Lys 305 310 315 320

Leu Glu Asn Ile Leu Lys Leu Lys Ser Asp Lys Leu Asp Cys Ser Arg 325 330 335

Lys Ala Leu Met Asp Tyr Gly Asn Val Ser Ser Asn Thr Ile Phe Tyr 340 345 350

Val Met Glu Tyr Met Arg Asp Tyr Leu Lys Glu Asp Gly Ser Glu Glu 355 360 365

Trp Gly Leu Gly Leu Ala Phe Gly Pro Gly Ile Thr Phe Glu Gly Val 370 380

Leu Leu Arg Ser Leu 385

<210> 323

<211> 1600

<212> DNA

<213> Trifolium repens

<400> 323

gaattcacta gtgattaagc agtggtaaca acgcagagta cgcgggggaa tccaccaaat 60

caacaccatt aataaccttc caaattctcg ttacctcacc aaatctcatt tttcattata 120

tatcttgggt acatcttttg ttacctccaa caaaaaaatg gtgaccgtag aagagattcg

taacgcccaa cgttcaaatg gccctgccac tatcttagct tttggcacag ccactccttc 240

taactgtgtc actcaagctg attatcctga ttactacttt cgtatcacca acagcgaaca 300

tatgactgat cttaaggaaa aattcaagcg gatgtgtgat agatcaatga taaagaaacg 360

ttacatgcac ctaacagaag actttctgaa ggagaatcca aatatgtgtg aatacatggc 420

accatcacta gatgtaagac gagacatagt ggttgttgaa gtaccaaagc taggtaaaga

agcagcaaaa aaagccatat gtgaatgggg acaaccaaaa tccaaaatca cacatcttgt 540

tttctgcacc acttccggtg ttgacatgcc gggagccgat taccaactca ccaaactttt 600

aggettaaaa eettetgtea agegteteat gatgtateaa eaaggttgtt tegetggegg 660

cacagttctc cgcttagcaa aagaccttgt tgagaataac aaaaatgcaa gagttcttgt 720

tgtttgttct gaaattactg cggttacttt tcgtggacca tcggatactc atcttgattc 780
gctcgtggga caggcgcttt ttggtgatgg agccgcagca atgattattg gtgcggatcc 840

tgatttaacc gtggagcgtc cgattttcga gattgtttcg gctgctcaga ctattcttcc 900

tgattctgat ggcgcaattg atggacatct tcgtgaagtg gggctcactt ttcatttatt 960

gaaagatgtt ccggggatta tttcaaagaa cattgaaaaa agtttagttg aagcttttgc 1020

gcctattggg attaatgatt ggaactcaat attttgggtt gcacatccag gtggaccggc 1080

tattttagac caggttgaag agaaactcca tcttaaagag gagaaactcc ggtccacccg 1140

gcatgtgctt agtgaatatg gaaatatgtc aagtgcatgt gttttattta ttttggatga

aatgagaaag aggtctaaag aggaagggat gattacaact ggtgaagggt tggaatgggg 1260

tgtgttgttt gggtttggac cgggtttaac tgttgaaacc gttgtgcttc atagtgttcc 1320

ggttcagggt tgaatttatt atacatagat tggaaaataa aatttgcctg ccgagagatg 1380

tgaactaact ttgtaggcaa gctcaaatta aagtttgaga taatattgtg ctttagttat 1440

tatggtatgt aatgtaatgt ttttactttt ttcgaaattc atgtaatttg atatgtaaag 1500

taatatgttt gggttggaat ataattattt gttaactaaa aaaaaaaaa aaaaaaaaa 1560

aaaaagtact ctgcgttgtt accactgctt aatcgaattc 1600

<210> 324

<211> 391

<212> PRT

<213> Trifolium repens

<400> 324

Met Val Thr Val Glu Glu Ile Arg Asn Ala Gln Arg Ser Asn Gly Pro 1 10 15

Ala Thr Ile Leu Ala Phe Gly Thr Ala Thr Pro Ser Asn Cys Val Thr 20 25 30

Gln Ala Asp Tyr Pro Asp Tyr Tyr Phe Arg Ile Thr Asn Ser Glu His $35 \hspace{1cm} 40 \hspace{1cm} 45$

Met Thr Asp Leu Lys Glu Lys Phe Lys Arg Met Cys Asp Arg Ser Met

50 55 60

Ile Lys Lys Arg Tyr Met His Leu Thr Glu Asp Phe Leu Lys Glu Asn 65 70 75 80

Pro Asn Met Cys Glu Tyr Met Ala Pro Ser Leu Asp Val Arg Arg Asp 85 90 95

Ile Val Val Val Glu Val Pro Lys Leu Gly Lys Glu Ala Ala Lys Lys
100 105 110

Ala Ile Cys Glu Trp Gly Gln Pro Lys Ser Lys Ile Thr His Leu Val 115 120 125

Phe Cys Thr Thr Ser Gly Val Asp Met Pro Gly Ala Asp Tyr Gln Leu 130 135 140

Thr Lys Leu Leu Gly Leu Lys Pro Ser Val Lys Arg Leu Met Met Tyr 145 150 155 160

Gln Gln Gly Cys Phe Ala Gly Gly Thr Val Leu Arg Leu Ala Lys Asp 165 170 175

Leu Val Glu Asn Asn Lys Asn Ala Arg Val Leu Val Val Cys Ser Glu
180 185 190

Ile Thr Ala Val Thr Phe Arg Gly Pro Ser Asp Thr His Leu Asp Ser 195 200 205

Leu Val Gly Gln Ala Leu Phe Gly Asp Gly Ala Ala Ala Met Ile Ile 210 215 220

Gly Ala Asp Pro Asp Leu Thr Val Glu Arg Pro Ile Phe Glu Ile Val 225 230 235 240

Ser Ala Ala Gln Thr Ile Leu Pro Asp Ser Asp Gly Ala Ile Asp Gly 245 250 255

His Leu Arg Glu Val Gly Leu Thr Phe His Leu Leu Lys Asp Val Pro 260 265 270

Gly Ile Ile Ser Lys Asn Ile Glu Lys Ser Leu Val Glu Ala Phe Ala 275 280 285

Pro Ile Gly Ile Asn Asp Trp Asn Ser Ile Phe Trp Val Ala His Pro 290 295 300

Gly Gly Pro Ala Ile Leu Asp Gln Val Glu Glu Lys Leu His Leu Lys 305 310 315 320

Glu Glu Lys Leu Arg Ser Thr Arg His Val Leu Ser Glu Tyr Gly Asn 325

Met Ser Ser Ala Cys Val Leu Phe Ile Leu Asp Glu Met Arg Lys Arg 340

Ser Lys Glu Glu Gly Met Ile Thr Thr Gly Glu Gly Leu Glu Trp Gly

Val Leu Phe Gly Phe Gly Pro Gly Leu Thr Val Glu Thr Val Val Leu 375

His Ser Val Pro Val Gln Gly 390

<210> 325

<211> 1333 <212> DNA

<213> Trifolium repens

<400> 325

gaattcacta gtgattaagc agtggtaaca acgcagagta cgcgggggtg acttgatcta

gcagttatca aacacaacag tottocactt gagetetgtt tetecacatg tegaagetag 120

tttgcgtcac cggcggcagc ggatgcatcg gttcatggct agtccatctc cttctcctcc

geggetacae tgttcacgee accgtecaaa atetcaatqa tqaqaacqaa acqaaqcate

tagaagctct cgaaggagca caaactaatc tccgtctctt ccagatcgat ctccttaact 300

acgacacaat cctcgctgct gtccgcggtt gcgtcggaat tttccacctc gcttcacctt

gcactgtaga caaagttcat gatcctcaga aggagctttt ggatcctgca attaaaggga 420

ctttgaatgt gcttactgca gctaaggaag taggggtgaa gcgtgtggtt gttacctcgt 480

ctgtctcggc gattactcct agtcctgatt ggccttctga tgttgttaaa agagaggatt

gttggactga tgttgaatat tgcaagaaaa aagagttgtg gtatccgttg tccaaaacat

tggctgagaa agctgcgtgg gatttttcca aagaaaatgg tttggatgtt gttgtggtga

atcccggtac tgtgatgggt cctgttattc caccacggca taatgcaagc atgctcatgc 720

ttgtgagact tcttgaaggc tgcgctgaaa catttgaaga ctattttatg ggattggtcc

acttcaaaga tgtagcattg gcgcatattt tggtgtatga gaacaaagaa gcatctggta

gacatgtgtg tgttgaaact atctctcact acggtgattt tgtggcaaaa gttgctgaac 900

tttatccaga atatagtgtt cctaggatgc agcgagatac gcaacctgga ttgttgagag 960

cgaatgatgg atcaaagaag ctcatagatt tgggtttgga attcattcca atggagcaaa 1020

ttatcaagga tgctgtagag agtttgaaga acaaaggatt catttcttga atgatgttac 1080

tgttctttgg agaaccctat agttaccaga gtatagacta aataatatat aggtgatggg 1140

tcagagaatg agtacttatg tcatgagttg tgtctgtata atatgttttc tcaattctta

tatgttaaat tgctaatgtt aacttcaata tttatcagcc agtattgttt ttttaataaa 1260

atattgaagc aaaaaaaaa aaaaaaaaa aaaaaaaagt actctgcgtt gttaccactg 1320

cttaatcgaa ttc 1333

<210> 326

<211> 320

<212> PRT

<213> Trifolium repens

<400> 326

Met Ser Lys Leu Val Cys Val Thr Gly Gly Ser Gly Cys Ile Gly Ser 1 5 10 15

Trp Leu Val His Leu Leu Leu Arg Gly Tyr Thr Val His Ala Thr 20 25 30

Val Gln Asn Leu Asn Asp Glu Asn Glu Thr Lys His Leu Glu Ala Leu 35 40 45

Glu Gly Ala Gln Thr Asn Leu Arg Leu Phe Gln Ile Asp Leu Leu Asn 50 60

Tyr Asp Thr Ile Leu Ala Ala Val Arg Gly Cys Val Gly Ile Phe His 65 70 75 80

Leu Ala Ser Pro Cys Thr Val Asp Lys Val His Asp Pro Gln Lys Glu 85 90 95

Leu Leu Asp Pro Ala Ile Lys Gly Thr Leu Asn Val Leu Thr Ala Ala 100 105 110

Lys	Glu	Val	Gly	Val	Lys	Arg	Val	Val	Val	Thr	Ser	Ser	Val	Ser	Ala
-		115	-		_	_	120					125			

- Ile Thr Pro Ser Pro Asp Trp Pro Ser Asp Val Val Lys Arg Glu Asp 130 135 140
- Cys Trp Thr Asp Val Glu Tyr Cys Lys Lys Lys Glu Leu Trp Tyr Pro 145 150 155 160
- Leu Ser Lys Thr Leu Ala Glu Lys Ala Ala Trp Asp Phe Ser Lys Glu 165 170 175
- Asn Gly Leu Asp Val Val Val Val Asn Pro Gly Thr Val Met Gly Pro 180 185 190
- Val Ile Pro Pro Arg His Asn Ala Ser Met Leu Met Leu Val Arg Leu
 195 200 205
- Leu Glu Gly Cys Ala Glu Thr Phe Glu Asp Tyr Phe Met Gly Leu Val 210 220
- His Phe Lys Asp Val Ala Leu Ala His Ile Leu Val Tyr Glu Asn Lys 225 230 235 240
- Glu Ala Ser Gly Arg His Val Cys Val Glu Thr Ile Ser His Tyr Gly $245 \hspace{1.5cm} 250 \hspace{1.5cm} 255$
- Asp Phe Val Ala Lys Val Ala Glu Leu Tyr Pro Glu Tyr Ser Val Pro 260 265 270
- Arg Met Gln Arg Asp Thr Gln Pro Gly Leu Leu Arg Ala Asn Asp Gly 275 280 285
- Ser Lys Lys Leu Ile Asp Leu Gly Leu Glu Phe Ile Pro Met Glu Gln 290 295 300
- Ile Ile Lys Asp Ala Val Glu Ser Leu Lys Asn Lys Gly Phe Ile Ser 305 310 315 320
- <210> 327
- <211> 1470
- <212> DNA
- <213> Trifolium repens
- <400> 327
- gaattcgatt aagcagtggt aacaacgcag agtacgcggg gaccactcta tttatttcta
- cttaaacctc acaaaaata aaccacacaa cacacaaaca ccaaaaacag agcaccgttt 120
- ccatcatcaa acaatggcac cagccaaaac tctaagttat ctctcacaac aaaacactct 180

WO 03/031622 PCT/AU02/01345 371/390

cgagtcaagt t 240	tcgttaggg	aagaagatga	gcgtccaaaa	gttgcctaca	ataacttcag
caacgagatt o	ccaatcattt	ctcttgctgg	aattgatgag	gttgatggtc	gtagaacaga
gatatgtaac a 360	aagattgttg	aagcttgtga	gaattggggt	atttttcagg	ttgttgatca
tggtgttgat a 420	acaaaacttg	tttctgagat	gacccgtttt	gctagagagt	tttttgcttt
gccaccggaa g 480	gagaagctcc	ggtttgacat [°]	gtccggtggt	aaaaagggtg	gtttcattgt
ctctagtcat of 540	cttcaaggag	aagcagtgaa	ggattggaga	gagctagtga	catatttttc
atacccaatt a 600					
ggtaacagaa 660					
720				gcatgtgttg	
780				gacctcacac	
840				gatcaagttg	
900				ccagttgaag	
960					atgetgacea
1020					aaaatccagc
1080					tgttggaaga
1140					aaattgctag agactaaata
1200					taaataataa
1260					ctatgtttaa
1320		\			gagaataatc
1380				•	gtatctgcgt
1440		tagtgaatto			3
1470	500000000		•		

- <210> 328
- <211> 366
- <212> PRT <213> Trifolium repens
- <400> 328
- Met Ala Pro Ala Lys Thr Leu Ser Tyr Leu Ser Gln Gln Asn Thr Leu
- Glu Ser Ser Phe Val Arg Glu Glu Asp Glu Arg Pro Lys Val Ala Tyr 25
- Asn Asn Phe Ser Asn Glu Ile Pro Ile Ile Ser Leu Ala Gly Ile Asp
- Glu Val Asp Gly Arg Arg Thr Glu Ile Cys Asn Lys Ile Val Glu Ala 60 55
- Cys Glu Asn Trp Gly Ile Phe Gln Val Val Asp His Gly Val Asp Thr 75 65
- Lys Leu Val Ser Glu Met Thr Arg Phe Ala Arg Glu Phe Phe Ala Leu
- Pro Pro Glu Glu Lys Leu Arg Phe Asp Met Ser Gly Gly Lys Lys Gly 100
- Gly Phe Ile Val Ser Ser His Leu Gln Gly Glu Ala Val Lys Asp Trp
- Arg Glu Leu Val Thr Tyr Phe Ser Tyr Pro Ile Lys Gln Arg Asp Tyr 130
- Ser Arg Trp Pro Asp Lys Pro Glu Gly Trp Lys Glu Val Thr Glu Lys
- Tyr Ser Glu Asn Leu Met Asn Leu Ala Cys Lys Leu Leu Glu Val Leu 165
- Ser Glu Ala Met Gly Leu Glu Lys Glu Ala Leu Thr Lys Ala Cys Val 190
- Asp Met Asp Gln Lys Val Val Ile Asn Tyr Tyr Pro Lys Cys Pro Glu 200 195
- Pro Asp Leu Thr Leu Gly Leu Lys Arg His Thr Asp Pro Gly Thr Ile 215 210
- Thr Leu Leu Gln Asp Gln Val Gly Gly Leu Gln Ala Thr Lys Asp

225 230 235 240

Asn Gly Lys Thr Trp Ile Thr Val Gln Pro Val Glu Gly Ala Phe Val 245 250 255

Val Asn Leu Gly Asp His Gly His Tyr Leu Ser Asn Gly Arg Phe Lys 260 265 270

Asn Ala Asp His Gln Ala Val Val Asn Ser Asn Tyr Ser Arg Leu Ser 275 280 285

Ile Ala Thr Phe Gln Asn Pro Ala Pro Asp Ala Thr Val Tyr Pro Leu 290 295 300

Lys Ile Arg Asp Gly Glu Lys Ser Val Leu Glu Glu Pro Ile Thr Phe 305 310 315 320

Ala Glu Met Tyr Arg Arg Lys Met Thr Lys Asp Leu Glu Ile Ala Arg 325 330 335

Met Lys Lys Leu Ala Lys Glu Gl
n Gln Leu Arg Asp Leu Glu Glu Asn $340 \hspace{1.5cm} 345 \hspace{1.5cm} 350$

Lys Thr Lys Tyr Glu Ala Lys Pro Leu Asn Glu Ile Phe Ala 355 360 365

<210> 329

<211> 2515

<212> DNA

<213> Trifolium repens

<400> 329

gaattcgatt aagcagtggt aacaacgcag agtacgcggg gaggaaattc acaactcaaa 60

tattccttta attctttcat ataatcattt gaatttccat tctccctaaa aattctatag

ctaccacatc acacaacata acaaattaag aaatatttat tactatatta agatatggaa 180

gtagtagcag cagcaatcac aaaaaacaat ggcaagattg attcattttg cttgaatcat 240

gctaatgcta ataacatgaa agtgaatggt gctgatcctt tgaattgggg tgtggctgct 300

gaggcaatga agggaagtca cttggatgag gtgaagcgta tggtggagga ataccggaaa 360

ccggttgtcc gtcttggtgg cgagacacta accatttctc aggtggctgc cattgctgca 420

cacgatggtg caacggtgga gctatcggaa tctgctagag ccggcgttaa ggcaagcagt 480

gactgggtta tggagagtat gaacaaaggt accgacagct acggtgtccc aacagggttc

540

ggcgctacct cgcaccgccg aaccaaacaa ggtggtgctt tgcagaaaga gctcataagg 600 tttttgaatg ctggaatatt tggaaatgga actgagtcaa gccacacact accacaca gccacaagag ctgccatgct agtgagaatc aacacacttc tccaaggcta ttcaggaatt 720 agatttgaaa tottagaago tatcaccaag ottottaaca acaatgtcac cocatgttta ccgcttcgcg gtacaatcac agcttcagga gatttagtcc ctctttctta cattgctggt ttactaaccg gacgaccaaa ttccaaggct catggacctt ctggagaagt acttaatgca 900 aaacaagctt ttcaatcagc tggaatcgat gccgagttct ttgaattaca accaaaagaa ggccttgccc ttgttaacgg aaccgctgtt ggttctggtt tagcttctat tgttcttttt 1020 gaggctaata tattggcggt gttgtctgaa gttctatctg caattttcgc tgaagttatg 1080 caagggaagc ccgaatttac cgatcatttg acacataagt tgaaacatca ccctggtcaa 1140 attgaggctg ctgctattat ggaacacatt ttggatggga gtgcttatgt taaagacgct 1200 aagaagttgc atgagatgga tcctttacag aagccaaaac aagatagata tgcacttagg acttcgccac aatggcttgg tcctttgatt gaagtgatta gattctctac caagtcaatt 1320 gagagagaga tcaactctgt caatgacaat cctttgattg atgtttcaag gaacaaggct ttgcatggtg gaaattttca aggaacacct atcggagtat ccatggataa tacacgtttg gctcttgcat caattggcaa acttatgttt gctcaattct ctgagcttgt caatgatttt 1500 tacaacaatg gattgccatc aaatctctct gctagtagaa atccgagctt ggattatggg 1560 ttcaagggat ccgaaattgc catggcttct tattgttccg agttgcaata tcttgcaaat ccggttacaa ctcatgtcca aagtgcggaa caacacaacc aagatgtcaa ctctttgggt 1680 ttgatttctt ctagaaaaac ttatgaagca attgagatcc ttcaattgat gtcttccaca 1740 ttcttgattg cactttgtca agcaattgat ttaagacatt tggaggagaa tttgaaaaac tcggtcaaaa ataccgtaag ccaagtggcc aaaaagacac taaccatagg tgtcaatgga

1860

gaacttcatc cttcaagatt ttgtgaaaaa gacttattga aagtggttga tagggaacat 1920

gtctttgcct acattgatga tccttgtagt gctacatacc cattgatgca aaaactcagg 1980

caagtactag tggatcatgc attagttaat ggagaaagtg agaagaattt gaacacatca 2040

atcttccaaa agattgcaac ttttgaggaa gagttgaaaa acctttgcca aaagaggttg 2100

aaagtgcaag gattgcatat gaaagtggaa attcaacaat tccaaacaag atcaatggat 2160

gcagatetta tecaetetae aattttgtga gaaaggagtt gggaaetggt ttgetaaetg 2220

gagaaaatgt catttcaccg ggtgaagagt gtgacaaact attcacagct atgtgtcaag 2280

gaaaaatcat tgatcctctt cttgaatgct tgggagagtg gaacggtgct cctcttccaa 2340

tttgttaact ttgattgtta gttcataaaa tgttttattt gtatttatca tttgtattta 2400

tgcgagtgta gtaataatga ttaggtgttt tgtgccttta atgaaaaaaa aaaaaaaaa 2460

aaaaaaaaaa aaaagtactc tgcgttgtta ccactgctta atcactagtg aattc 2515

<210> 330

<211> 671

<212> PRT

<213> Trifolium repens

<400> 330

Met Glu Val Val Ala Ala Ile Thr Lys Asn Asn Gly Lys Ile Asp 1 5 10 15

Ser Phe Cys Leu Asn His Ala Asn Ala Asn Asn Met Lys Val Asn Gly
20 25 30

Ala Asp Pro Leu Asn Trp Gly Val Ala Ala Glu Ala Met Lys Gly Ser 35 40 45

His Leu Asp Glu Val Lys Arg Met Val Glu Glu Tyr Arg Lys Pro Val 50 60

Val Arg Leu Gly Gly Glu Thr Leu Thr Ile Ser Gln Val Ala Ala Ile 65 70 75 80

Ala Ala His Asp Gly Ala Thr Val Glu Leu Ser Glu Ser Ala Arg Ala 85 90 95

- Gly Val Lys Ala Ser Ser Asp Trp Val Met Glu Ser Met Asn Lys Gly
 100 105 110
- Thr Asp Ser Tyr Gly Val Pro Thr Gly Phe Gly Ala Thr Ser His Arg
- Arg Thr Lys Gln Gly Gly Ala Leu Gln Lys Glu Leu Ile Arg Phe Leu 130 135 140
- Asn Ala Gly Ile Phe Gly Asn Gly Thr Glu Ser Ser His Thr Leu Pro 145 150 155 160
- His Thr Ala Thr Arg Ala Ala Met Leu Val Arg Ile Asn Thr Leu Leu 165 170 175
- Gln Gly Tyr Ser Gly Ile Arg Phe Glu Ile Leu Glu Ala Ile Thr Lys 180 185 190
- Leu Leu Asn Asn Asn Val Thr Pro Cys Leu Pro Leu Arg Gly Thr Ile 195 200 205
- Thr Ala Ser Gly Asp Leu Val Pro Leu Ser Tyr Ile Ala Gly Leu Leu 210 215 220
- Thr Gly Arg Pro Asn Ser Lys Ala His Gly Pro Ser Gly Glu Val Leu 225 230 235 240
- Asn Ala Lys Gln Ala Phe Gln Ser Ala Gly Ile Asp Ala Glu Phe Phe 245 250 255
- Glu Leu Gln Pro Lys Glu Gly Leu Ala Leu Val Asn Gly Thr Ala Val 260 265 270
- Gly Ser Gly Leu Ala Ser Ile Val Leu Phe Glu Ala Asn Ile Leu Ala 275 280 285
- Val Leu Ser Glu Val Leu Ser Ala Ile Phe Ala Glu Val Met Gln Gly 290 295 300
- Lys Pro Glu Phe Thr Asp His Leu Thr His Lys Leu Lys His His Pro 305 310 315
- Gly Gln Ile Glu Ala Ala Ile Met Glu His Ile Leu Asp Gly Ser
- Ala Tyr Val Lys Asp Ala Lys Lys Leu His Glu Met Asp Pro Leu Gln 340 345 350
- Lys Pro Lys Gln Asp Arg Tyr Ala Leu Arg Thr Ser Pro Gln Trp Leu

365

377/39	90

355

Gly Pro Leu Ile Glu Val Ile Arg Phe Ser Thr Lys Ser Ile Glu Arg 370 375 380

360

Glu Ile Asn Ser Val Asn Asp Asn Pro Leu Ile Asp Val Ser Arg Asn 385 390 395 400

Lys Ala Leu His Gly Gly Asn Phe Gln Gly Thr Pro Ile Gly Val Ser 405 410 415

Met Asp Asn Thr Arg Leu Ala Leu Ala Ser Ile Gly Lys Leu Met Phe 420 425 430

Ala Gln Phe Ser Glu Leu Val Asn Asp Phe Tyr Asn Asn Gly Leu Pro 435 440 445

Ser Asn Leu Ser Ala Ser Arg Asn Pro Ser Leu Asp Tyr Gly Phe Lys 450 455 460

Gly Ser Glu Ile Ala Met Ala Ser Tyr Cys Ser Glu Leu Gln Tyr Leu 465 470 475 480

Ala Asn Pro Val Thr Thr His Val Gln Ser Ala Glu Gln His Asn Gln 485 490 495

Asp Val Asn Ser Leu Gly Leu Ile Ser Ser Arg Lys Thr Tyr Glu Ala 500 505 510

Ile Glu Ile Leu Gln Leu Met Ser Ser Thr Phe Leu Ile Ala Leu Cys 515 520 525

Gln Ala Ile Asp Leu Arg His Leu Glu Glu Asn Leu Lys Asn Ser Val 530 535 540

Lys Asn Thr Val Ser Gln Val Ala Lys Lys Thr Leu Thr Ile Gly Val 545 550 555 560

Asn Gly Glu Leu His Pro Ser Arg Phe Cys Glu Lys Asp Leu Leu Lys 565 570 575

Val Val Asp Arg Glu His Val Phe Ala Tyr Ile Asp Asp Pro Cys Ser 580 585

Ala Thr Tyr Pro Leu Met Gln Lys Leu Arg Gln Val Leu Val Asp His 595 600 605

Ala Leu Val Asn Gly Glu Ser Glu Lys Asn Leu Asn Thr Ser Ile Phe 610 615 620

Gln Lys Ile Ala Thr Phe Glu Glu Glu Leu Lys Asn Leu Cys Gln Lys 625 630 635

Arg Leu Lys Val Gln Gly Leu His Met Lys Val Glu Ile Gln Gln Phe 645 650 655

Gln Thr Arg Ser Met Asp Ala Asp Leu Ile His Ser Thr Ile Leu 660 665 670

<210> 331

<211> 2667

<212> DNA

<213> Trifolium repens

<400> 331

gaattcgatt aagcagtggt aacaacgcag agtacgcggg aggaaataaa ttcatcattg

attactttct acacccccc ctctcaacta ttattaacta acataatgga gggaattacc 180

aatggccatg ctgaagcaac tttttgcgtg accaaaagtg ttggtgatcc actcaactgg

ggtgcagccg cggagtcgtt gatggggagt catttggatg aggtgaagcg tatggtggag 300

gaataccgta atccattggt taaaattggc ggcgagacgc ttaccattgc tcaggtggct

ggaattgctt ctcatgatag tggtgtgagg gtggagctgt ctgagtccgc cagggccggc

gttaaggcga gtagtggttg ggtgatggac agcatgaaca atgggactga tagttatggt 480

gttaccactg gtttcggcgc cacctctcac cggagaacca agcagggtgg tgccttgcag 540

aaggagctaa ttaggttttt gaatgccgga atatttggca atggtacaga atctaactgt 600

acactaccac acacagcaac cagagctgca atgcttgtga gaatcaacac tcttcttcaa 660

ggatattctg gaattagatt tgaaattttg gaagctatca caaagcttct aaacaacaac 720

attaccccat gtttaccact tcgtggtaca atcacggctt ccggtgatct cgttccgctt 780

tcctacattg ccggtttgtt aaccggtaga ccgaactcca aagccgttgg accctccgga 840

gaaattetea atgeaaaaga agetttteaa ettgeeggea ttggttetga gttttttgaa 900

ttgcagccaa aagaaggtct tgctcttgtt aatggtactg ctgttggttc tggtttagct 960

WO 03/031622 PCT/AU02/01345 379/390

tctattgttc 1020	tgtttgaagc	aaatgtacta	gctgttttgt	ctgaagttat	gtcggcgatt
ttcgctgaag 1080	ttatgcaagg	gaaaccagaa	ttcactgatc	atttgactca	taagttgaaa
catcaccctg 1140	gtcaaattga	agctgctgca	attatggaac	atattttgga	tggaagtgct
tatgttaaag 1200	cagctaagaa	attacacgaa	accgatcctt	tacaaaagcc	gaaacaagat
cgttatgcac 1260	ttagaacttc	acctcaatgg	cttggtcctt	tgattgaagt	gataagattt
tcaactaagt 1320	caattgagag	agaaattaac	tctgtcaatg	ataacccttt	gattgatgtt
tcaaggaaca 1380	aggccattca	cggtggtaat	tttcaaggaa	cacctattgg	agtttcaatg
gataacacac 1440	gtttagctct	tgcttcaatt	ggtaaactca	tgtttgctca	attctctgaa
cttgttaatg 1500	atttttacaa	caacgggtta	ccttcgaatc	ttactgctag	taggaaccca
agcttggatt 1560	acggtttcaa	gggatcggaa	attgccatgg	cttcttattg	ttctgagtta
caatatcttg 1620	ctaatcctgt	caccacccat	gtccaaagtg	cggagcaaca	caatcaagat
gttaactctt 1680	tgggtttgat	ttcttcaaga	. aaaacaaatg	aagctattga	gatcctaaag
ctcatgtctt 1740	. cgacatttct	gattgcactt	tgtcaagcaa	ttgatttaag	gcatttggag
gaaaatctga 1800	ı ggaacactgt	caagaacacg	gtaagccaag	tagcgaagag	aacactcacc
accggtgtta 1860	atggagaact	tcatccttct	agattttgtg	g agaaagattt	gctcaaagtt
gttgataggg 1920	g agtatgtatt	tgcctatgto	gacgatectt	: gtctagctac	: ataccctttg
atgcaaaagt 1980	tgagacaagt	gettgtggat	catgcattgg	g taaatgctga	tggagagaag
aatttgaaca 2040	a catcaatctt	tcaaaagatt	gcaacttttg	g aggatgaatt	gaaagctatc
ttgccaaagg 2100	g aagttgaaag	g tacaagaact	gcatatgaaa	a atggacaatg	g tggaatttca
aacaagatta 2160	a aggaatgcag	g gtcttatcc	a ttgtacaagt	ttgttagaga	a ggagttagga
accgcgttg 2220	c taaccggaga	a aaaaacgata	a tegetggge	g aagagtgtga	a caaattgttc
acagctatg 2280	t gccaaggtaa	a aattgttga	t cetettttg	g aatgeettg	g agagtggaat

ggtgctcctc taccaatatg ttaattagca gaattaatat gtttctttga gaagtgattt 2340

ctttatatat ttgtagtata ctatagtagt tgcattgaga agcaattggt ttgtctataa 2400

gcctatggaa aatggcaaaa caattttctg ctcaaagcat cgtttattaa gttttcctta 2460

aagtgttaag gaacttttaa ttgtttttgt aatagaattt catttgtttg ccacaacttt 2520

gggtgcaaat atcacgtgat acatgtggtg tttgatgtaa atggtgtttt ctcaattaat 2580

aaatagtgtt tcagccatga aaaaaaaaaa aaaaaaaaa aaaaaagtac tctgcgttgt 2640

taccactgct taatcactag tgaattc 2667

<210> 332

<211> 712

<212> PRT

<213> Trifolium repens

<400> 332

Met Glu Gly Ile Thr Asn Gly His Ala Glu Ala Thr Phe Cys Val Thr 1 5 10 15

Lys Ser Val Gly Asp Pro Leu Asn Trp Gly Ala Ala Ala Glu Ser Leu 20 25 30

Met Gly Ser His Leu Asp Glu Val Lys Arg Met Val Glu Glu Tyr Arg 35 40 45

Asn Pro Leu Val Lys Ile Gly Gly Glu Thr Leu Thr Ile Ala Gln Val 50 60

Ala Gly Ile Ala Ser His Asp Ser Gly Val Arg Val Glu Leu Ser Glu 65 70 75 80

Ser Ala Arg Ala Gly Val Lys Ala Ser Ser Gly Trp Val Met Asp Ser 85 90 95

Met Asn Asn Gly Thr Asp Ser Tyr Gly Val Thr Thr Gly Phe Gly Ala 100 \$105\$

Thr Ser His Arg Arg Thr Lys Gln Gly Gly Ala Leu Gln Lys Glu Leu 115 120 125

Ile Arg Phe Leu Asn Ala Gly Ile Phe Gly Asn Gly Thr Glu Ser Asn 130 135 140

							3	381/39	0						
Cys 145	Thr	Leu	Pro	His	Thr 150	Ala	Thr	Arg	Ala	Ala 155	Met	Leu	Val	Arg	Ile 160
Asn	Thr	Leu	Leu	Gln 165	Gly	Tyr	Ser	Gly	Ile 170	Arg	Phe	Glu	Ile	Leu 175	Glu
Ala	Ile	Thr	Lуs 180	Leu	Leu	Asn	Asn	Asn 185	Ile	Thr	Pro	Cys	Leu 190	Pro	Leu
Arg	Gly	Thr 195	Ile	Thr	Ala	Ser	Gly 200	Asp	Leu	Val	Pro	Leu 205	Ser	Tyr	Ile
Ala	Gly 210	Leu	Leu	Thr	Gly	Arg 215	Pro	Asn	Ser	Lys	Ala 220	Val	Gly	Pro	Ser
Gly 225	Glu	Ile	Leu	Asn	Ala 230	Lys	Glu	Ala	Phe	Gln 235	Leu	Ala	Gly	Ile	Gly 240
Ser	Glu	Phe	Phe	Glu 245	Leu	Gln	Pro	Lys	Glu 250	Gly	Leu	Ala	Leu	Val 255	Asn
Gly	Thr	Ala	Val 260		Ser	Gly	Leu	Ala 265		Ile	Val	Leu	Phe 270	Glu	Ala
Asn	Val	Leu 275		Val	Leu	Ser	Glu 280		Met	. Ser	Ala	Ile 285	Phe	Ala	Glu
Val	Met 290		. Gly	· Lys	Pro	Glu 295		Thr	. Ast	His	Leu 300	Thr	His	Lys	Leu
Lys 305		His	Prc	Gly	Gln 310		e Glu	. Ala	Ala	1 Ala 315		Met	Glu	His	Ile 320
Leu	Asp	Gly	/ Ser	: Ala 325		Val	. Lys	a Ala	330		Lys	Leu	. His	Glu 335	Thr
Asp	Pro	Le:	ı Glr 340		Prc	Lys	s Glr	Asp 345		д Туг	Ala	. Leu	350		Ser
Pro	Glr	1 Trj 35!		ı Gly	Pro	Leu	ı Il∈ 360		ı Val	l Il∈	e Arç	y Ph∈ 365		Thr	Lys
Ser	: Ile 370		ı Arg	g Glı	ı Ile	375		. Val	l Ası	n As <u>ı</u>	380		Let	ı Ile	a Asp
Val 385		r Ar	g Ası	n Lys	390		e Hi:	s Gly	y Gl	y Ası 39!		e Glr	ı Gly	/ Thi	Pro 400

Ile Gly Val Ser Met Asp Asn Thr Arg Leu Ala Leu Ala Ser Ile Gly 405 410 415

WO 03/031622 PCT/AU02/01345 382/390

Lys	Leu	Met	Phe 420	Ala	Gln	Phe		Glu 425	Leu	Val	Asn	Asp	Phe 430	Tyr	Asn
Asn	Gly	Leu 435	Pro	Ser	Asn	Leu	Thr 440	Ala	Ser	Arg	Asn	Pro 445	Ser	Leu	Asp
Tyr	Gly 450	Phe	Lys	Gly	Ser	Glu 455	Ile	Ala	Met	Ala	Ser 460	Tyr	Cys	Ser	Glu
Leu 465	Gln	Tyr	Leu	Ala	Asn 470	Pro	Val	Thr	Thr	His 475	Val	Gln	Ser	Ala	Glu 480
Gln	His	Asn	Gln	Asp 485	Val	Asn	Ser	Leu	Gly 490	Leu	Ile	Ser	Ser	Arg 495	Lys
Thr	Asn	Glu	Ala 500	Ile	Glu	Ile	Leu	Lys 505	Leu	Met	Ser	Ser	Thr 510	Phe	Leu
Ile	Ala	Leu 515	Cys	Gln	Ala	Ile	Asp 520	Leu	Arg	His	Leu	Glu 525	Glu	Asn	Leu
Arg	Asn 530		Val	Lys	Asn	Thr 535	Val	Ser	Gln	Val	Ala 540		Arg	Thr	Leu
Thr 545		Gly	Val	Asn	Gly 550	Glu	Leu	His	Pro	Ser 555		Phe	Cys	Glu	Lys 560
Asp	Leu	. Leu	Lys	Val 565	Val	Asp	Arg	Glu	Tyr 570		Phe	Ala	Tyr	Val 575	
Asp	Pro	Cys	Leu 580		Thr	Tyr	Pro	Leu 585	Met	Glr	r Pàs	Lev	Arg 590		. Val
Leu	ı Val	. Asp 595		. Ala	. Leu	Val	Asn 600		Asp	Gl _y	/ Glu	Lys 605		ı Lev	ı Asn
Thr	Ser 610		e Phe	e Glr	ı Lys	Ile 615		Thr	Phe	e Glu	ı Asp 620		ı Lev	ı Lys	s Ala
Ile 625		ı Pro	Lys	s Glı	ı Val 630		ı Ser	Thr	Arg	Th: 63		а Туі	c Glu	ı Asr	1 Gly 640
Glı	ı Cys	Gly	/ Ile	e Sei 64!		Lys	: Ile	. Lys	650		s Arg	g Sei	г Туз	655	Leu 5
Ту	c Lys	s Ph∈	e Va:		g Glu	ıGlu	ı Lev	Gl _y 665		c Ala	a Lei	ı Le	u Thi 670		y Glu

Lys Thr Ile Ser Leu Gly Glu Glu Cys Asp Lys Leu Phe Thr Ala Met 675 680 685

Cys Gln Gly Lys Ile Val Asp Pro Leu Leu Glu Cys Leu Gly Glu Trp 690 695 700

Asn Gly Ala Pro Leu Pro Ile Cys 705 710

<210> 333

<211> 2664

<212> DNA

<213> Trifolium repens

<400> 333

gaattcacta gtgattaagc agtggtaaca acgcagagta cgcggggagg aaataaattc

atcattgttc attatttccc acccaacaca acataacaaa tacattattc tctcctctga

tcacaattat tactttctac accctcctct caactattat taactagcat aatggaggga 180

attaccaatg gccatgctga aacaactttt tgcgtgacca aaagtgttgg tgatccactc 240

aactggggtg cagccgcgga gtcgttgacg gggagtcatt tggatgaggt gaagcgtatg

gtggaggagt accgtaatcc gttggctaaa attggcggcg agacgcttac cattgctcag 360

gtggctggaa ttgcttctca tgatagtggt gtgagggtgg agctgtccga gtccgcaagg 420

gccggcgtta aggcgagtag tgattgggtg atggatagca tgaacaatgg gactgatagt 480

tacggtgtta ccaccggttt tggtgccacc tctcaccgga gaaccaagca gggtggtgct 540

ttgcagaagg agctaattag gtttttgaat gctggaatat ttggcaatgg tacagaatct 600

aactgtacac taccacaca agcaactaga gctgcaatgc ttgtgagaat caacactctt 660

cttcaagggt actctggtat tagatttgaa attttggaag ctatcacaaa gcttccaaac 720

aacaacatta ccccatgttt accacttcgt ggtacaatca cggcttccgg tgatcttgtt 780

ccgctttcct acattgccgg tttgttaacc ggaagaccca actccaaagc agttggacct 840

tccggagaaa ttttgagtgc taaagaagct tttcaactcg ccggcattgg ttctgagttt 900

tttgaattgc aaccaaaaga aggtcttgct cttgttaatg gtactgctgt tggctctggt 960

WO 03/031622 PCT/AU02/01345 384/390

ttagcttcta ttgttctgtt tgaagcaaat gtactagctg ttttatccga agttatgtcg 1020
gcgattttcg ctgaagttat gcaagggaaa ccggaattta ccgatcattt gactcataag 1080
ttgaaacatc accctggtca aattgaagct gctgcaatta tggaacatat tttggatgga 1140
agtgcttatg ttaaagcagc taagaagtta cacgaaaccg atcctttaca aaaaccgaaa 1200
caagatcgtt atgcacttag aacttcacct caatggcttg gtcctttgat tgaagtgata 1260
agattttcaa ccaaatcgat tgaaagagaa attaactcgg tcaacgacaa ccctttgatc 1320
gatgtttcaa ggaacaaggc cattcatggt ggtaactttc aaggaacacc tattggagtt 1380
tcaatggata acacacgttt agctcttgct tcaattggta aactcatgtt tgctcaattc 1440
tctgaacttg ttaatgattt ttacaacaac gggttgcctt cgtatcttac tgctagtagg 1500
aacccgagct tggactatgg tttcaaggga tcggaaattg ccatggcttc gtattgttcc 1560
gagttacaat atcttgctaa teetgteace acceatgtee aaagtgeega geaacacaae 1620
caagatgtta actctttggg tttgatttct tctagaaaaa caaatgaagc tattgagatt 1680
ctcaagctca tgtcttccac tttcttgatt gcattatgtc aagcaatcga cttaaggcac 1740
ttggaggaaa atctcaggaa caccgtcaag aacacggtaa gccaagtagc gaagagaaca 1800
ctcaccaccg gcgtcaacgg agaacttcat tcttctagat tttgtgagaa agatttgctt 1860
aaagttgttg atagggagta tgtatttgcc tatgccgacg atccttgtct agctacatac 1920
cctttgatgc aaaagttgag acaagtgctt gtggatcatg cattggtaaa tgttgatgga 1980
gagaagaatt tgaacacatc aatctttcaa aagattgcaa cttttgagga tgagttgaaa 2040
gctattttgc caaaggaggt tgaaagtaca agaactgcat atgaaaatgg acaatgtgga 2100
atttcaaaca agattaagga atgcaggtct tatccattgt acaagtttgt tagagaggag 2160
ttaggaaccg cgttgctaac cggagaaaaa actatatcgc cgggcgaaga gtgcgataaa 2220
ttgttcacag ctatgtgcca aggtaaaatt gttgatcctc ttatggaatg cctcggagag 2280

tggaatggtg ctcctctacc aatatgttaa ttagcataat atgttttctt tgagaagtga

ttactttata tatttgtagt atactatagt agttgcattg agaagaaatt ggtttgttta 2400

taagcctatg gaaaatggca aatcaatttt ctgctcaaag catcgtttat taagttttcc

ttaaagtgtt aaggaacttt taattgtttt tgtaatagaa tttcatttgt ttgccacaac

tttgggtgca aatatcacat gatacatgtg gtgtttgatg taaatggtgt tttttcaata 2580

tgttaccact gcttaatcga attc 2664

<210> 334

<211> 712

<212> PRT

<213> Trifolium repens

<400> 334

Met Glu Gly Ile Thr Asn Gly His Ala Glu Thr Thr Phe Cys Val Thr 1 5 10 15

Lys Ser Val Gly Asp Pro Leu Asn Trp Gly Ala Ala Ala Glu Ser Leu 20 25 30

Thr Gly Ser His Leu Asp Glu Val Lys Arg Met Val Glu Glu Tyr Arg 40 45

Asn Pro Leu Ala Lys Ile Gly Gly Glu Thr Leu Thr Ile Ala Gln Val 50 55 60

Ala Gly Ile Ala Ser His Asp Ser Gly Val Arg Val Glu Leu Ser Glu 65 70 75 80

Ser Ala Arg Ala Gly Val Lys Ala Ser Ser Asp Trp Val Met Asp Ser 85 90 95

Met Asn Asn Gly Thr Asp Ser Tyr Gly Val Thr Thr Gly Phe Gly Ala

Thr Ser His Arg Arg Thr Lys Gln Gly Gly Ala Leu Gln Lys Glu Leu 115 120 125

Ile Arg Phe Leu Asn Ala Gly Ile Phe Gly Asn Gly Thr Glu Ser Asn 130 135 140

Cys Thr Leu Pro His Thr Ala Thr Arg Ala Ala Met Leu Val Arg Ile

386/390 160 155 150 145 Asn Thr Leu Leu Gln Gly Tyr Ser Gly Ile Arg Phe Glu Ile Leu Glu 170 Ala Ile Thr Lys Leu Pro Asn Asn Asn Ile Thr Pro Cys Leu Pro Leu Arg Gly Thr Ile Thr Ala Ser Gly Asp Leu Val Pro Leu Ser Tyr Ile Ala Gly Leu Leu Thr Gly Arg Pro Asn Ser Lys Ala Val Gly Pro Ser 215 Gly Glu Ile Leu Ser Ala Lys Glu Ala Phe Gln Leu Ala Gly Ile Gly 230 225 Ser Glu Phe Phe Glu Leu Gln Pro Lys Glu Gly Leu Ala Leu Val Asn Gly Thr Ala Val Gly Ser Gly Leu Ala Ser Ile Val Leu Phe Glu Ala 260 Asn Val Leu Ala Val Leu Ser Glu Val Met Ser Ala Ile Phe Ala Glu Val Met Gln Gly Lys Pro Glu Phe Thr Asp His Leu Thr His Lys Leu 295 Lys His His Pro Gly Gln Ile Glu Ala Ala Ile Met Glu His Ile Leu Asp Gly Ser Ala Tyr Val Lys Ala Ala Lys Lys Leu His Glu Thr

Asp Pro Leu Gln Lys Pro Lys Gln Asp Arg Tyr Ala Leu Arg Thr Ser 345

Pro Gln Trp Leu Gly Pro Leu Ile Glu Val Ile Arg Phe Ser Thr Lys 355 360

Ser Ile Glu Arg Glu Ile Asn Ser Val Asn Asp Asn Pro Leu Ile Asp 375 380 370

Val Ser Arg Asn Lys Ala Ile His Gly Gly Asn Phe Gln Gly Thr Pro 395 385 390

Ile Gly Val Ser Met Asp Asn Thr Arg Leu Ala Leu Ala Ser Ile Gly 405 410

- Lys Leu Met Phe Ala Gln Phe Ser Glu Leu Val Asn Asp Phe Tyr Asn 420 425 430
- Asn Gly Leu Pro Ser Tyr Leu Thr Ala Ser Arg Asn Pro Ser Leu Asp 435 440 445
- Tyr Gly Phe Lys Gly Ser Glu Ile Ala Met Ala Ser Tyr Cys Ser Glu 450 455 460
- Leu Gln Tyr Leu Ala Asn Pro Val Thr Thr His Val Gln Ser Ala Glu 465 470 475 480
- Gln His Asn Gln Asp Val Asn Ser Leu Gly Leu Ile Ser Ser Arg Lys
 485 490 495
- Thr Asn Glu Ala Ile Glu Ile Leu Lys Leu Met Ser Ser Thr Phe Leu 500 505 510
- Ile Ala Leu Cys Gln Ala Ile Asp Leu Arg His Leu Glu Glu Asn Leu 515 520 525
- Arg Asn Thr Val Lys Asn Thr Val Ser Gln Val Ala Lys Arg Thr Leu 530 535 540
- Thr Thr Gly Val Asn Gly Glu Leu His Ser Ser Arg Phe Cys Glu Lys 545 550 555 560
- Asp Leu Leu Lys Val Val Asp Arg Glu Tyr Val Phe Ala Tyr Ala Asp 565 570 575
- Asp Pro Cys Leu Ala Thr Tyr Pro Leu Met Gln Lys Leu Arg Gln Val 580 585 590
- Leu Val Asp His Ala Leu Val Asn Val Asp Gly Glu Lys Asn Leu Asn 595 600 605
- Thr Ser Ile Phe Gln Lys Ile Ala Thr Phe Glu Asp Glu Leu Lys Ala 610 615 620
- Ile Leu Pro Lys Glu Val Glu Ser Thr Arg Thr Ala Tyr Glu Asn Gly 625 630 635 640
- Gln Cys Gly Ile Ser Asn Lys Ile Lys Glu Cys Arg Ser Tyr Pro Leu 645 650 655
- Tyr Lys Phe Val Arg Glu Glu Leu Gly Thr Ala Leu Leu Thr Gly Glu 660 665 670
- Lys Thr Ile Ser Pro Gly Glu Glu Cys Asp Lys Leu Phe Thr Ala Met

675 680 685

Cys Gln Gly Lys Ile Val Asp Pro Leu Met Glu Cys Leu Gly Glu Trp
690 700

Asn Gly Ala Pro Leu Pro Ile Cys 705 710

<210> 335

<211> 1296

<212> DNA

<213> Trifolium repens

<400> 335

gaattcgatt aagcagtggt aacaacgcag agtacgcggg atagtagtag ttgagaaaaa

atacacaaat aaagtaaaca ctatcataga aagagagtca aaaatggctg aaggaaaagg 120

aagggtttgt gttactggag gaacaggttt tcttggttca tggatcatca agagtcttct

tgaaaatgga tactctgtta ataccactat tagagctgat ccagaacgta agagggatgt 240

aagcttccta acaaatctac ccggcgcatc cgaaaggcta catttcttca acgccgatct 300

agacgaccca gagagtttca acgaagcaat tgaaggttgt gtcgggatat tccacaccgc 360

ttcaccaatc gatttcgccg tgagtgagcc agaagaaata gtgacaaaaa gaacagtgga 420

tggagcatta ggaattttaa aagcatgtgt gaattcaaag acagtgaaga gatttattta 480

cacttcaagt ggttctgctg tttcattcaa tggaaaaaac aaagatgttt tggatgagag 540

tgattggagt gatgttgatt tgcttagaag tgttaaacca tttggttgga gttatggtgt 600

ttcaaagact ttggctgaga aagcagtgct tgaatttggt caacaaaatg ggattgatgt 660

tgttactttg attcttcctt ttattgttgg aagttttgtt tgtcctaagc ttcctgattc 720

tgttgagaaa gctcttgttt tggtactagg caaaaaggaa caaattggta ttataagttt 780

ccacatggta catgtggatg atgtggctag agcacatatt tatctacttg agaatcctgt 840

tccaggaggt agatataatt gttcaccatt ctttgtatct attgaagaaa tgtcacaact 900

tctttcagcc aaatatccag aatatcaaat actatcagta gatgagttga aggaaatcaa 960

aggtgcaagg ttgccagatt tgaactcgaa aaagctcgtg gacgctggtt ttgagtttaa

1020

gtatagtgtc ggtgatatgt tcgatgatgc gattcaatgc tgcaaggaaa aaggctatct 1080

ctaagtatgt gtttgaaaaa aattccatga agctgagaaa acaataatat gcctaaaatc 1140

aatgatggct aatgaaatgt acaagtttat gcataaagtt atttgtgatg aatcaaataa 1200

ctgcgttgtt accactgctt aatcactagt gaattc 1296

<210> 336

<211> 326

<212> PRT

<213> Trifolium repens

<400> 336

Met Ala Glu Gly Lys Gly Arg Val Cys Val Thr Gly Gly Thr Gly Phe 1 5 10 15

Leu Gly Ser Trp Ile Ile Lys Ser Leu Leu Glu Asn Gly Tyr Ser Val 20 25 30

Asn Thr Thr Ile Arg Ala Asp Pro Glu Arg Lys Arg Asp Val Ser Phe 35 40 45

Leu Thr Asn Leu Pro Gly Ala Ser Glu Arg Leu His Phe Phe Asn Ala 50 55 60

Asp Leu Asp Asp Pro Glu Ser Phe Asn Glu Ala Ile Glu Gly Cys Val 65 70 75 80

Gly Ile Phe His Thr Ala Ser Pro Ile Asp Phe Ala Val Ser Glu Pro 85 90 95

Glu Glu Ile Val Thr Lys Arg Thr Val Asp Gly Ala Leu Gly Ile Leu 100 105 110

Lys Ala Cys Val Asn Ser Lys Thr Val Lys Arg Phe Ile Tyr Thr Ser 115 120 125

Ser Gly Ser Ala Val Ser Phe Asn Gly Lys Asn Lys Asp Val Leu Asp 130 135 140

Glu Ser Asp Trp Ser Asp Val Asp Leu Leu Arg Ser Val Lys Pro Phe 145 150 155 160

Gly Trp Ser Tyr Gly Val Ser Lys Thr Leu Ala Glu Lys Ala Val Leu

165 170 175

Glu Phe Gly Gln Gln Asn Gly Ile Asp Val Val Thr Leu Ile Leu Pro 180 185 190

Phe Ile Val Gly Ser Phe Val Cys Pro Lys Leu Pro Asp Ser Val Glu 195 200 205

Lys Ala Leu Val Leu Val Leu Gly Lys Lys Glu Gln Ile Gly Ile Ile 210 215 220

Ser Phe His Met Val His Val Asp Asp Val Ala Arg Ala His Ile Tyr 225 230 235 240

Leu Leu Glu Asn Pro Val Pro Gly Gly Arg Tyr Asn Cys Ser Pro Phe 245 250 255

Phe Val Ser Ile Glu Glu Met Ser Gln Leu Leu Ser Ala Lys Tyr Pro 260 265 270

Glu Tyr Gln Ile Leu Ser Val Asp Glu Leu Lys Glu Ile Lys Gly Ala 275 280 285

Arg Leu Pro Asp Leu Asn Ser Lys Lys Leu Val Asp Ala Gly Phe Glu 290 295 300

Phe Lys Tyr Ser Val Gly Asp Met Phe Asp Asp Ala Ile Gln Cys Cys 305 310 315

Lys Glu Lys Gly Tyr Leu 325

International application No.

PCT/AU02/01345 CLASSIFICATION OF SUBJECT MATTER A. Int. Cl. 7: C12N 15/29, 15/52, 15/53, 15/55, 15/60, 15/61; A01H 5/00 According to International Patent Classification (IPC) or to both national classification and IPC FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) SEE ELECTRONIC DATABASE BOX BELOW Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched SEE ELECTRONIC DATABASE BOX BELOW Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) PEPTIDE DATABASES (SWISSPROT, GENBANK, EMBL, PIR) DGENE: SEQ ID NOS 2,9,14,18,24,65,70,79,92,96,109,111,118,136,148,154,156,160,162,164,169,186,195,197,203,246,248,250,279,287,29 4,299,304,308,310,312,314,318,320,322,324,326,328,334 DOCUMENTS CONSIDERED TO BE RELEVANT C. Relevant to Category* Citation of document, with indication, where appropriate, of the relevant passages claim No. WO 02 18604 A (THE SALK INSTITUTE FOR BIOLOGICAL STUDIES) 7 March PX Fig 1D shares ~92% identity with SEQ ID NOS 2, 9, 14, 308 1-3, 13-19, 25, 27 US 6 054 636 A (FADER GM) 25 April 2000 X Fig 2 shares ~81% identity with SEQ ID NOS 2, 9, 14, 308 1-3, 13-27 See patent family annex $|\mathbf{x}|$ Х Further documents are listed in the continuation of Box C Special categories of cited documents: "A" document defining the general state of the art "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle which is not considered to be of particular or theory underlying the invention relevance "E" earlier application or patent but published on or document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step after the international filing date when the document is taken alone document of particular relevance; the claimed invention cannot be document which may throw doubts on priority claim(s) or which is cited to establish the considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to publication date of another citation or other special reason (as specified) a person skilled in the art "O" document member of the same patent family document referring to an oral disclosure, use, exhibition or other means document published prior to the international filing date but later than the priority date claimed Date of the actual completion of the international search Date of mailing of the international search report 05 DEC 2002 28 November 2002 Name and mailing address of the ISA/AU Authorized officer AUSTRALIAN PATENT OFFICE PO BOX 200, WODEN ACT 2606, AUSTRALIA TERRY MOORE

Telephone No: (02) 6283 2632

E-mail address: pct@ipaustralia.gov.au Facsimile No. (02) 6285 3929

International application No.

PCT/AU02/01345

Category*	Citation of document, with indication, where appropriate, of the relevant passages			
х	WO 99 36543 A (PIONEER HI-BRED INTERNATIONAL, INC.) 22 July 1999 SEQ ID NO 2 shares ~81% identity with SEQ ID NOS 2, 9, 14, 308	1-3, 13-17, 21, 22, 24-2		
	Genbank Acc No AAB41524 chalcone isomerase (Medicago sativa) 29 January 1997 (See also Medline Abstract 8193301)			
X	92% identity with SEQ ID NOS 18, 310 Genbank Acc No CAA74847 anther-specific protein (<i>Nicotiana sylvestris</i>)	1-3, 13-18, 24-27		
X	(See also Medline Abstract 99084767) 83% identity with SEQ ID NOS 96, 322 and 67% identity with SEQ ID NOS 318, 70	1, 2, 4, 13-1		
X	Genbank Acc No CAC14061 chalcone synthase (<i>Ruta graveolens</i>) 27 October 2000 ~87% identity with SEQ ID NOS 24, 65, 79, 92, 102, 107, 314, 316, 320, 324	24-26, 28		
X	Genbank Acc No AAB41556 chalcone reductase (<i>Medicago sativa</i>) 30 January 1997 ~95% identity with SEQ ID NOS 109, 118, 312	24-26, 28 1, 2, 5, 13-1		
X	Genbank Acc No CAA11226 chalcone reductase (Sesbania rostrata) 3 July 2001 90% identity with SEQ ID NO 111	20, 24-26, 2		
A	Genbank Acc No AAK52955 dihydro-flavonoid reductase-like protein (Zea mays) 14	24-26, 29		
X	May 2001 69% identity with SEQ ID NOS 287, 160 and 53% identity with SEQ ID NO 148	1, 2, 6, 13-1 24-26, 30		
PX	WO 02 063021 A (PIONEER HI-BRED INTERNATIONAL, INC.) 15 August 2002 SEQ ID NO 1 shares 74% identity with SEQ ID NOS 148, 160, 287	1, 2, 6, 13-1 24-26, 30		
X	Genbank Acc No AAD54273 dihydroflavonol-4-reducatse DFR1 (Glycine max) 10 September 1999 81 % identity with SEQ ID NO 169	1, 2, 6, 13-1 24-26, 30		
	WO 95 27790 A (CENTRE NATIONAL DE LA RECHERCHE SCIENTIFIQUE) 19 October 1995			
X	SEQ ID NO 1 shares 43% identity with SEQ ID NOS 136, 156, 326, 39% identity with SEQ ID NO 154 and 51% identity with SEQ ID NO 294.	1, 2, 6, 13-1 24-26, 30		
	WO 02 10210 A (BAYER AKTIENGESELLSCHAFT) 7 February 2002 SEQ ID NO 2329 shares 51% identity with SEQ ID NO 164, SEQ ID NO 636 shares 62% identity with SEQ ID NO 186, SEQ ID NO 1573 shares 49% identity with SEQ			
PX	ID NOS 246, 248, SEQ ID NO 2091 shares 57% identity with SEQ ID NOS 304, 299	1, 2, 7, 9, 13 17, 24-26, 3 32		
X	WO 99 14351 (E.I. DU PONT DE NEMOURS AND COMPANY) 25 March 1999 SEQ ID NO 1 shares 56% identity with SEQ ID NO 162	1, 2, 6, 13-1 21, 22, 24-2		

International application No.
PCT/AU02/01345

C (Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT				
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.		
PX	WO 02 26994 A (AGRICULTURE VICTORIA SERVICES PTY LTD) 4 April 2002 Fig 39 shares 72% identity with SEQ ID NO 294	1, 2, 6, 13-18, 21, 22, 24-26, 30		
X	WO 97 12982 A (CENTRE NATIONAL DE LA RECHERCHE SCEINTIFIQUE) 10 April 1997 SEQ ID NO 5 shares 55% identity with SEQ ID NO 294	1, 2, 6, 13-17, 24-26, 30		
X	Genbank Acc No CAA80265 flavonoid 3',5'-hydroxylase (<i>Petunia x hybrida</i>) 7 December 1993 70% identity with SEQ ID NO 197	1, 2, 8, 13-18, 24-26, 32		
х	EP 1 033 405 (CERES INCORPORATED) 6 September 2000 SEQ ID NO 49742 shares 57% identity with SEQ ID NO 195	1, 2, 8, 13-18, 24-26, 32		
X	Genbank Acc No AAF23859 DFR-like protein (Arabidopsis thaliana) 11 January 2000 61% identity with SEQ ID NO 186	1, 2, 7, 13-18, 24-26, 31		
x	Genbank Acc No BAB01697 oxidase-like protein (Arabidopsis thaliana) 27 December 2000 50% identity with SEQ ID NOS 246, 248	1, 2, 9, 13-18, 24-26, 33		
X	TREMBL Acc No CAB63776 F3'H1 protein (Glycine max) 1 May 2000 85% identity with SEQ ID NO 328, 203	1, 2, 9, 13-18, 24-26, 33		
х	Genbank Acc No CAB78172 flavanone 3-beta-hydroxylase (<i>Arabidopsis thaliana</i>) 16 March 2000 57% identity with SEQ ID NOS 304, 299	1, 2, 9, 13-17, 24-26, 33		
X	Genbank Acc No AAG49298 Flavonoid 3'-hydroxylase (Callistephus chinensis) 16 January 2001 68% identity with SEQ ID NO 250	1, 2, 10, 13- 18, 20, 24-26, 34		
X	Genbank Acc No AAA99500 Phenylalanine ammonia lyase (<i>Stylosanthes humilis</i>) 15 May 1996 88% identity with SEQ ID NOS 254, 259, 269, 271, 273, 275, 330, 332, 334	1, 2, 11, 13- 18, 24-26, 35		
X	Genbank Acc No CAA41169 phenylalanine ammonia lyase (Medicago sativa) 5 May 1995 87% identity with SEQ ID NOS 254, 259, 269, 271, 273, 275, 330, 332, 334	1, 2, 11, 13- 18, 24-26, 35		
X	Genbank Acc No AAB41550 vestitone reductase (Medicago sativa) 30 January 1997 (See also Medline abstract 7625843) 95% identity with SEQ ID NOS 336, 279	1, 2, 12-18, 21, 22, 24-26, 36		

International application No.

PCT/AU02/01345

Box I	Observations where certain claims were found unsearchable (Continuation of item 2 of first sheet)
This inte	rnational search report has not been established in respect of certain claims under Article 17(2)(a) for the following
1.	Claims Nos:
	because they relate to subject matter not required to be searched by this Authority, namely:
2.	Claims Nos: because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
3.	Claims Nos:
	because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a)
Box II	Observations where unity of invention is lacking (Continuation of item 3 of first sheet)
This Inte	ernational Searching Authority found multiple inventions in this international application, as follows:
	supplemental Box
1.	As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims
2.	As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3.	As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
4.	No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:
Remark	on Protest The additional search fees were accompanied by the applicant's protest.
	X No protest accompanied the payment of additional search fees.

International application No.

PCT/AU02/01345

Supplemental Box 1

(To be used when the space in any of Boxes I to VIII is not sufficient)

Continuation of Box No: II (lack of unity)

The international application does not comply with the requirements of unity of invention because it does not relate to one invention or to a group of inventions so linked as to form a single general inventive concept. The fundamental test for unity of invention is specified in Rule 13.2 of the Regulations under the PCT.

"Where a group of inventions is claimed in one and the same international application, the requirement of unity of invention referred to in Rule 13.1 shall be fulfilled only where there is a technical relationship among those inventions involving one or more of the same or corresponding special technical features. The expression "special technical feature" shall mean those technical features that define a contribution which each of the claimed inventions, considered as a whole, make over the prior art."

The problem addressed by the application is the modification of flavonoid biosynthesis (see page 2, line 29-page 3, line 7). The solution provided by the claims resides in the use of 56 specific polypeptides from clover, medic, ryegrass or fescue species (claim 25) and the nucleic acids or fragments coding for these polypeptides (claim 1). These 56 specific polypeptides fall within the following ten groups:

ic borsh	epitaes fait within the force wing ten grow	
1.	Chalcone isomeras (CHI)	(SEQ IDS 2,9,14,18,308,310)
2.	Chalcone synthase (CHS)	(SEQ IDS 24,65,70,79,92,96,102,107,314,316,318,322,324)
3.	Chalcone reductase (CHR)	(SEQ IDS 109,111,118,312)
4.	Dihydroflavonol 4-reductase (DFR)	(SEQ IDS 136,148,154,156,160,162,164,169,287,294,326)
5.	Leucoanthocyanidin reductase (LCR)	(SEQ ID 186)
6.	Flavonoid 3',5' hydrolase (F3'5'H)	(SEQ IDS 195,197)
7.	Flavanone 3-hydrolase (F3H)	(SEQ IDS 203,246,248,299,304,328)
8.	Flavonoid 3'-hydroxylase (F3'H)	(SEQ ID 250)
9.	Phenyalanine ammonia-olyase (PAL)	(SEQ IDS 254,259,269,271,273,275,330,332,334)
10.	Vestitone reductase (VR)	(SEQ IDS 279,336)

The application acknowledges that representatives of these enzyme species, and the nucleotides that encode them, are known and have been isolated from other plant species (see page 2 lines 29-31). This is supported by the following documents, which disclose the isolation and characterisation of a number of these enzymes from a range of species, including clover and medic and rve.

including clover and medic and rye.				
EMBL CAA63306 Secale cereale chalcone synthase (CHS) (5 March 1999)				
GENBANK AAA17993 Trifolium subterraneum phenylalanine ammonia-lyase (PAL) (10 May 1	1994	•)		

PIR S66262 Medicago sativa vestitone reductase (VS) (12 November 1999)

SWISSPROT P51109 Medicago sativa dihydroflavanol 4-reductase (DHR) (1 October 1996)

SWISSPROT P51088 Trifolium subterraneum chalcone synthase (CHS) (15 July 1999)

PIR S44371 Medicago sativa chalcone isomerase (CHI) (16 July 1999)

Medline Abstract 11164576 altered pigmentation using CHS and DFR
Medline Abstract 7981963 altered plant stress response using CHS and PAL

These documents disclose not only flavonoid biosynthesis enzymes in a range of plant species they also disclose manipulation of these sequences to modify features such as pigmentation and stress responses. Thus features such as the 10 listed enzyme families, the isolation of representative of these families from a range of plant species and modification of flavonoid pathway enzymes are known. Furthermore, the enzymes isolated from the 4 specific species: clover, medic, ryegrass and fescue, do not appear to contribute any advantage or produce any unexpected result in comparison to known members of the same families isolated from other species. Thus these features are known or are obvious and cannot be regarded as "special technical features" conferring unity on the separate inventions.

International application No.

PCT/AU02/01345

Supplemental Box 1

(To be used when the space in any of Boxes I to VIII is not sufficient)

Continuation of Box No: II (lack of unity)

In the absence of an obvious special technical feature, it is appropriate to use the Markush approach.

Claims 1 and 26 are written as claims directed to alternatives, in a so-called Markush style of drafting. The application of the test for Markush claims gives the following result:

- (A) the common property is modification of the flavonoid biosynthesis pathway.
- (B) (1) no common structure is evident as the structures of the polypeptides are not revealed (B) (2) there is no single recognised class of compounds embracing all the polypeptides, as the polypeptides belong to different classes ie CHI, CHS, CHR, DFR, LCR F3'5'H, F3H, F3'H, PAL,VR, each carrying out different biological functions.

The species of origin of the polypeptides does not provide a legitimate classification as proteins are primarily classified by their activity not their origin. Thus the polypeptides can be grouped into 10 classes CHI, CHS, CHR, DFR, LCR F3'5'H, F3H, F3'H, PAL, VR, based on their activities, and represent 10 different inventions. Each of these inventions can only be searched using independent search strategies and thus each search requires significant additional effort.

As a service to the Applicant, multiple inventions, as specified by the Applicant, were searched for a single search fee with the proviso that the total number of amino acid sequences associated with the combination of inventions was no greater than 10. This offer was independent of unity consideration and was provided solely as a service to the Applicant. For five additional search fees all the inventions, totalling 56 sequences were searched.

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent Document Cited in Search Report				Pate	nt Family Member		
US	6 054 636	AU	94934/98	EP	1 015 614	WO	99 14351
wo	99 36543	AU	22321/99	EP	1 045 909		
WO	99 14351	AU	94934/98				:
WO	97 12892	EP	0 853 672	FR	2739395		
							END OF ANNEX